


Table of Contents


1. -6dB Emission Bandwidth	2
2. -26dB and 99% Emission Bandwidth	13
3. Duty Cycle.....	34
4. Maximum Conducted Output Power	45
5. Power Spectral Density	46
6. Frequency Stability	57

1. -6dB Emission Bandwidth


Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	15.064	0.500	Pass
NVNT	ANT1	802.11a	5785.00	15.126	0.500	Pass
NVNT	ANT1	802.11a	5825.00	15.118	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	13.875	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	14.758	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	15.131	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	15.087	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	15.128	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	15.020	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	15.057	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	16.288	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	15.152	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.081	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	33.889	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.107	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	33.887	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	35.118	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	33.951	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	72.604	0.500	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	73.911	0.500	Pass




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB Emission Bandwidth NVNT ANT1 802 11a 5825 20M




-6dB Emission Bandwidth NVNT ANT1 802 11n(HT20) 5745 20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20)_5785_20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT20)_5825_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB Emission Bandwidth NVNT ANT1 802 11ac(VHT20) 5825 20M




-6dB Emission Bandwidth NVNT ANT1 802 11ax(HE20) 5745 20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT40)_5755_40M




-6dB Emission Bandwidth NVNT ANT1_802_11n(HT40)_5795_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5755_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5795_40M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5755_40M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5795_40M



-6dB Emission Bandwidth NVNT ANT1 802 11ac(VHT80) 5775 80M





-6dB Emission Bandwidth NVNT ANT1 802 11ax(HE80) 5775 80M



2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	- 26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	17.96	16.24
NVNT	ANT1	802.11a	5785.00	17.99	16.25
NVNT	ANT1	802.11a	5825.00	18.03	16.23
NVNT	ANT1	802.11n(HT20)	5745.00	18.97	17.39
NVNT	ANT1	802.11n(HT20)	5785.00	19.18	17.39
NVNT	ANT1	802.11n(HT20)	5825.00	18.98	17.37
NVNT	ANT1	802.11ac(VHT20)	5745.00	18.87	17.40
NVNT	ANT1	802.11ac(VHT20)	5785.00	18.88	17.37
NVNT	ANT1	802.11ac(VHT20)	5825.00	19.03	17.38
NVNT	ANT1	802.11ax(HE20)	5745.00	20.17	18.69
NVNT	ANT1	802.11ax(HE20)	5785.00	20.14	18.67
NVNT	ANT1	802.11ax(HE20)	5825.00	20.05	18.70
NVNT	ANT1	802.11n(HT40)	5755.00	38.53	35.74
NVNT	ANT1	802.11n(HT40)	5795.00	38.52	35.79
NVNT	ANT1	802.11ac(VHT40)	5755.00	38.39	35.70
NVNT	ANT1	802.11ac(VHT40)	5795.00	38.39	35.77
NVNT	ANT1	802.11ax(HE40)	5755.00	39.54	37.30
NVNT	ANT1	802.11ax(HE40)	5795.00	39.63	37.32
NVNT	ANT1	802.11ac(VHT80)	5775.00	79.08	74.93
NVNT	ANT1	802.11ax(HE80)	5775.00	80.21	76.64







99% OCB NVNT ANT1 802 11a 5785




-26BW_NVNT_ANT1_802_11a_5785




99% OCB NVNT ANT1 802 11a 5825




-26BW_NVNT_ANT1_802_11a_5825




99% OCB NVNT ANT1_802_11n(HT20)_5745




-26BW_NVNT_ANT1_802_11n(HT20)_5745




99% OCB NVNT ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99% OCB NVNT ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99% OCB NVNT ANT1 802 11ac(VHT20) 5745




-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99% OCB NVNT ANT1 802 11ac(VHT20) 5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99% OCB NVNT ANT1 802 11ac(VHT20) 5825




-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99% OCB NVNT ANT1 802_11ax(HE20) 5745




-26BW_NVNT_ANT1_802_11ax(HE20)_5745




99% OCB NVNT ANT1_802_11ax(HE20)_5785




-26BW_NVNT_ANT1_802_11ax(HE20)_5785




99% OCB NVNT ANT1_802_11ax(HE20)_5825




-26BW_NVNT_ANT1_802_11ax(HE20)_5825




99% OCB NVNT ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755




99% OCB NVNT ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99% OCB NVNT ANT1 802 11ac(VHT40) 5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755




99% OCB NVNT ANT1 802 11ac(VHT40) 5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




99% OCB NVNT ANT1_802_11ax(HE40)_5755




-26BW_NVNT_ANT1_802_11ax(HE40)_5755




99% OCB NVNT ANT1_802_11ax(HE40)_5795




-26BW_NVNT_ANT1_802_11ax(HE40)_5795




99% OCB NVNT ANT1 802 11ac(VHT80) 5775




-26BW_NVNT_ANT1_802_11ac(VHT80)_5775



99% OCB NVNT ANT1_802_11ax(HE80)_5775




-26BW_NVNT_ANT1_802_11ax(HE80)_5775




3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	72.34	1.41
NVNT	ANT1	802.11a	5785.00	73.12	1.36
NVNT	ANT1	802.11a	5825.00	73.12	1.36
NVNT	ANT1	802.11n(HT20)	5745.00	71.91	1.43
NVNT	ANT1	802.11n(HT20)	5785.00	71.91	1.43
NVNT	ANT1	802.11n(HT20)	5825.00	71.91	1.43
NVNT	ANT1	802.11ac(VHT20)	5745.00	70.79	1.50
NVNT	ANT1	802.11ac(VHT20)	5785.00	71.91	1.43
NVNT	ANT1	802.11ac(VHT20)	5825.00	71.59	1.45
NVNT	ANT1	802.11ax(HE20)	5745.00	69.88	1.56
NVNT	ANT1	802.11ax(HE20)	5785.00	69.88	1.56
NVNT	ANT1	802.11ax(HE20)	5825.00	70.24	1.53
NVNT	ANT1	802.11n(HT40)	5755.00	56.14	2.51
NVNT	ANT1	802.11n(HT40)	5795.00	55.36	2.57
NVNT	ANT1	802.11ac(VHT40)	5755.00	55.36	2.57
NVNT	ANT1	802.11ac(VHT40)	5795.00	54.39	2.65
NVNT	ANT1	802.11ax(HE40)	5755.00	55.36	2.57
NVNT	ANT1	802.11ax(HE40)	5795.00	55.36	2.57
NVNT	ANT1	802.11ac(VHT80)	5775.00	39.02	4.09
NVNT	ANT1	802.11ax(HE80)	5775.00	40.48	3.93




Duty Cycle_NVNT_ANT1_802_11a_5785




Duty Cycle NVNT ANT1 802_11a 5825




Duty Cycle NVNT ANT1 802_11n(HT20)_5745




Duty Cycle NVNT ANT1 802 11n(HT20) 5785




Duty Cycle NVNT ANT1 802 11n(HT20) 5825




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5745




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5785




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5825




Duty Cycle NVNT ANT1 802_11ax(HE20) 5745




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5785




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5825




Duty Cycle NVNT ANT1 802 11n(HT40) 5755




Duty Cycle NVNT ANT1 802 11n(HT40) 5795




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5755




Duty Cycle NVNT ANT1 802_11ac(VHT40) 5795




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5755




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5795



Duty Cycle NVNT ANT1 802_11ac(VHT80) 5775



Duty Cycle NVNT ANT1 802_11ax(HE80) 5775




4. Maximum Conducted Output Power


Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	16.73	30	Pass
NVNT	ANT1	802.11a	5785.00	16.54	30	Pass
NVNT	ANT1	802.11a	5825.00	16.58	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.88	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.53	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.86	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.03	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	16.70	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	16.58	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	16.90	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	16.53	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	16.62	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	15.85	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	15.66	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	15.88	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	15.68	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	15.57	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	15.62	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	14.48	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	14.39	30	Pass

5. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-11.96	1.41	-0.09	-10.64	30	Pass
NVNT	ANT1	802.11a	5785.00	-15.04	1.36	-0.09	-13.77	30	Pass
NVNT	ANT1	802.11a	5825.00	-12.27	1.36	-0.09	-10.99	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-13.32	1.43	-0.09	-11.97	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-14.54	1.43	-0.09	-13.19	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-16.90	1.43	-0.09	-15.55	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-14.15	1.43	-0.09	-12.81	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-13.32	1.43	-0.09	-11.98	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-10.68	1.45	-0.09	-9.32	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-14.71	1.56	-0.09	-13.24	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-15.12	1.56	-0.09	-13.64	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-14.27	1.53	-0.09	-12.82	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-24.79	2.65	-0.09	-22.22	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-25.69	2.57	-0.09	-23.21	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-25.68	2.57	-0.09	-23.19	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-23.65	2.65	-0.09	-21.09	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-28.73	2.57	-0.09	-26.25	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-28.68	2.57	-0.09	-26.19	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-39.68	4.09	-0.09	-35.67	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	-39.93	3.93	-0.09	-36.08	30	Pass




Power_Spectral_Density_NVNT_ANT1_802_11a_5785




Power_Spectral_Density_NVNT_ANT1_802_11a_5825




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745




Power Spectral Density NVNT ANT1 802 11n(HT20) 5785





Power Spectral Density NVNT ANT1 802 11n(HT20) 5825




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5745




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5785




Power Spectral Density NVNT ANT1_802_11ax(HE20) 5745




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5785




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5825




Power Spectral Density NVNT ANT1 802 11n(HT40) 5755




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5755




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5795




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5755



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5795



Power Spectral Density NVNT ANT1_802_11ac(VHT80)_5775



Power Spectral Density NVNT ANT1_802_11ax(HE80)_5775



6. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.30V	ANT1	802.11a	5745.00	5745.036	5736.780	5753.292	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11a	5745.00	5745.034	5736.920	5753.148	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11a	5745.00	5745.036	5737.020	5753.052	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11a	5745.00	5745.036	5737.116	5752.956	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11a	5745.00	5745.026	5737.200	5752.852	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11a	5745.00	5745.022	5737.284	5752.760	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11a	5745.00	5745.014	5737.352	5752.676	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11a	5745.00	5745.030	5737.424	5752.636	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11a	5745.00	5745.030	5737.496	5752.564	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11a	5745.00	5745.034	5737.556	5752.512	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11a	5745.00	5745.012	5737.616	5752.408	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11a	5785.00	5785.032	5776.764	5793.300	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11a	5785.00	5785.040	5776.916	5793.164	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11a	5785.00	5785.038	5777.012	5793.064	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11a	5785.00	5785.034	5777.100	5792.968	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11a	5785.00	5785.030	5777.180	5792.880	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11a	5785.00	5785.034	5777.268	5792.800	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11a	5785.00	5785.030	5777.324	5792.736	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11a	5785.00	5785.036	5777.396	5792.676	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11a	5785.00	5785.038	5777.472	5792.604	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11a	5785.00	5785.036	5777.544	5792.528	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11a	5785.00	5785.030	5777.604	5792.456	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11a	5825.00	5825.046	5816.780	5833.312	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11a	5825.00	5825.038	5816.924	5833.152	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11a	5825.00	5825.034	5817.020	5833.048	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11a	5825.00	5825.030	5817.100	5832.960	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11a	5825.00	5825.028	5817.192	5832.864	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11a	5825.00	5825.028	5817.276	5832.780	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11a	5825.00	5825.024	5817.336	5832.712	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11a	5825.00	5825.032	5817.408	5832.656	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11a	5825.00	5825.020	5817.472	5832.568	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11a	5825.00	5825.022	5817.532	5832.512	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11a	5825.00	5824.998	5817.592	5832.404	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.204	5753.848	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.340	5753.712	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.028	5736.464	5753.592	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.552	5753.500	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.632	5753.420	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.034	5736.708	5753.360	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.004	5736.784	5753.224	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.022	5736.860	5753.184	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5745.00	5745.028	5736.932	5753.124	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5745.00	5745.026	5737.020	5753.032	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5745.00	5745.034	5737.104	5752.964	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.030	5776.200	5793.860	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.024	5776.332	5793.716	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.028	5776.444	5793.612	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.030	5776.536	5793.524	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.030	5776.620	5793.440	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.040	5776.720	5793.360	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.020	5776.788	5793.252	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.034	5776.864	5793.204	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5785.00	5785.034	5776.940	5793.128	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5785.00	5785.026	5777.012	5793.040	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5785.00	5785.048	5777.080	5793.016	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.026	5816.208	5833.844	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.028	5816.352	5833.704	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.036	5816.464	5833.608	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.036	5816.564	5833.508	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.032	5816.652	5833.412	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.032	5816.744	5833.320	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.040	5816.824	5833.256	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.066	5816.908	5833.224	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11n(HT20)	5825.00	5825.044	5816.980	5833.108	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11n(HT20)	5825.00	5825.024	5817.052	5832.996	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11n(HT20)	5825.00	5825.034	5817.132	5832.936	5725~5850	Pass

50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.024	5736.204	5753.844	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.020	5736.336	5753.704	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.022	5736.448	5753.596	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.022	5736.552	5753.492	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.032	5736.648	5753.416	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.032	5736.728	5753.336	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.036	5736.808	5753.264	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.032	5736.884	5753.180	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5745.00	5745.040	5736.972	5753.108	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5745.00	5745.052	5737.048	5753.056	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5745.00	5745.026	5737.108	5752.944	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5776.200	5793.848	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5776.344	5793.704	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.028	5776.460	5793.596	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.032	5776.560	5793.504	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.044	5776.644	5793.444	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.040	5776.716	5793.364	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.030	5776.796	5793.264	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.022	5776.876	5793.168	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5785.00	5785.034	5776.960	5793.108	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5785.00	5785.044	5777.052	5793.036	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5785.00	5785.048	5777.128	5792.968	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.032	5816.216	5833.848	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.032	5816.356	5833.708	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.464	5833.588	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.022	5816.560	5833.484	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.026	5816.640	5833.412	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.046	5816.736	5833.356	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.024	5816.812	5833.236	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.034	5816.888	5833.180	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT20)	5825.00	5825.030	5816.968	5833.092	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT20)	5825.00	5825.020	5817.048	5832.992	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT20)	5825.00	5825.038	5817.132	5832.944	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.036	5735.560	5754.512	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.008	5735.684	5754.332	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.042	5735.784	5754.300	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.014	5735.880	5754.148	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.044	5735.980	5754.108	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.016	5736.076	5753.956	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.012	5736.188	5753.836	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.018	5736.284	5753.752	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5745.00	5745.030	5736.368	5753.692	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5745.00	5745.012	5736.468	5753.556	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5745.00	5745.008	5736.548	5753.468	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.038	5775.556	5794.520	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.050	5775.704	5794.396	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.040	5775.800	5794.280	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.032	5775.892	5794.172	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.012	5775.992	5794.032	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.060	5776.084	5794.036	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.024	5776.172	5793.876	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.036	5776.256	5793.816	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5785.00	5785.058	5776.332	5793.784	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5785.00	5785.030	5776.420	5793.640	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5785.00	5785.032	5776.520	5793.544	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.044	5815.568	5834.520	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.044	5815.692	5834.396	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.024	5815.796	5834.252	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.046	5815.900	5834.192	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.050	5815.996	5834.104	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.060	5816.108	5834.012	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.038	5816.204	5833.872	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.040	5816.292	5833.788	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE20)	5825.00	5825.024	5816.396	5833.652	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE20)	5825.00	5825.088	5816.488	5833.688	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE20)	5825.00	5825.034	5816.560	5833.508	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.064	5736.984	5773.144	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.036	5737.208	5772.864	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.044	5737.416	5772.672	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.568	5772.560	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.032	5737.720	5772.344	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.096	5737.912	5772.280	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.008	5738.032	5771.984	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.044	5738.176	5771.912	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5755.00	5755.080	5738.352	5771.808	5725~5850	Pass

25degrees C&&3.30V	ANT1	802.11n(HT40)	5755.00	5755.056	5738.512	5771.600	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5755.00	5755.080	5738.648	5771.512	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.080	5777.008	5813.152	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.060	5777.224	5812.896	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.076	5777.400	5812.752	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.036	5777.536	5812.536	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.040	5777.656	5812.424	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.036	5777.816	5812.256	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.024	5777.976	5812.072	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.036	5778.112	5811.960	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11n(HT40)	5795.00	5795.044	5778.280	5811.808	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11n(HT40)	5795.00	5795.076	5778.432	5811.720	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11n(HT40)	5795.00	5795.000	5778.576	5811.424	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5755.052	5736.976	5773.128	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5755.016	5737.160	5772.872	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5755.024	5737.336	5772.712	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5755.032	5737.488	5772.576	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5754.996	5737.648	5772.344	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5754.984	5737.800	5772.168	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5755.016	5737.952	5772.080	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5754.968	5738.080	5771.856	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5755.00	5754.936	5738.216	5771.656	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5755.00	5754.908	5738.384	5771.432	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5755.00	5754.900	5738.520	5771.280	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.072	5777.000	5813.144	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.040	5777.184	5812.896	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.044	5777.352	5812.736	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.520	5812.520	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.028	5777.696	5812.360	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.076	5777.864	5812.288	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.036	5778.000	5812.072	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5794.996	5778.120	5811.872	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT40)	5795.00	5794.964	5778.272	5811.656	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5778.440	5811.592	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT40)	5795.00	5795.008	5778.584	5811.432	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.068	5736.184	5773.952	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.072	5736.408	5773.736	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.080	5736.608	5773.552	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.088	5736.808	5773.368	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.040	5736.960	5773.120	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.008	5737.104	5772.912	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.064	5737.304	5772.824	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.032	5737.528	5772.536	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5755.00	5755.040	5737.688	5772.392	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5755.00	5755.080	5737.864	5772.296	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5755.00	5755.048	5738.008	5772.088	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.100	5776.192	5814.008	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.104	5776.440	5813.768	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.080	5776.640	5813.520	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.128	5776.816	5813.440	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.116	5777.048	5813.184	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.064	5777.208	5812.920	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.088	5777.328	5812.848	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.136	5777.520	5812.752	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE40)	5795.00	5795.120	5777.736	5812.504	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE40)	5795.00	5795.056	5777.880	5812.232	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE40)	5795.00	5795.056	5778.040	5812.072	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.108	5737.236	5812.980	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.144	5737.632	5812.656	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.186	5737.980	5812.392	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.174	5738.328	5812.020	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.258	5738.640	5811.876	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.228	5738.892	5811.564	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.198	5739.252	5811.144	5725~5850	Pass
-20degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.228	5739.576	5810.880	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ac(VHT80)	5775.00	5775.252	5739.900	5810.604	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ac(VHT80)	5775.00	5775.228	5740.224	5810.232	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ac(VHT80)	5775.00	5775.270	5740.476	5810.064	5725~5850	Pass
50degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.138	5736.384	5813.892	5725~5850	Pass
40degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.186	5736.828	5813.544	5725~5850	Pass
30degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.192	5737.224	5813.160	5725~5850	Pass
20degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.144	5737.536	5812.752	5725~5850	Pass
10degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.084	5737.776	5812.392	5725~5850	Pass
0degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.138	5738.148	5812.128	5725~5850	Pass
-10degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.168	5738.532	5811.804	5725~5850	Pass

-20degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.108	5738.904	5811.312	5725~5850	Pass
25degrees C&&3.63V	ANT1	802.11ax(HE80)	5775.00	5775.192	5739.252	5811.132	5725~5850	Pass
25degrees C&&3.30V	ANT1	802.11ax(HE80)	5775.00	5775.318	5739.588	5811.048	5725~5850	Pass
25degrees C&&2.97V	ANT1	802.11ax(HE80)	5775.00	5775.264	5739.888	5810.640	5725~5850	Pass