






11BE320MIMO_Ant2_6745



11BE320MIMO_Ant3_6745




11BE320MIMO_Ant1_6905



7. Maximum Equivalent Isotropically Radiated Power (E.I.R.P.)

7.1. Block diagram of test setup



7.2. Limits

FCC Part15, Subpart E/ RSS-248		
Devices type	Limit	Frequency Range (MHz)
RLAN devices other than client devices	For FCC: standard power access point and fixed client device: 36 dBm outdoor devices: any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).	5925-6425 and 6525-6875
	For FCC: indoor access point: 30 dBm	5925-7125
	For FCC: a subordinate device operating under the control of an indoor access point: 30 dBm	5925-7125
	For RSS: 30 dBm/occupied bandwidth.	5925-7125
Client devices	For FCC: client devices under the control of a standard power access point: 30 dBm, and the device must limit its power to no more than 6 dB below its associated standard power access point's authorized transmit power.	5925-6425 and 6525-6875
	For FCC: For client devices operating under the control of an indoor access point: 24 dBm	5925-7125
	For RSS: 24 dBm/occupied bandwidth	5925-7125

7.3. Test procedure

Connect each EUT’s antenna output to power sensor by RF cable and attenuator
Measure the output power of each antenna port by power sensor.

7.4. Test result

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	5955	2.16	81.58	0.88	3.04	10.03	≤30.00	PASS
	Ant2	5955	4.16	81.58	0.88	5.04	12.03	≤30.00	PASS
	Ant3	5955	4.34	81.58	0.88	5.22	12.21	≤30.00	PASS
	total	5955	---	---	---	9.31	16.30	≤30.00	PASS
	Ant1	6175	4.44	81.58	0.88	5.32	12.31	≤30.00	PASS
	Ant2	6175	3.94	83.78	0.77	4.71	11.70	≤30.00	PASS
	Ant3	6175	5.88	83.78	0.77	6.65	13.64	≤30.00	PASS
	total	6175	---	---	---	10.41	17.40	≤30.00	PASS
	Ant1	6415	3.11	81.58	0.88	3.99	10.98	≤30.00	PASS
	Ant2	6415	2.76	83.78	0.77	3.53	10.52	≤30.00	PASS
	Ant3	6415	4.93	81.58	0.88	5.81	12.80	≤30.00	PASS
	total	6415	---	---	---	9.33	16.32	≤30.00	PASS
	Ant1	6435	5.13	81.58	0.88	6.01	13.00	≤30.00	PASS
	Ant2	6435	4.26	81.58	0.88	5.14	12.13	≤30.00	PASS
	Ant3	6435	5.48	83.78	0.77	6.25	13.24	≤30.00	PASS
	total	6435	---	---	---	10.60	17.59	≤30.00	PASS
	Ant1	6475	4.19	81.58	0.88	5.07	12.06	≤30.00	PASS
	Ant2	6475	4.01	81.58	0.88	4.89	11.88	≤30.00	PASS
	Ant3	6475	4.34	81.58	0.88	5.22	12.21	≤30.00	PASS
	total	6475	---	---	---	9.83	16.82	≤30.00	PASS
	Ant1	6515	3.14	81.58	0.88	4.02	11.01	≤30.00	PASS
	Ant2	6515	5.06	83.78	0.77	5.83	12.82	≤30.00	PASS
	Ant3	6515	4.74	81.58	0.88	5.62	12.61	≤30.00	PASS
	total	6515	---	---	---	10.00	16.99	≤30.00	PASS
	Ant1	6535	2.72	81.58	0.88	3.60	10.59	≤30.00	PASS
	Ant2	6535	4.84	81.58	0.88	5.72	12.71	≤30.00	PASS
	Ant3	6535	4.48	81.58	0.88	5.36	12.35	≤30.00	PASS
	total	6535	---	---	---	9.76	16.75	≤30.00	PASS
	Ant1	6695	4.14	81.58	0.88	5.02	12.01	≤30.00	PASS
	Ant2	6695	3.39	81.58	0.88	4.27	11.26	≤30.00	PASS
	Ant3	6695	4.63	81.58	0.88	5.51	12.50	≤30.00	PASS
	total	6695	---	---	---	9.73	16.72	≤30.00	PASS
	Ant1	6855	4.11	81.58	0.88	4.99	11.98	≤30.00	PASS
	Ant2	6855	5.17	81.58	0.88	6.05	13.04	≤30.00	PASS
	Ant3	6855	4.00	83.78	0.77	4.77	11.76	≤30.00	PASS
	total	6855	---	---	---	10.08	17.07	≤30.00	PASS
	Ant1	6875	3.28	81.58	0.88	4.16	11.15	≤30.00	PASS
	Ant2	6875	5.02	83.78	0.77	5.79	12.78	≤30.00	PASS
	Ant3	6875	4.22	81.58	0.88	5.10	12.09	≤30.00	PASS
	total	6875	---	---	---	9.84	16.83	≤30.00	PASS
	Ant1	6895	3.00	81.58	0.88	3.88	10.87	≤30.00	PASS
	Ant2	6895	4.97	83.78	0.77	5.74	12.73	≤30.00	PASS
	Ant3	6895	4.06	81.58	0.88	4.94	11.93	≤30.00	PASS
	total	6895	---	---	---	9.69	16.68	≤30.00	PASS
	Ant1	6995	4.67	81.58	0.88	5.55	12.54	≤30.00	PASS
	Ant2	6995	4.74	81.58	0.88	5.62	12.61	≤30.00	PASS
	Ant3	6995	5.34	81.58	0.88	6.22	13.21	≤30.00	PASS
	total	6995	---	---	---	10.58	17.57	≤30.00	PASS
	Ant1	7115	4.35	81.58	0.88	5.23	12.22	≤30.00	PASS
	Ant2	7115	5.12	83.78	0.77	5.89	12.88	≤30.00	PASS
	Ant3	7115	4.98	81.58	0.88	5.86	12.85	≤30.00	PASS
	total	7115	---	---	---	10.44	17.43	≤30.00	PASS
11AX40MIMO	Ant1	5965	6.84	83.78	0.77	7.61	14.60	≤30.00	PASS
	Ant2	5965	7.91	81.58	0.88	8.79	15.78	≤30.00	PASS
	Ant3	5965	8.24	81.58	0.88	9.12	16.11	≤30.00	PASS
	total	5965	---	---	---	13.32	20.31	≤30.00	PASS
	Ant1	6165	7.84	81.58	0.88	8.72	15.71	≤30.00	PASS
	Ant2	6165	7.58	81.58	0.88	8.46	15.45	≤30.00	PASS
	Ant3	6165	8.86	81.58	0.88	9.74	16.73	≤30.00	PASS

	total	6165	---	---	---	13.78	20.77	≤30.00	PASS
	Ant1	6405	7.20	81.58	0.88	8.08	15.07	≤30.00	PASS
	Ant2	6405	6.52	81.58	0.88	7.40	14.39	≤30.00	PASS
	Ant3	6405	8.28	83.78	0.77	9.05	16.04	≤30.00	PASS
	total	6405	---	---	---	13.00	19.99	≤30.00	PASS
	Ant1	6445	8.02	81.58	0.88	8.90	15.89	≤30.00	PASS
	Ant2	6445	7.34	81.58	0.88	8.22	15.21	≤30.00	PASS
	Ant3	6445	8.13	81.58	0.88	9.01	16.00	≤30.00	PASS
	total	6445	---	---	---	13.50	20.49	≤30.00	PASS
	Ant1	6485	6.93	81.58	0.88	7.81	14.80	≤30.00	PASS
	Ant2	6485	7.37	81.58	0.88	8.25	15.24	≤30.00	PASS
	Ant3	6485	7.10	81.58	0.88	7.98	14.97	≤30.00	PASS
	total	6485	---	---	---	12.79	19.78	≤30.00	PASS
	Ant1	6525	6.17	81.58	0.88	7.05	14.04	≤30.00	PASS
	Ant2	6525	8.12	81.58	0.88	9.00	15.99	≤30.00	PASS
	Ant3	6525	7.60	81.58	0.88	8.48	15.47	≤30.00	PASS
	total	6525	---	---	---	13.02	20.01	≤30.00	PASS
	Ant1	6565	4.73	81.58	0.88	5.61	12.60	≤30.00	PASS
	Ant2	6565	7.46	81.58	0.88	8.34	15.33	≤30.00	PASS
	Ant3	6565	6.49	81.58	0.88	7.37	14.36	≤30.00	PASS
	total	6565	---	---	---	12.02	19.01	≤30.00	PASS
	Ant1	6685	7.09	81.58	0.88	7.97	14.96	≤30.00	PASS
	Ant2	6685	6.87	81.58	0.88	7.75	14.74	≤30.00	PASS
	Ant3	6685	7.70	81.58	0.88	8.58	15.57	≤30.00	PASS
	total	6685	---	---	---	12.89	19.88	≤30.00	PASS
	Ant1	6845	7.25	81.58	0.88	8.13	15.12	≤30.00	PASS
	Ant2	6845	8.29	81.58	0.88	9.17	16.16	≤30.00	PASS
	Ant3	6845	7.30	81.58	0.88	8.18	15.17	≤30.00	PASS
	total	6845	---	---	---	13.29	20.28	≤30.00	PASS
	Ant1	6885	6.56	81.58	0.88	7.44	14.43	≤30.00	PASS
	Ant2	6885	7.78	81.58	0.88	8.66	15.65	≤30.00	PASS
	Ant3	6885	6.90	81.58	0.88	7.78	14.77	≤30.00	PASS
	total	6885	---	---	---	12.76	19.75	≤30.00	PASS
	Ant1	6925	6.90	81.58	0.88	7.78	14.77	≤30.00	PASS
	Ant2	6925	7.70	81.58	0.88	8.58	15.57	≤30.00	PASS
	Ant3	6925	6.59	81.58	0.88	7.47	14.46	≤30.00	PASS
	total	6925	---	---	---	12.74	19.73	≤30.00	PASS
	Ant1	6965	6.91	81.58	0.88	7.79	14.78	≤30.00	PASS
	Ant2	6965	7.13	83.78	0.77	7.90	14.89	≤30.00	PASS
	Ant3	6965	7.06	81.58	0.88	7.94	14.93	≤30.00	PASS
	total	6965	---	---	---	12.65	19.64	≤30.00	PASS
	Ant1	7085	7.82	81.58	0.88	8.70	15.69	≤30.00	PASS
	Ant2	7085	8.09	81.58	0.88	8.97	15.96	≤30.00	PASS
	Ant3	7085	8.31	81.58	0.88	9.19	16.18	≤30.00	PASS
	total	7085	---	---	---	13.73	20.72	≤30.00	PASS
11AX80MIMO	Ant1	5985	9.42	82.86	0.82	10.24	17.23	≤30.00	PASS
	Ant2	5985	9.89	80.56	0.94	10.83	17.82	≤30.00	PASS
	Ant3	5985	10.45	82.86	0.82	11.27	18.26	≤30.00	PASS
	total	5985	---	---	---	15.57	22.56	≤30.00	PASS
	Ant1	6145	9.10	80.56	0.94	10.04	17.03	≤30.00	PASS
	Ant2	6145	9.58	80.56	0.94	10.52	17.51	≤30.00	PASS
	Ant3	6145	10.83	80.56	0.94	11.77	18.76	≤30.00	PASS
	total	6145	---	---	---	15.61	22.60	≤30.00	PASS
	Ant1	6385	9.18	82.86	0.82	10.00	16.99	≤30.00	PASS
	Ant2	6385	9.02	80.56	0.94	9.96	16.95	≤30.00	PASS
	Ant3	6385	10.02	80.56	0.94	10.96	17.95	≤30.00	PASS
	total	6385	---	---	---	15.10	22.09	≤30.00	PASS
	Ant1	6465	9.61	80.56	0.94	10.55	17.54	≤30.00	PASS
	Ant2	6465	9.50	82.86	0.82	10.32	17.31	≤30.00	PASS
	Ant3	6465	9.68	80.56	0.94	10.62	17.61	≤30.00	PASS
	total	6465	---	---	---	15.27	22.26	≤30.00	PASS
	Ant1	6545	7.69	80.56	0.94	8.63	15.62	≤30.00	PASS
	Ant2	6545	9.95	80.56	0.94	10.89	17.88	≤30.00	PASS
	Ant3	6545	9.21	80.56	0.94	10.15	17.14	≤30.00	PASS

	total	6545	---	---	---	14.76	21.75	≤30.00	PASS
	Ant1	6625	7.70	80.56	0.94	8.64	15.63	≤30.00	PASS
	Ant2	6625	9.14	80.56	0.94	10.08	17.07	≤30.00	PASS
	Ant3	6625	8.96	80.56	0.94	9.90	16.89	≤30.00	PASS
	total	6625	---	---	---	14.36	21.35	≤30.00	PASS
	Ant1	6705	9.05	80.56	0.94	9.99	16.98	≤30.00	PASS
	Ant2	6705	8.73	80.56	0.94	9.67	16.66	≤30.00	PASS
	Ant3	6705	9.77	80.56	0.94	10.71	17.70	≤30.00	PASS
	total	6705	---	---	---	14.92	21.91	≤30.00	PASS
	Ant1	6785	9.63	82.86	0.82	10.45	17.44	≤30.00	PASS
	Ant2	6785	9.79	82.86	0.82	10.61	17.60	≤30.00	PASS
	Ant3	6785	9.60	80.56	0.94	10.54	17.53	≤30.00	PASS
	total	6785	---	---	---	15.31	22.30	≤30.00	PASS
	Ant1	6865	8.99	80.56	0.94	9.93	16.92	≤30.00	PASS
	Ant2	6865	10.14	82.86	0.82	10.96	17.95	≤30.00	PASS
	Ant3	6865	9.18	82.86	0.82	10.00	16.99	≤30.00	PASS
	total	6865	---	---	---	15.09	22.08	≤30.00	PASS
	Ant1	6945	8.95	80.56	0.94	9.89	16.88	≤30.00	PASS
	Ant2	6945	9.42	80.56	0.94	10.36	17.35	≤30.00	PASS
	Ant3	6945	8.97	80.56	0.94	9.91	16.90	≤30.00	PASS
	total	6945	---	---	---	14.83	21.82	≤30.00	PASS
	Ant1	7025	9.63	80.56	0.94	10.57	17.56	≤30.00	PASS
	Ant2	7025	9.05	82.86	0.82	9.87	16.86	≤30.00	PASS
	Ant3	7025	10.34	80.56	0.94	11.28	18.27	≤30.00	PASS
	total	7025	---	---	---	15.38	22.37	≤30.00	PASS
11AX160MIMO	Ant1	6025	11.00	80.56	0.94	11.94	18.93	≤30.00	PASS
	Ant2	6025	10.81	82.86	0.82	11.63	18.62	≤30.00	PASS
	Ant3	6025	11.90	80.56	0.94	12.84	19.83	≤30.00	PASS
	total	6025	---	---	---	16.94	23.93	≤30.00	PASS
	Ant1	6185	10.68	81.08	0.91	11.59	18.58	≤30.00	PASS
	Ant2	6185	10.80	80.56	0.94	11.74	18.73	≤30.00	PASS
	Ant3	6185	12.59	80.56	0.94	13.53	20.52	≤30.00	PASS
	total	6185	---	---	---	17.15	24.14	≤30.00	PASS
	Ant1	6345	10.37	82.86	0.82	11.19	18.18	≤30.00	PASS
	Ant2	6345	11.23	81.08	0.91	12.14	19.13	≤30.00	PASS
	Ant3	6345	11.14	80.56	0.94	12.08	19.07	≤30.00	PASS
	total	6345	---	---	---	16.60	23.59	≤30.00	PASS
	Ant1	6505	10.04	80.56	0.94	10.98	17.97	≤30.00	PASS
	Ant2	6505	10.77	80.56	0.94	11.71	18.70	≤30.00	PASS
	Ant3	6505	11.07	80.56	0.94	12.01	19.00	≤30.00	PASS
	total	6505	---	---	---	16.36	23.35	≤30.00	PASS
	Ant1	6665	9.76	80.56	0.94	10.70	17.69	≤30.00	PASS
	Ant2	6665	10.86	80.56	0.94	11.80	18.79	≤30.00	PASS
	Ant3	6665	10.80	80.56	0.94	11.74	18.73	≤30.00	PASS
	total	6665	---	---	---	16.21	23.20	≤30.00	PASS
	Ant1	6825	10.97	81.08	0.91	11.88	18.87	≤30.00	PASS
	Ant2	6825	11.82	82.86	0.82	12.64	19.63	≤30.00	PASS
	Ant3	6825	10.96	80.56	0.94	11.90	18.89	≤30.00	PASS
	total	6825	---	---	---	16.93	23.92	≤30.00	PASS
	Ant1	6985	10.55	81.08	0.91	11.46	18.45	≤30.00	PASS
	Ant2	6985	10.85	82.86	0.82	11.67	18.66	≤30.00	PASS
	Ant3	6985	10.45	82.86	0.82	11.27	18.26	≤30.00	PASS
	total	6985	---	---	---	16.24	23.23	≤30.00	PASS
11BE20MIMO	Ant1	5955	3.02	81.58	0.88	3.90	10.89	≤30.00	PASS
	Ant2	5955	5.11	81.58	0.88	5.99	12.98	≤30.00	PASS
	Ant3	5955	4.81	81.58	0.88	5.69	12.68	≤30.00	PASS
	total	5955	---	---	---	10.06	17.05	≤30.00	PASS
	Ant1	6175	4.32	81.58	0.88	5.20	12.19	≤30.00	PASS
	Ant2	6175	3.51	83.78	0.77	4.28	11.27	≤30.00	PASS
	Ant3	6175	5.90	83.78	0.77	6.67	13.66	≤30.00	PASS
	total	6175	---	---	---	10.27	17.26	≤30.00	PASS
	Ant1	6415	3.55	81.58	0.88	4.43	11.42	≤30.00	PASS
	Ant2	6415	2.60	81.58	0.88	3.48	10.47	≤30.00	PASS
	Ant3	6415	4.85	82.05	0.86	5.71	12.70	≤30.00	PASS

	total	6415	---	---	---	9.41	16.40	≤30.00	PASS
	Ant1	6435	5.06	83.78	0.77	5.83	12.82	≤30.00	PASS
	Ant2	6435	4.26	81.58	0.88	5.14	12.13	≤30.00	PASS
	Ant3	6435	5.45	81.58	0.88	6.33	13.32	≤30.00	PASS
	total	6435	---	---	---	10.57	17.56	≤30.00	PASS
	Ant1	6475	3.73	81.58	0.88	4.61	11.60	≤30.00	PASS
	Ant2	6475	3.66	81.58	0.88	4.54	11.53	≤30.00	PASS
	Ant3	6475	4.33	83.78	0.77	5.10	12.09	≤30.00	PASS
	total	6475	---	---	---	9.53	16.52	≤30.00	PASS
	Ant1	6515	3.04	81.58	0.88	3.92	10.91	≤30.00	PASS
	Ant2	6515	4.99	83.78	0.77	5.76	12.75	≤30.00	PASS
	Ant3	6515	3.96	81.58	0.88	4.84	11.83	≤30.00	PASS
	total	6515	---	---	---	9.68	16.67	≤30.00	PASS
	Ant1	6535	2.74	83.78	0.77	3.51	10.50	≤30.00	PASS
	Ant2	6535	4.90	83.78	0.77	5.67	12.66	≤30.00	PASS
	Ant3	6535	4.15	81.58	0.88	5.03	12.02	≤30.00	PASS
	total	6535	---	---	---	9.60	16.59	≤30.00	PASS
	Ant1	6695	3.75	81.58	0.88	4.63	11.62	≤30.00	PASS
	Ant2	6695	3.49	81.58	0.88	4.37	11.36	≤30.00	PASS
	Ant3	6695	4.58	81.58	0.88	5.46	12.45	≤30.00	PASS
	total	6695	---	---	---	9.62	16.61	≤30.00	PASS
	Ant1	6855	4.03	81.58	0.88	4.91	11.90	≤30.00	PASS
	Ant2	6855	5.54	83.78	0.77	6.31	13.30	≤30.00	PASS
	Ant3	6855	4.33	83.78	0.77	5.10	12.09	≤30.00	PASS
	total	6855	---	---	---	10.26	17.25	≤30.00	PASS
	Ant1	6875	3.68	83.78	0.77	4.45	11.44	≤30.00	PASS
	Ant2	6875	5.39	83.78	0.77	6.16	13.15	≤30.00	PASS
	Ant3	6875	4.25	81.58	0.88	5.13	12.12	≤30.00	PASS
	total	6875	---	---	---	10.08	17.07	≤30.00	PASS
	Ant1	6895	3.72	81.58	0.88	4.60	11.59	≤30.00	PASS
	Ant2	6895	4.85	81.58	0.88	5.73	12.72	≤30.00	PASS
	Ant3	6895	4.23	81.58	0.88	5.11	12.10	≤30.00	PASS
	total	6895	---	---	---	9.94	16.93	≤30.00	PASS
	Ant1	6995	4.66	81.58	0.88	5.54	12.53	≤30.00	PASS
	Ant2	6995	4.72	81.58	0.88	5.60	12.59	≤30.00	PASS
	Ant3	6995	5.33	82.05	0.86	6.19	13.18	≤30.00	PASS
	total	6995	---	---	---	10.56	17.55	≤30.00	PASS
	Ant1	7115	3.82	83.78	0.77	4.59	11.58	≤30.00	PASS
	Ant2	7115	5.13	81.58	0.88	6.01	13.00	≤30.00	PASS
	Ant3	7115	4.79	83.78	0.77	5.56	12.55	≤30.00	PASS
	total	7115	---	---	---	10.20	17.19	≤30.00	PASS
11BE40MIMO	Ant1	5965	6.69	81.58	0.88	7.57	14.56	≤30.00	PASS
	Ant2	5965	7.93	83.78	0.77	8.70	15.69	≤30.00	PASS
	Ant3	5965	8.25	81.58	0.88	9.13	16.12	≤30.00	PASS
	total	5965	---	---	---	13.29	20.28	≤30.00	PASS
	Ant1	6165	7.66	81.58	0.88	8.54	15.53	≤30.00	PASS
	Ant2	6165	7.68	81.58	0.88	8.56	15.55	≤30.00	PASS
	Ant3	6165	9.34	81.58	0.88	10.22	17.21	≤30.00	PASS
	total	6165	---	---	---	13.95	20.94	≤30.00	PASS
	Ant1	6405	7.05	81.58	0.88	7.93	14.92	≤30.00	PASS
	Ant2	6405	6.54	81.58	0.88	7.42	14.41	≤30.00	PASS
	Ant3	6405	8.22	81.58	0.88	9.10	16.09	≤30.00	PASS
	total	6405	---	---	---	12.98	19.97	≤30.00	PASS
	Ant1	6445	8.00	81.58	0.88	8.88	15.87	≤30.00	PASS
	Ant2	6445	7.28	83.78	0.77	8.05	15.04	≤30.00	PASS
	Ant3	6445	8.33	83.78	0.77	9.10	16.09	≤30.00	PASS
	total	6445	---	---	---	13.47	20.46	≤30.00	PASS
	Ant1	6485	6.97	83.78	0.77	7.74	14.73	≤30.00	PASS
	Ant2	6485	7.38	81.58	0.88	8.26	15.25	≤30.00	PASS
	Ant3	6485	7.08	81.58	0.88	7.96	14.95	≤30.00	PASS
	total	6485	---	---	---	12.76	19.75	≤30.00	PASS
	Ant1	6525	6.10	83.78	0.77	6.87	13.86	≤30.00	PASS
	Ant2	6525	8.07	81.58	0.88	8.95	15.94	≤30.00	PASS
	Ant3	6525	6.67	83.78	0.77	7.44	14.43	≤30.00	PASS

	total	6525	---	---	---	12.62	19.61	≤30.00	PASS
	Ant1	6565	4.79	81.58	0.88	5.67	12.66	≤30.00	PASS
	Ant2	6565	7.41	83.78	0.77	8.18	15.17	≤30.00	PASS
	Ant3	6565	6.75	81.58	0.88	7.63	14.62	≤30.00	PASS
	total	6565	---	---	---	12.06	19.05	≤30.00	PASS
	Ant1	6685	7.07	81.58	0.88	7.95	14.94	≤30.00	PASS
	Ant2	6685	6.97	81.58	0.88	7.85	14.84	≤30.00	PASS
	Ant3	6685	7.61	83.78	0.77	8.38	15.37	≤30.00	PASS
	total	6685	---	---	---	12.84	19.83	≤30.00	PASS
	Ant1	6845	7.35	83.78	0.77	8.12	15.11	≤30.00	PASS
	Ant2	6845	8.36	83.78	0.77	9.13	16.12	≤30.00	PASS
	Ant3	6845	6.94	83.78	0.77	7.71	14.70	≤30.00	PASS
	total	6845	---	---	---	13.13	20.12	≤30.00	PASS
	Ant1	6885	6.57	83.78	0.77	7.34	14.33	≤30.00	PASS
	Ant2	6885	7.78	81.58	0.88	8.66	15.65	≤30.00	PASS
	Ant3	6885	7.09	83.78	0.77	7.86	14.85	≤30.00	PASS
	total	6885	---	---	---	12.76	19.75	≤30.00	PASS
	Ant1	6925	6.91	81.58	0.88	7.79	14.78	≤30.00	PASS
	Ant2	6925	7.81	81.58	0.88	8.69	15.68	≤30.00	PASS
	Ant3	6925	6.40	81.58	0.88	7.28	14.27	≤30.00	PASS
	total	6925	---	---	---	12.73	19.72	≤30.00	PASS
	Ant1	6965	6.88	83.78	0.77	7.65	14.64	≤30.00	PASS
	Ant2	6965	7.10	83.78	0.77	7.87	14.86	≤30.00	PASS
	Ant3	6965	7.05	83.78	0.77	7.82	14.81	≤30.00	PASS
	total	6965	---	---	---	12.55	19.54	≤30.00	PASS
	Ant1	7085	7.86	83.78	0.77	8.63	15.62	≤30.00	PASS
	Ant2	7085	8.05	81.58	0.88	8.93	15.92	≤30.00	PASS
	Ant3	7085	7.62	83.78	0.77	8.39	15.38	≤30.00	PASS
	total	7085	---	---	---	13.43	20.42	≤30.00	PASS
11BE80MIMO	Ant1	5985	9.19	81.08	0.91	10.10	17.09	≤30.00	PASS
	Ant2	5985	9.72	81.08	0.91	10.63	17.62	≤30.00	PASS
	Ant3	5985	10.52	81.08	0.91	11.43	18.42	≤30.00	PASS
	total	5985	---	---	---	15.53	22.52	≤30.00	PASS
	Ant1	6145	9.08	81.08	0.91	9.99	16.98	≤30.00	PASS
	Ant2	6145	9.46	83.33	0.79	10.25	17.24	≤30.00	PASS
	Ant3	6145	11.60	81.08	0.91	12.51	19.50	≤30.00	PASS
	total	6145	---	---	---	15.84	22.83	≤30.00	PASS
	Ant1	6385	9.42	81.08	0.91	10.33	17.32	≤30.00	PASS
	Ant2	6385	9.50	81.08	0.91	10.41	17.40	≤30.00	PASS
	Ant3	6385	10.84	81.08	0.91	11.75	18.74	≤30.00	PASS
	total	6385	---	---	---	15.65	22.64	≤30.00	PASS
	Ant1	6465	9.81	81.08	0.91	10.72	17.71	≤30.00	PASS
	Ant2	6465	10.24	83.33	0.79	11.03	18.02	≤30.00	PASS
	Ant3	6465	10.32	81.08	0.91	11.23	18.22	≤30.00	PASS
	total	6465	---	---	---	15.77	22.76	≤30.00	PASS
	Ant1	6545	7.67	81.08	0.91	8.58	15.57	≤30.00	PASS
	Ant2	6545	10.20	81.08	0.91	11.11	18.10	≤30.00	PASS
	Ant3	6545	9.55	81.08	0.91	10.46	17.45	≤30.00	PASS
	total	6545	---	---	---	14.95	21.94	≤30.00	PASS
	Ant1	6625	7.72	81.08	0.91	8.63	15.62	≤30.00	PASS
	Ant2	6625	9.45	81.08	0.91	10.36	17.35	≤30.00	PASS
	Ant3	6625	9.89	81.08	0.91	10.80	17.79	≤30.00	PASS
	total	6625	---	---	---	14.80	21.79	≤30.00	PASS
	Ant1	6705	9.10	83.33	0.79	9.89	16.88	≤30.00	PASS
	Ant2	6705	9.28	81.08	0.91	10.19	17.18	≤30.00	PASS
	Ant3	6705	10.54	81.08	0.91	11.45	18.44	≤30.00	PASS
	total	6705	---	---	---	15.34	22.33	≤30.00	PASS
	Ant1	6785	9.55	81.08	0.91	10.46	17.45	≤30.00	PASS
	Ant2	6785	9.77	81.08	0.91	10.68	17.67	≤30.00	PASS
	Ant3	6785	9.84	81.08	0.91	10.75	17.74	≤30.00	PASS
	total	6785	---	---	---	15.40	22.39	≤30.00	PASS
	Ant1	6865	8.96	81.08	0.91	9.87	16.86	≤30.00	PASS
	Ant2	6865	10.09	81.08	0.91	11.00	17.99	≤30.00	PASS
	Ant3	6865	9.46	81.08	0.91	10.37	17.36	≤30.00	PASS

	total	6865	---	---	---	15.21	22.20	≤30.00	PASS
	Ant1	6945	8.89	81.08	0.91	9.80	16.79	≤30.00	PASS
	Ant2	6945	9.71	81.08	0.91	10.62	17.61	≤30.00	PASS
	Ant3	6945	9.69	81.08	0.91	10.60	17.59	≤30.00	PASS
	total	6945	---	---	---	15.13	22.12	≤30.00	PASS
	Ant1	7025	9.45	81.08	0.91	10.36	17.35	≤30.00	PASS
	Ant2	7025	9.42	81.08	0.91	10.33	17.32	≤30.00	PASS
	Ant3	7025	11.01	83.33	0.79	11.80	18.79	≤30.00	PASS
11BE160MIMO	total	7025	---	---	---	15.66	22.65	≤30.00	PASS
	Ant1	6025	11.45	81.08	0.91	12.36	19.35	≤30.00	PASS
	Ant2	6025	11.16	83.33	0.79	11.95	18.94	≤30.00	PASS
	Ant3	6025	12.61	81.08	0.91	13.52	20.51	≤30.00	PASS
	total	6025	---	---	---	17.43	24.42	≤30.00	PASS
	Ant1	6185	11.03	81.08	0.91	11.94	18.93	≤30.00	PASS
	Ant2	6185	11.37	83.33	0.79	12.16	19.15	≤30.00	PASS
	Ant3	6185	13.27	81.08	0.91	14.18	21.17	≤30.00	PASS
	total	6185	---	---	---	17.65	24.64	≤30.00	PASS
	Ant1	6345	10.16	83.33	0.79	10.95	17.94	≤30.00	PASS
	Ant2	6345	11.98	81.08	0.91	12.89	19.88	≤30.00	PASS
	Ant3	6345	11.77	81.08	0.91	12.68	19.67	≤30.00	PASS
	total	6345	---	---	---	17.03	24.02	≤30.00	PASS
	Ant1	6505	10.27	81.08	0.91	11.18	18.17	≤30.00	PASS
	Ant2	6505	11.50	81.08	0.91	12.41	19.40	≤30.00	PASS
	Ant3	6505	11.56	81.08	0.91	12.47	19.46	≤30.00	PASS
	total	6505	---	---	---	16.83	23.82	≤30.00	PASS
	Ant1	6665	10.00	81.08	0.91	10.91	17.90	≤30.00	PASS
	Ant2	6665	11.36	81.08	0.91	12.27	19.26	≤30.00	PASS
	Ant3	6665	10.95	81.08	0.91	11.86	18.85	≤30.00	PASS
	total	6665	---	---	---	16.49	23.48	≤30.00	PASS
	Ant1	6825	11.01	81.08	0.91	11.92	18.91	≤30.00	PASS
	Ant2	6825	12.15	81.08	0.91	13.06	20.05	≤30.00	PASS
	Ant3	6825	11.58	81.08	0.91	12.49	19.48	≤30.00	PASS
	total	6825	---	---	---	17.29	24.28	≤30.00	PASS
	Ant1	6985	10.69	81.08	0.91	11.60	18.59	≤30.00	PASS
	Ant2	6985	11.03	83.33	0.79	11.82	18.81	≤30.00	PASS
	Ant3	6985	11.25	81.08	0.91	12.16	19.15	≤30.00	PASS
	total	6985	---	---	---	16.64	23.63	≤30.00	PASS
11BE320MIMO	Ant1	6105	10.69	81.08	0.91	11.60	18.59	≤30.00	PASS
	Ant2	6105	12.59	81.08	0.91	13.50	20.49	≤30.00	PASS
	Ant3	6105	11.21	83.33	0.79	12.00	18.99	≤30.00	PASS
	total	6105	---	---	---	17.22	24.21	≤30.00	PASS
	Ant1	6265	11.19	83.33	0.79	11.98	18.97	≤30.00	PASS
	Ant2	6265	11.16	83.33	0.79	11.95	18.94	≤30.00	PASS
	Ant3	6265	12.10	83.33	0.79	12.89	19.88	≤30.00	PASS
	total	6265	---	---	---	17.07	24.06	≤30.00	PASS
	Ant1	6585	9.74	83.33	0.79	10.53	17.52	≤30.00	PASS
	Ant2	6585	11.32	81.08	0.91	12.23	19.22	≤30.00	PASS
	Ant3	6585	10.81	81.08	0.91	11.72	18.71	≤30.00	PASS
	total	6585	---	---	---	16.32	23.31	≤30.00	PASS
	Ant1	6745	11.53	83.33	0.79	12.32	19.31	≤30.00	PASS
	Ant2	6745	10.73	81.08	0.91	11.64	18.63	≤30.00	PASS
	Ant3	6745	11.84	83.33	0.79	12.63	19.62	≤30.00	PASS
	total	6745	---	---	---	16.99	23.98	≤30.00	PASS
	Ant1	6905	10.37	83.33	0.79	11.16	18.15	≤30.00	PASS
	Ant2	6905	11.59	81.08	0.91	12.50	19.49	≤30.00	PASS
	Ant3	6905	11.02	81.08	0.91	11.93	18.92	≤30.00	PASS
	total	6905	---	---	---	16.67	23.66	≤30.00	PASS

Test Mode	Antenna	Channel	Ru Size	Ru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20 MIMO	Ant1	5955	52+26 OFDMA	1	-1.39	92.47	0.34	-1.05	5.94	≤30.00	PASS
				2	-1.92	93.62	0.29	-1.63	5.36	≤30.00	PASS
				3	-1.76	92.47	0.34	-1.42	5.57	≤30.00	PASS
			106+26 OFDMA	1	0.61	93.41	0.30	0.91	7.90	≤30.00	PASS
				2	0.19	93.41	0.30	0.49	7.48	≤30.00	PASS
				3	0.18	92.47	0.34	0.52	7.51	≤30.00	PASS
	Ant2	5955	52+26 OFDMA	1	0.18	92.47	0.34	0.52	7.51	≤30.00	PASS
				2	-0.30	92.55	0.34	0.04	7.03	≤30.00	PASS
				3	-0.34	92.47	0.34	0.00	6.99	≤30.00	PASS
			106+26 OFDMA	1	2.37	93.41	0.30	2.67	9.66	≤30.00	PASS
				2	1.94	93.41	0.30	2.24	9.23	≤30.00	PASS
				3	0.08	92.47	0.34	0.42	7.41	≤30.00	PASS
	Ant3	5955	52+26 OFDMA	1	0.08	92.47	0.34	0.42	7.41	≤30.00	PASS
				2	-0.40	92.55	0.34	-0.06	6.93	≤30.00	PASS
				3	-0.36	93.48	0.29	-0.07	6.92	≤30.00	PASS
			106+26 OFDMA	1	0.87	92.39	0.34	1.21	8.20	≤30.00	PASS
				2	0.90	92.39	0.34	1.24	8.23	≤30.00	PASS
				3	---	---	---	4.79	11.78	≤30.00	PASS
	total	5955	52+26 OFDMA	1	---	---	---	4.79	11.78	≤30.00	PASS
				2	---	---	---	4.29	11.28	≤30.00	PASS
				3	---	---	---	4.32	11.31	≤30.00	PASS
			106+26 OFDMA	1	---	---	---	6.44	13.43	≤30.00	PASS
				2	---	---	---	6.15	13.14	≤30.00	PASS
				3	---	---	---	6.15	13.14	≤30.00	PASS
	Ant1	6175	52+26 OFDMA	1	-0.20	92.47	0.34	0.14	7.13	≤30.00	PASS
				2	-0.70	92.55	0.34	-0.36	6.63	≤30.00	PASS
				3	-0.64	92.47	0.34	-0.30	6.69	≤30.00	PASS
			106+26 OFDMA	1	1.86	93.41	0.30	2.16	9.15	≤30.00	PASS
				2	1.40	92.39	0.34	1.74	8.73	≤30.00	PASS
				3	-0.39	93.48	0.29	-0.10	6.89	≤30.00	PASS
	Ant2	6175	52+26 OFDMA	1	-0.39	93.48	0.29	-0.10	6.89	≤30.00	PASS
				2	-0.83	92.55	0.34	-0.49	6.50	≤30.00	PASS
				3	-0.80	92.47	0.34	-0.46	6.53	≤30.00	PASS
			106+26 OFDMA	1	1.90	93.41	0.30	2.20	9.19	≤30.00	PASS
				2	1.46	92.39	0.34	1.80	8.79	≤30.00	PASS
				3	2.13	92.47	0.34	2.47	9.46	≤30.00	PASS
	Ant3	6175	52+26 OFDMA	1	2.13	92.47	0.34	2.47	9.46	≤30.00	PASS
				2	1.62	93.62	0.29	1.91	8.90	≤30.00	PASS
				3	1.37	92.47	0.34	1.71	8.70	≤30.00	PASS
			106+26 OFDMA	1	3.38	92.39	0.34	3.72	10.71	≤30.00	PASS
				2	2.80	92.39	0.34	3.14	10.13	≤30.00	PASS
				3	---	---	---	5.77	12.76	≤30.00	PASS
	total	6175	52+26 OFDMA	1	---	---	---	5.77	12.76	≤30.00	PASS
				2	---	---	---	5.27	12.26	≤30.00	PASS
				3	---	---	---	5.21	12.20	≤30.00	PASS
			106+26 OFDMA	1	---	---	---	7.53	14.52	≤30.00	PASS
				2	---	---	---	7.05	14.04	≤30.00	PASS
				3	---	---	---	7.05	14.04	≤30.00	PASS
	Ant1	6415	52+26 OFDMA	1	-1.25	93.48	0.29	-0.96	6.03	≤30.00	PASS
				2	-1.72	92.55	0.34	-1.38	5.61	≤30.00	PASS
				3	-1.74	92.47	0.34	-1.40	5.59	≤30.00	PASS
			106+26 OFDMA	1	0.88	92.39	0.34	1.22	8.21	≤30.00	PASS
				2	0.49	92.39	0.34	0.83	7.82	≤30.00	PASS
				3	-1.39	92.47	0.34	-1.05	5.94	≤30.00	PASS
	Ant2	6415	52+26 OFDMA	1	-1.39	92.47	0.34	-1.05	5.94	≤30.00	PASS
				2	-1.82	93.62	0.29	-1.53	5.46	≤30.00	PASS
				3	-1.73	93.48	0.29	-1.44	5.55	≤30.00	PASS
			106+26 OFDMA	1	0.78	92.39	0.34	1.12	8.11	≤30.00	PASS
				2	0.87	93.41	0.30	1.17	8.16	≤30.00	PASS
				3	0.42	93.48	0.29	0.71	7.70	≤30.00	PASS
	Ant3	6415	52+26 OFDMA	1	0.42	93.48	0.29	0.71	7.70	≤30.00	PASS
				2	-0.08	93.55	0.29	0.21	7.20	≤30.00	PASS
				3	-0.29	93.48	0.29	0.00	6.99	≤30.00	PASS
			106+26 OFDMA	1	1.68	92.39	0.34	2.02	9.01	≤30.00	PASS
				2	1.74	92.39	0.34	2.08	9.07	≤30.00	PASS
				3	---	---	---	4.42	11.41	≤30.00	PASS
	total	6415	52+26 OFDMA	1	---	---	---	4.42	11.41	≤30.00	PASS
				2	---	---	---	3.95	10.94	≤30.00	PASS
				3	---	---	---	3.88	10.87	≤30.00	PASS
	total	6415	106+26 OFDMA	1	---	---	---	6.24	13.23	≤30.00	PASS
				2	---	---	---	6.24	13.23	≤30.00	PASS

	Ant1	6435	OFDMA	2	---	---	---	6.16	13.15	≤30.00	PASS
			52+26_ OFDMA	1	-0.47	92.47	0.34	-0.13	6.86	≤30.00	PASS
				2	-0.42	93.62	0.29	-0.13	6.86	≤30.00	PASS
				3	-0.47	92.47	0.34	-0.13	6.86	≤30.00	PASS
	Ant2	6435	106+26_ OFDMA	1	1.98	92.39	0.34	2.32	9.31	≤30.00	PASS
				2	2.01	92.39	0.34	2.35	9.34	≤30.00	PASS
				3	-0.60	92.47	0.34	-0.26	6.73	≤30.00	PASS
			52+26_ OFDMA	2	-0.62	92.55	0.34	-0.28	6.71	≤30.00	PASS
	Ant3	6435	106+26_ OFDMA	1	1.93	93.41	0.30	2.23	9.22	≤30.00	PASS
				2	1.97	92.39	0.34	2.31	9.30	≤30.00	PASS
				3	0.71	92.47	0.34	1.05	8.04	≤30.00	PASS
			52+26_ OFDMA	2	0.59	92.55	0.34	0.93	7.92	≤30.00	PASS
	total	6435	106+26_ OFDMA	1	2.32	92.39	0.34	2.66	9.65	≤30.00	PASS
				2	2.24	92.39	0.34	2.58	9.57	≤30.00	PASS
				3	0.25	93.48	0.29	0.54	7.53	≤30.00	PASS
			52+26_ OFDMA	1	---	---	---	5.03	12.02	≤30.00	PASS
	Ant1	6475	106+26_ OFDMA	2	---	---	---	4.98	11.97	≤30.00	PASS
				3	---	---	---	4.79	11.78	≤30.00	PASS
				1	---	---	---	7.18	14.17	≤30.00	PASS
			52+26_ OFDMA	2	---	---	---	7.19	14.18	≤30.00	PASS
	Ant2	6475	106+26_ OFDMA	1	-1.38	93.48	0.29	-1.09	5.90	≤30.00	PASS
				2	-1.32	92.55	0.34	-0.98	6.01	≤30.00	PASS
				3	-1.37	93.48	0.29	-1.08	5.91	≤30.00	PASS
			52+26_ OFDMA	1	1.01	92.39	0.34	1.35	8.34	≤30.00	PASS
	Ant3	6475	106+26_ OFDMA	2	1.08	93.41	0.30	1.38	8.37	≤30.00	PASS
				3	-0.94	93.48	0.29	-0.65	6.34	≤30.00	PASS
				1	-0.87	92.55	0.34	-0.53	6.46	≤30.00	PASS
			52+26_ OFDMA	2	-0.92	93.48	0.29	-0.63	6.36	≤30.00	PASS
	total	6475	106+26_ OFDMA	1	1.51	92.39	0.34	1.85	8.84	≤30.00	PASS
				2	1.66	93.41	0.30	1.96	8.95	≤30.00	PASS
				3	-0.53	93.48	0.29	-0.24	6.75	≤30.00	PASS
			52+26_ OFDMA	2	-0.56	92.55	0.34	-0.22	6.77	≤30.00	PASS
	Ant1	6515	106+26_ OFDMA	3	-0.64	92.47	0.34	-0.30	6.69	≤30.00	PASS
				1	1.00	92.39	0.34	1.34	8.33	≤30.00	PASS
				2	0.94	93.41	0.30	1.24	8.23	≤30.00	PASS
			52+26_ OFDMA	1	---	---	---	4.13	11.12	≤30.00	PASS
	Ant2	6515	106+26_ OFDMA	2	---	---	---	4.21	11.20	≤30.00	PASS
				3	---	---	---	4.11	11.10	≤30.00	PASS
				1	---	---	---	6.29	13.28	≤30.00	PASS
			52+26_ OFDMA	2	---	---	---	6.31	13.30	≤30.00	PASS
	Ant3	6515	106+26_ OFDMA	1	-2.06	93.48	0.29	-1.77	5.22	≤30.00	PASS
				2	-2.10	92.55	0.34	-1.76	5.23	≤30.00	PASS
				3	-2.14	92.47	0.34	-1.80	5.19	≤30.00	PASS
			52+26_ OFDMA	1	0.37	93.41	0.30	0.67	7.66	≤30.00	PASS
	total	6515	106+26_ OFDMA	2	0.49	92.39	0.34	0.83	7.82	≤30.00	PASS
				3	-0.08	92.47	0.34	0.26	7.25	≤30.00	PASS
				1	-0.17	93.62	0.29	0.12	7.11	≤30.00	PASS
			52+26_ OFDMA	2	-0.17	93.48	0.29	0.12	7.11	≤30.00	PASS
	Ant1	6535	106+26_ OFDMA	1	2.36	92.39	0.34	2.70	9.69	≤30.00	PASS
				2	2.39	92.39	0.34	2.73	9.72	≤30.00	PASS
				3	-0.43	92.47	0.34	-0.09	6.90	≤30.00	PASS
			52+26_ OFDMA	2	-0.41	93.62	0.29	-0.12	6.87	≤30.00	PASS
	Ant2	6535	106+26_ OFDMA	3	-0.35	93.48	0.29	-0.06	6.93	≤30.00	PASS
				1	1.40	92.39	0.34	1.74	8.73	≤30.00	PASS
				2	1.52	92.39	0.34	1.86	8.85	≤30.00	PASS
			52+26_ OFDMA	1	---	---	---	4.32	11.31	≤30.00	PASS
	total	6535	106+26_ OFDMA	2	---	---	---	4.26	11.25	≤30.00	PASS
				3	---	---	---	4.27	11.26	≤30.00	PASS
				1	---	---	---	6.55	13.54	≤30.00	PASS
			52+26_ OFDMA	2	---	---	---	6.65	13.64	≤30.00	PASS
	Ant1	6535	52+26_ OFDMA	1	-2.47	92.47	0.34	-2.13	4.86	≤30.00	PASS
				2	-2.50	92.55	0.34	-2.16	4.83	≤30.00	PASS
				3	-2.55	93.48	0.29	-2.26	4.73	≤30.00	PASS

			106+26 OFDMA	1	-0.01	93.41	0.30	0.29	7.28	≤30.00	PASS
				2	0.04	92.39	0.34	0.38	7.37	≤30.00	PASS
	Ant2	6535	52+26 OFDMA	1	-0.23	93.48	0.29	0.06	7.05	≤30.00	PASS
				2	-0.22	93.55	0.29	0.07	7.06	≤30.00	PASS
				3	-0.25	93.48	0.29	0.04	7.03	≤30.00	PASS
			106+26 OFDMA	1	2.05	92.39	0.34	2.39	9.38	≤30.00	PASS
				2	2.25	93.41	0.30	2.55	9.54	≤30.00	PASS
	Ant3	6535	52+26 OFDMA	1	-0.50	92.47	0.34	-0.16	6.83	≤30.00	PASS
				2	-0.55	92.55	0.34	-0.21	6.78	≤30.00	PASS
				3	-0.69	92.47	0.34	-0.35	6.64	≤30.00	PASS
			106+26 OFDMA	1	1.05	92.39	0.34	1.39	8.38	≤30.00	PASS
				2	1.18	92.39	0.34	1.52	8.51	≤30.00	PASS
	total	6535	52+26 OFDMA	1	---	---	---	4.13	11.12	≤30.00	PASS
				2	---	---	---	4.11	11.10	≤30.00	PASS
				3	---	---	---	4.02	11.01	≤30.00	PASS
			106+26 OFDMA	1	---	---	---	6.21	13.20	≤30.00	PASS
				2	---	---	---	6.34	13.33	≤30.00	PASS
	Ant1	6695	52+26 OFDMA	1	-1.54	93.48	0.29	-1.25	5.74	≤30.00	PASS
				2	-1.57	93.62	0.29	-1.28	5.71	≤30.00	PASS
				3	-1.51	93.48	0.29	-1.22	5.77	≤30.00	PASS
			106+26 OFDMA	1	1.13	92.39	0.34	1.47	8.46	≤30.00	PASS
				2	1.31	92.39	0.34	1.65	8.64	≤30.00	PASS
	Ant2	6695	52+26 OFDMA	1	-1.54	93.48	0.29	-1.25	5.74	≤30.00	PASS
				2	-1.49	93.55	0.29	-1.20	5.79	≤30.00	PASS
				3	-1.47	92.47	0.34	-1.13	5.86	≤30.00	PASS
			106+26 OFDMA	1	0.86	92.39	0.34	1.20	8.19	≤30.00	PASS
				2	1.02	93.41	0.30	1.32	8.31	≤30.00	PASS
	Ant3	6695	52+26 OFDMA	1	-0.63	92.47	0.34	-0.29	6.70	≤30.00	PASS
				2	-0.61	93.62	0.29	-0.32	6.67	≤30.00	PASS
				3	-0.54	93.48	0.29	-0.25	6.74	≤30.00	PASS
			106+26 OFDMA	1	1.25	93.41	0.30	1.55	8.54	≤30.00	PASS
				2	1.53	93.41	0.30	1.83	8.82	≤30.00	PASS
	total	6695	52+26 OFDMA	1	---	---	---	3.87	10.86	≤30.00	PASS
				2	---	---	---	3.86	10.85	≤30.00	PASS
				3	---	---	---	3.93	10.92	≤30.00	PASS
			106+26 OFDMA	1	---	---	---	6.18	13.17	≤30.00	PASS
				2	---	---	---	6.38	13.37	≤30.00	PASS
	Ant1	6855	52+26 OFDMA	1	-0.88	92.47	0.34	-0.54	6.45	≤30.00	PASS
				2	-0.93	93.62	0.29	-0.64	6.35	≤30.00	PASS
				3	-0.91	93.48	0.29	-0.62	6.37	≤30.00	PASS
			106+26 OFDMA	1	1.32	92.39	0.34	1.66	8.65	≤30.00	PASS
				2	1.08	93.41	0.30	1.38	8.37	≤30.00	PASS
	Ant2	6855	52+26 OFDMA	1	0.14	93.48	0.29	0.43	7.42	≤30.00	PASS
				2	0.21	93.62	0.29	0.50	7.49	≤30.00	PASS
				3	0.21	93.48	0.29	0.50	7.49	≤30.00	PASS
			106+26 OFDMA	1	2.48	92.39	0.34	2.82	9.81	≤30.00	PASS
				2	2.74	93.41	0.30	3.04	10.03	≤30.00	PASS
	Ant3	6855	52+26 OFDMA	1	-0.54	92.47	0.34	-0.20	6.79	≤30.00	PASS
				2	-0.58	93.62	0.29	-0.29	6.70	≤30.00	PASS
				3	-0.43	93.48	0.29	-0.14	6.85	≤30.00	PASS
			106+26 OFDMA	1	1.15	92.39	0.34	1.49	8.48	≤30.00	PASS
				2	1.35	93.41	0.30	1.65	8.64	≤30.00	PASS
	total	6855	52+26 OFDMA	1	---	---	---	4.69	11.68	≤30.00	PASS
				2	---	---	---	4.65	11.64	≤30.00	PASS
				3	---	---	---	4.71	11.70	≤30.00	PASS
			106+26 OFDMA	1	---	---	---	6.80	13.79	≤30.00	PASS
				2	---	---	---	6.86	13.85	≤30.00	PASS
	Ant1	6875	52+26 OFDMA	1	-1.24	93.48	0.29	-0.95	6.04	≤30.00	PASS
				2	-1.27	92.55	0.34	-0.93	6.06	≤30.00	PASS
				3	-1.33	92.47	0.34	-0.99	6.00	≤30.00	PASS
			106+26 OFDMA	1	0.94	92.39	0.34	1.28	8.27	≤30.00	PASS
				2	1.06	93.41	0.30	1.36	8.35	≤30.00	PASS
	Ant2	6875	52+26 OFDMA	1	-0.01	92.47	0.34	0.33	7.32	≤30.00	PASS
				2	0.03	93.62	0.29	0.32	7.31	≤30.00	PASS

				3	-0.15	93.48	0.29	0.14	7.13	≤30.00	PASS
			106+26_ OFDMA	1	2.18	92.39	0.34	2.52	9.51	≤30.00	PASS
				2	2.38	93.41	0.30	2.68	9.67	≤30.00	PASS
	Ant3	6875	52+26_ OFDMA	1	-0.58	93.48	0.29	-0.29	6.70	≤30.00	PASS
				2	-0.67	92.55	0.34	-0.33	6.66	≤30.00	PASS
				3	-0.66	92.47	0.34	-0.32	6.67	≤30.00	PASS
			106+26_ OFDMA	1	1.04	92.39	0.34	1.38	8.37	≤30.00	PASS
				2	1.19	93.41	0.30	1.49	8.48	≤30.00	PASS
	total	6875	52+26_ OFDMA	1	---	---	---	4.50	11.49	≤30.00	PASS
				2	---	---	---	4.49	11.48	≤30.00	PASS
				3	---	---	---	4.41	11.40	≤30.00	PASS
			106+26_ OFDMA	1	---	---	---	6.54	13.53	≤30.00	PASS
				2	---	---	---	6.66	13.65	≤30.00	PASS
	Ant1	6895	52+26_ OFDMA	1	-1.50	93.48	0.29	-1.21	5.78	≤30.00	PASS
				2	-1.56	93.62	0.29	-1.27	5.72	≤30.00	PASS
				3	-1.57	93.48	0.29	-1.28	5.71	≤30.00	PASS
			106+26_ OFDMA	1	0.65	93.41	0.30	0.95	7.94	≤30.00	PASS
				2	0.78	92.39	0.34	1.12	8.11	≤30.00	PASS
	Ant2	6895	52+26_ OFDMA	1	-0.40	92.47	0.34	-0.06	6.93	≤30.00	PASS
				2	-0.50	92.55	0.34	-0.16	6.83	≤30.00	PASS
				3	-0.64	93.48	0.29	-0.35	6.64	≤30.00	PASS
			106+26_ OFDMA	1	1.80	92.39	0.34	2.14	9.13	≤30.00	PASS
				2	1.93	93.41	0.30	2.23	9.22	≤30.00	PASS
	Ant3	6895	52+26_ OFDMA	1	-0.83	92.47	0.34	-0.49	6.50	≤30.00	PASS
				2	-0.89	93.62	0.29	-0.60	6.39	≤30.00	PASS
				3	-0.92	92.47	0.34	-0.58	6.41	≤30.00	PASS
			106+26_ OFDMA	1	0.64	92.39	0.34	0.98	7.97	≤30.00	PASS
				2	0.96	92.39	0.34	1.30	8.29	≤30.00	PASS
	total	6895	52+26_ OFDMA	1	---	---	---	4.21	11.20	≤30.00	PASS
				2	---	---	---	4.12	11.11	≤30.00	PASS
				3	---	---	---	4.05	11.04	≤30.00	PASS
			106+26_ OFDMA	1	---	---	---	6.16	13.15	≤30.00	PASS
				2	---	---	---	6.35	13.34	≤30.00	PASS
	Ant1	6995	52+26_ OFDMA	1	-0.50	92.47	0.34	-0.16	6.83	≤30.00	PASS
				2	-0.52	93.62	0.29	-0.23	6.76	≤30.00	PASS
				3	-0.58	93.48	0.29	-0.29	6.70	≤30.00	PASS
			106+26_ OFDMA	1	1.66	92.39	0.34	2.00	8.99	≤30.00	PASS
				2	1.76	92.39	0.34	2.10	9.09	≤30.00	PASS
	Ant2	6995	52+26_ OFDMA	1	-0.47	93.48	0.29	-0.18	6.81	≤30.00	PASS
				2	-0.50	92.55	0.34	-0.16	6.83	≤30.00	PASS
				3	-0.48	93.48	0.29	-0.19	6.80	≤30.00	PASS
			106+26_ OFDMA	1	1.86	93.41	0.30	2.16	9.15	≤30.00	PASS
				2	2.00	92.39	0.34	2.34	9.33	≤30.00	PASS
	Ant3	6995	52+26_ OFDMA	1	0.61	92.47	0.34	0.95	7.94	≤30.00	PASS
				2	0.50	92.55	0.34	0.84	7.83	≤30.00	PASS
				3	0.32	92.47	0.34	0.66	7.65	≤30.00	PASS
			106+26_ OFDMA	1	2.06	93.41	0.30	2.36	9.35	≤30.00	PASS
				2	2.34	93.41	0.30	2.64	9.63	≤30.00	PASS
	total	6995	52+26_ OFDMA	1	---	---	---	5.01	12.00	≤30.00	PASS
				2	---	---	---	4.95	11.94	≤30.00	PASS
				3	---	---	---	4.85	11.84	≤30.00	PASS
			106+26_ OFDMA	1	---	---	---	6.95	13.94	≤30.00	PASS
				2	---	---	---	7.14	14.13	≤30.00	PASS
	Ant1	7115	52+26_ OFDMA	1	-10.02	92.47	0.34	-9.68	-2.69	≤30.00	PASS
				2	-10.03	92.55	0.34	-9.69	-2.70	≤30.00	PASS
				3	-10.03	93.48	0.29	-9.74	-2.75	≤30.00	PASS
			106+26_ OFDMA	1	-10.03	92.39	0.34	-9.69	-2.70	≤30.00	PASS
				2	-10.03	92.39	0.34	-9.69	-2.70	≤30.00	PASS
	Ant2	7115	52+26_ OFDMA	1	-10.16	92.47	0.34	-9.82	-2.83	≤30.00	PASS
				2	-10.16	92.55	0.34	-9.82	-2.83	≤30.00	PASS
				3	-10.16	93.48	0.29	-9.87	-2.88	≤30.00	PASS
			106+26_ OFDMA	1	-10.16	92.39	0.34	-9.82	-2.83	≤30.00	PASS
				2	-10.16	93.41	0.30	-9.86	-2.87	≤30.00	PASS
	Ant3	7115	52+26_	1	-11.77	92.47	0.34	-11.43	-4.44	≤30.00	PASS

11BE4 0 MIMO			OFDMA	2	-11.76	93.62	0.29	-11.47	-4.48	≤30.00	PASS
				3	-11.77	92.47	0.34	-11.43	-4.44	≤30.00	PASS
			106+26_ OFDMA	1	-11.75	93.41	0.30	-11.45	-4.46	≤30.00	PASS
				2	-11.74	92.39	0.34	-11.40	-4.41	≤30.00	PASS
		total	52+26_ OFDMA	1	---	---	---	-5.47	1.52	≤30.00	PASS
				2	---	---	---	-5.48	1.51	≤30.00	PASS
			106+26_ OFDMA	3	---	---	---	-5.51	1.48	≤30.00	PASS
				1	---	---	---	-5.48	1.51	≤30.00	PASS
			106+26_ OFDMA	2	---	---	---	-5.48	1.51	≤30.00	PASS
				3	---	---	---	---	---	---	---
	Ant1	5965	106+26_ OFDMA	3	1.02	93.41	0.30	1.32	8.31	≤30.00	PASS
	Ant2	5965	106+26_ OFDMA	4	0.83	92.39	0.34	1.17	8.16	≤30.00	PASS
				3	1.92	92.39	0.34	2.26	9.25	≤30.00	PASS
	Ant3	5965	106+26_ OFDMA	4	1.54	92.39	0.34	1.88	8.87	≤30.00	PASS
				3	1.97	92.39	0.34	2.31	9.30	≤30.00	PASS
	total	5965	106+26_ OFDMA	4	1.33	93.41	0.30	1.63	8.62	≤30.00	PASS
				3	---	---	---	6.76	13.75	≤30.00	PASS
	Ant1	6165	106+26_ OFDMA	4	---	---	---	6.34	13.33	≤30.00	PASS
				3	1.17	92.39	0.34	1.51	8.50	≤30.00	PASS
	Ant2	6165	106+26_ OFDMA	4	1.48	92.39	0.34	1.82	8.81	≤30.00	PASS
				3	1.48	92.39	0.34	1.82	8.81	≤30.00	PASS
	Ant3	6165	106+26_ OFDMA	4	1.97	92.39	0.34	2.31	9.30	≤30.00	PASS
				3	2.80	92.39	0.34	3.14	10.13	≤30.00	PASS
	total	6165	106+26_ OFDMA	4	2.96	93.41	0.30	3.26	10.25	≤30.00	PASS
				3	---	---	---	6.99	13.98	≤30.00	PASS
	Ant1	6405	106+26_ OFDMA	4	---	---	---	7.28	14.27	≤30.00	PASS
				3	1.03	92.39	0.34	1.37	8.36	≤30.00	PASS
	Ant2	6405	106+26_ OFDMA	4	0.71	92.39	0.34	1.05	8.04	≤30.00	PASS
				3	1.08	92.39	0.34	1.42	8.41	≤30.00	PASS
	Ant3	6405	106+26_ OFDMA	4	0.72	93.41	0.30	1.02	8.01	≤30.00	PASS
				3	1.84	92.39	0.34	2.18	9.17	≤30.00	PASS
	total	6405	106+26_ OFDMA	4	1.26	92.39	0.34	1.60	8.59	≤30.00	PASS
				3	---	---	---	6.44	13.43	≤30.00	PASS
	Ant1	6445	106+26_ OFDMA	4	---	---	---	6.00	12.99	≤30.00	PASS
				3	1.78	92.39	0.34	2.12	9.11	≤30.00	PASS
	Ant2	6445	106+26_ OFDMA	4	1.54	93.41	0.30	1.84	8.83	≤30.00	PASS
				3	1.82	92.39	0.34	2.16	9.15	≤30.00	PASS
	Ant3	6445	106+26_ OFDMA	4	1.25	92.39	0.34	1.59	8.58	≤30.00	PASS
				3	1.97	92.39	0.34	2.31	9.30	≤30.00	PASS
	total	6445	106+26_ OFDMA	4	1.36	92.39	0.34	1.70	8.69	≤30.00	PASS
				3	---	---	---	6.97	13.96	≤30.00	PASS
	Ant1	6485	106+26_ OFDMA	4	---	---	---	6.48	13.47	≤30.00	PASS
				3	0.81	92.39	0.34	1.15	8.14	≤30.00	PASS
	Ant2	6485	106+26_ OFDMA	4	0.41	92.39	0.34	0.75	7.74	≤30.00	PASS
				3	1.85	93.41	0.30	2.15	9.14	≤30.00	PASS
	Ant3	6485	106+26_ OFDMA	4	1.65	93.41	0.30	1.95	8.94	≤30.00	PASS
				3	0.95	93.41	0.30	1.25	8.24	≤30.00	PASS
	total	6485	106+26_ OFDMA	4	0.17	92.39	0.34	0.51	7.50	≤30.00	PASS
				3	---	---	---	6.31	13.30	≤30.00	PASS
	Ant1	6525	106+26_ OFDMA	4	---	---	---	5.89	12.88	≤30.00	PASS
				3	0.25	92.39	0.34	0.59	7.58	≤30.00	PASS
	Ant2	6525	106+26_ OFDMA	4	-0.05	92.39	0.34	0.29	7.28	≤30.00	PASS
				3	2.60	92.39	0.34	2.94	9.93	≤30.00	PASS
	Ant3	6525	106+26_ OFDMA	4	2.17	92.39	0.34	2.51	9.50	≤30.00	PASS
				3	1.58	93.41	0.30	1.88	8.87	≤30.00	PASS
	total	6525	106+26_ OFDMA	4	0.97	92.39	0.34	1.31	8.30	≤30.00	PASS
				3	---	---	---	6.68	13.67	≤30.00	PASS
	Ant1	6565	106+26_ OFDMA	4	---	---	---	6.24	13.23	≤30.00	PASS
				3	-0.56	92.39	0.34	-0.22	6.77	≤30.00	PASS
	Ant2	6565	106+26_ OFDMA	4	-0.90	92.39	0.34	-0.56	6.43	≤30.00	PASS
				3	1.86	92.39	0.34	2.20	9.19	≤30.00	PASS
	Ant3	6565	106+26_ OFDMA	4	1.44	93.41	0.30	1.74	8.73	≤30.00	PASS
				3	0.23	92.39	0.34	0.57	7.56	≤30.00	PASS
	total	6565	106+26_ OFDMA	4	-0.41	93.41	0.30	-0.11	6.88	≤30.00	PASS
				3	---	---	---	5.74	12.73	≤30.00	PASS

		OFDMA	4	---	---	---	5.25	12.24	≤30.00	PASS
Ant1	6685	106+26_	3	1.32	92.39	0.34	1.66	8.65	≤30.00	PASS
		OFDMA	4	1.05	93.41	0.30	1.35	8.34	≤30.00	PASS
Ant2	6685	106+26_	3	1.20	92.39	0.34	1.54	8.53	≤30.00	PASS
		OFDMA	4	1.00	93.41	0.30	1.30	8.29	≤30.00	PASS
Ant3	6685	106+26_	3	1.56	92.39	0.34	1.90	8.89	≤30.00	PASS
		OFDMA	4	1.01	93.41	0.30	1.31	8.30	≤30.00	PASS
total	6685	106+26_	3	---	---	---	6.47	13.46	≤30.00	PASS
		OFDMA	4	---	---	---	6.09	13.08	≤30.00	PASS
Ant1	6845	106+26_	3	1.67	93.41	0.30	1.97	8.96	≤30.00	PASS
		OFDMA	4	1.29	93.41	0.30	1.59	8.58	≤30.00	PASS
Ant2	6845	106+26_	3	3.07	93.41	0.30	3.37	10.36	≤30.00	PASS
		OFDMA	4	2.65	93.41	0.30	2.95	9.94	≤30.00	PASS
Ant3	6845	106+26_	3	1.33	92.39	0.34	1.67	8.66	≤30.00	PASS
		OFDMA	4	1.09	93.41	0.30	1.39	8.38	≤30.00	PASS
total	6845	106+26_	3	---	---	---	7.17	14.16	≤30.00	PASS
		OFDMA	4	---	---	---	6.80	13.79	≤30.00	PASS
Ant1	6885	106+26_	3	1.01	93.41	0.30	1.31	8.30	≤30.00	PASS
		OFDMA	4	0.70	92.39	0.34	1.04	8.03	≤30.00	PASS
Ant2	6885	106+26_	3	2.28	92.39	0.34	2.62	9.61	≤30.00	PASS
		OFDMA	4	1.72	93.41	0.30	2.02	9.01	≤30.00	PASS
Ant3	6885	106+26_	3	1.19	92.39	0.34	1.53	8.52	≤30.00	PASS
		OFDMA	4	0.70	92.39	0.34	1.04	8.03	≤30.00	PASS
total	6885	106+26_	3	---	---	---	6.63	13.62	≤30.00	PASS
		OFDMA	4	---	---	---	6.16	13.15	≤30.00	PASS
Ant1	6925	106+26_	3	1.27	92.39	0.34	1.61	8.60	≤30.00	PASS
		OFDMA	4	1.10	93.41	0.30	1.40	8.39	≤30.00	PASS
Ant2	6925	106+26_	3	2.04	92.39	0.34	2.38	9.37	≤30.00	PASS
		OFDMA	4	1.81	92.39	0.34	2.15	9.14	≤30.00	PASS
Ant3	6925	106+26_	3	0.39	92.39	0.34	0.73	7.72	≤30.00	PASS
		OFDMA	4	0.13	93.41	0.30	0.43	7.42	≤30.00	PASS
total	6925	106+26_	3	---	---	---	6.40	13.39	≤30.00	PASS
		OFDMA	4	---	---	---	6.15	13.14	≤30.00	PASS
Ant1	6965	106+26_	3	1.26	92.39	0.34	1.60	8.59	≤30.00	PASS
		OFDMA	4	0.98	93.41	0.30	1.28	8.27	≤30.00	PASS
Ant2	6965	106+26_	3	1.56	93.41	0.30	1.86	8.85	≤30.00	PASS
		OFDMA	4	1.24	92.39	0.34	1.58	8.57	≤30.00	PASS
Ant3	6965	106+26_	3	1.05	92.39	0.34	1.39	8.38	≤30.00	PASS
		OFDMA	4	0.58	92.39	0.34	0.92	7.91	≤30.00	PASS
total	6965	106+26_	3	---	---	---	6.39	13.38	≤30.00	PASS
		OFDMA	4	---	---	---	6.04	13.03	≤30.00	PASS
Ant1	7085	106+26_	3	2.02	93.41	0.30	2.32	9.31	≤30.00	PASS
		OFDMA	4	1.72	93.41	0.30	2.02	9.01	≤30.00	PASS
Ant2	7085	106+26_	3	2.82	92.39	0.34	3.16	10.15	≤30.00	PASS
		OFDMA	4	2.35	93.41	0.30	2.65	9.64	≤30.00	PASS
Ant3	7085	106+26_	3	2.15	93.41	0.30	2.45	9.44	≤30.00	PASS
		OFDMA	4	2.03	92.39	0.34	2.37	9.36	≤30.00	PASS
total	7085	106+26_	3	---	---	---	7.43	14.42	≤30.00	PASS
		OFDMA	4	---	---	---	7.13	14.12	≤30.00	PASS

Test Mode	Antenna	Channel	Ru Size	Ru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	EIRP Limit [dBm]	Verdict
11BE80MIMO	Ant1	5985	484+242_N on-OFDMA	1	7.45	84.78	0.72	8.17	≤30.00	PASS
				2	7.38	86.67	0.62	8.00	≤30.00	PASS
				3	7.22	84.78	0.72	7.94	≤30.00	PASS
				4	7.06	84.78	0.72	7.78	≤30.00	PASS
	Ant2	5985	484+242_N on-OFDMA	1	8.09	84.78	0.72	8.81	≤30.00	PASS
				2	8.30	84.78	0.72	9.02	≤30.00	PASS
				3	8.05	84.78	0.72	8.77	≤30.00	PASS
				4	7.82	84.78	0.72	8.54	≤30.00	PASS
	Ant3	5985	484+242_N on-OFDMA	1	8.11	84.78	0.72	8.83	≤30.00	PASS
				2	8.00	84.78	0.72	8.72	≤30.00	PASS
				3	6.76	84.78	0.72	7.48	≤30.00	PASS
				4	7.92	84.78	0.72	8.64	≤30.00	PASS
	total	5985	484+242_N on-OFDMA	1	---	---	---	13.39	≤30.00	PASS
				2	---	---	---	13.37	≤30.00	PASS
				3	---	---	---	12.87	≤30.00	PASS
				4	---	---	---	13.11	≤30.00	PASS
	Ant1	6145	484+242_N on-OFDMA	1	6.85	84.78	0.72	7.57	≤30.00	PASS
				2	6.94	84.78	0.72	7.66	≤30.00	PASS
				3	6.79	86.67	0.62	7.41	≤30.00	PASS
				4	6.66	84.78	0.72	7.38	≤30.00	PASS
	Ant2	6145	484+242_N on-OFDMA	1	7.84	84.78	0.72	8.56	≤30.00	PASS
				2	8.00	86.67	0.62	8.62	≤30.00	PASS
				3	7.89	84.78	0.72	8.61	≤30.00	PASS
				4	7.77	84.78	0.72	8.49	≤30.00	PASS
	Ant3	6145	484+242_N on-OFDMA	1	8.50	84.78	0.72	9.22	≤30.00	PASS
				2	7.53	84.78	0.72	8.25	≤30.00	PASS
				3	8.52	86.67	0.62	9.14	≤30.00	PASS
				4	8.47	84.78	0.72	9.19	≤30.00	PASS
	total	6145	484+242_N on-OFDMA	1	---	---	---	13.27	≤30.00	PASS
				2	---	---	---	12.97	≤30.00	PASS
				3	---	---	---	13.22	≤30.00	PASS
				4	---	---	---	13.19	≤30.00	PASS
	Ant1	6385	484+242_N on-OFDMA	1	6.52	84.78	0.72	7.24	≤30.00	PASS
				2	6.72	86.67	0.62	7.34	≤30.00	PASS
				3	6.66	86.67	0.62	7.28	≤30.00	PASS
				4	6.69	86.67	0.62	7.31	≤30.00	PASS
	Ant2	6385	484+242_N on-OFDMA	1	7.33	84.78	0.72	8.05	≤30.00	PASS
				2	7.45	84.78	0.72	8.17	≤30.00	PASS
				3	7.38	84.78	0.72	8.10	≤30.00	PASS
				4	7.31	84.78	0.72	8.03	≤30.00	PASS
	Ant3	6385	484+242_N on-OFDMA	1	7.71	84.78	0.72	8.43	≤30.00	PASS
				2	6.88	84.78	0.72	7.60	≤30.00	PASS
				3	7.03	84.78	0.72	7.75	≤30.00	PASS
				4	7.58	84.78	0.72	8.30	≤30.00	PASS
	total	6385	484+242_N on-OFDMA	1	---	---	---	12.71	≤30.00	PASS
				2	---	---	---	12.49	≤30.00	PASS
				3	---	---	---	12.49	≤30.00	PASS
				4	---	---	---	12.67	≤30.00	PASS
	Ant1	6465	484+242_N on-OFDMA	1	6.80	84.78	0.72	7.52	≤30.00	PASS
				2	7.07	86.67	0.62	7.69	≤30.00	PASS
				3	7.11	84.78	0.72	7.83	≤30.00	PASS
				4	7.16	84.78	0.72	7.88	≤30.00	PASS
	Ant2	6465	484+242_N on-OFDMA	1	8.48	84.78	0.72	9.20	≤30.00	PASS
				2	8.40	84.78	0.72	9.12	≤30.00	PASS
				3	8.22	84.78	0.72	8.94	≤30.00	PASS
				4	8.07	84.78	0.72	8.79	≤30.00	PASS
	Ant3	6465	484+242_N on-OFDMA	1	6.90	84.78	0.72	7.62	≤30.00	PASS
				2	6.37	86.67	0.62	6.99	≤30.00	PASS
				3	6.32	84.78	0.72	7.04	≤30.00	PASS

	total	6465	484+242_N on-OFDMA	4	7.26	84.78	0.72	7.98	≤30.00	PASS	
				1	---	---	---	12.96	≤30.00	PASS	
				2	---	---	---	12.80	≤30.00	PASS	
				3	---	---	---	12.78	≤30.00	PASS	
					4	---	---	---	13.01	≤30.00	PASS
	Ant1	6545	484+242_N on-OFDMA	1	5.30	84.78	0.72	6.02	≤30.00	PASS	
				2	5.04	84.78	0.72	5.76	≤30.00	PASS	
				3	4.62	84.78	0.72	5.34	≤30.00	PASS	
				4	5.02	84.78	0.72	5.74	≤30.00	PASS	
	Ant2	6545	484+242_N on-OFDMA	1	8.74	84.78	0.72	9.46	≤30.00	PASS	
				2	8.43	84.78	0.72	9.15	≤30.00	PASS	
				3	8.42	84.78	0.72	9.14	≤30.00	PASS	
				4	8.50	84.78	0.72	9.22	≤30.00	PASS	
	Ant3	6545	484+242_N on-OFDMA	1	6.83	86.67	0.62	7.45	≤30.00	PASS	
				2	6.83	84.78	0.72	7.55	≤30.00	PASS	
				3	6.31	84.78	0.72	7.03	≤30.00	PASS	
				4	6.75	84.78	0.72	7.47	≤30.00	PASS	
	total	6545	484+242_N on-OFDMA	1	---	---	---	12.65	≤30.00	PASS	
				2	---	---	---	12.47	≤30.00	PASS	
				3	---	---	---	12.22	≤30.00	PASS	
				4	---	---	---	12.48	≤30.00	PASS	
	Ant1	6625	484+242_N on-OFDMA	1	5.02	86.67	0.62	5.64	≤30.00	PASS	
				2	4.79	84.78	0.72	5.51	≤30.00	PASS	
				3	4.34	84.78	0.72	5.06	≤30.00	PASS	
				4	4.26	84.78	0.72	4.98	≤30.00	PASS	
	Ant2	6625	484+242_N on-OFDMA	1	7.98	84.78	0.72	8.70	≤30.00	PASS	
				2	7.58	84.78	0.72	8.30	≤30.00	PASS	
				3	7.58	84.78	0.72	8.30	≤30.00	PASS	
				4	7.62	84.78	0.72	8.34	≤30.00	PASS	
	Ant3	6625	484+242_N on-OFDMA	1	7.12	84.78	0.72	7.84	≤30.00	PASS	
				2	6.74	84.78	0.72	7.46	≤30.00	PASS	
				3	6.63	84.78	0.72	7.35	≤30.00	PASS	
				4	6.28	84.78	0.72	7.00	≤30.00	PASS	
	total	6625	484+242_N on-OFDMA	1	---	---	---	12.34	≤30.00	PASS	
				2	---	---	---	12.01	≤30.00	PASS	
				3	---	---	---	11.88	≤30.00	PASS	
				4	---	---	---	11.76	≤30.00	PASS	
	Ant1	6705	484+242_N on-OFDMA	1	6.45	84.78	0.72	7.17	≤30.00	PASS	
				2	6.24	84.78	0.72	6.96	≤30.00	PASS	
				3	6.18	84.78	0.72	6.90	≤30.00	PASS	
				4	6.13	84.78	0.72	6.85	≤30.00	PASS	
	Ant2	6705	484+242_N on-OFDMA	1	7.55	86.67	0.62	8.17	≤30.00	PASS	
				2	7.35	84.78	0.72	8.07	≤30.00	PASS	
				3	7.06	84.78	0.72	7.78	≤30.00	PASS	
				4	6.95	84.78	0.72	7.67	≤30.00	PASS	
	Ant3	6705	484+242_N on-OFDMA	1	7.79	84.78	0.72	8.51	≤30.00	PASS	
				2	7.70	86.67	0.62	8.32	≤30.00	PASS	
				3	6.30	86.67	0.62	6.92	≤30.00	PASS	
				4	7.33	84.78	0.72	8.05	≤30.00	PASS	
	total	6705	484+242_N on-OFDMA	1	---	---	---	12.76	≤30.00	PASS	
2				---	---	---	12.59	≤30.00	PASS		
3				---	---	---	11.99	≤30.00	PASS		
4				---	---	---	12.32	≤30.00	PASS		
Ant1	6785	484+242_N on-OFDMA	1	6.07	84.78	0.72	6.79	≤30.00	PASS		
			2	6.38	84.78	0.72	7.10	≤30.00	PASS		
			3	6.39	84.78	0.72	7.11	≤30.00	PASS		
			4	6.45	84.78	0.72	7.17	≤30.00	PASS		
Ant2	6785	484+242_N on-OFDMA	1	7.74	84.78	0.72	8.46	≤30.00	PASS		
			2	8.03	84.78	0.72	8.75	≤30.00	PASS		
			3	7.95	86.67	0.62	8.57	≤30.00	PASS		
			4	7.87	84.78	0.72	8.59	≤30.00	PASS		
Ant3	6785	484+242_N on-OFDMA	1	6.88	84.78	0.72	7.60	≤30.00	PASS		
			2	7.06	84.78	0.72	7.78	≤30.00	PASS		
			3	6.97	86.67	0.62	7.59	≤30.00	PASS		

	total	6785	484+242_N on-OFDMA	4	7.24	84.78	0.72	7.96	≤30.00	PASS
				1	---	---	---	12.44	≤30.00	PASS
				2	---	---	---	12.70	≤30.00	PASS
				3	---	---	---	12.57	≤30.00	PASS
	Ant1	6865	484+242_N on-OFDMA	4	---	---	---	12.72	≤30.00	PASS
				1	5.69	84.78	0.72	6.41	≤30.00	PASS
				2	5.53	84.78	0.72	6.25	≤30.00	PASS
				3	5.59	86.67	0.62	6.21	≤30.00	PASS
	Ant2	6865	484+242_N on-OFDMA	4	5.60	84.78	0.72	6.32	≤30.00	PASS
				1	8.60	84.78	0.72	9.32	≤30.00	PASS
				2	8.35	84.78	0.72	9.07	≤30.00	PASS
				3	8.31	84.78	0.72	9.03	≤30.00	PASS
	Ant3	6865	484+242_N on-OFDMA	4	8.38	84.78	0.72	9.10	≤30.00	PASS
				1	6.88	86.67	0.62	7.50	≤30.00	PASS
				2	6.96	84.78	0.72	7.68	≤30.00	PASS
				3	6.94	84.78	0.72	7.66	≤30.00	PASS
	total	6865	484+242_N on-OFDMA	4	6.93	84.78	0.72	7.65	≤30.00	PASS
				1	---	---	---	12.68	≤30.00	PASS
				2	---	---	---	12.59	≤30.00	PASS
				3	---	---	---	12.56	≤30.00	PASS
	Ant1	6945	484+242_N on-OFDMA	4	---	---	---	12.61	≤30.00	PASS
				1	5.12	84.78	0.72	5.84	≤30.00	PASS
				2	4.94	84.78	0.72	5.66	≤30.00	PASS
				3	4.88	84.78	0.72	5.60	≤30.00	PASS
	Ant2	6945	484+242_N on-OFDMA	4	4.88	84.78	0.72	5.60	≤30.00	PASS
				1	7.73	84.78	0.72	8.45	≤30.00	PASS
				2	7.53	84.78	0.72	8.25	≤30.00	PASS
				3	7.46	84.78	0.72	8.18	≤30.00	PASS
	Ant3	6945	484+242_N on-OFDMA	4	7.42	84.78	0.72	8.14	≤30.00	PASS
				1	6.25	84.78	0.72	6.97	≤30.00	PASS
				2	5.59	86.67	0.62	6.21	≤30.00	PASS
				3	6.26	84.78	0.72	6.98	≤30.00	PASS
	total	6945	484+242_N on-OFDMA	4	5.15	84.78	0.72	5.87	≤30.00	PASS
				1	---	---	---	11.99	≤30.00	PASS
				2	---	---	---	11.63	≤30.00	PASS
				3	---	---	---	11.82	≤30.00	PASS
	Ant1	7025	484+242_N on-OFDMA	4	---	---	---	11.46	≤30.00	PASS
				1	5.79	84.78	0.72	6.51	≤30.00	PASS
				2	5.66	86.67	0.62	6.28	≤30.00	PASS
				3	5.60	84.78	0.72	6.32	≤30.00	PASS
	Ant2	7025	484+242_N on-OFDMA	4	5.71	84.78	0.72	6.43	≤30.00	PASS
				1	7.42	84.78	0.72	8.14	≤30.00	PASS
				2	7.23	84.78	0.72	7.95	≤30.00	PASS
				3	7.22	84.78	0.72	7.94	≤30.00	PASS
	Ant3	7025	484+242_N on-OFDMA	4	7.25	86.67	0.62	7.87	≤30.00	PASS
				1	7.79	84.78	0.72	8.51	≤30.00	PASS
				2	7.75	84.78	0.72	8.47	≤30.00	PASS
				3	7.69	84.78	0.72	8.41	≤30.00	PASS
	total	7025	484+242_N on-OFDMA	4	6.80	84.78	0.72	7.52	≤30.00	PASS
				1	---	---	---	12.57	≤30.00	PASS
				2	---	---	---	12.43	≤30.00	PASS
				3	---	---	---	12.42	≤30.00	PASS
11BE160MI MO	Ant1	6025	996+484_N on-OFDMA	4	---	---	---	12.09	≤30.00	PASS
				1	10.28	79.31	1.01	11.29	≤30.00	PASS
				2	9.94	76.67	1.15	11.09	≤30.00	PASS
				3	9.58	81.91	0.87	10.45	≤30.00	PASS
	Ant2	6025	996+484_N on-OFDMA	4	9.98	82.88	0.82	10.80	≤30.00	PASS
				1	10.71	76.67	1.15	11.86	≤30.00	PASS
				2	10.48	76.67	1.15	11.63	≤30.00	PASS
				3	9.79	82.88	0.82	10.61	≤30.00	PASS
	Ant3	6025	996+484_N on-OFDMA	4	9.55	82.50	0.84	10.39	≤30.00	PASS
				1	10.59	76.67	1.15	11.74	≤30.00	PASS
				2	10.37	76.67	1.15	11.52	≤30.00	PASS
				3	10.21	82.47	0.84	11.05	≤30.00	PASS

	total	6025	996+484_N on-OFDMA	4	10.36	82.22	0.85	11.21	≤30.00	PASS
				1	---	---	---	16.41	≤30.00	PASS
				2	---	---	---	16.19	≤30.00	PASS
				3	---	---	---	15.48	≤30.00	PASS
				4	---	---	---	15.58	≤30.00	PASS
	Ant1	6185	996+484_N on-OFDMA	1	9.93	76.67	1.15	11.08	≤30.00	PASS
				2	9.69	79.31	1.01	10.70	≤30.00	PASS
				3	9.35	82.22	0.85	10.20	≤30.00	PASS
				4	9.43	82.50	0.84	10.27	≤30.00	PASS
	Ant2	6185	996+484_N on-OFDMA	1	10.67	79.31	1.01	11.68	≤30.00	PASS
				2	10.50	79.31	1.01	11.51	≤30.00	PASS
				3	9.91	82.28	0.85	10.76	≤30.00	PASS
				4	9.64	82.91	0.81	10.45	≤30.00	PASS
				1	10.85	76.67	1.15	12.00	≤30.00	PASS
	Ant3	6185	996+484_N on-OFDMA	2	10.09	79.31	1.01	11.10	≤30.00	PASS
				3	11.34	82.50	0.84	12.18	≤30.00	PASS
				4	11.35	82.22	0.85	12.20	≤30.00	PASS
	total	6185	996+484_N on-OFDMA	1	---	---	---	16.37	≤30.00	PASS
				2	---	---	---	15.89	≤30.00	PASS
				3	---	---	---	15.90	≤30.00	PASS
				4	---	---	---	15.84	≤30.00	PASS
	Ant1	6345	996+484_N on-OFDMA	1	9.37	76.67	1.15	10.52	≤30.00	PASS
				2	9.41	76.67	1.15	10.56	≤30.00	PASS
				3	9.29	82.24	0.85	10.14	≤30.00	PASS
				4	9.29	81.94	0.87	10.16	≤30.00	PASS
				1	10.82	76.67	1.15	11.97	≤30.00	PASS
	Ant2	6345	996+484_N on-OFDMA	2	10.91	76.67	1.15	12.06	≤30.00	PASS
				3	10.64	82.59	0.83	11.47	≤30.00	PASS
				4	10.48	82.52	0.83	11.31	≤30.00	PASS
				1	9.88	76.67	1.15	11.03	≤30.00	PASS
	Ant3	6345	996+484_N on-OFDMA	2	8.82	76.67	1.15	9.97	≤30.00	PASS
				3	9.49	82.82	0.82	10.31	≤30.00	PASS
				4	9.55	82.91	0.81	10.36	≤30.00	PASS
	total	6345	996+484_N on-OFDMA	1	---	---	---	15.99	≤30.00	PASS
				2	---	---	---	15.73	≤30.00	PASS
				3	---	---	---	15.45	≤30.00	PASS
				4	---	---	---	15.41	≤30.00	PASS
	Ant1	6505	996+484_N on-OFDMA	1	8.50	79.31	1.01	9.51	≤30.00	PASS
				2	8.71	76.67	1.15	9.86	≤30.00	PASS
				3	9.32	81.30	0.90	10.22	≤30.00	PASS
				4	9.41	82.40	0.84	10.25	≤30.00	PASS
				1	10.72	76.67	1.15	11.87	≤30.00	PASS
	Ant2	6505	996+484_N on-OFDMA	2	10.64	76.67	1.15	11.79	≤30.00	PASS
				3	10.46	82.91	0.81	11.27	≤30.00	PASS
				4	10.71	82.88	0.82	11.53	≤30.00	PASS
				1	9.58	76.67	1.15	10.73	≤30.00	PASS
	Ant3	6505	996+484_N on-OFDMA	2	9.77	76.67	1.15	10.92	≤30.00	PASS
				3	9.79	82.91	0.81	10.60	≤30.00	PASS
				4	9.78	82.28	0.85	10.63	≤30.00	PASS
	total	6505	996+484_N on-OFDMA	1	---	---	---	15.58	≤30.00	PASS
				2	---	---	---	15.70	≤30.00	PASS
				3	---	---	---	15.49	≤30.00	PASS
				4	---	---	---	15.61	≤30.00	PASS
	Ant1	6665	996+484_N on-OFDMA	1	8.20	79.31	1.01	9.21	≤30.00	PASS
				2	8.03	76.67	1.15	9.18	≤30.00	PASS
				3	8.58	83.54	0.78	9.36	≤30.00	PASS
				4	8.60	82.63	0.83	9.43	≤30.00	PASS
				1	10.70	76.67	1.15	11.85	≤30.00	PASS
	Ant2	6665	996+484_N on-OFDMA	2	10.73	76.67	1.15	11.88	≤30.00	PASS
				3	11.01	82.88	0.82	11.83	≤30.00	PASS
				4	10.31	81.99	0.86	11.17	≤30.00	PASS
				1	9.36	79.31	1.01	10.37	≤30.00	PASS
				2	9.03	79.31	1.01	10.04	≤30.00	PASS
				3	9.66	82.28	0.85	10.51	≤30.00	PASS

	total	6665	996+484_N on-OFDMA	4	9.18	81.91	0.87	10.05	≤30.00	PASS
				1	---	---	---	15.38	≤30.00	PASS
				2	---	---	---	15.29	≤30.00	PASS
				3	---	---	---	15.46	≤30.00	PASS
	Ant1	6825	996+484_N on-OFDMA	4	---	---	---	15.05	≤30.00	PASS
				1	8.65	79.31	1.01	9.66	≤30.00	PASS
				2	8.76	79.31	1.01	9.77	≤30.00	PASS
				3	9.80	82.88	0.82	10.62	≤30.00	PASS
	Ant2	6825	996+484_N on-OFDMA	4	9.47	81.86	0.87	10.34	≤30.00	PASS
				1	11.40	76.67	1.15	12.55	≤30.00	PASS
				2	11.40	76.67	1.15	12.55	≤30.00	PASS
				3	11.24	82.50	0.84	12.08	≤30.00	PASS
	Ant3	6825	996+484_N on-OFDMA	4	10.76	82.59	0.83	11.59	≤30.00	PASS
				1	9.68	79.31	1.01	10.69	≤30.00	PASS
				2	9.53	76.67	1.15	10.68	≤30.00	PASS
				3	9.79	82.40	0.84	10.63	≤30.00	PASS
	total	6825	996+484_N on-OFDMA	4	9.28	82.28	0.85	10.13	≤30.00	PASS
				1	---	---	---	15.91	≤30.00	PASS
				2	---	---	---	15.93	≤30.00	PASS
				3	---	---	---	15.94	≤30.00	PASS
	Ant1	6985	996+484_N on-OFDMA	4	---	---	---	15.51	≤30.00	PASS
				1	7.93	76.67	1.15	9.08	≤30.00	PASS
				2	7.91	76.67	1.15	9.06	≤30.00	PASS
				3	9.40	81.86	0.87	10.27	≤30.00	PASS
	Ant2	6985	996+484_N on-OFDMA	4	9.04	82.30	0.85	9.89	≤30.00	PASS
				1	10.29	76.67	1.15	11.44	≤30.00	PASS
				2	10.25	79.31	1.01	11.26	≤30.00	PASS
				3	9.94	82.59	0.83	10.77	≤30.00	PASS
	Ant3	6985	996+484_N on-OFDMA	4	10.07	82.28	0.85	10.92	≤30.00	PASS
				1	8.70	76.67	1.15	9.85	≤30.00	PASS
				2	9.26	76.67	1.15	10.41	≤30.00	PASS
				3	9.12	82.53	0.83	9.95	≤30.00	PASS
	total	6985	996+484_N on-OFDMA	4	9.51	82.28	0.85	10.36	≤30.00	PASS
				1	---	---	---	15.01	≤30.00	PASS
				2	---	---	---	15.11	≤30.00	PASS
				3	---	---	---	15.11	≤30.00	PASS
11BE320MI MO	Ant1	6105	2*996+484_ Non-OFDMA	4	---	---	---	15.18	≤30.00	PASS
				7	11.25	75.00	1.25	12.50	≤30.00	PASS
				8	11.63	81.82	0.87	12.50	≤30.00	PASS
				9	11.43	81.82	0.87	12.30	≤30.00	PASS
				10	11.48	81.82	0.87	12.35	≤30.00	PASS
				11	11.58	81.82	0.87	12.45	≤30.00	PASS
			3*996_Non-OFDMA	12	11.81	81.82	0.87	12.68	≤30.00	PASS
				1	12.57	81.82	0.87	13.44	≤30.00	PASS
				2	12.42	81.82	0.87	13.29	≤30.00	PASS
				3	12.07	81.82	0.87	12.94	≤30.00	PASS
				4	12.45	81.82	0.87	13.32	≤30.00	PASS
				7	13.67	81.82	0.87	14.54	≤30.00	PASS
	Ant2	6105	2*996+484_ Non-OFDMA	8	13.35	81.82	0.87	14.22	≤30.00	PASS
				9	13.60	81.82	0.87	14.47	≤30.00	PASS
				10	13.62	81.82	0.87	14.49	≤30.00	PASS
				11	13.61	81.82	0.87	14.48	≤30.00	PASS
				12	13.62	83.33	0.79	14.41	≤30.00	PASS
			3*996_Non-OFDMA	1	14.36	81.82	0.87	15.23	≤30.00	PASS
				2	14.05	81.82	0.87	14.92	≤30.00	PASS
				3	14.41	81.82	0.87	15.28	≤30.00	PASS
				4	14.15	81.82	0.87	15.02	≤30.00	PASS
				7	11.73	81.82	0.87	12.60	≤30.00	PASS
				8	11.21	83.33	0.79	12.00	≤30.00	PASS
	Ant3	6105	2*996+484_ Non-OFDMA	9	11.15	81.82	0.87	12.02	≤30.00	PASS
				10	11.07	81.82	0.87	11.94	≤30.00	PASS
				11	11.48	81.82	0.87	12.35	≤30.00	PASS
				12	11.52	81.82	0.87	12.39	≤30.00	PASS
			3*996_Non-	1	12.31	81.82	0.87	13.18	≤30.00	PASS

			OFDMA	2	12.33	83.33	0.79	13.12	≤30.00	PASS
				3	11.69	83.33	0.79	12.48	≤30.00	PASS
				4	12.19	83.33	0.79	12.98	≤30.00	PASS
	total	6105	2*996+484_ Non-OFDMA	7	---	---	---	18.09	≤30.00	PASS
				8	---	---	---	17.79	≤30.00	PASS
				9	---	---	---	17.85	≤30.00	PASS
				10	---	---	---	17.85	≤30.00	PASS
				11	---	---	---	17.98	≤30.00	PASS
				12	---	---	---	18.03	≤30.00	PASS
			3*996_Non-OFDMA	1	---	---	---	18.82	≤30.00	PASS
				2	---	---	---	18.63	≤30.00	PASS
				3	---	---	---	18.52	≤30.00	PASS
				4	---	---	---	18.64	≤30.00	PASS
	Ant1	6265	2*996+484_ Non-OFDMA	7	11.70	83.33	0.79	12.49	≤30.00	PASS
				8	12.06	81.82	0.87	12.93	≤30.00	PASS
				9	12.18	81.82	0.87	13.05	≤30.00	PASS
				10	12.11	81.82	0.87	12.98	≤30.00	PASS
				11	12.06	81.82	0.87	12.93	≤30.00	PASS
				12	12.10	75.00	1.25	13.35	≤30.00	PASS
			3*996_Non-OFDMA	1	13.00	81.82	0.87	13.87	≤30.00	PASS
				2	12.82	81.82	0.87	13.69	≤30.00	PASS
				3	13.14	81.82	0.87	14.01	≤30.00	PASS
				4	13.02	81.82	0.87	13.89	≤30.00	PASS
	Ant2	6265	2*996+484_ Non-OFDMA	7	12.48	81.82	0.87	13.35	≤30.00	PASS
				8	12.22	81.82	0.87	13.09	≤30.00	PASS
				9	12.08	81.82	0.87	12.95	≤30.00	PASS
				10	12.42	83.33	0.79	13.21	≤30.00	PASS
				11	12.61	81.82	0.87	13.48	≤30.00	PASS
				12	12.40	81.82	0.87	13.27	≤30.00	PASS
			3*996_Non-OFDMA	1	13.26	81.82	0.87	14.13	≤30.00	PASS
				2	13.16	83.33	0.79	13.95	≤30.00	PASS
				3	13.15	83.33	0.79	13.94	≤30.00	PASS
				4	13.38	81.82	0.87	14.25	≤30.00	PASS
	Ant3	6265	2*996+484_ Non-OFDMA	7	12.37	81.82	0.87	13.24	≤30.00	PASS
				8	12.15	81.82	0.87	13.02	≤30.00	PASS
				9	12.38	81.82	0.87	13.25	≤30.00	PASS
				10	12.34	81.82	0.87	13.21	≤30.00	PASS
				11	12.27	81.82	0.87	13.14	≤30.00	PASS
				12	12.20	81.82	0.87	13.07	≤30.00	PASS
			3*996_Non-OFDMA	1	13.13	81.82	0.87	14.00	≤30.00	PASS
				2	13.19	81.82	0.87	14.06	≤30.00	PASS
				3	13.23	81.82	0.87	14.10	≤30.00	PASS
				4	12.86	81.82	0.87	13.73	≤30.00	PASS
	total	6265	2*996+484_ Non-OFDMA	7	---	---	---	17.81	≤30.00	PASS
				8	---	---	---	17.79	≤30.00	PASS
				9	---	---	---	17.86	≤30.00	PASS
				10	---	---	---	17.91	≤30.00	PASS
				11	---	---	---	17.96	≤30.00	PASS
				12	---	---	---	18.00	≤30.00	PASS
			3*996_Non-OFDMA	1	---	---	---	18.77	≤30.00	PASS
				2	---	---	---	18.67	≤30.00	PASS
				3	---	---	---	18.79	≤30.00	PASS
				4	---	---	---	18.73	≤30.00	PASS
	Ant1	6585	2*996+484_ Non-OFDMA	7	11.35	81.82	0.87	12.22	≤30.00	PASS
				8	11.12	75.00	1.25	12.37	≤30.00	PASS
				9	10.92	81.82	0.87	11.79	≤30.00	PASS
				10	10.99	81.82	0.87	11.86	≤30.00	PASS
				11	11.09	81.82	0.87	11.96	≤30.00	PASS
				12	11.07	81.82	0.87	11.94	≤30.00	PASS
			3*996_Non-OFDMA	1	12.01	81.82	0.87	12.88	≤30.00	PASS
				2	11.83	83.33	0.79	12.62	≤30.00	PASS
				3	11.65	81.82	0.87	12.52	≤30.00	PASS
				4	11.73	83.33	0.79	12.52	≤30.00	PASS
	Ant2	6585	2*996+484_	7	12.71	83.33	0.79	13.50	≤30.00	PASS


			Non-OFDMA	8	12.41	81.82	0.87	13.28	≤30.00	PASS
				9	12.48	81.82	0.87	13.35	≤30.00	PASS
				10	12.59	83.33	0.79	13.38	≤30.00	PASS
				11	12.60	83.33	0.79	13.39	≤30.00	PASS
				12	12.36	81.82	0.87	13.23	≤30.00	PASS
			3*996_Non-OFDMA	1	13.35	81.82	0.87	14.22	≤30.00	PASS
				2	13.30	81.82	0.87	14.17	≤30.00	PASS
				3	13.48	81.82	0.87	14.35	≤30.00	PASS
				4	13.37	81.82	0.87	14.24	≤30.00	PASS
	Ant3	6585	2*996+484_Non-OFDMA	7	11.34	81.82	0.87	12.21	≤30.00	PASS
				8	11.24	81.82	0.87	12.11	≤30.00	PASS
				9	11.14	81.82	0.87	12.01	≤30.00	PASS
				10	11.09	81.82	0.87	11.96	≤30.00	PASS
				11	11.42	81.82	0.87	12.29	≤30.00	PASS
				12	11.53	81.82	0.87	12.40	≤30.00	PASS
			3*996_Non-OFDMA	1	12.20	81.82	0.87	13.07	≤30.00	PASS
				2	11.99	81.82	0.87	12.86	≤30.00	PASS
				3	11.95	81.82	0.87	12.82	≤30.00	PASS
				4	11.43	81.82	0.87	12.30	≤30.00	PASS
	total	6585	2*996+484_Non-OFDMA	7	---	---	---	17.46	≤30.00	PASS
				8	---	---	---	17.39	≤30.00	PASS
				9	---	---	---	17.21	≤30.00	PASS
				10	---	---	---	17.23	≤30.00	PASS
				11	---	---	---	17.36	≤30.00	PASS
				12	---	---	---	17.33	≤30.00	PASS
			3*996_Non-OFDMA	1	---	---	---	18.20	≤30.00	PASS
				2	---	---	---	18.04	≤30.00	PASS
				3	---	---	---	18.08	≤30.00	PASS
				4	---	---	---	17.88	≤30.00	PASS
	Ant1	6745	2*996+484_Non-OFDMA	7	11.69	81.82	0.87	12.56	≤30.00	PASS
				8	11.38	81.82	0.87	12.25	≤30.00	PASS
				9	11.42	81.82	0.87	12.29	≤30.00	PASS
				10	11.48	81.82	0.87	12.35	≤30.00	PASS
				11	11.58	81.82	0.87	12.45	≤30.00	PASS
				12	11.66	81.82	0.87	12.53	≤30.00	PASS
			3*996_Non-OFDMA	1	12.43	81.82	0.87	13.30	≤30.00	PASS
				2	12.17	81.82	0.87	13.04	≤30.00	PASS
				3	12.33	81.82	0.87	13.20	≤30.00	PASS
				4	12.52	81.82	0.87	13.39	≤30.00	PASS
	Ant2	6745	2*996+484_Non-OFDMA	7	11.90	83.33	0.79	12.69	≤30.00	PASS
				8	11.53	83.33	0.79	12.32	≤30.00	PASS
				9	11.32	83.33	0.79	12.11	≤30.00	PASS
				10	11.42	81.82	0.87	12.29	≤30.00	PASS
				11	11.68	83.33	0.79	12.47	≤30.00	PASS
				12	11.79	75.00	1.25	13.04	≤30.00	PASS
			3*996_Non-OFDMA	1	12.43	81.82	0.87	13.30	≤30.00	PASS
				2	12.25	81.82	0.87	13.12	≤30.00	PASS
				3	12.04	81.82	0.87	12.91	≤30.00	PASS
				4	12.45	81.82	0.87	13.32	≤30.00	PASS
	Ant3	6745	2*996+484_Non-OFDMA	7	11.64	81.82	0.87	12.51	≤30.00	PASS
				8	11.30	81.82	0.87	12.17	≤30.00	PASS
				9	11.42	81.82	0.87	12.29	≤30.00	PASS
				10	11.38	81.82	0.87	12.25	≤30.00	PASS
				11	11.67	81.82	0.87	12.54	≤30.00	PASS
				12	11.43	81.82	0.87	12.30	≤30.00	PASS
			3*996_Non-OFDMA	1	12.41	81.82	0.87	13.28	≤30.00	PASS
				2	12.36	81.82	0.87	13.23	≤30.00	PASS
				3	12.11	81.82	0.87	12.98	≤30.00	PASS
				4	12.56	81.82	0.87	13.43	≤30.00	PASS
	total	6745	2*996+484_Non-OFDMA	7	---	---	---	17.36	≤30.00	PASS
				8	---	---	---	17.02	≤30.00	PASS
				9	---	---	---	17.00	≤30.00	PASS
				10	---	---	---	17.07	≤30.00	PASS
				11	---	---	---	17.26	≤30.00	PASS

	Ant1	6905	3*996_Non-OFDMA	12	---	---	---	17.41	≤30.00	PASS			
				1	---	---	---	18.06	≤30.00	PASS			
				2	---	---	---	17.90	≤30.00	PASS			
				3	---	---	---	17.80	≤30.00	PASS			
			4	---	---	---	18.15	≤30.00	PASS				
			2*996+484_Non-OFDMA	7	10.85	83.33	0.79	11.64	≤30.00	PASS			
				8	10.62	83.33	0.79	11.41	≤30.00	PASS			
				9	10.67	81.82	0.87	11.54	≤30.00	PASS			
				10	10.77	83.33	0.79	11.56	≤30.00	PASS			
			11	10.94	83.33	0.79	11.73	≤30.00	PASS				
			12	11.19	83.33	0.79	11.98	≤30.00	PASS				
			3*996_Non-OFDMA	1	11.88	83.33	0.79	12.67	≤30.00	PASS			
	2	11.63		81.82	0.87	12.50	≤30.00	PASS					
	3	11.72		81.82	0.87	12.59	≤30.00	PASS					
	4	12.04		81.82	0.87	12.91	≤30.00	PASS					
	Ant2	6905	2*996+484_Non-OFDMA	7	12.35	81.82	0.87	13.22	≤30.00	PASS			
				8	12.03	75.00	1.25	13.28	≤30.00	PASS			
				9	12.21	83.33	0.79	13.00	≤30.00	PASS			
				10	12.29	81.82	0.87	13.16	≤30.00	PASS			
				11	12.33	81.82	0.87	13.20	≤30.00	PASS			
				12	12.47	83.33	0.79	13.26	≤30.00	PASS			
			3*996_Non-OFDMA	1	13.23	81.82	0.87	14.10	≤30.00	PASS			
				2	13.06	81.82	0.87	13.93	≤30.00	PASS			
				3	13.33	83.33	0.79	14.12	≤30.00	PASS			
				4	13.35	81.82	0.87	14.22	≤30.00	PASS			
				7	10.75	75.00	1.25	12.00	≤30.00	PASS			
				8	10.43	81.82	0.87	11.30	≤30.00	PASS			
	Ant3	6905	2*996+484_Non-OFDMA	9	10.66	81.82	0.87	11.53	≤30.00	PASS			
				10	10.78	83.33	0.79	11.57	≤30.00	PASS			
				11	10.97	83.33	0.79	11.76	≤30.00	PASS			
				12	11.09	83.33	0.79	11.88	≤30.00	PASS			
				1	11.57	81.82	0.87	12.44	≤30.00	PASS			
				2	11.69	81.82	0.87	12.56	≤30.00	PASS			
			3*996_Non-OFDMA	3	11.83	81.82	0.87	12.70	≤30.00	PASS			
				4	12.00	83.33	0.79	12.79	≤30.00	PASS			
				total	6905	2*996+484_Non-OFDMA	7	---	---	---	17.11	≤30.00	PASS
							8	---	---	---	16.87	≤30.00	PASS
							9	---	---	---	16.85	≤30.00	PASS
							10	---	---	---	16.94	≤30.00	PASS
	11	---	---				---	17.06	≤30.00	PASS			
	12	---	---				---	17.19	≤30.00	PASS			
	3*996_Non-OFDMA	1	---	---	---	17.91	≤30.00	PASS					
		2	---	---	---	17.82	≤30.00	PASS					
		3	---	---	---	17.97	≤30.00	PASS					
		4	---	---	---	18.13	≤30.00	PASS					

Note: The Duty Cycle Factor is compensated in the graph.

8. Maximum Power Spectral Density

8.1. Block diagram of test setup



8.2. Limits

FCC Part15, Subpart E/ RSS-248		
Devices type	Limit	Frequency Range (MHz)
RLAN devices other than client devices	For FCC: standard power access point and fixed client device: 23 dBm e.i.r.p in any 1-megahertz band outdoor devices: any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).	5925-6425 and 6525-6875
	For FCC: indoor access point: 5 dBm e.i.r.p. in any 1-megahertz band	5925-7125
	For FCC: a subordinate device operating under the control of an indoor access point: 5 dBm e.i.r.p. in any 1-megahertz band	5925-7125
	For RSS: 5 dBm/MHz	5925-7125
Client devices	For FCC: client devices under the control of a standard power access point: 17 dBm e.i.r.p. in any 1-megahertz band	5925-6425 and 6525-6875
	For FCC: For client devices operating under the control of an indoor access point: -1 dBm e.i.r.p. in any 1-megahertz band	5925-7125
	For RSS: -1 dBm/MHz	5925-7125

8.3. Test procedure

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW.

Connect the UUT to the spectrum analyser and use the following settings:

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	1MHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

8.4. Test result

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	EIRP Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5955	-9.09	6.99	-2.10	≤5.00	PASS
	Ant2	5955	-7.42	6.99	-0.43	≤5.00	PASS
	Ant3	5955	-6.93	6.99	0.06	≤5.00	PASS
	total	5955	-2.95	---	4.04	≤5.00	PASS
	Ant1	6175	-7.98	6.99	-0.99	≤5.00	PASS
	Ant2	6175	-8.49	6.99	-1.50	≤5.00	PASS
	Ant3	6175	-6.68	6.99	0.31	≤5.00	PASS
	total	6175	-2.88	---	4.11	≤5.00	PASS
	Ant1	6415	-8.75	6.99	-1.76	≤5.00	PASS
	Ant2	6415	-9.14	6.99	-2.15	≤5.00	PASS
	Ant3	6415	-7.18	6.99	-0.19	≤5.00	PASS
	total	6415	-3.50	---	3.49	≤5.00	PASS
	Ant1	6435	-7.13	6.99	-0.14	≤5.00	PASS
	Ant2	6435	-7.63	6.99	-0.64	≤5.00	PASS
	Ant3	6435	-6.69	6.99	0.30	≤5.00	PASS
	total	6435	-2.36	---	4.63	≤5.00	PASS
	Ant1	6475	-8.12	6.99	-1.13	≤5.00	PASS
	Ant2	6475	-7.96	6.99	-0.97	≤5.00	PASS
	Ant3	6475	-7.68	6.99	-0.69	≤5.00	PASS
	total	6475	-3.14	---	3.85	≤5.00	PASS
	Ant1	6515	-8.62	6.99	-1.63	≤5.00	PASS
	Ant2	6515	-6.94	6.99	0.05	≤5.00	PASS
	Ant3	6515	-7.37	6.99	-0.38	≤5.00	PASS
	total	6515	-2.82	---	4.17	≤5.00	PASS
	Ant1	6535	-8.91	6.99	-1.92	≤5.00	PASS
	Ant2	6535	-7.07	6.99	-0.08	≤5.00	PASS
	Ant3	6535	-7.97	6.99	-0.98	≤5.00	PASS
	total	6535	-3.15	---	3.84	≤5.00	PASS
	Ant1	6695	-8.06	6.99	-1.07	≤5.00	PASS
	Ant2	6695	-8.28	6.99	-1.29	≤5.00	PASS
	Ant3	6695	-7.57	6.99	-0.58	≤5.00	PASS
	total	6695	-3.19	---	3.80	≤5.00	PASS
	Ant1	6855	-8.11	6.99	-1.12	≤5.00	PASS
	Ant2	6855	-7.08	6.99	-0.09	≤5.00	PASS
	Ant3	6855	-8.39	6.99	-1.40	≤5.00	PASS
	total	6855	-3.05	---	3.94	≤5.00	PASS
	Ant1	6875	-8.81	6.99	-1.82	≤5.00	PASS
	Ant2	6875	-7.41	6.99	-0.42	≤5.00	PASS
	Ant3	6875	-7.87	6.99	-0.88	≤5.00	PASS
	total	6875	-3.22	---	3.77	≤5.00	PASS
	Ant1	6895	-8.74	6.99	-1.75	≤5.00	PASS
	Ant2	6895	-7.29	6.99	-0.30	≤5.00	PASS
	Ant3	6895	-8.11	6.99	-1.12	≤5.00	PASS
	total	6895	-3.23	---	3.76	≤5.00	PASS
	Ant1	6995	-7.52	6.99	-0.53	≤5.00	PASS
	Ant2	6995	-7.25	6.99	-0.26	≤5.00	PASS
	Ant3	6995	-7.01	6.99	-0.02	≤5.00	PASS
	total	6995	-2.48	---	4.51	≤5.00	PASS
	Ant1	7115	-8.38	6.99	-1.39	≤5.00	PASS
	Ant2	7115	-7.31	6.99	-0.32	≤5.00	PASS
	Ant3	7115	-7.52	6.99	-0.53	≤5.00	PASS
	total	7115	-2.94	---	4.05	≤5.00	PASS
11AX40MIMO	Ant1	5965	-8.33	6.99	-1.34	≤5.00	PASS
	Ant2	5965	-6.97	6.99	0.02	≤5.00	PASS
	Ant3	5965	-6.61	6.99	0.38	≤5.00	PASS
	total	5965	-2.47	---	4.52	≤5.00	PASS
	Ant1	6165	-7.66	6.99	-0.67	≤5.00	PASS
	Ant2	6165	-7.85	6.99	-0.86	≤5.00	PASS
	Ant3	6165	-6.21	6.99	0.78	≤5.00	PASS

	total	6165	-2.40	---	4.59	≤5.00	PASS
	Ant1	6405	-8.24	6.99	-1.25	≤5.00	PASS
	Ant2	6405	-8.48	6.99	-1.49	≤5.00	PASS
	Ant3	6405	-7.17	6.99	-0.18	≤5.00	PASS
	total	6405	-3.15	---	3.84	≤5.00	PASS
	Ant1	6445	-7.32	6.99	-0.33	≤5.00	PASS
	Ant2	6445	-7.68	6.99	-0.69	≤5.00	PASS
	Ant3	6445	-6.85	6.99	0.14	≤5.00	PASS
	total	6445	-2.50	---	4.49	≤5.00	PASS
	Ant1	6485	-8.39	6.99	-1.40	≤5.00	PASS
	Ant2	6485	-7.61	6.99	-0.62	≤5.00	PASS
	Ant3	6485	-8.16	6.99	-1.17	≤5.00	PASS
	total	6485	-3.27	---	3.72	≤5.00	PASS
	Ant1	6525	-8.91	6.99	-1.92	≤5.00	PASS
	Ant2	6525	-6.84	6.99	0.15	≤5.00	PASS
	Ant3	6525	-7.47	6.99	-0.48	≤5.00	PASS
	total	6525	-2.89	---	4.10	≤5.00	PASS
	Ant1	6565	-9.88	6.99	-2.89	≤5.00	PASS
	Ant2	6565	-7.23	6.99	-0.24	≤5.00	PASS
	Ant3	6565	-8.30	6.99	-1.31	≤5.00	PASS
	total	6565	-3.57	---	3.42	≤5.00	PASS
	Ant1	6685	-8.09	6.99	-1.10	≤5.00	PASS
	Ant2	6685	-8.25	6.99	-1.26	≤5.00	PASS
	Ant3	6685	-7.60	6.99	-0.61	≤5.00	PASS
	total	6685	-3.20	---	3.79	≤5.00	PASS
	Ant1	6845	-8.23	6.99	-1.24	≤5.00	PASS
	Ant2	6845	-7.11	6.99	-0.12	≤5.00	PASS
	Ant3	6845	-7.96	6.99	-0.97	≤5.00	PASS
	total	6845	-2.97	---	4.02	≤5.00	PASS
	Ant1	6885	-8.88	6.99	-1.89	≤5.00	PASS
	Ant2	6885	-7.64	6.99	-0.65	≤5.00	PASS
	Ant3	6885	-8.02	6.99	-1.03	≤5.00	PASS
	total	6885	-3.38	---	3.61	≤5.00	PASS
	Ant1	6925	-8.50	6.99	-1.51	≤5.00	PASS
	Ant2	6925	-7.52	6.99	-0.53	≤5.00	PASS
	Ant3	6925	-8.57	6.99	-1.58	≤5.00	PASS
	total	6925	-3.40	---	3.59	≤5.00	PASS
	Ant1	6965	-8.32	6.99	-1.33	≤5.00	PASS
	Ant2	6965	-8.14	6.99	-1.15	≤5.00	PASS
	Ant3	6965	-8.33	6.99	-1.34	≤5.00	PASS
	total	6965	-3.49	---	3.50	≤5.00	PASS
	Ant1	7085	-8.02	6.99	-1.03	≤5.00	PASS
	Ant2	7085	-7.55	6.99	-0.56	≤5.00	PASS
	Ant3	7085	-7.32	6.99	-0.33	≤5.00	PASS
	total	7085	-2.85	---	4.14	≤5.00	PASS
11AX80MIMO	Ant1	5985	-8.91	6.99	-1.92	≤5.00	PASS
	Ant2	5985	-7.81	6.99	-0.82	≤5.00	PASS
	Ant3	5985	-7.60	6.99	-0.61	≤5.00	PASS
	total	5985	-3.30	---	3.69	≤5.00	PASS
	Ant1	6145	-9.10	6.99	-2.11	≤5.00	PASS
	Ant2	6145	-8.29	6.99	-1.30	≤5.00	PASS
	Ant3	6145	-7.34	6.99	-0.35	≤5.00	PASS
	total	6145	-3.41	---	3.58	≤5.00	PASS
	Ant1	6385	-9.37	6.99	-2.38	≤5.00	PASS
	Ant2	6385	-9.18	6.99	-2.19	≤5.00	PASS
	Ant3	6385	-7.81	6.99	-0.82	≤5.00	PASS
	total	6385	-3.96	---	3.03	≤5.00	PASS
	Ant1	6465	-8.34	6.99	-1.35	≤5.00	PASS
	Ant2	6465	-8.53	6.99	-1.54	≤5.00	PASS
	Ant3	6465	-7.75	6.99	-0.76	≤5.00	PASS
	total	6465	-3.42	---	3.57	≤5.00	PASS
	Ant1	6545	-9.97	6.99	-2.98	≤5.00	PASS
	Ant2	6545	-7.65	6.99	-0.66	≤5.00	PASS
	Ant3	6545	-8.48	6.99	-1.49	≤5.00	PASS

	total	6545	-3.83	---	3.16	≤5.00	PASS
	Ant1	6625	-10.50	6.99	-3.51	≤5.00	PASS
	Ant2	6625	-9.22	6.99	-2.23	≤5.00	PASS
	Ant3	6625	-8.84	6.99	-1.85	≤5.00	PASS
	total	6625	-4.69	---	2.30	≤5.00	PASS
	Ant1	6705	-9.48	6.99	-2.49	≤5.00	PASS
	Ant2	6705	-9.29	6.99	-2.30	≤5.00	PASS
	Ant3	6705	-8.39	6.99	-1.40	≤5.00	PASS
	total	6705	-4.26	---	2.73	≤5.00	PASS
	Ant1	6785	-8.74	6.99	-1.75	≤5.00	PASS
	Ant2	6785	-8.50	6.99	-1.51	≤5.00	PASS
	Ant3	6785	-8.50	6.99	-1.51	≤5.00	PASS
	total	6785	-3.81	---	3.18	≤5.00	PASS
	Ant1	6865	-9.43	6.99	-2.44	≤5.00	PASS
	Ant2	6865	-8.41	6.99	-1.42	≤5.00	PASS
	Ant3	6865	-9.37	6.99	-2.38	≤5.00	PASS
	total	6865	-4.27	---	2.72	≤5.00	PASS
	Ant1	6945	-9.38	6.99	-2.39	≤5.00	PASS
	Ant2	6945	-8.93	6.99	-1.94	≤5.00	PASS
	Ant3	6945	-9.30	6.99	-2.31	≤5.00	PASS
	total	6945	-4.43	---	2.56	≤5.00	PASS
	Ant1	7025	-8.85	6.99	-1.86	≤5.00	PASS
	Ant2	7025	-9.25	6.99	-2.26	≤5.00	PASS
	Ant3	7025	-7.73	6.99	-0.74	≤5.00	PASS
	total	7025	-3.79	---	3.20	≤5.00	PASS
11AX160MIMO	Ant1	6025	-9.66	6.99	-2.67	≤5.00	PASS
	Ant2	6025	-9.94	6.99	-2.95	≤5.00	PASS
	Ant3	6025	-8.63	6.99	-1.64	≤5.00	PASS
	total	6025	-4.60	---	2.39	≤5.00	PASS
	Ant1	6185	-10.55	6.99	-3.56	≤5.00	PASS
	Ant2	6185	-9.84	6.99	-2.85	≤5.00	PASS
	Ant3	6185	-8.44	6.99	-1.45	≤5.00	PASS
	total	6185	-4.75	---	2.24	≤5.00	PASS
	Ant1	6345	-10.99	6.99	-4.00	≤5.00	PASS
	Ant2	6345	-9.35	6.99	-2.36	≤5.00	PASS
	Ant3	6345	-10.10	6.99	-3.11	≤5.00	PASS
	total	6345	-5.32	---	1.67	≤5.00	PASS
	Ant1	6505	-10.56	6.99	-3.57	≤5.00	PASS
	Ant2	6505	-10.14	6.99	-3.15	≤5.00	PASS
	Ant3	6505	-9.40	6.99	-2.41	≤5.00	PASS
	total	6505	-5.24	---	1.75	≤5.00	PASS
	Ant1	6665	-11.55	6.99	-4.56	≤5.00	PASS
	Ant2	6665	-10.27	6.99	-3.28	≤5.00	PASS
	Ant3	6665	-10.57	6.99	-3.58	≤5.00	PASS
	total	6665	-5.99	---	1.00	≤5.00	PASS
	Ant1	6825	-10.03	6.99	-3.04	≤5.00	PASS
	Ant2	6825	-9.71	6.99	-2.72	≤5.00	PASS
	Ant3	6825	-10.12	6.99	-3.13	≤5.00	PASS
	total	6825	-5.18	---	1.81	≤5.00	PASS
	Ant1	6985	-10.76	6.99	-3.77	≤5.00	PASS
	Ant2	6985	-10.31	6.99	-3.32	≤5.00	PASS
	Ant3	6985	-10.65	6.99	-3.66	≤5.00	PASS
	total	6985	-5.80	---	1.19	≤5.00	PASS
11BE20MIMO	Ant1	5955	-8.29	6.99	-1.30	≤5.00	PASS
	Ant2	5955	-6.40	6.99	0.59	≤5.00	PASS
	Ant3	5955	-6.66	6.99	0.33	≤5.00	PASS
	total	5955	-2.27	---	4.72	≤5.00	PASS
	Ant1	6175	-7.70	6.99	-0.71	≤5.00	PASS
	Ant2	6175	-8.30	6.99	-1.31	≤5.00	PASS
	Ant3	6175	-6.54	6.99	0.45	≤5.00	PASS
	total	6175	-2.68	---	4.31	≤5.00	PASS
	Ant1	6415	-8.26	6.99	-1.27	≤5.00	PASS
	Ant2	6415	-8.71	6.99	-1.72	≤5.00	PASS
	Ant3	6415	-6.98	6.99	0.01	≤5.00	PASS

	total	6415	-3.15	---	3.84	≤5.00	PASS
	Ant1	6435	-7.03	6.99	-0.04	≤5.00	PASS
	Ant2	6435	-7.53	6.99	-0.54	≤5.00	PASS
	Ant3	6435	-6.37	6.99	0.62	≤5.00	PASS
	total	6435	-2.18	---	4.81	≤5.00	PASS
	Ant1	6475	-7.86	6.99	-0.87	≤5.00	PASS
	Ant2	6475	-7.67	6.99	-0.68	≤5.00	PASS
	Ant3	6475	-7.45	6.99	-0.46	≤5.00	PASS
	total	6475	-2.89	---	4.10	≤5.00	PASS
	Ant1	6515	-8.68	6.99	-1.69	≤5.00	PASS
	Ant2	6515	-6.90	6.99	0.09	≤5.00	PASS
	Ant3	6515	-7.29	6.99	-0.30	≤5.00	PASS
	total	6515	-2.79	---	4.20	≤5.00	PASS
	Ant1	6535	-8.85	6.99	-1.86	≤5.00	PASS
	Ant2	6535	-6.79	6.99	0.20	≤5.00	PASS
	Ant3	6535	-7.57	6.99	-0.58	≤5.00	PASS
	total	6535	-2.88	---	4.11	≤5.00	PASS
	Ant1	6695	-7.90	6.99	-0.91	≤5.00	PASS
	Ant2	6695	-8.16	6.99	-1.17	≤5.00	PASS
	Ant3	6695	-7.52	6.99	-0.53	≤5.00	PASS
	total	6695	-3.08	---	3.91	≤5.00	PASS
	Ant1	6855	-7.77	6.99	-0.78	≤5.00	PASS
	Ant2	6855	-6.82	6.99	0.17	≤5.00	PASS
	Ant3	6855	-7.75	6.99	-0.76	≤5.00	PASS
	total	6855	-2.65	---	4.34	≤5.00	PASS
	Ant1	6875	-8.33	6.99	-1.34	≤5.00	PASS
	Ant2	6875	-7.10	6.99	-0.11	≤5.00	PASS
	Ant3	6875	-7.91	6.99	-0.92	≤5.00	PASS
	total	6875	-2.98	---	4.01	≤5.00	PASS
	Ant1	6895	-8.24	6.99	-1.25	≤5.00	PASS
	Ant2	6895	-7.17	6.99	-0.18	≤5.00	PASS
	Ant3	6895	-7.82	6.99	-0.83	≤5.00	PASS
	total	6895	-2.95	---	4.04	≤5.00	PASS
	Ant1	6995	-7.54	6.99	-0.55	≤5.00	PASS
	Ant2	6995	-7.25	6.99	-0.26	≤5.00	PASS
	Ant3	6995	-7.02	6.99	-0.03	≤5.00	PASS
	total	6995	-2.49	---	4.50	≤5.00	PASS
	Ant1	7115	-8.30	6.99	-1.31	≤5.00	PASS
	Ant2	7115	-7.06	6.99	-0.07	≤5.00	PASS
	Ant3	7115	-7.67	6.99	-0.68	≤5.00	PASS
	total	7115	-2.88	---	4.11	≤5.00	PASS
11BE40MIMO	Ant1	5965	-8.14	6.99	-1.15	≤5.00	PASS
	Ant2	5965	-6.93	6.99	0.06	≤5.00	PASS
	Ant3	5965	-6.43	6.99	0.56	≤5.00	PASS
	total	5965	-2.34	---	4.65	≤5.00	PASS
	Ant1	6165	-7.72	6.99	-0.73	≤5.00	PASS
	Ant2	6165	-7.56	6.99	-0.57	≤5.00	PASS
	Ant3	6165	-5.91	6.99	1.08	≤5.00	PASS
	total	6165	-2.21	---	4.78	≤5.00	PASS
	Ant1	6405	-8.38	6.99	-1.39	≤5.00	PASS
	Ant2	6405	-8.58	6.99	-1.59	≤5.00	PASS
	Ant3	6405	-6.94	6.99	0.05	≤5.00	PASS
	total	6405	-3.13	---	3.86	≤5.00	PASS
	Ant1	6445	-7.17	6.99	-0.18	≤5.00	PASS
	Ant2	6445	-7.67	6.99	-0.68	≤5.00	PASS
	Ant3	6445	-6.87	6.99	0.12	≤5.00	PASS
	total	6445	-2.45	---	4.54	≤5.00	PASS
	Ant1	6485	-8.33	6.99	-1.34	≤5.00	PASS
	Ant2	6485	-7.48	6.99	-0.49	≤5.00	PASS
	Ant3	6485	-7.84	6.99	-0.85	≤5.00	PASS
	total	6485	-3.10	---	3.89	≤5.00	PASS
	Ant1	6525	-8.94	6.99	-1.95	≤5.00	PASS
	Ant2	6525	-6.88	6.99	0.11	≤5.00	PASS
	Ant3	6525	-7.55	6.99	-0.56	≤5.00	PASS

	total	6525	-2.94	---	4.05	≤5.00	PASS
	Ant1	6565	-9.80	6.99	-2.81	≤5.00	PASS
	Ant2	6565	-7.47	6.99	-0.48	≤5.00	PASS
	Ant3	6565	-8.13	6.99	-1.14	≤5.00	PASS
	total	6565	-3.59	---	3.40	≤5.00	PASS
	Ant1	6685	-8.22	6.99	-1.23	≤5.00	PASS
	Ant2	6685	-8.12	6.99	-1.13	≤5.00	PASS
	Ant3	6685	-7.47	6.99	-0.48	≤5.00	PASS
	total	6685	-3.15	---	3.84	≤5.00	PASS
	Ant1	6845	-8.18	6.99	-1.19	≤5.00	PASS
	Ant2	6845	-7.07	6.99	-0.08	≤5.00	PASS
	Ant3	6845	-7.84	6.99	-0.85	≤5.00	PASS
	total	6845	-2.90	---	4.09	≤5.00	PASS
	Ant1	6885	-8.99	6.99	-2.00	≤5.00	PASS
	Ant2	6885	-7.56	6.99	-0.57	≤5.00	PASS
	Ant3	6885	-8.15	6.99	-1.16	≤5.00	PASS
	total	6885	-3.42	---	3.57	≤5.00	PASS
	Ant1	6925	-8.31	6.99	-1.32	≤5.00	PASS
	Ant2	6925	-7.19	6.99	-0.20	≤5.00	PASS
	Ant3	6925	-8.30	6.99	-1.31	≤5.00	PASS
	total	6925	-3.13	---	3.86	≤5.00	PASS
	Ant1	6965	-8.57	6.99	-1.58	≤5.00	PASS
	Ant2	6965	-8.00	6.99	-1.01	≤5.00	PASS
	Ant3	6965	-8.27	6.99	-1.28	≤5.00	PASS
	total	6965	-3.50	---	3.49	≤5.00	PASS
	Ant1	7085	-8.13	6.99	-1.14	≤5.00	PASS
	Ant2	7085	-7.50	6.99	-0.51	≤5.00	PASS
	Ant3	7085	-7.66	6.99	-0.67	≤5.00	PASS
	total	7085	-2.98	---	4.01	≤5.00	PASS
11BE80MIMO	Ant1	5985	-8.38	6.99	-1.39	≤5.00	PASS
	Ant2	5985	-7.49	6.99	-0.50	≤5.00	PASS
	Ant3	5985	-6.78	6.99	0.21	≤5.00	PASS
	total	5985	-2.73	---	4.26	≤5.00	PASS
	Ant1	6145	-8.54	6.99	-1.55	≤5.00	PASS
	Ant2	6145	-7.90	6.99	-0.91	≤5.00	PASS
	Ant3	6145	-6.10	6.99	0.89	≤5.00	PASS
	total	6145	-2.62	---	4.37	≤5.00	PASS
	Ant1	6385	-8.44	6.99	-1.45	≤5.00	PASS
	Ant2	6385	-8.11	6.99	-1.12	≤5.00	PASS
	Ant3	6385	-6.71	6.99	0.28	≤5.00	PASS
	total	6385	-2.92	---	4.07	≤5.00	PASS
	Ant1	6465	-7.56	6.99	-0.57	≤5.00	PASS
	Ant2	6465	-7.20	6.99	-0.21	≤5.00	PASS
	Ant3	6465	-6.81	6.99	0.18	≤5.00	PASS
	total	6465	-2.41	---	4.58	≤5.00	PASS
	Ant1	6545	-9.36	6.99	-2.37	≤5.00	PASS
	Ant2	6545	-6.68	6.99	0.31	≤5.00	PASS
	Ant3	6545	-7.57	6.99	-0.58	≤5.00	PASS
	total	6545	-2.96	---	4.03	≤5.00	PASS
	Ant1	6625	-9.79	6.99	-2.80	≤5.00	PASS
	Ant2	6625	-7.87	6.99	-0.88	≤5.00	PASS
	Ant3	6625	-7.29	6.99	-0.30	≤5.00	PASS
	total	6625	-3.42	---	3.57	≤5.00	PASS
	Ant1	6705	-8.39	6.99	-1.40	≤5.00	PASS
	Ant2	6705	-8.22	6.99	-1.23	≤5.00	PASS
	Ant3	6705	-7.24	6.99	-0.25	≤5.00	PASS
	total	6705	-3.15	---	3.84	≤5.00	PASS
	Ant1	6785	-8.18	6.99	-1.19	≤5.00	PASS
	Ant2	6785	-7.85	6.99	-0.86	≤5.00	PASS
	Ant3	6785	-7.93	6.99	-0.94	≤5.00	PASS
	total	6785	-3.21	---	3.78	≤5.00	PASS
	Ant1	6865	-8.98	6.99	-1.99	≤5.00	PASS
	Ant2	6865	-7.73	6.99	-0.74	≤5.00	PASS
	Ant3	6865	-8.01	6.99	-1.02	≤5.00	PASS

	total	6865	-3.44	---	3.55	≤5.00	PASS
	Ant1	6945	-8.39	6.99	-1.40	≤5.00	PASS
	Ant2	6945	-7.86	6.99	-0.87	≤5.00	PASS
	Ant3	6945	-8.05	6.99	-1.06	≤5.00	PASS
	total	6945	-3.32	---	3.67	≤5.00	PASS
	Ant1	7025	-7.84	6.99	-0.85	≤5.00	PASS
	Ant2	7025	-8.10	6.99	-1.11	≤5.00	PASS
	Ant3	7025	-6.65	6.99	0.34	≤5.00	PASS
11BE160MIMO	total	7025	-2.71	---	4.28	≤5.00	PASS
	Ant1	6025	-8.75	6.99	-1.76	≤5.00	PASS
	Ant2	6025	-9.04	6.99	-2.05	≤5.00	PASS
	Ant3	6025	-7.17	6.99	-0.18	≤5.00	PASS
	total	6025	-3.47	---	3.52	≤5.00	PASS
	Ant1	6185	-9.57	6.99	-2.58	≤5.00	PASS
	Ant2	6185	-8.60	6.99	-1.61	≤5.00	PASS
	Ant3	6185	-6.83	6.99	0.16	≤5.00	PASS
	total	6185	-3.41	---	3.58	≤5.00	PASS
	Ant1	6345	-10.63	6.99	-3.64	≤5.00	PASS
	Ant2	6345	-8.43	6.99	-1.44	≤5.00	PASS
	Ant3	6345	-8.99	6.99	-2.00	≤5.00	PASS
	total	6345	-4.48	---	2.51	≤5.00	PASS
	Ant1	6505	-9.65	6.99	-2.66	≤5.00	PASS
	Ant2	6505	-8.49	6.99	-1.50	≤5.00	PASS
	Ant3	6505	-8.27	6.99	-1.28	≤5.00	PASS
	total	6505	-3.99	---	3.00	≤5.00	PASS
	Ant1	6665	-10.71	6.99	-3.72	≤5.00	PASS
	Ant2	6665	-9.42	6.99	-2.43	≤5.00	PASS
	Ant3	6665	-9.58	6.99	-2.59	≤5.00	PASS
	total	6665	-5.10	---	1.89	≤5.00	PASS
	Ant1	6825	-9.57	6.99	-2.58	≤5.00	PASS
	Ant2	6825	-8.70	6.99	-1.71	≤5.00	PASS
	Ant3	6825	-8.91	6.99	-1.92	≤5.00	PASS
	total	6825	-4.27	---	2.72	≤5.00	PASS
	Ant1	6985	-9.97	6.99	-2.98	≤5.00	PASS
	Ant2	6985	-9.70	6.99	-2.71	≤5.00	PASS
	Ant3	6985	-9.47	6.99	-2.48	≤5.00	PASS
	total	6985	-4.94	---	2.05	≤5.00	PASS
11BE320MIMO	Ant1	6105	-12.83	6.99	-5.84	≤5.00	PASS
	Ant2	6105	-10.87	6.99	-3.88	≤5.00	PASS
	Ant3	6105	-12.11	6.99	-5.12	≤5.00	PASS
	total	6105	-7.09	---	-0.10	≤5.00	PASS
	Ant1	6265	-12.89	6.99	-5.90	≤5.00	PASS
	Ant2	6265	-12.30	6.99	-5.31	≤5.00	PASS
	Ant3	6265	-11.76	6.99	-4.77	≤5.00	PASS
	total	6265	-7.52	---	-0.53	≤5.00	PASS
	Ant1	6585	-13.26	6.99	-6.27	≤5.00	PASS
	Ant2	6585	-11.54	6.99	-4.55	≤5.00	PASS
	Ant3	6585	-11.86	6.99	-4.87	≤5.00	PASS
	total	6585	-7.39	---	-0.40	≤5.00	PASS
	Ant1	6745	-12.44	6.99	-5.45	≤5.00	PASS
	Ant2	6745	-12.48	6.99	-5.49	≤5.00	PASS
	Ant3	6745	-11.85	6.99	-4.86	≤5.00	PASS
	total	6745	-7.48	---	-0.49	≤5.00	PASS
	Ant1	6905	-13.51	6.99	-6.52	≤5.00	PASS
	Ant2	6905	-12.26	6.99	-5.27	≤5.00	PASS
	Ant3	6905	-12.35	6.99	-5.36	≤5.00	PASS
	total	6905	-7.90	---	-0.91	≤5.00	PASS

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	EIRP Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5955	52+26_OFDMA	1	-8.60	6.99	-1.61	≤5.00	PASS
				2	-9.27	6.99	-2.28	≤5.00	PASS
				3	-8.88	6.99	-1.89	≤5.00	PASS
			106+26_OFDMA	1	-8.87	6.99	-1.88	≤5.00	PASS
				2	-9.35	6.99	-2.36	≤5.00	PASS
				3	-8.87	6.99	-1.88	≤5.00	PASS
	Ant2	5955	52+26_OFDMA	1	-6.55	6.99	0.44	≤5.00	PASS
				2	-7.20	6.99	-0.21	≤5.00	PASS
				3	-7.19	6.99	-0.2	≤5.00	PASS
			106+26_OFDMA	1	-6.82	6.99	0.17	≤5.00	PASS
				2	-7.32	6.99	-0.33	≤5.00	PASS
				3	-6.82	6.99	0.17	≤5.00	PASS
	Ant3	5955	52+26_OFDMA	1	-6.83	6.99	0.16	≤5.00	PASS
				2	-7.38	6.99	-0.39	≤5.00	PASS
				3	-7.09	6.99	-0.1	≤5.00	PASS
			106+26_OFDMA	1	-8.29	6.99	-1.3	≤5.00	PASS
				2	-8.37	6.99	-1.38	≤5.00	PASS
				3	-8.37	6.99	-1.38	≤5.00	PASS
	total	5955	52+26_OFDMA	1	-2.47	6.99	4.52	≤5.00	PASS
				2	-3.08	6.99	3.91	≤5.00	PASS
				3	-2.87	6.99	4.12	≤5.00	PASS
			106+26_OFDMA	1	-3.13	6.99	3.86	≤5.00	PASS
				2	-3.50	6.99	3.49	≤5.00	PASS
				3	-3.50	6.99	3.49	≤5.00	PASS
	Ant1	6175	52+26_OFDMA	1	-7.92	6.99	-0.93	≤5.00	PASS
				2	-8.48	6.99	-1.49	≤5.00	PASS
				3	-8.25	6.99	-1.26	≤5.00	PASS
			106+26_OFDMA	1	-8.17	6.99	-1.18	≤5.00	PASS
				2	-8.65	6.99	-1.66	≤5.00	PASS
				3	-8.65	6.99	-1.66	≤5.00	PASS
	Ant2	6175	52+26_OFDMA	1	-7.94	6.99	-0.95	≤5.00	PASS
				2	-8.46	6.99	-1.47	≤5.00	PASS
				3	-8.27	6.99	-1.28	≤5.00	PASS
			106+26_OFDMA	1	-7.87	6.99	-0.88	≤5.00	PASS
				2	-8.33	6.99	-1.34	≤5.00	PASS
				3	-8.33	6.99	-1.34	≤5.00	PASS
	Ant3	6175	52+26_OFDMA	1	-5.61	6.99	1.38	≤5.00	PASS
				2	-6.46	6.99	0.53	≤5.00	PASS
				3	-6.34	6.99	0.65	≤5.00	PASS
			106+26_OFDMA	1	-6.85	6.99	0.14	≤5.00	PASS
				2	-7.41	6.99	-0.42	≤5.00	PASS
				3	-7.41	6.99	-0.42	≤5.00	PASS
	total	6175	52+26_OFDMA	1	-2.24	6.99	4.75	≤5.00	PASS
				2	-2.92	6.99	4.07	≤5.00	PASS
				3	-2.75	6.99	4.24	≤5.00	PASS
			106+26_OFDMA	1	-2.82	6.99	4.17	≤5.00	PASS
				2	-3.33	6.99	3.66	≤5.00	PASS
				3	-3.33	6.99	3.66	≤5.00	PASS
	Ant1	6415	52+26_OFDMA	1	-8.68	6.99	-1.69	≤5.00	PASS
				2	-9.12	6.99	-2.13	≤5.00	PASS
				3	-8.89	6.99	-1.9	≤5.00	PASS
			106+26_OFDMA	1	-8.82	6.99	-1.83	≤5.00	PASS
				2	-8.80	6.99	-1.81	≤5.00	PASS
				3	-8.80	6.99	-1.81	≤5.00	PASS
	Ant2	6415	52+26_OFDMA	1	-8.35	6.99	-1.36	≤5.00	PASS
				2	-9.03	6.99	-2.04	≤5.00	PASS
				3	-8.72	6.99	-1.73	≤5.00	PASS
			106+26_OFDMA	1	-8.67	6.99	-1.68	≤5.00	PASS
				2	-8.66	6.99	-1.67	≤5.00	PASS
				3	-8.66	6.99	-1.67	≤5.00	PASS
	Ant3	6415	52+26_OFDMA	1	-6.72	6.99	0.27	≤5.00	PASS
				2	-7.17	6.99	-0.18	≤5.00	PASS
				3	-7.50	6.99	-0.51	≤5.00	PASS
			106+26_OFDMA	1	-7.78	6.99	-0.79	≤5.00	PASS
				2	-8.15	6.99	-1.16	≤5.00	PASS
				3	-8.15	6.99	-1.16	≤5.00	PASS
	total	6415	52+26_OFDMA	1	-3.06	6.99	3.93	≤5.00	PASS
				2	-3.57	6.99	3.42	≤5.00	PASS
				3	-3.55	6.99	3.44	≤5.00	PASS
			106+26_OFDMA	1	-3.63	6.99	3.36	≤5.00	PASS
				2	-3.76	6.99	3.23	≤5.00	PASS
				3	-3.76	6.99	3.23	≤5.00	PASS
	Ant1	6435	52+26_OFDMA	1	-7.65	6.99	-0.66	≤5.00	PASS

			106+26_OFDMA	2	-7.78	6.99	-0.79	≤5.00	PASS
				3	-7.79	6.99	-0.8	≤5.00	PASS
				1	-7.65	6.99	-0.66	≤5.00	PASS
				2	-7.63	6.99	-0.64	≤5.00	PASS
	Ant2	6435	52+26_OFDMA	1	-7.56	6.99	-0.57	≤5.00	PASS
				2	-7.67	6.99	-0.68	≤5.00	PASS
				3	-7.55	6.99	-0.56	≤5.00	PASS
			106+26_OFDMA	1	-7.38	6.99	-0.39	≤5.00	PASS
	Ant3	6435	52+26_OFDMA	2	-7.41	6.99	-0.42	≤5.00	PASS
				1	-6.48	6.99	0.51	≤5.00	PASS
				2	-6.45	6.99	0.54	≤5.00	PASS
				3	-6.56	6.99	0.43	≤5.00	PASS
	total	6435	52+26_OFDMA	1	-7.20	6.99	-0.21	≤5.00	PASS
				2	-7.44	6.99	-0.45	≤5.00	PASS
				1	-2.43	6.99	4.56	≤5.00	PASS
			106+26_OFDMA	2	-2.49	6.99	4.5	≤5.00	PASS
	Ant1	6475	52+26_OFDMA	3	-2.50	6.99	4.49	≤5.00	PASS
				1	-2.63	6.99	4.36	≤5.00	PASS
				2	-2.72	6.99	4.27	≤5.00	PASS
			106+26_OFDMA	1	-8.69	6.99	-1.7	≤5.00	PASS
	Ant2	6475	52+26_OFDMA	2	-8.61	6.99	-1.62	≤5.00	PASS
				3	-8.72	6.99	-1.73	≤5.00	PASS
				1	-8.72	6.99	-1.73	≤5.00	PASS
			106+26_OFDMA	2	-8.60	6.99	-1.61	≤5.00	PASS
	Ant3	6475	52+26_OFDMA	1	-8.06	6.99	-1.07	≤5.00	PASS
				2	-7.90	6.99	-0.91	≤5.00	PASS
				3	-7.86	6.99	-0.87	≤5.00	PASS
			106+26_OFDMA	1	-8.02	6.99	-1.03	≤5.00	PASS
	total	6475	52+26_OFDMA	2	-7.80	6.99	-0.81	≤5.00	PASS
				1	-7.82	6.99	-0.83	≤5.00	PASS
				2	-7.82	6.99	-0.83	≤5.00	PASS
			106+26_OFDMA	3	-8.09	6.99	-1.1	≤5.00	PASS
	Ant1	6515	52+26_OFDMA	1	-8.46	6.99	-1.47	≤5.00	PASS
				2	-8.75	6.99	-1.76	≤5.00	PASS
				1	-3.40	6.99	3.59	≤5.00	PASS
			106+26_OFDMA	2	-3.32	6.99	3.67	≤5.00	PASS
	Ant2	6515	52+26_OFDMA	3	-3.44	6.99	3.55	≤5.00	PASS
				1	-3.62	6.99	3.37	≤5.00	PASS
				2	-3.59	6.99	3.4	≤5.00	PASS
			106+26_OFDMA	1	-9.34	6.99	-2.35	≤5.00	PASS
	Ant3	6515	52+26_OFDMA	2	-9.37	6.99	-2.38	≤5.00	PASS
				3	-9.45	6.99	-2.46	≤5.00	PASS
				1	-9.37	6.99	-2.38	≤5.00	PASS
			106+26_OFDMA	2	-9.20	6.99	-2.21	≤5.00	PASS
	total	6515	52+26_OFDMA	1	-7.24	6.99	-0.25	≤5.00	PASS
				2	-7.22	6.99	-0.23	≤5.00	PASS
				3	-7.12	6.99	-0.13	≤5.00	PASS
			106+26_OFDMA	1	-7.12	6.99	-0.13	≤5.00	PASS
	Ant1	6535	52+26_OFDMA	2	-7.03	6.99	-0.04	≤5.00	PASS
				1	-7.56	6.99	-0.57	≤5.00	PASS
				2	-7.62	6.99	-0.63	≤5.00	PASS
			106+26_OFDMA	3	-8.28	6.99	-1.29	≤5.00	PASS
	Ant2	6535	52+26_OFDMA	1	-8.31	6.99	-1.32	≤5.00	PASS
				2	-8.07	6.99	-1.08	≤5.00	PASS
				1	-3.18	6.99	3.81	≤5.00	PASS
			106+26_OFDMA	2	-3.20	6.99	3.79	≤5.00	PASS
	total	6535	52+26_OFDMA	3	-3.41	6.99	3.58	≤5.00	PASS
				1	-3.40	6.99	3.59	≤5.00	PASS
				2	-3.24	6.99	3.75	≤5.00	PASS
			106+26_OFDMA	1	-9.67	6.99	-2.68	≤5.00	PASS
	Ant3	6535	52+26_OFDMA	2	-9.73	6.99	-2.74	≤5.00	PASS
				3	-9.72	6.99	-2.73	≤5.00	PASS
				1	-9.73	6.99	-2.74	≤5.00	PASS
			106+26_OFDMA	2	-9.75	6.99	-2.76	≤5.00	PASS

	Ant2	6535	52+26_OFDMA	1	-7.21	6.99	-0.22	≤5.00	PASS
				2	-7.13	6.99	-0.14	≤5.00	PASS
				3	-7.72	6.99	-0.73	≤5.00	PASS
			106+26_OFDMA	1	-7.25	6.99	-0.26	≤5.00	PASS
				2	-7.07	6.99	-0.08	≤5.00	PASS
				3	-7.46	6.99	-0.47	≤5.00	PASS
	Ant3	6535	52+26_OFDMA	1	-8.35	6.99	-1.36	≤5.00	PASS
				2	-7.65	6.99	-0.66	≤5.00	PASS
				3	-7.46	6.99	-0.47	≤5.00	PASS
			106+26_OFDMA	1	-8.58	6.99	-1.59	≤5.00	PASS
				2	-8.26	6.99	-1.27	≤5.00	PASS
				3	-8.26	6.99	-1.27	≤5.00	PASS
	total	6535	52+26_OFDMA	1	-3.52	6.99	3.47	≤5.00	PASS
				2	-3.26	6.99	3.73	≤5.00	PASS
				3	-3.42	6.99	3.57	≤5.00	PASS
			106+26_OFDMA	1	-3.63	6.99	3.36	≤5.00	PASS
				2	-3.45	6.99	3.54	≤5.00	PASS
				3	-3.45	6.99	3.54	≤5.00	PASS
	Ant1	6695	52+26_OFDMA	1	-8.89	6.99	-1.9	≤5.00	PASS
				2	-8.92	6.99	-1.93	≤5.00	PASS
				3	-9.01	6.99	-2.02	≤5.00	PASS
			106+26_OFDMA	1	-8.54	6.99	-1.55	≤5.00	PASS
				2	-8.45	6.99	-1.46	≤5.00	PASS
				3	-8.45	6.99	-1.46	≤5.00	PASS
	Ant2	6695	52+26_OFDMA	1	-8.65	6.99	-1.66	≤5.00	PASS
				2	-8.80	6.99	-1.81	≤5.00	PASS
				3	-8.72	6.99	-1.73	≤5.00	PASS
			106+26_OFDMA	1	-8.74	6.99	-1.75	≤5.00	PASS
				2	-8.65	6.99	-1.66	≤5.00	PASS
				3	-8.65	6.99	-1.66	≤5.00	PASS
	Ant3	6695	52+26_OFDMA	1	-8.42	6.99	-1.43	≤5.00	PASS
				2	-7.94	6.99	-0.95	≤5.00	PASS
				3	-7.90	6.99	-0.91	≤5.00	PASS
			106+26_OFDMA	1	-8.55	6.99	-1.56	≤5.00	PASS
				2	-8.55	6.99	-1.56	≤5.00	PASS
				3	-8.55	6.99	-1.56	≤5.00	PASS
	total	6695	52+26_OFDMA	1	-3.88	6.99	3.11	≤5.00	PASS
				2	-3.76	6.99	3.23	≤5.00	PASS
				3	-3.75	6.99	3.24	≤5.00	PASS
			106+26_OFDMA	1	-3.84	6.99	3.15	≤5.00	PASS
				2	-3.78	6.99	3.21	≤5.00	PASS
				3	-3.78	6.99	3.21	≤5.00	PASS
	Ant1	6855	52+26_OFDMA	1	-8.21	6.99	-1.22	≤5.00	PASS
				2	-8.45	6.99	-1.46	≤5.00	PASS
				3	-8.55	6.99	-1.56	≤5.00	PASS
			106+26_OFDMA	1	-8.35	6.99	-1.36	≤5.00	PASS
				2	-8.45	6.99	-1.46	≤5.00	PASS
				3	-8.45	6.99	-1.46	≤5.00	PASS
	Ant2	6855	52+26_OFDMA	1	-7.15	6.99	-0.16	≤5.00	PASS
				2	-7.03	6.99	-0.04	≤5.00	PASS
				3	-7.18	6.99	-0.19	≤5.00	PASS
			106+26_OFDMA	1	-7.16	6.99	-0.17	≤5.00	PASS
				2	-7.09	6.99	-0.1	≤5.00	PASS
				3	-7.09	6.99	-0.1	≤5.00	PASS
	Ant3	6855	52+26_OFDMA	1	-7.84	6.99	-0.85	≤5.00	PASS
				2	-8.56	6.99	-1.57	≤5.00	PASS
				3	-8.02	6.99	-1.03	≤5.00	PASS
			106+26_OFDMA	1	-8.57	6.99	-1.58	≤5.00	PASS
				2	-8.51	6.99	-1.52	≤5.00	PASS
				3	-8.51	6.99	-1.52	≤5.00	PASS
	total	6855	52+26_OFDMA	1	-2.94	6.99	4.05	≤5.00	PASS
				2	-3.18	6.99	3.81	≤5.00	PASS
				3	-3.11	6.99	3.88	≤5.00	PASS
			106+26_OFDMA	1	-3.21	6.99	3.78	≤5.00	PASS
				2	-3.19	6.99	3.8	≤5.00	PASS
				3	-3.19	6.99	3.8	≤5.00	PASS
	Ant1	6875	52+26_OFDMA	1	-8.97	6.99	-1.98	≤5.00	PASS
				2	-8.95	6.99	-1.96	≤5.00	PASS
				3	-8.95	6.99	-1.96	≤5.00	PASS
			106+26_OFDMA	1	-9.14	6.99	-2.15	≤5.00	PASS
				2	-8.95	6.99	-1.96	≤5.00	PASS
				3	-8.95	6.99	-1.96	≤5.00	PASS
	Ant2	6875	52+26_OFDMA	1	-7.60	6.99	-0.61	≤5.00	PASS
				2	-7.59	6.99	-0.6	≤5.00	PASS
				3	-7.66	6.99	-0.67	≤5.00	PASS
			106+26_OFDMA	1	-7.81	6.99	-0.82	≤5.00	PASS
				2	-7.81	6.99	-0.82	≤5.00	PASS
				3	-7.81	6.99	-0.82	≤5.00	PASS

	Ant3	6875	52+26_OFDMA	2	-7.48	6.99	-0.49	≤5.00	PASS
				1	-8.30	6.99	-1.31	≤5.00	PASS
				2	-8.21	6.99	-1.22	≤5.00	PASS
			106+26_OFDMA	3	-8.17	6.99	-1.18	≤5.00	PASS
	total	6875	52+26_OFDMA	1	-9.00	6.99	-2.01	≤5.00	PASS
				2	-8.69	6.99	-1.7	≤5.00	PASS
				3	-3.48	6.99	3.51	≤5.00	PASS
			106+26_OFDMA	2	-3.44	6.99	3.55	≤5.00	PASS
	Ant1	6895	52+26_OFDMA	3	-3.46	6.99	3.53	≤5.00	PASS
				1	-3.84	6.99	3.15	≤5.00	PASS
				2	-3.55	6.99	3.44	≤5.00	PASS
			106+26_OFDMA	2	-3.55	6.99	3.44	≤5.00	PASS
	Ant2	6895	52+26_OFDMA	1	-8.87	6.99	-1.88	≤5.00	PASS
				2	-9.10	6.99	-2.11	≤5.00	PASS
				3	-8.87	6.99	-1.88	≤5.00	PASS
			106+26_OFDMA	1	-9.14	6.99	-2.15	≤5.00	PASS
	Ant3	6895	52+26_OFDMA	2	-8.93	6.99	-1.94	≤5.00	PASS
				1	-7.70	6.99	-0.71	≤5.00	PASS
				2	-7.62	6.99	-0.63	≤5.00	PASS
			106+26_OFDMA	3	-7.71	6.99	-0.72	≤5.00	PASS
	total	6895	52+26_OFDMA	1	-7.93	6.99	-0.94	≤5.00	PASS
				2	-7.79	6.99	-0.8	≤5.00	PASS
				3	-8.12	6.99	-1.13	≤5.00	PASS
			106+26_OFDMA	2	-8.34	6.99	-1.35	≤5.00	PASS
	Ant1	6995	52+26_OFDMA	3	-8.03	6.99	-1.04	≤5.00	PASS
				1	-9.14	6.99	-2.15	≤5.00	PASS
				2	-8.80	6.99	-1.81	≤5.00	PASS
			106+26_OFDMA	2	-3.43	6.99	3.56	≤5.00	PASS
	Ant2	6995	52+26_OFDMA	2	-3.54	6.99	3.45	≤5.00	PASS
				3	-3.41	6.99	3.58	≤5.00	PASS
				1	-3.93	6.99	3.06	≤5.00	PASS
			106+26_OFDMA	2	-3.70	6.99	3.29	≤5.00	PASS
	Ant3	6995	52+26_OFDMA	1	-7.77	6.99	-0.78	≤5.00	PASS
				2	-7.96	6.99	-0.97	≤5.00	PASS
				3	-7.74	6.99	-0.75	≤5.00	PASS
			106+26_OFDMA	1	-8.05	6.99	-1.06	≤5.00	PASS
	total	6995	52+26_OFDMA	2	-8.05	6.99	-1.06	≤5.00	PASS
				1	-7.77	6.99	-0.78	≤5.00	PASS
				2	-7.62	6.99	-0.63	≤5.00	PASS
			106+26_OFDMA	3	-7.71	6.99	-0.72	≤5.00	PASS
	Ant1	7115	52+26_OFDMA	1	-7.60	6.99	-0.61	≤5.00	PASS
				2	-7.52	6.99	-0.53	≤5.00	PASS
				3	-6.78	6.99	0.21	≤5.00	PASS
			106+26_OFDMA	2	-6.85	6.99	0.14	≤5.00	PASS
	Ant2	7115	52+26_OFDMA	3	-7.02	6.99	-0.03	≤5.00	PASS
				1	-7.99	6.99	-1	≤5.00	PASS
				2	-7.65	6.99	-0.66	≤5.00	PASS
			106+26_OFDMA	1	-2.64	6.99	4.35	≤5.00	PASS
	Ant3	7115	52+26_OFDMA	2	-2.68	6.99	4.31	≤5.00	PASS
				3	-2.71	6.99	4.28	≤5.00	PASS
				1	-3.10	6.99	3.89	≤5.00	PASS
			106+26_OFDMA	2	-2.96	6.99	4.03	≤5.00	PASS
	Ant1	7115	52+26_OFDMA	1	-32.26	6.99	-25.27	≤5.00	PASS
				2	-32.46	6.99	-25.47	≤5.00	PASS
				3	-32.83	6.99	-25.84	≤5.00	PASS
			106+26_OFDMA	1	-32.24	6.99	-25.25	≤5.00	PASS
	Ant2	7115	52+26_OFDMA	2	-32.55	6.99	-25.56	≤5.00	PASS
				1	-31.84	6.99	-24.85	≤5.00	PASS
				2	-32.00	6.99	-25.01	≤5.00	PASS
			106+26_OFDMA	3	-32.15	6.99	-25.16	≤5.00	PASS
	Ant3	7115	52+26_OFDMA	1	-31.77	6.99	-24.78	≤5.00	PASS
				2	-31.94	6.99	-24.95	≤5.00	PASS
				1	-32.27	6.99	-25.28	≤5.00	PASS
			106+26_OFDMA	2	-32.49	6.99	-25.5	≤5.00	PASS
	Ant1	7115	52+26_OFDMA	3	-32.50	6.99	-25.51	≤5.00	PASS
				1	-32.27	6.99	-25.28	≤5.00	PASS
				2	-32.49	6.99	-25.5	≤5.00	PASS
			106+26_OFDMA	3	-32.50	6.99	-25.51	≤5.00	PASS

			106+26_OFDMA	1	-32.11	6.99	-25.12	≤5.00	PASS
				2	-32.22	6.99	-25.23	≤5.00	PASS
	total	7115	52+26_OFDMA	1	-27.35	6.99	-20.36	≤5.00	PASS
				2	-27.54	6.99	-20.55	≤5.00	PASS
			106+26_OFDMA	3	-27.71	6.99	-20.72	≤5.00	PASS
				1	-27.26	6.99	-20.27	≤5.00	PASS
				2	-27.46	6.99	-20.47	≤5.00	PASS
				3	-8.59	6.99	-1.6	≤5.00	PASS
	Ant1	5965	106+26_OFDMA	4	-8.81	6.99	-1.82	≤5.00	PASS
				3	-7.16	6.99	-0.17	≤5.00	PASS
	Ant2	5965	106+26_OFDMA	4	-7.76	6.99	-0.77	≤5.00	PASS
				3	-7.79	6.99	-0.8	≤5.00	PASS
	Ant3	5965	106+26_OFDMA	4	-8.34	6.99	-1.35	≤5.00	PASS
				3	-3.04	6.99	3.95	≤5.00	PASS
	total	5965	106+26_OFDMA	4	-3.51	6.99	3.48	≤5.00	PASS
				3	-9.10	6.99	-2.11	≤5.00	PASS
	Ant1	6165	106+26_OFDMA	4	-8.52	6.99	-1.53	≤5.00	PASS
				3	-8.51	6.99	-1.52	≤5.00	PASS
	Ant2	6165	106+26_OFDMA	4	-7.95	6.99	-0.96	≤5.00	PASS
				3	-7.43	6.99	-0.44	≤5.00	PASS
	Ant3	6165	106+26_OFDMA	4	-7.27	6.99	-0.28	≤5.00	PASS
				3	-3.52	6.99	3.47	≤5.00	PASS
	total	6165	106+26_OFDMA	4	-3.11	6.99	3.88	≤5.00	PASS
				3	-8.79	6.99	-1.8	≤5.00	PASS
	Ant1	6405	106+26_OFDMA	4	-8.92	6.99	-1.93	≤5.00	PASS
				3	-8.34	6.99	-1.35	≤5.00	PASS
	Ant2	6405	106+26_OFDMA	4	-8.97	6.99	-1.98	≤5.00	PASS
				3	-7.88	6.99	-0.89	≤5.00	PASS
	Ant3	6405	106+26_OFDMA	4	-8.43	6.99	-1.44	≤5.00	PASS
				3	-3.55	6.99	3.44	≤5.00	PASS
	total	6405	106+26_OFDMA	4	-4.00	6.99	2.99	≤5.00	PASS
				3	-8.03	6.99	-1.04	≤5.00	PASS
	Ant1	6445	106+26_OFDMA	4	-8.42	6.99	-1.43	≤5.00	PASS
				3	-7.61	6.99	-0.62	≤5.00	PASS
	Ant2	6445	106+26_OFDMA	4	-8.47	6.99	-1.48	≤5.00	PASS
				3	-7.91	6.99	-0.92	≤5.00	PASS
	Ant3	6445	106+26_OFDMA	4	-8.41	6.99	-1.42	≤5.00	PASS
				3	-3.08	6.99	3.91	≤5.00	PASS
	total	6445	106+26_OFDMA	4	-3.66	6.99	3.33	≤5.00	PASS
				3	-8.92	6.99	-1.93	≤5.00	PASS
	Ant1	6485	106+26_OFDMA	4	-9.44	6.99	-2.45	≤5.00	PASS
				3	-7.76	6.99	-0.77	≤5.00	PASS
	Ant2	6485	106+26_OFDMA	4	-7.96	6.99	-0.97	≤5.00	PASS
				3	-8.84	6.99	-1.85	≤5.00	PASS
	Ant3	6485	106+26_OFDMA	4	-9.48	6.99	-2.49	≤5.00	PASS
				3	-3.70	6.99	3.29	≤5.00	PASS
	total	6485	106+26_OFDMA	4	-4.13	6.99	2.86	≤5.00	PASS
				3	-9.45	6.99	-2.46	≤5.00	PASS
	Ant1	6525	106+26_OFDMA	4	-9.89	6.99	-2.9	≤5.00	PASS
				3	-6.93	6.99	0.06	≤5.00	PASS
	Ant2	6525	106+26_OFDMA	4	-7.31	6.99	-0.32	≤5.00	PASS
				3	-8.03	6.99	-1.04	≤5.00	PASS
	Ant3	6525	106+26_OFDMA	4	-8.72	6.99	-1.73	≤5.00	PASS
				3	-3.25	6.99	3.74	≤5.00	PASS
	total	6525	106+26_OFDMA	4	-3.74	6.99	3.25	≤5.00	PASS
				3	-10.29	6.99	-3.3	≤5.00	PASS
	Ant1	6565	106+26_OFDMA	4	-10.97	6.99	-3.98	≤5.00	PASS
				3	-7.60	6.99	-0.61	≤5.00	PASS
	Ant2	6565	106+26_OFDMA	4	-8.39	6.99	-1.4	≤5.00	PASS
				3	-9.63	6.99	-2.64	≤5.00	PASS
	Ant3	6565	106+26_OFDMA	4	-10.27	6.99	-3.28	≤5.00	PASS
				3	-4.25	6.99	2.74	≤5.00	PASS
	total	6565	106+26_OFDMA	4	-4.96	6.99	2.03	≤5.00	PASS
				3	-8.41	6.99	-1.42	≤5.00	PASS
	Ant1	6685	106+26_OFDMA	3					
				3					

	Ant2	6685	106+26_OFDMA	4	-8.86	6.99	-1.87	≤5.00	PASS
				3	-8.31	6.99	-1.32	≤5.00	PASS
				4	-8.70	6.99	-1.71	≤5.00	PASS
				3	-8.27	6.99	-1.28	≤5.00	PASS
	total	6685	106+26_OFDMA	4	-8.86	6.99	-1.87	≤5.00	PASS
				3	-3.56	6.99	3.43	≤5.00	PASS
	Ant1	6845	106+26_OFDMA	4	-4.03	6.99	2.96	≤5.00	PASS
				3	-8.23	6.99	-1.24	≤5.00	PASS
	Ant2	6845	106+26_OFDMA	4	-8.79	6.99	-1.8	≤5.00	PASS
				3	-6.90	6.99	0.09	≤5.00	PASS
	Ant3	6845	106+26_OFDMA	4	-7.32	6.99	-0.33	≤5.00	PASS
				3	-8.46	6.99	-1.47	≤5.00	PASS
	total	6845	106+26_OFDMA	4	-8.93	6.99	-1.94	≤5.00	PASS
				3	-3.04	6.99	3.95	≤5.00	PASS
	Ant1	6885	106+26_OFDMA	4	-3.51	6.99	3.48	≤5.00	PASS
				3	-8.90	6.99	-1.91	≤5.00	PASS
	Ant2	6885	106+26_OFDMA	4	-9.15	6.99	-2.16	≤5.00	PASS
				3	-7.44	6.99	-0.45	≤5.00	PASS
	Ant3	6885	106+26_OFDMA	4	-8.14	6.99	-1.15	≤5.00	PASS
				3	-8.80	6.99	-1.81	≤5.00	PASS
	total	6885	106+26_OFDMA	4	-9.09	6.99	-2.1	≤5.00	PASS
				3	-3.56	6.99	3.43	≤5.00	PASS
	Ant1	6925	106+26_OFDMA	4	-4.00	6.99	2.99	≤5.00	PASS
				3	-8.76	6.99	-1.77	≤5.00	PASS
	Ant2	6925	106+26_OFDMA	4	-8.86	6.99	-1.87	≤5.00	PASS
				3	-7.59	6.99	-0.6	≤5.00	PASS
	Ant3	6925	106+26_OFDMA	4	-7.93	6.99	-0.94	≤5.00	PASS
				3	-9.57	6.99	-2.58	≤5.00	PASS
	total	6925	106+26_OFDMA	4	-9.73	6.99	-2.74	≤5.00	PASS
				3	-3.79	6.99	3.2	≤5.00	PASS
	Ant1	6965	106+26_OFDMA	4	-4.01	6.99	2.98	≤5.00	PASS
				3	-8.67	6.99	-1.68	≤5.00	PASS
	Ant2	6965	106+26_OFDMA	4	-8.98	6.99	-1.99	≤5.00	PASS
				3	-8.20	6.99	-1.21	≤5.00	PASS
	Ant3	6965	106+26_OFDMA	4	-8.40	6.99	-1.41	≤5.00	PASS
				3	-9.00	6.99	-2.01	≤5.00	PASS
	total	6965	106+26_OFDMA	4	-9.31	6.99	-2.32	≤5.00	PASS
				3	-3.84	6.99	3.15	≤5.00	PASS
	Ant1	7085	106+26_OFDMA	4	-4.11	6.99	2.88	≤5.00	PASS
				3	-8.26	6.99	-1.27	≤5.00	PASS
	Ant2	7085	106+26_OFDMA	4	-8.52	6.99	-1.53	≤5.00	PASS
				3	-7.54	6.99	-0.55	≤5.00	PASS
	Ant3	7085	106+26_OFDMA	4	-7.72	6.99	-0.73	≤5.00	PASS
				3	-8.03	6.99	-1.04	≤5.00	PASS
	total	7085	106+26_OFDMA	4	-8.21	6.99	-1.22	≤5.00	PASS
				3	-3.16	6.99	3.83	≤5.00	PASS
				4	-3.37	6.99	3.62	≤5.00	PASS
				3					

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	EIRP Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5985	484+242_Non-OFDMA	1	-9.71	6.99	-2.72	≤5.00	PASS
				2	-9.71	6.99	-2.72	≤5.00	PASS
				3	-9.65	6.99	-2.66	≤5.00	PASS
				4	-9.77	6.99	-2.78	≤5.00	PASS
	Ant2	5985	484+242_Non-OFDMA	1	-8.95	6.99	-1.96	≤5.00	PASS
				2	-8.49	6.99	-1.5	≤5.00	PASS
				3	-8.40	6.99	-1.41	≤5.00	PASS
				4	-8.69	6.99	-1.7	≤5.00	PASS
	Ant3	5985	484+242_Non-OFDMA	1	-8.73	6.99	-1.74	≤5.00	PASS
				2	-8.74	6.99	-1.75	≤5.00	PASS
				3	-8.59	6.99	-1.6	≤5.00	PASS
				4	-9.07	6.99	-2.08	≤5.00	PASS
	total	5985	484+242_Non-	1	-4.34	6.99	2.65	≤5.00	PASS

			OFDMA	2	-4.18	6.99	2.81	≤5.00	PASS
				3	-4.07	6.99	2.92	≤5.00	PASS
				4	-4.38	6.99	2.61	≤5.00	PASS
				1	-10.46	6.99	-3.47	≤5.00	PASS
Ant1	6145	484+242_Non-OFDMA		2	-10.19	6.99	-3.2	≤5.00	PASS
				3	-10.29	6.99	-3.3	≤5.00	PASS
				4	-10.22	6.99	-3.23	≤5.00	PASS
				1	-9.35	6.99	-2.36	≤5.00	PASS
Ant2	6145	484+242_Non-OFDMA		2	-9.29	6.99	-2.3	≤5.00	PASS
				3	-9.14	6.99	-2.15	≤5.00	PASS
				4	-9.15	6.99	-2.16	≤5.00	PASS
				1	-8.39	6.99	-1.4	≤5.00	PASS
Ant3	6145	484+242_Non-OFDMA		2	-8.23	6.99	-1.24	≤5.00	PASS
				3	-8.48	6.99	-1.49	≤5.00	PASS
				4	-8.28	6.99	-1.29	≤5.00	PASS
				1	-4.55	6.99	2.44	≤5.00	PASS
total	6145	484+242_Non-OFDMA		2	-4.39	6.99	2.6	≤5.00	PASS
				3	-4.47	6.99	2.52	≤5.00	PASS
				4	-4.37	6.99	2.62	≤5.00	PASS
				1	-10.67	6.99	-3.68	≤5.00	PASS
Ant1	6385	484+242_Non-OFDMA		2	-10.75	6.99	-3.76	≤5.00	PASS
				3	-10.47	6.99	-3.48	≤5.00	PASS
				4	-10.44	6.99	-3.45	≤5.00	PASS
				1	-9.79	6.99	-2.8	≤5.00	PASS
Ant2	6385	484+242_Non-OFDMA		2	-9.67	6.99	-2.68	≤5.00	PASS
				3	-9.56	6.99	-2.57	≤5.00	PASS
				4	-9.49	6.99	-2.5	≤5.00	PASS
				1	-9.57	6.99	-2.58	≤5.00	PASS
Ant3	6385	484+242_Non-OFDMA		2	-10.00	6.99	-3.01	≤5.00	PASS
				3	-9.51	6.99	-2.52	≤5.00	PASS
				4	-9.23	6.99	-2.24	≤5.00	PASS
				1	-5.21	6.99	1.78	≤5.00	PASS
total	6385	484+242_Non-OFDMA		2	-5.35	6.99	1.64	≤5.00	PASS
				3	-5.05	6.99	1.94	≤5.00	PASS
				4	-4.92	6.99	2.07	≤5.00	PASS
				1	-10.21	6.99	-3.22	≤5.00	PASS
Ant1	6465	484+242_Non-OFDMA		2	-9.84	6.99	-2.85	≤5.00	PASS
				3	-9.89	6.99	-2.9	≤5.00	PASS
				4	-9.90	6.99	-2.91	≤5.00	PASS
				1	-8.47	6.99	-1.48	≤5.00	PASS
Ant2	6465	484+242_Non-OFDMA		2	-8.56	6.99	-1.57	≤5.00	PASS
				3	-8.63	6.99	-1.64	≤5.00	PASS
				4	-8.69	6.99	-1.7	≤5.00	PASS
				1	-9.71	6.99	-2.72	≤5.00	PASS
Ant3	6465	484+242_Non-OFDMA		2	-9.19	6.99	-2.2	≤5.00	PASS
				3	-9.59	6.99	-2.6	≤5.00	PASS
				4	-9.57	6.99	-2.58	≤5.00	PASS
				1	-4.63	6.99	2.36	≤5.00	PASS
total	6465	484+242_Non-OFDMA		2	-4.39	6.99	2.6	≤5.00	PASS
				3	-4.56	6.99	2.43	≤5.00	PASS
				4	-4.58	6.99	2.41	≤5.00	PASS
				1	-11.22	6.99	-4.23	≤5.00	PASS
Ant1	6545	484+242_Non-OFDMA		2	-11.42	6.99	-4.43	≤5.00	PASS
				3	-11.51	6.99	-4.52	≤5.00	PASS
				4	-11.59	6.99	-4.6	≤5.00	PASS
				1	-7.92	6.99	-0.93	≤5.00	PASS
Ant2	6545	484+242_Non-OFDMA		2	-8.05	6.99	-1.06	≤5.00	PASS
				3	-8.27	6.99	-1.28	≤5.00	PASS
				4	-8.04	6.99	-1.05	≤5.00	PASS
				1	-9.67	6.99	-2.68	≤5.00	PASS
Ant3	6545	484+242_Non-OFDMA		2	-9.72	6.99	-2.73	≤5.00	PASS
				3	-9.95	6.99	-2.96	≤5.00	PASS
				4	-9.69	6.99	-2.7	≤5.00	PASS
				1	-4.62	6.99	2.37	≤5.00	PASS
total	6545	484+242_Non-		2	-4.62	6.99	2.37	≤5.00	PASS
				3	-4.62	6.99	2.37	≤5.00	PASS
				4	-4.62	6.99	2.37	≤5.00	PASS
				1	-4.62	6.99	2.37	≤5.00	PASS

			OFDMA	2	-4.74	6.99	2.25	≤5.00	PASS
				3	-4.94	6.99	2.05	≤5.00	PASS
				4	-4.77	6.99	2.22	≤5.00	PASS
				1	-12.31	6.99	-5.32	≤5.00	PASS
Ant1	6625	484+242_Non-OFDMA		2	-12.30	6.99	-5.31	≤5.00	PASS
				3	-12.51	6.99	-5.52	≤5.00	PASS
				4	-12.34	6.99	-5.35	≤5.00	PASS
				1	-9.10	6.99	-2.11	≤5.00	PASS
Ant2	6625	484+242_Non-OFDMA		2	-9.52	6.99	-2.53	≤5.00	PASS
				3	-9.26	6.99	-2.27	≤5.00	PASS
				4	-9.31	6.99	-2.32	≤5.00	PASS
				1	-9.74	6.99	-2.75	≤5.00	PASS
Ant3	6625	484+242_Non-OFDMA		2	-10.32	6.99	-3.33	≤5.00	PASS
				3	-10.38	6.99	-3.39	≤5.00	PASS
				4	-10.26	6.99	-3.27	≤5.00	PASS
				1	-5.41	6.99	1.58	≤5.00	PASS
total	6625	484+242_Non-OFDMA		2	-5.79	6.99	1.2	≤5.00	PASS
				3	-5.75	6.99	1.24	≤5.00	PASS
				4	-5.69	6.99	1.3	≤5.00	PASS
				1	-10.85	6.99	-3.86	≤5.00	PASS
Ant1	6705	484+242_Non-OFDMA		2	-11.17	6.99	-4.18	≤5.00	PASS
				3	-11.20	6.99	-4.21	≤5.00	PASS
				4	-11.07	6.99	-4.08	≤5.00	PASS
				1	-9.78	6.99	-2.79	≤5.00	PASS
Ant2	6705	484+242_Non-OFDMA		2	-9.81	6.99	-2.82	≤5.00	PASS
				3	-10.19	6.99	-3.2	≤5.00	PASS
				4	-10.01	6.99	-3.02	≤5.00	PASS
				1	-9.33	6.99	-2.34	≤5.00	PASS
Ant3	6705	484+242_Non-OFDMA		2	-9.72	6.99	-2.73	≤5.00	PASS
				3	-9.75	6.99	-2.76	≤5.00	PASS
				4	-9.83	6.99	-2.84	≤5.00	PASS
				1	-5.17	6.99	1.82	≤5.00	PASS
total	6705	484+242_Non-OFDMA		2	-5.41	6.99	1.58	≤5.00	PASS
				3	-5.57	6.99	1.42	≤5.00	PASS
				4	-5.50	6.99	1.49	≤5.00	PASS
				1	-10.79	6.99	-3.8	≤5.00	PASS
Ant1	6785	484+242_Non-OFDMA		2	-10.78	6.99	-3.79	≤5.00	PASS
				3	-10.49	6.99	-3.5	≤5.00	PASS
				4	-10.56	6.99	-3.57	≤5.00	PASS
				1	-8.62	6.99	-1.63	≤5.00	PASS
Ant2	6785	484+242_Non-OFDMA		2	-9.12	6.99	-2.13	≤5.00	PASS
				3	-8.91	6.99	-1.92	≤5.00	PASS
				4	-9.01	6.99	-2.02	≤5.00	PASS
				1	-9.53	6.99	-2.54	≤5.00	PASS
Ant3	6785	484+242_Non-OFDMA		2	-10.04	6.99	-3.05	≤5.00	PASS
				3	-10.12	6.99	-3.13	≤5.00	PASS
				4	-9.70	6.99	-2.71	≤5.00	PASS
				1	-4.79	6.99	2.2	≤5.00	PASS
total	6785	484+242_Non-OFDMA		2	-5.16	6.99	1.83	≤5.00	PASS
				3	-5.02	6.99	1.97	≤5.00	PASS
				4	-4.94	6.99	2.05	≤5.00	PASS
				1	-11.52	6.99	-4.53	≤5.00	PASS
Ant1	6865	484+242_Non-OFDMA		2	-11.90	6.99	-4.91	≤5.00	PASS
				3	-11.88	6.99	-4.89	≤5.00	PASS
				4	-11.77	6.99	-4.78	≤5.00	PASS
				1	-8.61	6.99	-1.62	≤5.00	PASS
Ant2	6865	484+242_Non-OFDMA		2	-8.89	6.99	-1.9	≤5.00	PASS
				3	-8.93	6.99	-1.94	≤5.00	PASS
				4	-8.82	6.99	-1.83	≤5.00	PASS
				1	-10.22	6.99	-3.23	≤5.00	PASS
Ant3	6865	484+242_Non-OFDMA		2	-10.58	6.99	-3.59	≤5.00	PASS
				3	-10.60	6.99	-3.61	≤5.00	PASS
				4	-10.27	6.99	-3.28	≤5.00	PASS
				1	-5.18	6.99	1.81	≤5.00	PASS
total	6865	484+242_Non-		2	-10.58	6.99	-3.59	≤5.00	PASS
				3	-10.60	6.99	-3.61	≤5.00	PASS
				4	-10.27	6.99	-3.28	≤5.00	PASS
				1	-5.18	6.99	1.81	≤5.00	PASS

			OFDMA	2	-5.51	6.99	1.48	≤5.00	PASS
				3	-5.53	6.99	1.46	≤5.00	PASS
				4	-5.35	6.99	1.64	≤5.00	PASS
				1	-11.86	6.99	-4.87	≤5.00	PASS
	Ant1	6945	484+242_Non-OFDMA	2	-11.91	6.99	-4.92	≤5.00	PASS
				3	-12.21	6.99	-5.22	≤5.00	PASS
				4	-12.06	6.99	-5.07	≤5.00	PASS
				1	-9.41	6.99	-2.42	≤5.00	PASS
	Ant2	6945	484+242_Non-OFDMA	2	-9.44	6.99	-2.45	≤5.00	PASS
				3	-9.75	6.99	-2.76	≤5.00	PASS
				4	-9.54	6.99	-2.55	≤5.00	PASS
				1	-10.75	6.99	-3.76	≤5.00	PASS
	Ant3	6945	484+242_Non-OFDMA	2	-10.73	6.99	-3.74	≤5.00	PASS
				3	-10.90	6.99	-3.91	≤5.00	PASS
				4	-10.76	6.99	-3.77	≤5.00	PASS
				1	-5.79	6.99	1.2	≤5.00	PASS
	total	6945	484+242_Non-OFDMA	2	-5.81	6.99	1.18	≤5.00	PASS
				3	-6.07	6.99	0.92	≤5.00	PASS
				4	-5.89	6.99	1.1	≤5.00	PASS
				1	-11.59	6.99	-4.6	≤5.00	PASS
	Ant1	7025	484+242_Non-OFDMA	2	-11.55	6.99	-4.56	≤5.00	PASS
				3	-11.68	6.99	-4.69	≤5.00	PASS
				4	-11.53	6.99	-4.54	≤5.00	PASS
				1	-9.83	6.99	-2.84	≤5.00	PASS
	Ant2	7025	484+242_Non-OFDMA	2	-9.69	6.99	-2.7	≤5.00	PASS
				3	-9.79	6.99	-2.8	≤5.00	PASS
				4	-10.01	6.99	-3.02	≤5.00	PASS
				1	-9.33	6.99	-2.34	≤5.00	PASS
	Ant3	7025	484+242_Non-OFDMA	2	-9.16	6.99	-2.17	≤5.00	PASS
				3	-9.23	6.99	-2.24	≤5.00	PASS
				4	-9.35	6.99	-2.36	≤5.00	PASS
				1	-5.38	6.99	1.61	≤5.00	PASS
	total	7025	484+242_Non-OFDMA	2	-5.25	6.99	1.74	≤5.00	PASS
				3	-5.34	6.99	1.65	≤5.00	PASS
				4	-5.43	6.99	1.56	≤5.00	PASS
				1	-8.76	6.99	-1.77	≤5.00	PASS
11BE160MIMO	Ant1	6025	996+484_Non-OFDMA	2	-9.21	6.99	-2.22	≤5.00	PASS
				3	-9.54	6.99	-2.55	≤5.00	PASS
				4	-9.23	6.99	-2.24	≤5.00	PASS
				1	-8.44	6.99	-1.45	≤5.00	PASS
	Ant2	6025	996+484_Non-OFDMA	2	-8.04	6.99	-1.05	≤5.00	PASS
				3	-9.24	6.99	-2.25	≤5.00	PASS
				4	-9.02	6.99	-2.03	≤5.00	PASS
				1	-8.77	6.99	-1.78	≤5.00	PASS
	Ant3	6025	996+484_Non-OFDMA	2	-8.21	6.99	-1.22	≤5.00	PASS
				3	-8.65	6.99	-1.66	≤5.00	PASS
				4	-8.86	6.99	-1.87	≤5.00	PASS
				1	-3.88	6.99	3.11	≤5.00	PASS
	total	6025	996+484_Non-OFDMA	2	-3.69	6.99	3.3	≤5.00	PASS
				3	-4.36	6.99	2.63	≤5.00	PASS
				4	-4.26	6.99	2.73	≤5.00	PASS
				1	-9.72	6.99	-2.73	≤5.00	PASS
	Ant1	6185	996+484_Non-OFDMA	2	-9.46	6.99	-2.47	≤5.00	PASS
				3	-10.22	6.99	-3.23	≤5.00	PASS
				4	-9.79	6.99	-2.8	≤5.00	PASS
				1	-8.84	6.99	-1.85	≤5.00	PASS
	Ant2	6185	996+484_Non-OFDMA	2	-8.60	6.99	-1.61	≤5.00	PASS
				3	-8.07	6.99	-1.08	≤5.00	PASS
				4	-9.46	6.99	-2.47	≤5.00	PASS
				1	-8.16	6.99	-1.17	≤5.00	PASS
	Ant3	6185	996+484_Non-OFDMA	2	-7.86	6.99	-0.87	≤5.00	PASS
				3	-7.49	6.99	-0.5	≤5.00	PASS
				4	-7.92	6.99	-0.93	≤5.00	PASS
				1	-4.09	6.99	2.9	≤5.00	PASS
	total	6185	996+484_Non-						

			OFDMA	2	-3.82	6.99	3.17	≤5.00	PASS
				3	-3.67	6.99	3.32	≤5.00	PASS
				4	-4.21	6.99	2.78	≤5.00	PASS
				1	-10.60	6.99	-3.61	≤5.00	PASS
Ant1	6345	996+484_Non-OFDMA		2	-10.39	6.99	-3.4	≤5.00	PASS
				3	-10.24	6.99	-3.25	≤5.00	PASS
				4	-10.19	6.99	-3.2	≤5.00	PASS
				1	-8.24	6.99	-1.25	≤5.00	PASS
Ant2	6345	996+484_Non-OFDMA		2	-8.37	6.99	-1.38	≤5.00	PASS
				3	-8.78	6.99	-1.79	≤5.00	PASS
				4	-8.76	6.99	-1.77	≤5.00	PASS
				1	-10.59	6.99	-3.6	≤5.00	PASS
Ant3	6345	996+484_Non-OFDMA		2	-9.62	6.99	-2.63	≤5.00	PASS
				3	-10.33	6.99	-3.34	≤5.00	PASS
				4	-10.10	6.99	-3.11	≤5.00	PASS
				1	-4.89	6.99	2.1	≤5.00	PASS
total	6345	996+484_Non-OFDMA		2	-4.61	6.99	2.38	≤5.00	PASS
				3	-4.95	6.99	2.04	≤5.00	PASS
				4	-4.86	6.99	2.13	≤5.00	PASS
				1	-10.68	6.99	-3.69	≤5.00	PASS
Ant1	6505	996+484_Non-OFDMA		2	-9.79	6.99	-2.8	≤5.00	PASS
				3	-9.29	6.99	-2.3	≤5.00	PASS
				4	-9.81	6.99	-2.82	≤5.00	PASS
				1	-8.52	6.99	-1.53	≤5.00	PASS
Ant2	6505	996+484_Non-OFDMA		2	-8.46	6.99	-1.47	≤5.00	PASS
				3	-8.78	6.99	-1.79	≤5.00	PASS
				4	-8.57	6.99	-1.58	≤5.00	PASS
				1	-9.57	6.99	-2.58	≤5.00	PASS
Ant3	6505	996+484_Non-OFDMA		2	-8.94	6.99	-1.95	≤5.00	PASS
				3	-10.11	6.99	-3.12	≤5.00	PASS
				4	-9.33	6.99	-2.34	≤5.00	PASS
				1	-4.73	6.99	2.26	≤5.00	PASS
total	6505	996+484_Non-OFDMA		2	-4.26	6.99	2.73	≤5.00	PASS
				3	-4.59	6.99	2.4	≤5.00	PASS
				4	-4.44	6.99	2.55	≤5.00	PASS
				1	-11.81	6.99	-4.82	≤5.00	PASS
Ant1	6665	996+484_Non-OFDMA		2	-11.55	6.99	-4.56	≤5.00	PASS
				3	-11.00	6.99	-4.01	≤5.00	PASS
				4	-10.65	6.99	-3.66	≤5.00	PASS
				1	-9.30	6.99	-2.31	≤5.00	PASS
Ant2	6665	996+484_Non-OFDMA		2	-8.90	6.99	-1.91	≤5.00	PASS
				3	-8.68	6.99	-1.69	≤5.00	PASS
				4	-9.41	6.99	-2.42	≤5.00	PASS
				1	-10.39	6.99	-3.4	≤5.00	PASS
Ant3	6665	996+484_Non-OFDMA		2	-10.40	6.99	-3.41	≤5.00	PASS
				3	-10.01	6.99	-3.02	≤5.00	PASS
				4	-10.01	6.99	-3.02	≤5.00	PASS
				1	-5.61	6.99	1.38	≤5.00	PASS
total	6665	996+484_Non-OFDMA		2	-5.38	6.99	1.61	≤5.00	PASS
				3	-5.02	6.99	1.97	≤5.00	PASS
				4	-5.22	6.99	1.77	≤5.00	PASS
				1	-11.04	6.99	-4.05	≤5.00	PASS
Ant1	6825	996+484_Non-OFDMA		2	-10.56	6.99	-3.57	≤5.00	PASS
				3	-9.64	6.99	-2.65	≤5.00	PASS
				4	-10.08	6.99	-3.09	≤5.00	PASS
				1	-8.41	6.99	-1.42	≤5.00	PASS
Ant2	6825	996+484_Non-OFDMA		2	-8.25	6.99	-1.26	≤5.00	PASS
				3	-8.46	6.99	-1.47	≤5.00	PASS
				4	-8.81	6.99	-1.82	≤5.00	PASS
				1	-9.69	6.99	-2.7	≤5.00	PASS
Ant3	6825	996+484_Non-OFDMA		2	-9.79	6.99	-2.8	≤5.00	PASS
				3	-9.65	6.99	-2.66	≤5.00	PASS
				4	-10.26	6.99	-3.27	≤5.00	PASS
				1	-4.81	6.99	2.18	≤5.00	PASS
total	6825	996+484_Non-		2	-9.79	6.99	-2.8	≤5.00	PASS
				3	-9.65	6.99	-2.66	≤5.00	PASS
				4	-10.26	6.99	-3.27	≤5.00	PASS
				1	-4.81	6.99	2.18	≤5.00	PASS

11BE320MIMO	Ant1	6985	OFDMA	2	-4.65	6.99	2.34	≤5.00	PASS
				3	-4.44	6.99	2.55	≤5.00	PASS
				4	-4.90	6.99	2.09	≤5.00	PASS
			996+484_Non-OFDMA	1	-11.45	6.99	-4.46	≤5.00	PASS
				2	-11.61	6.99	-4.62	≤5.00	PASS
				3	-9.99	6.99	-3	≤5.00	PASS
				4	-10.53	6.99	-3.54	≤5.00	PASS
			996+484_Non-OFDMA	1	-9.22	6.99	-2.23	≤5.00	PASS
				2	-9.43	6.99	-2.44	≤5.00	PASS
				3	-9.57	6.99	-2.58	≤5.00	PASS
				4	-9.32	6.99	-2.33	≤5.00	PASS
	Ant2	6985	996+484_Non-OFDMA	1	-9.76	6.99	-2.77	≤5.00	PASS
				2	-10.10	6.99	-3.11	≤5.00	PASS
				3	-10.39	6.99	-3.4	≤5.00	PASS
				4	-10.08	6.99	-3.09	≤5.00	PASS
	Ant3	6985	996+484_Non-OFDMA	1	-5.27	6.99	1.72	≤5.00	PASS
				2	-5.52	6.99	1.47	≤5.00	PASS
				3	-5.20	6.99	1.79	≤5.00	PASS
				4	-5.18	6.99	1.81	≤5.00	PASS
	total	6985	996+484_Non-OFDMA	1	-5.27	6.99	1.72	≤5.00	PASS
				2	-5.52	6.99	1.47	≤5.00	PASS
				3	-5.20	6.99	1.79	≤5.00	PASS
				4	-5.18	6.99	1.81	≤5.00	PASS
11BE320MIMO	Ant1	6105	2*996+484_Non-OFDMA	7	-9.61	6.99	-2.62	≤5.00	PASS
				8	-9.86	6.99	-2.87	≤5.00	PASS
				9	-10.22	6.99	-3.23	≤5.00	PASS
				10	-9.91	6.99	-2.92	≤5.00	PASS
				11	-10.09	6.99	-3.1	≤5.00	PASS
				12	-9.93	6.99	-2.94	≤5.00	PASS
			3*996_Non-OFDMA	1	-9.58	6.99	-2.59	≤5.00	PASS
				2	-9.63	6.99	-2.64	≤5.00	PASS
				3	-10.07	6.99	-3.08	≤5.00	PASS
				4	-9.59	6.99	-2.6	≤5.00	PASS
				7	-8.08	6.99	-1.09	≤5.00	PASS
				8	-7.99	6.99	-1	≤5.00	PASS
	Ant2	6105	2*996+484_Non-OFDMA	9	-8.23	6.99	-1.24	≤5.00	PASS
				10	-7.92	6.99	-0.93	≤5.00	PASS
				11	-7.97	6.99	-0.98	≤5.00	PASS
				12	-7.91	6.99	-0.92	≤5.00	PASS
			3*996_Non-OFDMA	1	-7.89	6.99	-0.9	≤5.00	PASS
				2	-8.75	6.99	-1.76	≤5.00	PASS
				3	-7.51	6.99	-0.52	≤5.00	PASS
				4	-7.72	6.99	-0.73	≤5.00	PASS
	Ant3	6105	2*996+484_Non-OFDMA	7	-9.71	6.99	-2.72	≤5.00	PASS
				8	-9.94	6.99	-2.95	≤5.00	PASS
				9	-9.71	6.99	-2.72	≤5.00	PASS
				10	-9.84	6.99	-2.85	≤5.00	PASS
				11	-9.82	6.99	-2.83	≤5.00	PASS
				12	-9.95	6.99	-2.96	≤5.00	PASS
			3*996_Non-OFDMA	1	-9.27	6.99	-2.28	≤5.00	PASS
				2	-9.48	6.99	-2.49	≤5.00	PASS
				3	-10.14	6.99	-3.15	≤5.00	PASS
				4	-9.87	6.99	-2.88	≤5.00	PASS
	total	6105	2*996+484_Non-OFDMA	7	-4.30	6.99	2.69	≤5.00	PASS
				8	-4.39	6.99	2.6	≤5.00	PASS
				9	-4.53	6.99	2.46	≤5.00	PASS
				10	-4.35	6.99	2.64	≤5.00	PASS
				11	-4.42	6.99	2.57	≤5.00	PASS
				12	-4.38	6.99	2.61	≤5.00	PASS
			3*996_Non-OFDMA	1	-4.08	6.99	2.91	≤5.00	PASS
				2	-4.50	6.99	2.49	≤5.00	PASS
				3	-4.29	6.99	2.7	≤5.00	PASS
				4	-4.18	6.99	2.81	≤5.00	PASS
	Ant1	6265	2*996+484_Non-OFDMA	7	-10.09	6.99	-3.1	≤5.00	PASS
				8	-9.76	6.99	-2.77	≤5.00	PASS
				9	-9.99	6.99	-3	≤5.00	PASS
				10	-9.95	6.99	-2.96	≤5.00	PASS
				11	-9.86	6.99	-2.87	≤5.00	PASS


			3*996_Non-OFDMA	12	-9.51	6.99	-2.52	≤5.00	PASS
				1	-9.51	6.99	-2.52	≤5.00	PASS
				2	-9.96	6.99	-2.97	≤5.00	PASS
				3	-9.61	6.99	-2.62	≤5.00	PASS
	Ant2	6265	2*996+484_Non-OFDMA	4	-9.47	6.99	-2.48	≤5.00	PASS
				7	-9.01	6.99	-2.02	≤5.00	PASS
				8	-9.05	6.99	-2.06	≤5.00	PASS
				9	-9.32	6.99	-2.33	≤5.00	PASS
			3*996_Non-OFDMA	10	-8.99	6.99	-2	≤5.00	PASS
				11	-9.00	6.99	-2.01	≤5.00	PASS
				12	-9.16	6.99	-2.17	≤5.00	PASS
				1	-8.87	6.99	-1.88	≤5.00	PASS
				2	-8.93	6.99	-1.94	≤5.00	PASS
				3	-9.02	6.99	-2.03	≤5.00	PASS
				4	-8.64	6.99	-1.65	≤5.00	PASS
	Ant3	6265	2*996+484_Non-OFDMA	7	-9.26	6.99	-2.27	≤5.00	PASS
				8	-9.63	6.99	-2.64	≤5.00	PASS
				9	-9.50	6.99	-2.51	≤5.00	PASS
				10	-9.53	6.99	-2.54	≤5.00	PASS
			3*996_Non-OFDMA	11	-9.76	6.99	-2.77	≤5.00	PASS
				12	-9.35	6.99	-2.36	≤5.00	PASS
				1	-9.27	6.99	-2.28	≤5.00	PASS
				2	-9.40	6.99	-2.41	≤5.00	PASS
				3	-9.27	6.99	-2.28	≤5.00	PASS
				4	-9.06	6.99	-2.07	≤5.00	PASS
	total	6265	2*996+484_Non-OFDMA	7	-4.66	6.99	2.33	≤5.00	PASS
				8	-4.70	6.99	2.29	≤5.00	PASS
				9	-4.82	6.99	2.17	≤5.00	PASS
				10	-4.70	6.99	2.29	≤5.00	PASS
			3*996_Non-OFDMA	11	-4.75	6.99	2.24	≤5.00	PASS
				12	-4.57	6.99	2.42	≤5.00	PASS
				1	-4.44	6.99	2.55	≤5.00	PASS
				2	-4.64	6.99	2.35	≤5.00	PASS
				3	-4.52	6.99	2.47	≤5.00	PASS
				4	-4.27	6.99	2.72	≤5.00	PASS
	Ant1	6585	2*996+484_Non-OFDMA	7	-9.96	6.99	-2.97	≤5.00	PASS
				8	-9.66	6.99	-2.67	≤5.00	PASS
				9	-10.19	6.99	-3.2	≤5.00	PASS
				10	-10.06	6.99	-3.07	≤5.00	PASS
			3*996_Non-OFDMA	11	-10.52	6.99	-3.53	≤5.00	PASS
				12	-9.93	6.99	-2.94	≤5.00	PASS
				1	-9.79	6.99	-2.8	≤5.00	PASS
				2	-10.02	6.99	-3.03	≤5.00	PASS
				3	-9.74	6.99	-2.75	≤5.00	PASS
				4	-10.23	6.99	-3.24	≤5.00	PASS
	Ant2	6585	2*996+484_Non-OFDMA	7	-8.49	6.99	-1.5	≤5.00	PASS
				8	-8.45	6.99	-1.46	≤5.00	PASS
				9	-8.42	6.99	-1.43	≤5.00	PASS
				10	-8.45	6.99	-1.46	≤5.00	PASS
			3*996_Non-OFDMA	11	-8.53	6.99	-1.54	≤5.00	PASS
				12	-8.19	6.99	-1.2	≤5.00	PASS
				1	-8.16	6.99	-1.17	≤5.00	PASS
				2	-8.71	6.99	-1.72	≤5.00	PASS
				3	-8.09	6.99	-1.1	≤5.00	PASS
				4	-8.21	6.99	-1.22	≤5.00	PASS
	Ant3	6585	2*996+484_Non-OFDMA	7	-9.38	6.99	-2.39	≤5.00	PASS
				8	-9.80	6.99	-2.81	≤5.00	PASS
				9	-9.68	6.99	-2.69	≤5.00	PASS
				10	-9.76	6.99	-2.77	≤5.00	PASS
			3*996_Non-OFDMA	11	-9.66	6.99	-2.67	≤5.00	PASS
				12	-9.44	6.99	-2.45	≤5.00	PASS
				1	-9.20	6.99	-2.21	≤5.00	PASS
				2	-9.79	6.99	-2.8	≤5.00	PASS
				3	-9.40	6.99	-2.41	≤5.00	PASS


	total	6585	2*996+484_Non-OFDMA	4	-9.57	6.99	-2.58	≤5.00	PASS
				7	-4.46	6.99	2.53	≤5.00	PASS
				8	-4.49	6.99	2.5	≤5.00	PASS
				9	-4.59	6.99	2.4	≤5.00	PASS
				10	-4.59	6.99	2.4	≤5.00	PASS
				11	-4.72	6.99	2.27	≤5.00	PASS
				12	-4.35	6.99	2.64	≤5.00	PASS
			3*996_Non-OFDMA	1	-4.23	6.99	2.76	≤5.00	PASS
				2	-4.70	6.99	2.29	≤5.00	PASS
				3	-4.25	6.99	2.74	≤5.00	PASS
				4	-4.48	6.99	2.51	≤5.00	PASS
	Ant1	6745	2*996+484_Non-OFDMA	7	-10.10	6.99	-3.11	≤5.00	PASS
				8	-10.08	6.99	-3.09	≤5.00	PASS
				9	-10.36	6.99	-3.37	≤5.00	PASS
				10	-10.25	6.99	-3.26	≤5.00	PASS
				11	-10.23	6.99	-3.24	≤5.00	PASS
				12	-9.90	6.99	-2.91	≤5.00	PASS
			3*996_Non-OFDMA	1	-9.84	6.99	-2.85	≤5.00	PASS
				2	-10.33	6.99	-3.34	≤5.00	PASS
				3	-9.87	6.99	-2.88	≤5.00	PASS
				4	-9.77	6.99	-2.78	≤5.00	PASS
	Ant2	6745	2*996+484_Non-OFDMA	7	-9.68	6.99	-2.69	≤5.00	PASS
				8	-9.64	6.99	-2.65	≤5.00	PASS
				9	-9.90	6.99	-2.91	≤5.00	PASS
				10	-9.84	6.99	-2.85	≤5.00	PASS
				11	-9.66	6.99	-2.67	≤5.00	PASS
				12	-9.24	6.99	-2.25	≤5.00	PASS
			3*996_Non-OFDMA	1	-9.54	6.99	-2.55	≤5.00	PASS
				2	-9.63	6.99	-2.64	≤5.00	PASS
				3	-9.84	6.99	-2.85	≤5.00	PASS
				4	-9.51	6.99	-2.52	≤5.00	PASS
	Ant3	6745	2*996+484_Non-OFDMA	7	-9.88	6.99	-2.89	≤5.00	PASS
				8	-10.03	6.99	-3.04	≤5.00	PASS
				9	-9.96	6.99	-2.97	≤5.00	PASS
				10	-9.82	6.99	-2.83	≤5.00	PASS
				11	-9.77	6.99	-2.78	≤5.00	PASS
				12	-9.40	6.99	-2.41	≤5.00	PASS
			3*996_Non-OFDMA	1	-9.96	6.99	-2.97	≤5.00	PASS
				2	-10.56	6.99	-3.57	≤5.00	PASS
				3	-9.73	6.99	-2.74	≤5.00	PASS
				4	-9.48	6.99	-2.49	≤5.00	PASS
	total	6745	2*996+484_Non-OFDMA	7	-5.11	6.99	1.88	≤5.00	PASS
				8	-5.14	6.99	1.85	≤5.00	PASS
				9	-5.30	6.99	1.69	≤5.00	PASS
				10	-5.19	6.99	1.8	≤5.00	PASS
				11	-5.11	6.99	1.88	≤5.00	PASS
				12	-4.73	6.99	2.26	≤5.00	PASS
			3*996_Non-OFDMA	1	-5.01	6.99	1.98	≤5.00	PASS
				2	-5.38	6.99	1.61	≤5.00	PASS
				3	-5.04	6.99	1.95	≤5.00	PASS
				4	-4.81	6.99	2.18	≤5.00	PASS
	Ant1	6905	2*996+484_Non-OFDMA	7	-10.59	6.99	-3.6	≤5.00	PASS
				8	-10.90	6.99	-3.91	≤5.00	PASS
				9	-10.42	6.99	-3.43	≤5.00	PASS
				10	-10.88	6.99	-3.89	≤5.00	PASS
				11	-10.82	6.99	-3.83	≤5.00	PASS
				12	-10.78	6.99	-3.79	≤5.00	PASS
			3*996_Non-OFDMA	1	-10.40	6.99	-3.41	≤5.00	PASS
				2	-10.55	6.99	-3.56	≤5.00	PASS
				3	-10.25	6.99	-3.26	≤5.00	PASS
				4	-10.45	6.99	-3.46	≤5.00	PASS
	Ant2	6905	2*996+484_Non-OFDMA	7	-9.75	6.99	-2.76	≤5.00	PASS
				8	-9.10	6.99	-2.11	≤5.00	PASS
				9	-9.40	6.99	-2.41	≤5.00	PASS


	Ant3	6905	3*996_Non-OFDMA	10	-9.75	6.99	-2.76	≤5.00	PASS
				11	-9.54	6.99	-2.55	≤5.00	PASS
				12	-9.64	6.99	-2.65	≤5.00	PASS
				1	-9.50	6.99	-2.51	≤5.00	PASS
				2	-9.69	6.99	-2.7	≤5.00	PASS
				3	-9.42	6.99	-2.43	≤5.00	PASS
				4	-9.32	6.99	-2.33	≤5.00	PASS
			2*996+484_Non-OFDMA	7	-10.09	6.99	-3.1	≤5.00	PASS
				8	-10.70	6.99	-3.71	≤5.00	PASS
				9	-10.62	6.99	-3.63	≤5.00	PASS
				10	-10.60	6.99	-3.61	≤5.00	PASS
				11	-10.73	6.99	-3.74	≤5.00	PASS
				12	-10.46	6.99	-3.47	≤5.00	PASS
	total	6905	3*996_Non-OFDMA	1	-10.19	6.99	-3.2	≤5.00	PASS
				2	-10.80	6.99	-3.81	≤5.00	PASS
				3	-10.48	6.99	-3.49	≤5.00	PASS
				4	-10.51	6.99	-3.52	≤5.00	PASS
			2*996+484_Non-OFDMA	7	-5.36	6.99	1.63	≤5.00	PASS
				8	-5.38	6.99	1.61	≤5.00	PASS
				9	-5.34	6.99	1.65	≤5.00	PASS
				10	-5.61	6.99	1.38	≤5.00	PASS
				11	-5.55	6.99	1.44	≤5.00	PASS
				12	-5.50	6.99	1.49	≤5.00	PASS
			3*996_Non-OFDMA	1	-5.24	6.99	1.75	≤5.00	PASS
				2	-5.55	6.99	1.44	≤5.00	PASS
				3	-5.25	6.99	1.74	≤5.00	PASS
				4	-5.29	6.99	1.7	≤5.00	PASS

Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.


8.5. Test graphs









11AX20MIMO_Ant2_6415




11AX20MIMO_Ant3_6415




11AX20MIMO_Ant1_6435




11AX20MIMO_Ant2_6435




11AX20MIMO_Ant3_6435




11AX20MIMO_Ant1_6475




11AX20MIMO_Ant2_6475




11AX20MIMO_Ant3_6475




11AX20MIMO_Ant1_6515




11AX20MIMO_Ant2_6515




11AX20MIMO_Ant3_6515




11AX20MIMO_Ant1_6535




11AX20MIMO_Ant2_6535




11AX20MIMO_Ant3_6535




11AX20MIMO_Ant1_6695




11AX20MIMO_Ant2_6695




11AX20MIMO_Ant3_6695




11AX20MIMO_Ant1_6855




11AX20MIMO_Ant2_6855




11AX20MIMO_Ant3_6855




11AX20MIMO_Ant1_6875




11AX20MIMO_Ant2_6875




11AX20MIMO_Ant3_6875




11AX20MIMO_Ant1_6895




11AX20MIMO_Ant2_6895




11AX20MIMO_Ant3_6895




11AX20MIMO_Ant1_6995




11AX20MIMO_Ant2_6995




11AX20MIMO_Ant3_6995




11AX20MIMO_Ant1_7115






11AX20MIMO_Ant2_7115




11AX20MIMO_Ant3_7115




11AX40MIMO_Ant1_5965






11AX40MIMO_Ant2_6165



11AX40MIMO_Ant3_6165



11AX40MIMO_Ant1_6405