

GSM 850 Test Data

FCC ID: 2BQHT-TAB-T104-6

Table of Contents

1. Conducted Output Power&&EIRP/ERP.....	2
2. Occupied Bandwidth	3
3. Peak to Average Ratio.....	5
4. Unwanted Spurious Emission	7
5. Frequency Stability	10



1. Conducted Output Power&&EIRP/ERP

Condition	Band	Modulation	Frequency(MHz)	Conducted Power(dBm)	ANT Gain(dBi)	ERP(dBm)	limit(dBm)	Result
NVNT	GSM 850	GMSK	824.2	31.06	0.71	29.62	38.45	Pass
NVNT	GSM 850	GMSK	836.6	32.17	0.71	30.73	38.45	Pass
NVNT	GSM 850	GMSK	848.8	32.43	0.71	30.99	38.45	Pass


ERP = Conducted Power + ANT Gain - 2.15

2. Occupied Bandwidth

Condition	Band	Modulation	Frequency(MHz)	OBW(MHz)	-26EBW(MHz)
NVNT	GSM 850	GMSK	824.2	0.2485	0.3192
NVNT	GSM 850	GMSK	836.6	0.2478	0.3139
NVNT	GSM 850	GMSK	848.8	0.2456	0.2984





SA_65_NT_NV_0_GSM_GSM_850_200k_CH251




3. Peak to Average Ratio

Condition	Band	Modulation	Frequency(MHz)	Peak to AVG Ratio-0.1%(dB)	Limit(dB)	Result
NVNT	GSM	GSM 850	824.2	10.64	13.00	Pass
NVNT	GSM	GSM 850	836.6	10.40	13.00	Pass
NVNT	GSM	GSM 850	848.8	10.91	13.00	Pass





SA_65_NT_NV_0_GSM_GSM_850_200k_CH251




4. Unwanted Spurious Emission

Condition	Mode	Band	Frequency(MHz)	RBW(kHz)	Test Freq Range(MHz)	Spur Freq (MHz)	Spur Level(dBm)	Limit(dBm)	Result
NVNT	GSM 850	GMSK	824.20	1000	819.0~823.0	822.571	-50.28	-13	Pass
NVNT	GSM 850	GMSK	824.20	3	823.0~824.0	823.997	-17.09	-13	Pass
NVNT	GSM 850	GMSK	848.80	3	849.0~850.0	849.022	-16.47	-13	Pass
NVNT	GSM 850	GMSK	848.80	1000	850.0~854.0	850.010	-50.66	-13	Pass





Condition	Band	Modulation	Frequency(MHz)	RBW(kHz)	Test Freq Range(MHz)	Spur Freq (MHz)	Spur Level(dBm)	Limit(dBm)	Result
NVNT	GSM	GMSK	824.20	1	0.009~0.150	0.010	-43.90	-13	Pass

	850								
NVNT	GSM 850	GMSK	824.20	10	0.150~30.000	0.157	-46.86	-13	Pass
NVNT	GSM 850	GMSK	824.20	100	30.000~819.000	811.583	-52.16	-13	Pass
NVNT	GSM 850	GMSK	824.20	100	854.000~1000.000	964.741	-52.05	-13	Pass
NVNT	GSM 850	GMSK	824.20	1000	1000.000~10000.000	2417.500	-42.57	-13	Pass
NVNT	GSM 850	GMSK	836.60	1	0.009~0.150	0.009	-43.45	-13	Pass
NVNT	GSM 850	GMSK	836.60	10	0.150~30.000	0.153	-45.12	-13	Pass
NVNT	GSM 850	GMSK	836.60	100	30.000~819.000	792.253	-51.85	-13	Pass
NVNT	GSM 850	GMSK	836.60	100	854.000~1000.000	941.050	-52.27	-13	Pass
NVNT	GSM 850	GMSK	836.60	1000	1000.000~10000.000	4649.200	-35.89	-13	Pass
NVNT	GSM 850	GMSK	848.80	1	0.009~0.150	0.011	-44.30	-13	Pass
NVNT	GSM 850	GMSK	848.80	10	0.150~30.000	0.151	-46.19	-13	Pass
NVNT	GSM 850	GMSK	848.80	100	30.000~819.000	771.318	-51.54	-13	Pass
NVNT	GSM 850	GMSK	848.80	100	854.000~1000.000	939.624	-52.36	-13	Pass
NVNT	GSM 850	GMSK	848.80	1000	1000.000~10000.000	5293.300	-35.09	-13	Pass



SA_65_NT_NV_0_GSM_850_GMSK_200k_CH190



5. Frequency Stability

Temperature(C)	Voltage(V)	Band	Modulation	Frequency(MHz)	Frequency Stabilization (ppm)	Limit_Low(ppm)	Limit_Up(ppm)	Result
-30	3.47	GSM 850	GMSK	824.2	0.0022	-2.50	2.50	Pass
-30	3.47	GSM 850	GMSK	836.6	0.0007	-2.50	2.50	Pass
-30	3.47	GSM 850	GMSK	848.8	0.0000	-2.50	2.50	Pass
-30	3.85	GSM 850	GMSK	824.2	0.0090	-2.50	2.50	Pass
-30	3.85	GSM 850	GMSK	836.6	0.0013	-2.50	2.50	Pass
-30	3.85	GSM 850	GMSK	848.8	0.0102	-2.50	2.50	Pass
-30	4.24	GSM 850	GMSK	824.2	-0.0011	-2.50	2.50	Pass
-30	4.24	GSM 850	GMSK	836.6	-0.0021	-2.50	2.50	Pass
-30	4.24	GSM 850	GMSK	848.8	0.0072	-2.50	2.50	Pass
-20	3.47	GSM 850	GMSK	824.2	0.0068	-2.50	2.50	Pass
-20	3.47	GSM 850	GMSK	836.6	0.0048	-2.50	2.50	Pass
-20	3.47	GSM 850	GMSK	848.8	0.0066	-2.50	2.50	Pass
-20	3.85	GSM 850	GMSK	824.2	0.0088	-2.50	2.50	Pass
-20	3.85	GSM 850	GMSK	836.6	0.0064	-2.50	2.50	Pass
-20	3.85	GSM 850	GMSK	848.8	0.0059	-2.50	2.50	Pass
-20	4.24	GSM 850	GMSK	824.2	-0.0043	-2.50	2.50	Pass
-20	4.24	GSM 850	GMSK	836.6	0.0034	-2.50	2.50	Pass
-20	4.24	GSM 850	GMSK	848.8	0.0009	-2.50	2.50	Pass
-10	3.47	GSM 850	GMSK	824.2	0.0051	-2.50	2.50	Pass
-10	3.47	GSM 850	GMSK	836.6	0.0016	-2.50	2.50	Pass
-10	3.47	GSM 850	GMSK	848.8	0.0022	-2.50	2.50	Pass
-10	3.85	GSM 850	GMSK	824.2	-0.0009	-2.50	2.50	Pass
-10	3.85	GSM 850	GMSK	836.6	0.0046	-2.50	2.50	Pass
-10	3.85	GSM 850	GMSK	848.8	0.0058	-2.50	2.50	Pass
-10	4.24	GSM 850	GMSK	824.2	-0.0001	-2.50	2.50	Pass
-10	4.24	GSM 850	GMSK	836.6	0.0109	-2.50	2.50	Pass
-10	4.24	GSM 850	GMSK	848.8	-0.0006	-2.50	2.50	Pass
0	3.47	GSM 850	GMSK	824.2	0.0016	-2.50	2.50	Pass
0	3.47	GSM 850	GMSK	836.6	0.0069	-2.50	2.50	Pass
0	3.47	GSM 850	GMSK	848.8	0.0024	-2.50	2.50	Pass
0	3.85	GSM 850	GMSK	824.2	-0.0027	-2.50	2.50	Pass
0	3.85	GSM 850	GMSK	836.6	0.0015	-2.50	2.50	Pass
0	3.85	GSM 850	GMSK	848.8	0.0086	-2.50	2.50	Pass
0	4.24	GSM	GMSK	824.2	0.0044	-2.50	2.50	Pass

		850						
0	4.24	GSM 850	GMSK	836.6	0.0052	-2.50	2.50	Pass
0	4.24	GSM 850	GMSK	848.8	0.0059	-2.50	2.50	Pass
10	3.47	GSM 850	GMSK	824.2	-0.0008	-2.50	2.50	Pass
10	3.47	GSM 850	GMSK	836.6	0.0091	-2.50	2.50	Pass
10	3.47	GSM 850	GMSK	848.8	-0.0008	-2.50	2.50	Pass
10	3.85	GSM 850	GMSK	824.2	0.0063	-2.50	2.50	Pass
10	3.85	GSM 850	GMSK	836.6	-0.0001	-2.50	2.50	Pass
10	3.85	GSM 850	GMSK	848.8	0.0044	-2.50	2.50	Pass
10	4.24	GSM 850	GMSK	824.2	0.0036	-2.50	2.50	Pass
10	4.24	GSM 850	GMSK	836.6	0.0068	-2.50	2.50	Pass
10	4.24	GSM 850	GMSK	848.8	0.0055	-2.50	2.50	Pass
20	3.47	GSM 850	GMSK	824.2	0.0055	-2.50	2.50	Pass
20	3.47	GSM 850	GMSK	836.6	0.0029	-2.50	2.50	Pass
20	3.47	GSM 850	GMSK	848.8	0.0012	-2.50	2.50	Pass
20	3.85	GSM 850	GMSK	824.2	0.0051	-2.50	2.50	Pass
20	3.85	GSM 850	GMSK	836.6	0.0020	-2.50	2.50	Pass
20	3.85	GSM 850	GMSK	848.8	0.0055	-2.50	2.50	Pass
20	4.24	GSM 850	GMSK	824.2	0.0087	-2.50	2.50	Pass
20	4.24	GSM 850	GMSK	836.6	-0.0023	-2.50	2.50	Pass
20	4.24	GSM 850	GMSK	848.8	0.0041	-2.50	2.50	Pass
30	3.47	GSM 850	GMSK	824.2	-0.0005	-2.50	2.50	Pass
30	3.47	GSM 850	GMSK	836.6	0.0104	-2.50	2.50	Pass
30	3.47	GSM 850	GMSK	848.8	0.0029	-2.50	2.50	Pass
30	3.85	GSM 850	GMSK	824.2	0.0054	-2.50	2.50	Pass
30	3.85	GSM 850	GMSK	836.6	0.0078	-2.50	2.50	Pass
30	3.85	GSM 850	GMSK	848.8	0.0048	-2.50	2.50	Pass
30	4.24	GSM 850	GMSK	824.2	0.0066	-2.50	2.50	Pass
30	4.24	GSM 850	GMSK	836.6	0.0059	-2.50	2.50	Pass
30	4.24	GSM 850	GMSK	848.8	0.0088	-2.50	2.50	Pass
40	3.47	GSM 850	GMSK	824.2	0.0024	-2.50	2.50	Pass
40	3.47	GSM 850	GMSK	836.6	-0.0012	-2.50	2.50	Pass
40	3.47	GSM 850	GMSK	848.8	0.0030	-2.50	2.50	Pass
40	3.85	GSM 850	GMSK	824.2	-0.0007	-2.50	2.50	Pass
40	3.85	GSM 850	GMSK	836.6	-0.0008	-2.50	2.50	Pass
40	3.85	GSM 850	GMSK	848.8	0.0012	-2.50	2.50	Pass
40	4.24	GSM 850	GMSK	824.2	0.0044	-2.50	2.50	Pass
40	4.24	GSM 850	GMSK	836.6	-0.0002	-2.50	2.50	Pass
40	4.24	GSM 850	GMSK	848.8	0.0072	-2.50	2.50	Pass

50	3.47	GSM 850	GMSK	824.2	0.0060	-2.50	2.50	Pass
50	3.47	GSM 850	GMSK	836.6	0.0008	-2.50	2.50	Pass
50	3.47	GSM 850	GMSK	848.8	0.0051	-2.50	2.50	Pass
50	3.85	GSM 850	GMSK	824.2	0.0065	-2.50	2.50	Pass
50	3.85	GSM 850	GMSK	836.6	-0.0008	-2.50	2.50	Pass
50	3.85	GSM 850	GMSK	848.8	0.0097	-2.50	2.50	Pass
50	4.24	GSM 850	GMSK	824.2	0.0039	-2.50	2.50	Pass
50	4.24	GSM 850	GMSK	836.6	0.0047	-2.50	2.50	Pass
50	4.24	GSM 850	GMSK	848.8	0.0047	-2.50	2.50	Pass