

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	22.44	-7.70	12.59	<=38.45	Pass
			2	22.63	-7.70	12.78	<=38.45	Pass
			5	22.46	-7.70	12.61	<=38.45	Pass
		3	0	22.54	-7.70	12.69	<=38.45	Pass
			2	22.54	-7.70	12.69	<=38.45	Pass
			3	22.51	-7.70	12.66	<=38.45	Pass
		6	0	21.64	-7.70	11.79	<=38.45	Pass
	836.5	1	0	22.60	-7.70	12.75	<=38.45	Pass
			2	22.67	-7.70	12.82	<=38.45	Pass
			5	22.58	-7.70	12.73	<=38.45	Pass
		3	0	22.59	-7.70	12.74	<=38.45	Pass
			2	22.62	-7.70	12.77	<=38.45	Pass
			3	22.58	-7.70	12.73	<=38.45	Pass
		6	0	21.56	-7.70	11.71	<=38.45	Pass
	848.3	1	0	21.22	-7.70	11.37	<=38.45	Pass
			2	21.27	-7.70	11.42	<=38.45	Pass
			5	21.00	-7.70	11.15	<=38.45	Pass
		3	0	21.22	-7.70	11.37	<=38.45	Pass
			2	21.18	-7.70	11.33	<=38.45	Pass
			3	21.07	-7.70	11.22	<=38.45	Pass
		6	0	20.14	-7.70	10.29	<=38.45	Pass
16QAM	824.7	1	0	21.56	-7.70	11.71	<=38.45	Pass
			2	21.65	-7.70	11.80	<=38.45	Pass
			5	21.54	-7.70	11.69	<=38.45	Pass
		3	0	21.55	-7.70	11.70	<=38.45	Pass
			2	21.56	-7.70	11.71	<=38.45	Pass
			3	21.54	-7.70	11.69	<=38.45	Pass
		6	0	20.60	-7.70	10.75	<=38.45	Pass
	836.5	1	0	21.37	-7.70	11.52	<=38.45	Pass
			2	21.44	-7.70	11.59	<=38.45	Pass
			5	21.36	-7.70	11.51	<=38.45	Pass
		3	0	21.64	-7.70	11.79	<=38.45	Pass
			2	21.66	-7.70	11.81	<=38.45	Pass
			3	21.62	-7.70	11.77	<=38.45	Pass
		6	0	20.69	-7.70	10.84	<=38.45	Pass
	848.3	1	0	20.26	-7.70	10.41	<=38.45	Pass
			2	20.33	-7.70	10.48	<=38.45	Pass
			5	20.12	-7.70	10.27	<=38.45	Pass
		3	0	20.20	-7.70	10.35	<=38.45	Pass
			2	20.18	-7.70	10.33	<=38.45	Pass
			3	20.06	-7.70	10.21	<=38.45	Pass
		6	0	17.95	-7.70	8.10	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	22.27	-7.70	12.42	<=38.45	Pass
			7	22.52	-7.70	12.67	<=38.45	Pass
			14	22.13	-7.70	12.28	<=38.45	Pass
		8	0	21.62	-7.70	11.77	<=38.45	Pass
			4	21.64	-7.70	11.79	<=38.45	Pass
			7	21.54	-7.70	11.69	<=38.45	Pass
		15	0	21.56	-7.70	11.71	<=38.45	Pass
	836.5	1	0	22.55	-7.70	12.70	<=38.45	Pass
			7	22.65	-7.70	12.80	<=38.45	Pass
			14	22.40	-7.70	12.55	<=38.45	Pass
		8	0	21.63	-7.70	11.78	<=38.45	Pass
			4	21.65	-7.70	11.80	<=38.45	Pass
			7	21.54	-7.70	11.69	<=38.45	Pass
		15	0	21.58	-7.70	11.73	<=38.45	Pass
	847.5	1	0	21.18	-7.70	11.33	<=38.45	Pass
			7	21.41	-7.70	11.56	<=38.45	Pass
			14	20.82	-7.70	10.97	<=38.45	Pass
		8	0	20.36	-7.70	10.51	<=38.45	Pass
			4	20.34	-7.70	10.49	<=38.45	Pass
			7	20.18	-7.70	10.33	<=38.45	Pass
		15	0	20.27	-7.70	10.42	<=38.45	Pass
16QAM	825.5	1	0	21.63	-7.70	11.78	<=38.45	Pass
			7	21.79	-7.70	11.94	<=38.45	Pass
			14	21.41	-7.70	11.56	<=38.45	Pass
		8	0	20.65	-7.70	10.80	<=38.45	Pass
			4	20.68	-7.70	10.83	<=38.45	Pass
			7	20.58	-7.70	10.73	<=38.45	Pass
		15	0	20.52	-7.70	10.67	<=38.45	Pass
	836.5	1	0	21.48	-7.70	11.63	<=38.45	Pass
			7	21.61	-7.70	11.76	<=38.45	Pass
			14	21.33	-7.70	11.48	<=38.45	Pass
		8	0	20.81	-7.70	10.96	<=38.45	Pass
			4	20.83	-7.70	10.98	<=38.45	Pass
			7	20.73	-7.70	10.88	<=38.45	Pass
		15	0	20.70	-7.70	10.85	<=38.45	Pass
	847.5	1	0	19.99	-7.70	10.14	<=38.45	Pass
			7	20.24	-7.70	10.39	<=38.45	Pass
			14	19.67	-7.70	9.82	<=38.45	Pass
		8	0	18.22	-7.70	8.37	<=38.45	Pass
			4	18.21	-7.70	8.36	<=38.45	Pass
			7	18.06	-7.70	8.21	<=38.45	Pass
		15	0	18.16	-7.70	8.31	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	22.83	-7.70	12.98	<=38.45	Pass
			13	22.53	-7.70	12.68	<=38.45	Pass
			24	22.57	-7.70	12.72	<=38.45	Pass

		12	0	21.85	-7.70	12.00	<=38.45	Pass			
			6	21.75	-7.70	11.90	<=38.45	Pass			
			13	21.70	-7.70	11.85	<=38.45	Pass			
		25	0	21.75	-7.70	11.90	<=38.45	Pass			
			836.5	1	0	22.78	-7.70	12.93	<=38.45	Pass	
					13	22.68	-7.70	12.83	<=38.45	Pass	
		24			22.67	-7.70	12.82	<=38.45	Pass		
		12		0	21.78	-7.70	11.93	<=38.45	Pass		
				6	21.71	-7.70	11.86	<=38.45	Pass		
	13			21.71	-7.70	11.86	<=38.45	Pass			
	25	0	21.75	-7.70	11.90	<=38.45	Pass				
		846.5	1	0	22.56	-7.70	12.71	<=38.45	Pass		
				13	21.13	-7.70	11.28	<=38.45	Pass		
	24			20.89	-7.70	11.04	<=38.45	Pass			
	12		0	21.65	-7.70	11.80	<=38.45	Pass			
			6	20.22	-7.70	10.37	<=38.45	Pass			
			13	20.15	-7.70	10.30	<=38.45	Pass			
	25		0	21.60	-7.70	11.75	<=38.45	Pass			
			16QAM	826.5	1	0	22.01	-7.70	12.16	<=38.45	Pass
						13	21.75	-7.70	11.90	<=38.45	Pass
	24	21.80				-7.70	11.95	<=38.45	Pass		
	12	0			20.92	-7.70	11.07	<=38.45	Pass		
		6			20.82	-7.70	10.97	<=38.45	Pass		
		13			20.76	-7.70	10.91	<=38.45	Pass		
25	0	20.87			-7.70	11.02	<=38.45	Pass			
	836.5	1			0	21.80	-7.70	11.95	<=38.45	Pass	
					13	21.75	-7.70	11.90	<=38.45	Pass	
24				21.76	-7.70	11.91	<=38.45	Pass			
12		0		20.93	-7.70	11.08	<=38.45	Pass			
		6		20.86	-7.70	11.01	<=38.45	Pass			
		13		20.86	-7.70	11.01	<=38.45	Pass			
25	0	20.90		-7.70	11.05	<=38.45	Pass				
	846.5	1		0	21.80	-7.70	11.95	<=38.45	Pass		
				13	20.41	-7.70	10.56	<=38.45	Pass		
24				20.19	-7.70	10.34	<=38.45	Pass			
12		0		20.78	-7.70	10.93	<=38.45	Pass			
		6		17.63	-7.70	7.78	<=38.45	Pass			
		13		17.58	-7.70	7.73	<=38.45	Pass			
25	0	20.80		-7.70	10.95	<=38.45	Pass				
	Note1: ERP=Conducted Power+Antenna Gain-2.15										

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.89	-7.70	13.04	<=38.45	Pass
			25	22.64	-7.70	12.79	<=38.45	Pass
			49	22.61	-7.70	12.76	<=38.45	Pass
		25	0	21.86	-7.70	12.01	<=38.45	Pass
			13	21.77	-7.70	11.92	<=38.45	Pass
			25	21.77	-7.70	11.92	<=38.45	Pass
		50	0	21.83	-7.70	11.98	<=38.45	Pass
	836.5	1	0	22.72	-7.70	12.87	<=38.45	Pass
			25	22.67	-7.70	12.82	<=38.45	Pass

		25	49	22.71	-7.70	12.86	<=38.45	Pass
			0	21.74	-7.70	11.89	<=38.45	Pass
			13	21.70	-7.70	11.85	<=38.45	Pass
			25	21.69	-7.70	11.84	<=38.45	Pass
		50	0	21.73	-7.70	11.88	<=38.45	Pass
	844	1	0	22.79	-7.70	12.94	<=38.45	Pass
			25	22.64	-7.70	12.79	<=38.45	Pass
			49	21.10	-7.70	11.25	<=38.45	Pass
		25	0	21.73	-7.70	11.88	<=38.45	Pass
			13	21.69	-7.70	11.84	<=38.45	Pass
			25	21.70	-7.70	11.85	<=38.45	Pass
		50	0	21.72	-7.70	11.87	<=38.45	Pass
16QAM	829	1	0	22.17	-7.70	12.32	<=38.45	Pass
			25	21.92	-7.70	12.07	<=38.45	Pass
			49	21.88	-7.70	12.03	<=38.45	Pass
		12	0	21.96	-7.70	12.11	<=38.45	Pass
			19	21.71	-7.70	11.86	<=38.45	Pass
			38	21.80	-7.70	11.95	<=38.45	Pass
		27	0	20.82	-7.70	10.97	<=38.45	Pass
	836.5	1	0	21.67	-7.70	11.82	<=38.45	Pass
			25	21.61	-7.70	11.76	<=38.45	Pass
			49	21.68	-7.70	11.83	<=38.45	Pass
		12	0	21.66	-7.70	11.81	<=38.45	Pass
			19	21.60	-7.70	11.75	<=38.45	Pass
			38	21.70	-7.70	11.85	<=38.45	Pass
		27	0	20.90	-7.70	11.05	<=38.45	Pass
	844	1	0	21.64	-7.70	11.79	<=38.45	Pass
			25	21.49	-7.70	11.64	<=38.45	Pass
			49	19.99	-7.70	10.14	<=38.45	Pass
		12	0	21.82	-7.70	11.97	<=38.45	Pass
			19	21.68	-7.70	11.83	<=38.45	Pass
			38	20.35	-7.70	10.50	<=38.45	Pass
		27	23	20.90	-7.70	11.05	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	22.73	-7.70	12.88	<=38.45	Pass
			38	22.60	-7.70	12.75	<=38.45	Pass
			74	22.36	-7.70	12.51	<=38.45	Pass
		36	0	21.80	-7.70	11.95	<=38.45	Pass
			18	21.82	-7.70	11.97	<=38.45	Pass
			39	21.77	-7.70	11.92	<=38.45	Pass
		75	0	21.82	-7.70	11.97	<=38.45	Pass
	836.5	1	0	22.57	-7.70	12.72	<=38.45	Pass
			38	22.73	-7.70	12.88	<=38.45	Pass
			74	22.39	-7.70	12.54	<=38.45	Pass
		36	0	21.91	-7.70	12.06	<=38.45	Pass
			18	21.87	-7.70	12.02	<=38.45	Pass
			39	21.75	-7.70	11.90	<=38.45	Pass
		75	0	21.79	-7.70	11.94	<=38.45	Pass
	841.5	1	0	22.76	-7.70	12.91	<=38.45	Pass

16QAM	831.5	36	38	22.74	-7.70	12.89	<=38.45	Pass
			74	21.01	-7.70	11.16	<=38.45	Pass
			0	21.97	-7.70	12.12	<=38.45	Pass
		75	18	21.93	-7.70	12.08	<=38.45	Pass
			39	21.84	-7.70	11.99	<=38.45	Pass
			0	21.87	-7.70	12.02	<=38.45	Pass
		1	0	21.76	-7.70	11.91	<=38.45	Pass
			38	21.65	-7.70	11.80	<=38.45	Pass
			74	21.42	-7.70	11.57	<=38.45	Pass
	836.5	12	0	21.75	-7.70	11.90	<=38.45	Pass
			31	21.61	-7.70	11.76	<=38.45	Pass
			63	21.52	-7.70	11.67	<=38.45	Pass
		27	0	20.94	-7.70	11.09	<=38.45	Pass
			0	21.52	-7.70	11.67	<=38.45	Pass
			38	21.68	-7.70	11.83	<=38.45	Pass
			74	21.38	-7.70	11.53	<=38.45	Pass
	841.5	12	0	21.63	-7.70	11.78	<=38.45	Pass
			31	21.72	-7.70	11.87	<=38.45	Pass
			63	21.44	-7.70	11.59	<=38.45	Pass
		27	0	20.98	-7.70	11.13	<=38.45	Pass
			0	21.76	-7.70	11.91	<=38.45	Pass
			38	21.65	-7.70	11.80	<=38.45	Pass
			74	19.95	-7.70	10.10	<=38.45	Pass
	841.5	12	0	21.74	-7.70	11.89	<=38.45	Pass
			31	21.66	-7.70	11.81	<=38.45	Pass
			63	20.15	-7.70	10.30	<=38.45	Pass
		27	48	20.90	-7.70	11.05	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	LV	0.157	0.0002	-2.5 to 2.5	Pass
					NV	0.572	0.0007	-2.5 to 2.5	Pass
					HV	0.801	0.0010	-2.5 to 2.5	Pass
				-30	NV	0.772	0.0009	-2.5 to 2.5	Pass
				-20	NV	0.215	0.0003	-2.5 to 2.5	Pass
				-10	NV	-0.043	-0.0001	-2.5 to 2.5	Pass
				0	NV	0.486	0.0006	-2.5 to 2.5	Pass
				10	NV	-0.229	-0.0003	-2.5 to 2.5	Pass
				30	NV	0.615	0.0007	-2.5 to 2.5	Pass
				40	NV	-0.029	0.0000	-2.5 to 2.5	Pass
				50	NV	-0.086	-0.0001	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.078	/	Pass
	16QAM	836.5	6	0	1.078	/	Pass
3	QPSK	836.5	15	0	2.756	/	Pass
	16QAM	836.5	15	0	2.773	/	Pass
5	QPSK	836.5	25	0	4.652	/	Pass
	16QAM	836.5	25	0	4.640	/	Pass
10	QPSK	836.5	50	0	9.079	/	Pass
	16QAM	836.5	27	0	5.050	/	Pass
15	QPSK	836.5	75	0	13.441	/	Pass
	16QAM	836.5	27	0	5.091	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.232	/	Pass
	16QAM	836.5	6	0	1.251	/	Pass
3	QPSK	836.5	15	0	3.237	/	Pass
	16QAM	836.5	15	0	3.268	/	Pass
5	QPSK	836.5	25	0	5.926	/	Pass
	16QAM	836.5	25	0	5.715	/	Pass
10	QPSK	836.5	50	0	10.808	/	Pass
	16QAM	836.5	27	0	6.460	/	Pass
15	QPSK	836.5	75	0	14.884	/	Pass
	16QAM	836.5	27	0	7.286	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV




3.2.2 Band26b_XDB




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV



Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	5.36	<=13	Pass
16QAM	836.5	27	0	5.76	<=13	Pass

4.2 Test Graph

4.2.1 B26b_15MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass




	844	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	Verdict
		Size	Offset	Result	Limit
QPSK	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-37.16	-13	Pass
823	824	0.03	CHP	2	823.980	-27.83	-13	Pass
824	827	0.03	CHP	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	CHP	/	/	/	/	/
849	850	0.03	CHP	1	849.016	-22.24	-13	Pass
850	852	0.1	CHP	2	850.052	-48.28	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	CHP	/	/	/	/	/
849	850	0.03	CHP	1	849.020	-31.82	-13	Pass
850	852	0.1	CHP	2	850.055	-42.87	-13	Pass


5.2.2 B26b_3MHz




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	CHP	/	/	/	/	/
849	850	0.03	CHP	1	849.016	-21.25	-13	Pass
850	852	0.1	CHP	2	850.052	-44.05	-13	Pass

Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03237	CHP	/	/	/	/	/
849	850	0.03237	CHP	1	849.036	-27.56	-13	Pass
850	852	0.1	CHP	2	850.674	-43.29	-13	Pass

5.2.3 B26b_5MHz




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.920	-31.74	-13	Pass
823	824	0.05926	CHP	2	823.960	-25.71	-13	Pass
824	829	0.05926	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.03	CHP	/	/	/	/	/
849	850	0.03	CHP	1	849.015	-21.73	-13	Pass
850	854	0.1	CHP	2	850.176	-42.18	-13	Pass

Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05926	CHP	/	/	/	/	/
849	850	0.05926	CHP	1	849.040	-26.91	-13	Pass
850	854	0.1	CHP	2	850.060	-40.06	-13	Pass

5.2.4 B26b_10MHz




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.942	-34.65	-13	Pass
823	824	0.10808	CHP	2	823.932	-29.90	-13	Pass
824	834	0.10808	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.03	CHP	/	/	/	/	/
849	850	0.03	CHP	1	849.016	-33.15	-13	Pass
850	859	0.1	CHP	2	850.205	-43.52	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.10808	CHP	/	/	/	/	/
849	850	0.10808	CHP	1	849.068	-30.10	-13	Pass
850	859	0.1	CHP	2	850.073	-39.07	-13	Pass

5.2.5 B26b_15MHz




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	820.970	-37.45	-13	Pass
823	824	0.14884	CHP	2	823.775	-32.30	-13	Pass
824	839	0.14884	CHP	/	/	/	/	/


Band26b_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.03	CHP	/	/	/	/	/
849	850	0.03	CHP	1	849.408	-41.25	-13	Pass
850	864	0.1	CHP	2	850.405	-45.17	-13	Pass

Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.14884	CHP	/	/	/	/	/
849	850	0.14884	CHP	1	849.075	-32.20	-13	Pass
850	864	0.1	CHP	2	850.845	-39.36	-13	Pass