


Spurious Emission at Antenna Terminals


**9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.22	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	813.6	-64.19	-13	51.19	Pass	7841
814	860	0.1	RMS	824.2	19.54	60	40.46	Pass	461
860	1000	0.1	RMS	888.2	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-47.89	-13	34.89	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.21	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	813.9	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	835.2	20.36	60	39.64	Pass	461
860	1000	0.1	RMS	975.1	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1670	-46.72	-13	33.72	Pass	2001
3000	10000	1	RMS	6802	-45.66	-13	32.66	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	814	0.1	RMS	813.7	-65.13	-13	52.13	Pass	7841
814	860	0.1	RMS	835.2	19.61	60	40.39	Pass	461
860	1000	0.1	RMS	977.3	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1670	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	58.99	Pass	2986
30	814	0.1	RMS	813.4	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	846.2	20.39	60	39.61	Pass	461
860	1000	0.1	RMS	890.3	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1692	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6802	-45.58	-13	32.58	Pass	7001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	813.5	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	846.2	19.57	60	40.43	Pass	461
860	1000	0.1	RMS	949.2	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1692	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	813.6	-64.21	-13	51.21	Pass	7841
814	860	0.1	RMS	824.3	20.54	60	39.46	Pass	461
860	1000	0.1	RMS	988.1	-65.26	-13	52.26	Pass	1401
1000	3000	1	RMS	1648	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	813.9	-64.09	-13	51.09	Pass	7841
814	860	0.1	RMS	824.3	19.59	60	40.41	Pass	461
860	1000	0.1	RMS	938.7	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	810.9	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	834.3	20.55	60	39.45	Pass	461
860	1000	0.1	RMS	977.8	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1668	-46.86	-13	33.86	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.17	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	813.9	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	834.3	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	937.1	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1668	-47.69	-13	34.69	Pass	2001
3000	10000	1	RMS	6799	-45.57	-13	32.57	Pass	7001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	812.3	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.3	20.44	60	39.56	Pass	461
860	1000	0.1	RMS	977.5	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1688	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6798	-45.55	-13	32.55	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	794.6	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	844.3	19.48	60	40.52	Pass	461
860	1000	0.1	RMS	984.4	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1688	-48	-13	35	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	811.9	-61.87	-13	48.87	Pass	7841
814	860	0.1	RMS	824.6	20.8	60	39.2	Pass	461
860	1000	0.1	RMS	874.7	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1649	-47.45	-13	34.45	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	814	0.1	RMS	811.5	-60.99	-13	47.99	Pass	7841
814	860	0.1	RMS	824.6	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	991.2	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1649	-48.17	-13	35.17	Pass	2001
3000	10000	1	RMS	6797	-45.66	-13	32.66	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	59	Pass	2986
30	814	0.1	RMS	814	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	832.1	21	60	39	Pass	461
860	1000	0.1	RMS	927	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1664	-47.33	-13	34.33	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	811.9	-65.27	-13	52.27	Pass	7841
814	860	0.1	RMS	832.1	19.99	60	40.01	Pass	461
860	1000	0.1	RMS	870.2	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1664	-48.28	-13	35.28	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	813.8	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	839.6	20.89	60	39.11	Pass	461
860	1000	0.1	RMS	865.4	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1679	-47.15	-13	34.15	Pass	2001
3000	10000	1	RMS	6802	-45.57	-13	32.57	Pass	7001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.82	-13	60.82	Pass	401
0.15	30	0.01	RMS	0.21	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	812.6	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	839.6	20.02	60	39.98	Pass	461
860	1000	0.1	RMS	981.4	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1679	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	814	-62.62	-13	49.62	Pass	7841
814	860	0.1	RMS	824.8	20.19	60	39.81	Pass	461
860	1000	0.1	RMS	891.8	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1649	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.22	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	813.3	-64.09	-13	51.09	Pass	7841
814	860	0.1	RMS	824.8	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	970.4	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1649	-48.45	-13	35.45	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	814	0.1	RMS	813.5	-64.18	-13	51.18	Pass	7841
814	860	0.1	RMS	829.8	20.22	60	39.78	Pass	461
860	1000	0.1	RMS	992.7	-65.23	-13	52.23	Pass	1401
1000	3000	1	RMS	1659	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	814	0.1	RMS	812.7	-63.03	-13	50.03	Pass	7841
814	860	0.1	RMS	829.8	19.61	60	40.39	Pass	461
860	1000	0.1	RMS	864.8	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1659	-48.24	-13	35.24	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.37	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	811.3	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	834.8	20.31	60	39.69	Pass	461
860	1000	0.1	RMS	868.7	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1669	-47.17	-13	34.17	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001



9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	812.9	-60.6	-13	47.6	Pass	7841
814	860	0.1	RMS	834.8	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	908.6	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1669	-48.1	-13	35.1	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001



11. LTE_Band41 full


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.29	-25	43.29	Pass	401
0.15	30	0.01	RMS	0.16	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	535.7	-60.52	-25	35.52	Pass	9701
1000	2486	1	RMS	2486	-44.63	-25	19.63	Pass	1487
2486	2700	1	RMS	2496.165	22.78	60	37.22	Pass	401
2700	3000	1	RMS	2980.5	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	0	0	0	0	Pass*	9002
12000	26500	1	RMS	0	0	0	0	Pass*	14502




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.13	-25	43.13	Pass	401
0.15	30	0.01	RMS	0.18	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	535.7	-60.73	-25	35.73	Pass	9701
1000	2486	1	RMS	2482	-44.86	-25	19.86	Pass	1487
2486	2700	1	RMS	2496.165	22.05	60	37.95	Pass	401
2700	3000	1	RMS	2998.5	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	0	0	0	0	Pass*	9002
12000	26500	1	RMS	0	0	0	0	Pass*	14502




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.15	-25	43.15	Pass	401
0.15	30	0.01	RMS	0.21	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	888.726	-61.05	-25	36.05	Pass	9701
1000	2486	1	RMS	2479	-47.78	-25	22.78	Pass	1487
2486	2700	1	RMS	2590.325	23.23	60	36.77	Pass	401
2700	3000	1	RMS	2959.5	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	0	0	0	0	Pass*	9002
12000	26500	1	RMS	0	0	0	0	Pass*	14502




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	0.19	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	535.6	-59.89	-25	34.89	Pass	9701
1000	2486	1	RMS	2485	-44.87	-25	19.87	Pass	1487
2486	2700	1	RMS	2496.165	22.64	60	37.36	Pass	401
2700	3000	1	RMS	2998.5	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11960	-59.99	-25	34.99	Pass	9002
12000	26500	1	RMS	25496	-50.22	-25	25.22	Pass	14502




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.21	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	535.6	-60.87	-25	35.87	Pass	9701
1000	2486	1	RMS	2486	-42.27	-25	17.27	Pass	1487
2486	2700	1	RMS	2496.165	21.76	60	38.24	Pass	401
2700	3000	1	RMS	2997.75	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11955	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25493	-50.2	-25	25.2	Pass	14502




11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.19	-25	44.19	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	850.601	-60.95	-25	35.95	Pass	9701
1000	2486	1	RMS	2472	-47.8	-25	22.8	Pass	1487
2486	2700	1	RMS	2590.86	22.79	60	37.21	Pass	401
2700	3000	1	RMS	2999.25	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11976	-60.02	-25	35.02	Pass	9002
12000	26500	1	RMS	25492	-50.19	-25	25.19	Pass	14502




11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.22	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	992.095	-61.11	-25	36.11	Pass	9701
1000	2486	1	RMS	2486	-47.77	-25	22.77	Pass	1487
2486	2700	1	RMS	2590.325	21.76	60	38.24	Pass	401
2700	3000	1	RMS	2998.5	-46.55	-25	21.55	Pass	401
3000	12000	1	RMS	11955	-60.07	-25	35.07	Pass	9002
12000	26500	1	RMS	25502	-50.24	-25	25.24	Pass	14502




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	724.6	-59.22	-25	34.22	Pass	9701
1000	2486	1	RMS	2482	-47.72	-25	22.72	Pass	1487
2486	2700	1	RMS	2685.02	23.05	60	36.95	Pass	401
2700	3000	1	RMS	2700	-45.68	-25	20.68	Pass	401
3000	12000	1	RMS	11965	-60.1	-25	35.1	Pass	9002
12000	26500	1	RMS	25492	-50.2	-25	25.2	Pass	14502




11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	0.22	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	724.6	-59.9	-25	34.9	Pass	9701
1000	2486	1	RMS	2481	-47.8	-25	22.8	Pass	1487
2486	2700	1	RMS	2685.02	22.34	60	37.66	Pass	401
2700	3000	1	RMS	2700.75	-46.05	-25	21.05	Pass	401
3000	12000	1	RMS	11949	-60.11	-25	35.11	Pass	9002
12000	26500	1	RMS	25503	-50.22	-25	25.22	Pass	14502




**11.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.11	-25	43.11	Pass	401
0.15	30	0.01	RMS	0.17	-68.39	-25	43.39	Pass	2986
30	1000	0.1	RMS	535.9	-61	-25	36	Pass	9701
1000	2486	1	RMS	2485	-42.99	-25	17.99	Pass	1487
2486	2700	1	RMS	2496.16 5	22.94	60	37.06	Pass	401
2700	3000	1	RMS	2982	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11954	-60	-25	35	Pass	9002
12000	26500	1	RMS	25497	-50.16	-25	25.16	Pass	14502




11.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.89	-25	43.89	Pass	401
0.15	30	0.01	RMS	0.19	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	535.9	-60.45	-25	35.45	Pass	9701
1000	2486	1	RMS	2481	-44.33	-25	19.33	Pass	1487
2486	2700	1	RMS	2496.7	21.74	60	38.26	Pass	401
2700	3000	1	RMS	2960.25	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11975	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25509	-50.27	-25	25.27	Pass	14502



11.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.17	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	920.547	-61.19	-25	36.19	Pass	9701
1000	2486	1	RMS	2486	-47.75	-25	22.75	Pass	1487
2486	2700	1	RMS	2588.72	22.25	60	37.75	Pass	401
2700	3000	1	RMS	2999.25	-46.61	-25	21.61	Pass	401
3000	12000	1	RMS	11972	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25500	-50.24	-25	25.24	Pass	14502



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-25	43.09	Pass	2986
30	1000	0.1	RMS	973.582	-61.13	-25	36.13	Pass	9701
1000	2486	1	RMS	2483	-47.73	-25	22.73	Pass	1487
2486	2700	1	RMS	2588.185	22.43	60	37.57	Pass	401
2700	3000	1	RMS	3000	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11963	-60.09	-25	35.09	Pass	9002
12000	26500	1	RMS	25510	-50.23	-25	25.23	Pass	14502



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.33	-25	43.33	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	719.9	-58.42	-25	33.42	Pass	9701
1000	2486	1	RMS	2482	-47.75	-25	22.75	Pass	1487
2486	2700	1	RMS	2680.205	22.82	60	37.18	Pass	401
2700	3000	1	RMS	2700	-46.14	-25	21.14	Pass	401
3000	12000	1	RMS	11961	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25495	-50.2	-25	25.2	Pass	14502



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.15	-25	43.15	Pass	401
0.15	30	0.01	RMS	0.16	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	719.9	-60.73	-25	35.73	Pass	9701
1000	2486	1	RMS	2485	-47.78	-25	22.78	Pass	1487
2486	2700	1	RMS	2680.205	22.03	60	37.97	Pass	401
2700	3000	1	RMS	2701.5	-46.25	-25	21.25	Pass	401
3000	12000	1	RMS	11965	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25493	-50.26	-25	25.26	Pass	14502



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.57	-25	43.57	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	42.84	Pass	2986
30	1000	0.1	RMS	536.1	-60.09	-25	35.09	Pass	9701
1000	2486	1	RMS	2484	-43.2	-25	18.2	Pass	1487
2486	2700	1	RMS	2496.7	23.57	60	36.43	Pass	401
2700	3000	1	RMS	2997.75	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11953	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25502	-50.17	-25	25.17	Pass	14502



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.45	-25	43.45	Pass	401
0.15	30	0.01	RMS	0.16	-67.62	-25	42.62	Pass	2986
30	1000	0.1	RMS	846.1	-61.02	-25	36.02	Pass	9701
1000	2486	1	RMS	2486	-42.73	-25	17.73	Pass	1487
2486	2700	1	RMS	2496.7	22.37	60	37.63	Pass	401
2700	3000	1	RMS	3000	-46.54	-25	21.54	Pass	401
3000	12000	1	RMS	11962	-60.08	-25	35.08	Pass	9002
12000	26500	1	RMS	25500	-50.12	-25	25.12	Pass	14502



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.42	-25	43.42	Pass	401
0.15	30	0.01	RMS	0.16	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	971.181	-61.04	-25	36.04	Pass	9701
1000	2486	1	RMS	2486	-47.7	-25	22.7	Pass	1487
2486	2700	1	RMS	2586.045	23.15	60	36.85	Pass	401
2700	3000	1	RMS	2973.75	-46.59	-25	21.59	Pass	401
3000	12000	1	RMS	11962	-60.01	-25	35.01	Pass	9002
12000	26500	1	RMS	25507	-50.23	-25	25.23	Pass	14502



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.15	-68.13	-25	43.13	Pass	2986
30	1000	0.1	RMS	955.671	-60.97	-25	35.97	Pass	9701
1000	2486	1	RMS	2480	-47.75	-25	22.75	Pass	1487
2486	2700	1	RMS	2586.045	21.86	60	38.14	Pass	401
2700	3000	1	RMS	2971.5	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11970	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25498	-50.24	-25	25.24	Pass	14502



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.19	-25	43.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	43.2	Pass	2986
30	1000	0.1	RMS	715.1	-59.86	-25	34.86	Pass	9701
1000	2486	1	RMS	2483	-47.76	-25	22.76	Pass	1487
2486	2700	1	RMS	2675.925	22.24	60	37.76	Pass	401
2700	3000	1	RMS	2702.25	-46.24	-25	21.24	Pass	401
3000	12000	1	RMS	11952	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25504	-50.17	-25	25.17	Pass	14502



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.24	-25	43.24	Pass	401
0.15	30	0.01	RMS	0.16	-68	-25	43	Pass	2986
30	1000	0.1	RMS	715.1	-59.77	-25	34.77	Pass	9701
1000	2486	1	RMS	2483	-47.78	-25	22.78	Pass	1487
2486	2700	1	RMS	2675.925	21.79	60	38.21	Pass	401
2700	3000	1	RMS	2700	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	11951	-59.97	-25	34.97	Pass	9002
12000	26500	1	RMS	25495	-50.24	-25	25.24	Pass	14502



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.97	-25	43.97	Pass	401
0.15	30	0.01	RMS	0.16	-67.4	-25	42.4	Pass	2986
30	1000	0.1	RMS	536.4	-60.07	-25	35.07	Pass	9701
1000	2486	1	RMS	2486	-42.31	-25	17.31	Pass	1487
2486	2700	1	RMS	2496.7	22.34	60	37.66	Pass	401
2700	3000	1	RMS	2999.25	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11954	-60	-25	35	Pass	9002
12000	26500	1	RMS	25502	-50.29	-25	25.29	Pass	14502



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.16	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	536.4	-60.89	-25	35.89	Pass	9701
1000	2486	1	RMS	2486	-43.41	-25	18.41	Pass	1487
2486	2700	1	RMS	2496.7	23.26	60	36.74	Pass	401
2700	3000	1	RMS	2997	-46.57	-25	21.57	Pass	401
3000	12000	1	RMS	11955	-60.04	-25	35.04	Pass	9002
12000	26500	1	RMS	25499	-50.19	-25	25.19	Pass	14502



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.72	-25	43.72	Pass	401
0.15	30	0.01	RMS	0.18	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	887.025	-61.11	-25	36.11	Pass	9701
1000	2486	1	RMS	2480	-47.77	-25	22.77	Pass	1487
2486	2700	1	RMS	2583.905	22.14	60	37.86	Pass	401
2700	3000	1	RMS	2967.75	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11951	-60.05	-25	35.05	Pass	9002
12000	26500	1	RMS	25502	-50.19	-25	25.19	Pass	14502



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.33	-25	42.33	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	856.505	-61.15	-25	36.15	Pass	9701
1000	2486	1	RMS	2482	-47.67	-25	22.67	Pass	1487
2486	2700	1	RMS	2583.905	22.55	60	37.45	Pass	401
2700	3000	1	RMS	2998.5	-46.58	-25	21.58	Pass	401
3000	12000	1	RMS	11982	-60.09	-25	35.09	Pass	9002
12000	26500	1	RMS	25518	-50.28	-25	25.28	Pass	14502



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	0.19	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	710.4	-60.6	-25	35.6	Pass	9701
1000	2486	1	RMS	2484	-47.78	-25	22.78	Pass	1487
2486	2700	1	RMS	2671.11	22.66	60	37.34	Pass	401
2700	3000	1	RMS	2706	-46.35	-25	21.35	Pass	401
3000	12000	1	RMS	11980	-60.06	-25	35.06	Pass	9002
12000	26500	1	RMS	25501	-50.31	-25	25.31	Pass	14502



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	0.15	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	710.4	-59.09	-25	34.09	Pass	9701
1000	2486	1	RMS	2483	-47.74	-25	22.74	Pass	1487
2486	2700	1	RMS	2670.575	22.14	60	37.86	Pass	401
2700	3000	1	RMS	3000	-46.6	-25	21.6	Pass	401
3000	12000	1	RMS	11963	-60.01	-25	35.01	Pass	9002
12000	26500	1	RMS	25501	-50.19	-25	25.19	Pass	14502



12. LTE_Band42(3450-3550)_Part27


12.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.59	-13	34.59	Pass	401
0.15	30	0.01	RMS	0.16	-60.19	-13	47.19	Pass	2986
30	1000	0.1	RMS	873.2	-58.22	-13	45.22	Pass	9701
1000	3000	1	RMS	3000	-42.57	-13	29.57	Pass	2001
3000	3430	1	RMS	3143	-42.58	-13	29.58	Pass	431
3430	3570	1	RMS	3450.3	23.03	60	36.97	Pass	401
3570	6500	1	RMS	3808	-38.44	-13	25.44	Pass	2931
6500	36000	1	RMS	35857	-53	-13	40	Pass	29501




12.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.56	-13	35.56	Pass	401
0.15	30	0.01	RMS	0.16	-59.81	-13	46.81	Pass	2986
30	1000	0.1	RMS	876.2	-58.08	-13	45.08	Pass	9701
1000	3000	1	RMS	2996	-42.57	-13	29.57	Pass	2001
3000	3430	1	RMS	3143	-42.67	-13	29.67	Pass	431
3430	3570	1	RMS	3450.65	22.16	60	37.84	Pass	401
3570	6500	1	RMS	3816	-38.4	-13	25.4	Pass	2931
6500	36000	1	RMS	35830	-53.21	-13	40.21	Pass	29501




12.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.58	-13	35.58	Pass	401
0.15	30	0.01	RMS	0.15	-60.09	-13	47.09	Pass	2986
30	1000	0.1	RMS	927	-58.32	-13	45.32	Pass	9701
1000	3000	1	RMS	2998	-42.56	-13	29.56	Pass	2001
3000	3430	1	RMS	3191	-42.47	-13	29.47	Pass	431
3430	3570	1	RMS	3497.55	23.3	60	36.7	Pass	401
3570	6500	1	RMS	3805	-38.01	-13	25.01	Pass	2931
6500	36000	1	RMS	35833	-53.19	-13	40.19	Pass	29501




12.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.54	-13	35.54	Pass	401
0.15	30	0.01	RMS	0.15	-60.05	-13	47.05	Pass	2986
30	1000	0.1	RMS	896.8	-58.26	-13	45.26	Pass	9701
1000	3000	1	RMS	2999	-42.57	-13	29.57	Pass	2001
3000	3430	1	RMS	3191	-42.65	-13	29.65	Pass	431
3430	3570	1	RMS	3497.55	22.55	60	37.45	Pass	401
3570	6500	1	RMS	3812	-38.42	-13	25.42	Pass	2931
6500	36000	1	RMS	35808	-53.27	-13	40.27	Pass	29501




12.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.69	-13	34.69	Pass	401
0.15	30	0.01	RMS	0.15	-59.75	-13	46.75	Pass	2986
30	1000	0.1	RMS	875.1	-58.3	-13	45.3	Pass	9701
1000	3000	1	RMS	2997	-42.54	-13	29.54	Pass	2001
3000	3430	1	RMS	3238	-41.62	-13	28.62	Pass	431
3430	3570	1	RMS	3545.5	24.12	60	35.88	Pass	401
3570	6500	1	RMS	3804	-38.43	-13	25.43	Pass	2931
6500	36000	1	RMS	35830	-53.22	-13	40.22	Pass	29501




12.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.99	-13	34.99	Pass	401
0.15	30	0.01	RMS	0.15	-60.61	-13	47.61	Pass	2986
30	1000	0.1	RMS	878	-58.28	-13	45.28	Pass	9701
1000	3000	1	RMS	3000	-42.65	-13	29.65	Pass	2001
3000	3430	1	RMS	3238	-41.9	-13	28.9	Pass	431
3430	3570	1	RMS	3545.5	22.76	60	37.24	Pass	401
3570	6500	1	RMS	3803	-38.43	-13	25.43	Pass	2931
6500	36000	1	RMS	35833	-53.25	-13	40.25	Pass	29501




12.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.56	-13	35.56	Pass	401
0.15	30	0.01	RMS	0.15	-59.7	-13	46.7	Pass	2986
30	1000	0.1	RMS	902.3	-58.19	-13	45.19	Pass	9701
1000	3000	1	RMS	3000	-42.62	-13	29.62	Pass	2001
3000	3430	1	RMS	3143	-42.83	-13	29.83	Pass	431
3430	3570	1	RMS	3450.3	23.6	60	36.4	Pass	401
3570	6500	1	RMS	3812	-38.45	-13	25.45	Pass	2931
6500	36000	1	RMS	35843	-53.1	-13	40.1	Pass	29501




12.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.6	-13	35.6	Pass	401
0.15	30	0.01	RMS	0.15	-59.93	-13	46.93	Pass	2986
30	1000	0.1	RMS	915.3	-58.19	-13	45.19	Pass	9701
1000	3000	1	RMS	2995	-42.62	-13	29.62	Pass	2001
3000	3430	1	RMS	3143	-42.86	-13	29.86	Pass	431
3430	3570	1	RMS	3450.65	23.03	60	36.97	Pass	401
3570	6500	1	RMS	3847	-38.46	-13	25.46	Pass	2931
6500	36000	1	RMS	35795	-53.29	-13	40.29	Pass	29501



**12.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	35.64	Pass	401
0.15	30	0.01	RMS	0.15	-60.29	-13	47.29	Pass	2986
30	1000	0.1	RMS	906	-58.29	-13	45.29	Pass	9701
1000	3000	1	RMS	3000	-42.56	-13	29.56	Pass	2001
3000	3430	1	RMS	3188	-42.73	-13	29.73	Pass	431
3430	3570	1	RMS	3495.45	23.47	60	36.53	Pass	401
3570	6500	1	RMS	3799	-38.42	-13	25.42	Pass	2931
6500	36000	1	RMS	35825	-53.17	-13	40.17	Pass	29501



12.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-48.78	-13	35.78	Pass	401
0.15	30	0.01	RMS	0.15	-59.52	-13	46.52	Pass	2986
30	1000	0.1	RMS	908.6	-58.27	-13	45.27	Pass	9701
1000	3000	1	RMS	2999	-42.62	-13	29.62	Pass	2001
3000	3430	1	RMS	3188	-42.78	-13	29.78	Pass	431
3430	3570	1	RMS	3495.8	22.41	60	37.59	Pass	401
3570	6500	1	RMS	3802	-38.39	-13	25.39	Pass	2931
6500	36000	1	RMS	35818	-53.14	-13	40.14	Pass	29501



12.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.09	-13	35.09	Pass	401
0.15	30	0.01	RMS	0.15	-59	-13	46	Pass	2986
30	1000	0.1	RMS	886.3	-58.19	-13	45.19	Pass	9701
1000	3000	1	RMS	2995	-42.55	-13	29.55	Pass	2001
3000	3430	1	RMS	3233	-42.37	-13	29.37	Pass	431
3430	3570	1	RMS	3540.6	23.18	60	36.82	Pass	401
3570	6500	1	RMS	3801	-38.46	-13	25.46	Pass	2931
6500	36000	1	RMS	35834	-53.29	-13	40.29	Pass	29501



12.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.52	-13	35.52	Pass	401
0.15	30	0.01	RMS	0.15	-59.8	-13	46.8	Pass	2986
30	1000	0.1	RMS	889.6	-58.35	-13	45.35	Pass	9701
1000	3000	1	RMS	3000	-42.51	-13	29.51	Pass	2001
3000	3430	1	RMS	3233	-42.44	-13	29.44	Pass	431
3430	3570	1	RMS	3540.6	22.27	60	37.73	Pass	401
3570	6500	1	RMS	3801	-38.48	-13	25.48	Pass	2931
6500	36000	1	RMS	35833	-53.22	-13	40.22	Pass	29501



12.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.26	-13	35.26	Pass	401
0.15	30	0.01	RMS	0.15	-59.52	-13	46.52	Pass	2986
30	1000	0.1	RMS	898.1	-58.32	-13	45.32	Pass	9701
1000	3000	1	RMS	2997	-42.65	-13	29.65	Pass	2001
3000	3430	1	RMS	3430	-42.81	-13	29.81	Pass	431
3430	3570	1	RMS	3450.65	23.45	60	36.55	Pass	401
3570	6500	1	RMS	3785	-38.44	-13	25.44	Pass	2931
6500	36000	1	RMS	35830	-53.25	-13	40.25	Pass	29501



12.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.75	-13	35.75	Pass	401
0.15	30	0.01	RMS	0.15	-60.17	-13	47.17	Pass	2986
30	1000	0.1	RMS	902.6	-58.36	-13	45.36	Pass	9701
1000	3000	1	RMS	2999	-42.5	-13	29.5	Pass	2001
3000	3430	1	RMS	3240	-42.94	-13	29.94	Pass	431
3430	3570	1	RMS	3450.65	22.08	60	37.92	Pass	401
3570	6500	1	RMS	3808	-38.39	-13	25.39	Pass	2931
6500	36000	1	RMS	35820	-53.15	-13	40.15	Pass	29501



12.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.81	-13	34.81	Pass	401
0.15	30	0.01	RMS	0.15	-59.68	-13	46.68	Pass	2986
30	1000	0.1	RMS	872.7	-58.23	-13	45.23	Pass	9701
1000	3000	1	RMS	2995	-42.62	-13	29.62	Pass	2001
3000	3430	1	RMS	3186	-42.59	-13	29.59	Pass	431
3430	3570	1	RMS	3493	23.01	60	36.99	Pass	401
3570	6500	1	RMS	3820	-38.4	-13	25.4	Pass	2931
6500	36000	1	RMS	35794	-53.24	-13	40.24	Pass	29501



12.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.57	-13	35.57	Pass	401
0.15	30	0.01	RMS	0.15	-60.23	-13	47.23	Pass	2986
30	1000	0.1	RMS	932.1	-58.28	-13	45.28	Pass	9701
1000	3000	1	RMS	3000	-42.59	-13	29.59	Pass	2001
3000	3430	1	RMS	3186	-42.71	-13	29.71	Pass	431
3430	3570	1	RMS	3493.35	22.74	60	37.26	Pass	401
3570	6500	1	RMS	3816	-38.5	-13	25.5	Pass	2931
6500	36000	1	RMS	35822	-53.21	-13	40.21	Pass	29501



12.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.88	-13	35.88	Pass	401
0.15	30	0.01	RMS	0.15	-58.83	-13	45.83	Pass	2986
30	1000	0.1	RMS	892	-58.22	-13	45.22	Pass	9701
1000	3000	1	RMS	2998	-42.58	-13	29.58	Pass	2001
3000	3430	1	RMS	3229	-42.42	-13	29.42	Pass	431
3430	3570	1	RMS	3535.7	23.88	60	36.12	Pass	401
3570	6500	1	RMS	3813	-38.43	-13	25.43	Pass	2931
6500	36000	1	RMS	35829	-53.2	-13	40.2	Pass	29501



12.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-48.57	-13	35.57	Pass	401
0.15	30	0.01	RMS	0.16	-60.15	-13	47.15	Pass	2986
30	1000	0.1	RMS	911.2	-58.35	-13	45.35	Pass	9701
1000	3000	1	RMS	3000	-42.59	-13	29.59	Pass	2001
3000	3430	1	RMS	3229	-42.54	-13	29.54	Pass	431
3430	3570	1	RMS	3535.7	22.35	60	37.65	Pass	401
3570	6500	1	RMS	3843	-38.39	-13	25.39	Pass	2931
6500	36000	1	RMS	35826	-53.14	-13	40.14	Pass	29501



12.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.51	-13	34.51	Pass	401
0.15	30	0.01	RMS	0.15	-59.15	-13	46.15	Pass	2986
30	1000	0.1	RMS	901.9	-58.33	-13	45.33	Pass	9701
1000	3000	1	RMS	2999	-42.64	-13	29.64	Pass	2001
3000	3430	1	RMS	3144	-42.73	-13	29.73	Pass	431
3430	3570	1	RMS	3451.35	23.66	60	36.34	Pass	401
3570	6500	1	RMS	3794	-38.45	-13	25.45	Pass	2931
6500	36000	1	RMS	35804	-53.2	-13	40.2	Pass	29501

