



10.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-31.92	-13	Pass	401
1708	1709	1	RMS	1709	-31.61	-13	Pass	2
1709	1710	0.2	RMS	1709.95	-34.54	-13	Pass	401
1710	1730	0.1	RMS	1711.95	0.65	30	Pass	401




10.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.5	-45.44	-13	Pass	401
1708	1709	1	RMS	1709	-38.15	-13	Pass	2
1709	1710	0.2	RMS	1709.99	-28.09	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.83	30	Pass	401




10.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-32.13	-13	Pass	401
1708	1709	1	RMS	1709	-31.82	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-34.88	-13	Pass	401
1710	1730	0.1	RMS	1712.5	-0.18	30	Pass	401




10.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.46	30	Pass	401
1780	1781	0.2	RMS	1780	-28.14	-13	Pass	401
1781	1782	1	RMS	1781	-37.53	-13	Pass	2
1782	1790	1	RMS	1782	-45.12	-13	Pass	401




10.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1761.55	0.35	30	Pass	401
1780	1781	0.2	RMS	1780.018	-34.44	-13	Pass	401
1781	1782	1	RMS	1781	-30.94	-13	Pass	2
1782	1790	1	RMS	1782.18	-30.75	-13	Pass	401




10.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.67	30	Pass	401
1780	1781	0.2	RMS	1780.005	-27.89	-13	Pass	401
1781	1782	1	RMS	1781	-38.08	-13	Pass	2
1782	1790	1	RMS	1784.24	-42.07	-13	Pass	401



10.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.05	-0.62	30	Pass	401
1780	1781	0.2	RMS	1780.018	-36.17	-13	Pass	401
1781	1782	1	RMS	1781	-32.89	-13	Pass	2
1782	1790	1	RMS	1782.32	-32.37	-13	Pass	401



11. LTE_Band71


11.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-27.87	-13	Pass	401
662.9	663	0.03	RMS	663	-23.71	-13	Pass	401
663	668	0.1	RMS	663.35	21.33	30	Pass	401




11.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-27.71	-13	Pass	401
662.9	663	0.03	RMS	662.999	-28.92	-13	Pass	401
663	668	0.1	RMS	664.513	6.92	30	Pass	401




11.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-28.89	-13	Pass	401
662.9	663	0.03	RMS	662.997	-24.69	-13	Pass	401
663	668	0.1	RMS	663.313	20.61	30	Pass	401




11.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-28.43	-13	Pass	401
662.9	663	0.03	RMS	662.997	-29.76	-13	Pass	401
663	668	0.1	RMS	666.175	5.97	30	Pass	401



11.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	21.36	30	Pass	401
698	698.1	0.03	RMS	698	-24.33	-13	Pass	401
698.1	710	0.1	RMS	698.1	-28.68	-13	Pass	401




11.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	693.713	6.94	30	Pass	401
698	698.1	0.03	RMS	698.001	-28.43	-13	Pass	401
698.1	710	0.1	RMS	698.1	-27.49	-13	Pass	401



11.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.675	20.34	30	Pass	401
698	698.1	0.03	RMS	698	-24.97	-13	Pass	401
698.1	710	0.1	RMS	698.1	-29.67	-13	Pass	401




11.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	694.038	6	30	Pass	401
698	698.1	0.03	RMS	698.004	-29.41	-13	Pass	401
698.1	710	0.1	RMS	698.1	-27.95	-13	Pass	401




11.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-36.69	-13	Pass	401
662.9	663	0.03	RMS	662.999	-36.56	-13	Pass	401
663	673	0.1	RMS	663.6	21.38	30	Pass	401




11.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.99	-13	Pass	401
662.9	663	0.03	RMS	662.996	-37.15	-13	Pass	401
663	673	0.1	RMS	666.275	3.97	30	Pass	401




11.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-37.53	-13	Pass	401
662.9	663	0.03	RMS	663	-36.09	-13	Pass	401
663	673	0.1	RMS	663.6	20.37	30	Pass	401




11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.19	-13	Pass	401
662.9	663	0.03	RMS	662.997	-38.21	-13	Pass	401
663	673	0.1	RMS	666.825	3	30	Pass	401




11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.425	21.11	30	Pass	401
698	698.1	0.03	RMS	698.003	-36.41	-13	Pass	401
698.1	710	0.1	RMS	698.1	-36.58	-13	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	690.425	4.23	30	Pass	401
698	698.1	0.03	RMS	698.002	-37.3	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.33	-13	Pass	401




11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.425	20.39	30	Pass	401
698	698.1	0.03	RMS	698.003	-36.58	-13	Pass	401
698.1	710	0.1	RMS	698.1	-37.47	-13	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	689.85	3.21	30	Pass	401
698	698.1	0.03	RMS	698.005	-37.57	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.51	-13	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35	-13	Pass	401
662.9	663	0.03	RMS	663	-34.76	-13	Pass	401
663	678	0.1	RMS	663.825	21.13	30	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.739	-37.09	-13	Pass	401
662.9	663	0.03	RMS	662.999	-41.18	-13	Pass	401
663	678	0.1	RMS	674.625	2.25	30	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.65	-13	Pass	401
662.9	663	0.03	RMS	662.999	-35.18	-13	Pass	401
663	678	0.1	RMS	663.825	20.18	30	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-38.56	-13	Pass	401
662.9	663	0.03	RMS	662.987	-42.22	-13	Pass	401
663	678	0.1	RMS	676.163	1.28	30	Pass	401




11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	20.98	30	Pass	401
698	698.1	0.03	RMS	698.004	-34.38	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.76	-13	Pass	401




11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	688.325	2.24	30	Pass	401
698	698.1	0.03	RMS	698.004	-40.41	-13	Pass	401
698.1	710	0.1	RMS	698.1	-36.81	-13	Pass	401




11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.138	20.12	30	Pass	401
698	698.1	0.03	RMS	698.003	-34.92	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.24	-13	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	685.7	1.19	30	Pass	401
698	698.1	0.03	RMS	698.011	-41.41	-13	Pass	401
698.1	710	0.1	RMS	698.1	-37.98	-13	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.82	-13	Pass	401
662.9	663	0.03	RMS	662.999	-36.39	-13	Pass	401
663	683	0.1	RMS	664.1	21.32	30	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-39.93	-13	Pass	401
662.9	663	0.03	RMS	662.998	-44.02	-13	Pass	401
663	683	0.1	RMS	674.8	1.19	30	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-36.4	-13	Pass	401
662.9	663	0.03	RMS	662.996	-36.92	-13	Pass	401
663	683	0.1	RMS	664.1	20.23	30	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.06	-13	Pass	401
662.9	663	0.03	RMS	662.983	-44.59	-13	Pass	401
663	683	0.1	RMS	674.8	0.19	30	Pass	401




11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	20.92	30	Pass	401
698	698.1	0.03	RMS	698.002	-35.93	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.55	-13	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	685.1	1.08	30	Pass	401
698	698.1	0.03	RMS	698.002	-42.49	-13	Pass	401
698.1	710	0.1	RMS	698.1	-38.33	-13	Pass	401




11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	20.1	30	Pass	401
698	698.1	0.03	RMS	698.002	-36.58	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.46	-13	Pass	401



11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	685.3	0.11	30	Pass	401
698	698.1	0.03	RMS	698.011	-42.82	-13	Pass	401
698.1	710	0.1	RMS	698.1	-38.53	-13	Pass	401




NR

1. n2


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.82	-13	15.82	Pass	401
1849	1850	0.051	RMS	1850	-17.2	-13	4.2	Pass	401
1850	1855	1	RMS	1850.263	20.85	30	9.15	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-30.02	-13	17.02	Pass	401
1849	1850	0.051	RMS	1850	-26.4	-13	13.4	Pass	401
1850	1855	1	RMS	1853.625	14.71	30	15.29	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.713	20.61	30	9.39	Pass	401
1910	1911	0.02	RMS	1910	-21.8	-13	8.8	Pass	401
1911.5	1920	1	RMS	1911.5	-31.56	-13	18.56	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.275	14.39	30	15.61	Pass	401
1910	1911	0.051	RMS	1910.003	-26.48	-13	13.48	Pass	401
1911.5	1920	1	RMS	1911.5	-26.44	-13	13.44	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-36.62	-13	23.62	Pass	401
1849	1850	0.051	RMS	1850	-22.2	-13	9.2	Pass	401
1850	1865	1	RMS	1850.488	20.92	30	9.08	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-24.83	-13	11.83	Pass	401
1849	1850	0.15	RMS	1849.998	-31.2	-13	18.2	Pass	401
1850	1865	1	RMS	1863.2	10.3	30	19.7	Pass	401



1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.475	20.68	30	9.32	Pass	401
1910	1911	0.051	RMS	1910	-22.66	-13	9.66	Pass	401
1911.5	1930	1	RMS	1911.5	-38.71	-13	25.71	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1896.5	9.99	30	20.01	Pass	401
1910	1911	0.15	RMS	1910	-32.17	-13	19.17	Pass	401
1911	1930	1	RMS	1911	-26.55	-13	13.55	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.35	-13	26.35	Pass	401
1849	1850	0.2	RMS	1850	-18.63	-13	5.63	Pass	401
1850	1870	1	RMS	1850.5	20.61	30	9.39	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-27.74	-13	14.74	Pass	401
1849	1850	0.2	RMS	1849.998	-32.27	-13	19.27	Pass	401
1850	1870	1	RMS	1867.3	8.93	30	21.07	Pass	401



1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	20.71	30	9.29	Pass	401
1910	1911	0.2	RMS	1910	-18.33	-13	5.33	Pass	401
1911.5	1935	1	RMS	1911.5	-40.9	-13	27.9	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.6	8.94	30	21.06	Pass	401
1910	1911	0.2	RMS	1910.005	-31.96	-13	18.96	Pass	401
1911	1935	1	RMS	1911.36	-29.19	-13	16.19	Pass	401



2. n5


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-42.93	-13	29.93	Pass	401
823	824	0.02	RMS	824	-21.09	-13	8.09	Pass	401
824	829	0.1	RMS	824.325	18.35	30	11.65	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-37.13	-13	24.13	Pass	401
823	824	0.051	RMS	823.995	-26.53	-13	13.53	Pass	401
824	829	0.1	RMS	824.775	4.95	30	25.05	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	18.39	30	11.61	Pass	401
849	850	0.02	RMS	849.003	-22.06	-13	9.06	Pass	401
850	859	0.1	RMS	850.968	-47.59	-13	34.59	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.7	5.15	30	24.85	Pass	401
849	850	0.051	RMS	849	-30.63	-13	17.63	Pass	401
850	859	0.1	RMS	850.225	-35.97	-13	22.97	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.098	-47.21	-13	34.21	Pass	401
823	824	0.02	RMS	824	-26.16	-13	13.16	Pass	401
824	839	0.1	RMS	824.488	18.35	30	11.65	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.145	-40.62	-13	27.62	Pass	401
823	824	0.15	RMS	824	-30.24	-13	17.24	Pass	401
824	839	0.1	RMS	835.888	0.21	30	29.79	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.46	30	11.54	Pass	401
849	850	0.02	RMS	849	-27.5	-13	14.5	Pass	401
850	869	0.1	RMS	850.903	-47.85	-13	34.85	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	845.363	0.23	30	29.77	Pass	401
849	850	0.15	RMS	849.003	-34.4	-13	21.4	Pass	401
850	869	0.1	RMS	850.713	-39.48	-13	26.48	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-47.4	-13	34.4	Pass	401
823	824	0.02	RMS	824	-30.21	-13	17.21	Pass	401
824	844	0.1	RMS	824.55	18.38	30	11.62	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-42.43	-13	29.43	Pass	401
823	824	0.2	RMS	823.998	-32.73	-13	19.73	Pass	401
824	844	0.1	RMS	835.55	-1.08	30	31.08	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.37	30	11.63	Pass	401
849	850	0.02	RMS	849	-30.8	-13	17.8	Pass	401
850	874	0.1	RMS	850.78	-47.91	-13	34.91	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	840.45	-0.94	30	30.94	Pass	401
849	850	0.2	RMS	849	-34.21	-13	21.21	Pass	401
850	874	0.1	RMS	850.96	-40.89	-13	27.89	Pass	401



3. n7


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.031	-50.38	-25	25.38	Pass	401
2490.5	2496	1	RMS	2495.821	-45.75	-13	32.75	Pass	401
2496	2498.5	1	RMS	2498.5	-39.32	-10	29.32	Pass	4
2499	2500	0.051	RMS	2500	-18.28	-10	8.28	Pass	401
2500	2505	1	RMS	2500.338	20.33	30	9.67	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.49	-47.41	-25	22.41	Pass	401
2490.5	2496	1	RMS	2496	-31.73	-13	18.73	Pass	401
2496	2498.5	1	RMS	2498.481	-24.8	-10	14.8	Pass	401
2499	2500	0.1	RMS	2499.995	-23.72	-10	13.72	Pass	401
2500	2505	1	RMS	2503.663	14.04	30	15.96	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	20.28	30	9.72	Pass	401
2570	2571	0.051	RMS	2570	-18.6	-10	8.6	Pass	401
2571.5	2575	1	RMS	2571.5	-31.02	-10	21.02	Pass	401
2575	2576	1	RMS	2575.038	-48.53	-13	35.53	Pass	401
2576	2580	1	RMS	2576.3	-49.74	-25	24.74	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2568.763	14.05	30	15.95	Pass	401
2570	2571	0.1	RMS	2570.003	-23.95	-10	13.95	Pass	401
2571	2575	1	RMS	2571	-24.4	-10	14.4	Pass	5
2575	2576	1	RMS	2575.005	-35.48	-13	22.48	Pass	401
2576	2580	1	RMS	2576	-39.19	-25	14.19	Pass	401




3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2489.765	-50.01	-25	25.01	Pass	401
2490.5	2496	1	RMS	2495.959	-46.18	-13	33.18	Pass	401
2496	2498.5	1	RMS	2498.494	-35.5	-10	25.5	Pass	401
2499	2500	0.051	RMS	2500	-22.73	-10	12.73	Pass	401
2500	2515	1	RMS	2500.413	20.32	30	9.68	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490	1	RMS	2490	-34.11	-25	9.11	Pass	401
2490.5	2496	1	RMS	2496	-28.89	-13	15.89	Pass	401
2496	2499	1	RMS	2499	-24.7	-10	14.7	Pass	401
2499	2500	0.3	RMS	2500	-24	-10	14	Pass	401
2500	2515	1	RMS	2513.013	9.63	30	20.37	Pass	401




3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2569.513	20.38	30	9.62	Pass	401
2570	2571	0.051	RMS	2570.003	-23.81	-10	13.81	Pass	401
2571.5	2575	1	RMS	2571.509	-36.95	-10	26.95	Pass	401
2575	2585	1	RMS	2575.125	-47.99	-13	34.99	Pass	401
2585	2590	1	RMS	2586.425	-50.52	-25	25.52	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2567.788	9.62	30	20.38	Pass	401
2570	2571	0.3	RMS	2570	-25.37	-10	15.37	Pass	401
2571	2575	1	RMS	2571	-25.12	-10	15.12	Pass	401
2575	2585	1	RMS	2575.05	-30.53	-13	17.53	Pass	401
2585	2590	1	RMS	2585	-39.26	-25	14.26	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2489.919	-49.82	-25	24.82	Pass	401
2490.5	2496	1	RMS	2495.876	-46.27	-13	33.27	Pass	401
2496	2498.5	1	RMS	2498.494	-37.42	-10	27.42	Pass	401
2499	2500	0.051	RMS	2500	-26.49	-10	16.49	Pass	401
2500	2520	1	RMS	2500.5	20.38	30	9.62	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.55	-25	8.55	Pass	16
2490.5	2496	1	RMS	2495.821	-29.93	-13	16.93	Pass	401
2496	2499	1	RMS	2499	-27.11	-10	17.11	Pass	401
2499	2500	0.39	RMS	2500	-21.46	-10	11.46	Pass	401
2500	2520	1	RMS	2518.3	8.6	30	21.4	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	20.38	30	9.62	Pass	401
2570	2571	0.051	RMS	2570	-27.3	-10	17.3	Pass	401
2571.5	2575	1	RMS	2571.535	-38.13	-10	28.13	Pass	401
2575	2590	1	RMS	2575.15	-48.57	-13	35.57	Pass	401
2590	2595	1	RMS	2590.388	-50.76	-25	25.76	Pass	401



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2567.55	8.38	30	21.62	Pass	401
2570	2571	0.39	RMS	2570	-21.74	-10	11.74	Pass	401
2571	2575	1	RMS	2571	-28.19	-10	18.19	Pass	401
2575	2590	1	RMS	2575	-31.68	-13	18.68	Pass	401
2590	2595	1	RMS	2590.013	-41.53	-25	16.53	Pass	401



4. n12 15kHz


4.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-20.22	-13	7.22	Pass	401
698.9	699	0.03	RMS	698.999	-19.72	-13	6.72	Pass	401
699	704	0.1	RMS	699.325	18.36	30	11.64	Pass	401




4.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-27.81	-13	14.81	Pass	401
698.9	699	0.03	RMS	698.998	-29.66	-13	16.66	Pass	401
699	704	0.1	RMS	702.525	4.82	30	25.18	Pass	401



4.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	18.07	30	11.93	Pass	401
716	716.1	0.03	RMS	716	-21.19	-13	8.19	Pass	401
716.1	726	0.1	RMS	716.1	-21.71	-13	8.71	Pass	401




4.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.763	4.56	30	25.44	Pass	401
716	716.1	0.03	RMS	716	-30.73	-13	17.73	Pass	401
716.1	726	0.1	RMS	716.1	-28.35	-13	15.35	Pass	401




4.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-21.43	-13	8.43	Pass	401
698.9	699	0.03	RMS	699	-21.79	-13	8.79	Pass	401
699	709	0.1	RMS	699.4	18.47	30	11.53	Pass	401




4.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-32.29	-13	19.29	Pass	401
698.9	699	0.03	RMS	699	-34.87	-13	21.87	Pass	401
699	709	0.1	RMS	701.65	1.93	30	28.07	Pass	401



4.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	18.05	30	11.95	Pass	401
716	716.1	0.03	RMS	716.001	-23.33	-13	10.33	Pass	401
716.1	731	0.1	RMS	716.1	-23.19	-13	10.19	Pass	401




4.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	712.875	1.6	30	28.4	Pass	401
716	716.1	0.03	RMS	716	-33.62	-13	20.62	Pass	401
716.1	731	0.1	RMS	716.1	-31.69	-13	18.69	Pass	401




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-24.37	-13	11.37	Pass	401
698.9	699	0.03	RMS	698.999	-24.76	-13	11.76	Pass	401
699	714	0.1	RMS	699.488	18.42	30	11.58	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-36.77	-13	23.77	Pass	401
698.9	699	0.03	RMS	699	-39.34	-13	26.34	Pass	401
699	714	0.1	RMS	701.775	0.13	30	29.87	Pass	401




4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	18.13	30	11.87	Pass	401
716	716.1	0.03	RMS	716	-26.01	-13	13.01	Pass	401
716.1	736	0.1	RMS	716.1	-25.73	-13	12.73	Pass	401



4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	701.75	-0.03	30	30.03	Pass	401
716	716.1	0.03	RMS	716	-40.82	-13	27.82	Pass	401
716.1	736	0.1	RMS	716.1	-37.7	-13	24.7	Pass	401



5. n13


5.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-20.05	-13	7.05	Pass	401
776.9	777	0.03	RMS	777	-19.41	-13	6.41	Pass	401
777	782	0.1	RMS	777.338	18.53	30	11.47	Pass	401




5.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-27.92	-13	14.92	Pass	401
776.9	777	0.03	RMS	777	-29.82	-13	16.82	Pass	401
777	782	0.1	RMS	781.625	5.54	30	24.46	Pass	401



5.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	786.65	18.41	30	11.59	Pass	401
787	787.1	0.03	RMS	787	-20.52	-13	7.52	Pass	401
787.1	797	0.1	RMS	787.1	-21.03	-13	8.03	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	785.388	4.84	30	25.16	Pass	401
787	787.1	0.03	RMS	787	-32.21	-13	19.21	Pass	401
787.1	797	0.1	RMS	787.1	-29.41	-13	16.41	Pass	401




5.5. Band Edge for SA_Part22-24-27(Subtest:5, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	771.819	-67.81	-35	32.81	Pass	1936




5.6. Band Edge for SA_Part22-24-27(Subtest:6, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.994	-60.23	-35	25.23	Pass	1936




5.7. Band Edge for SA_Part22-24-27(Subtest:7, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.223	-67.27	-35	32.27	Pass	2097




5.8. Band Edge for SA_Part22-24-27(Subtest:8, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.347	-57.62	-35	22.62	Pass	2097




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-21.29	-13	8.29	Pass	401
776.9	777	0.03	RMS	776.998	-21.71	-13	8.71	Pass	401
777	787	0.1	RMS	777.4	18.37	30	11.63	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-34.54	-13	21.54	Pass	401
776.9	777	0.03	RMS	776.999	-36.73	-13	23.73	Pass	401
777	787	0.1	RMS	784.675	2.27	30	27.73	Pass	401




5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	786.575	18.29	30	11.71	Pass	401
787	787.1	0.03	RMS	787	-22.59	-13	9.59	Pass	401
787.1	802	0.1	RMS	787.1	-22.26	-13	9.26	Pass	401




5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	783.875	2.26	30	27.74	Pass	401
787	787.1	0.03	RMS	787	-33.17	-13	20.17	Pass	401
787.1	802	0.1	RMS	787.1	-31.29	-13	18.29	Pass	401




5.13. Band Edge for SA_Part22-24-27(Subtest:5, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	763.074	-67.33	-35	32.33	Pass	1936




5.14. Band Edge for SA_Part22-24-27(Subtest:6, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.0062	RMS	774.981	-65.99	-35	30.99	Pass	1936




5.15. Band Edge for SA_Part22-24-27(Subtest:7, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	802.124	-67.49	-35	32.49	Pass	2097



5.16. Band Edge for SA_Part22-24-27(Subtest:8, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	806	0.0062	RMS	793.49	-50.77	-35	15.77	Pass	2097



1. n14


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-20.23	-13	7.23	Pass	401
787.9	788	0.051	RMS	788	-17.05	-13	4.05	Pass	401
788	793	0.1	RMS	788.338	18.36	30	11.64	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-26.11	-13	13.11	Pass	401
787.9	788	0.051	RMS	788	-25.6	-13	12.6	Pass	401
788	793	0.1	RMS	792.625	4.82	30	25.18	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.65	18.28	30	11.72	Pass	401
798	798.1	0.051	RMS	798.001	-17.74	-13	4.74	Pass	401
798.1	808	0.1	RMS	798.1	-20.65	-13	7.65	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	793.75	4.83	30	25.17	Pass	401
798	798.1	0.051	RMS	798.001	-28.5	-13	15.5	Pass	401
798.1	808	0.1	RMS	798.1	-28.48	-13	15.48	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	772.555	-73.28	-35	38.28	Pass	968




1.6. Band Edge for SA_Part22-24-27(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	771.842	-73.17	-35	38.17	Pass	968




1.7. Band Edge for SA_Part22-24-27(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	800.017	-61.36	-35	26.36	Pass	1130




1.8. Band Edge for SA_Part22-24-27(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.434	-45.69	-35	10.69	Pass	1130




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-21.21	-13	8.21	Pass	401
787.9	788	0.1	RMS	787.999	-16.01	-13	3.01	Pass	401
788	798	0.1	RMS	788.4	18.3	30	11.7	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.07	-13	19.07	Pass	401
787.9	788	0.1	RMS	787.999	-29.45	-13	16.45	Pass	401
788	798	0.1	RMS	794.875	1.89	30	28.11	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	18.25	30	11.75	Pass	401
798	798.1	0.1	RMS	798.001	-16.83	-13	3.83	Pass	401
798.1	813	0.1	RMS	798.1	-22.2	-13	9.2	Pass	401




1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	794.875	1.78	30	28.22	Pass	401
798	798.1	0.1	RMS	798.004	-28.76	-13	15.76	Pass	401
798.1	813	0.1	RMS	798.1	-31.49	-13	18.49	Pass	401




1.13. Band Edge for SA_Part22-24-27(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	772.965	-72.95	-35	37.95	Pass	968




1.14. Band Edge for SA_Part22-24-27(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	771.383	-72.89	-35	37.89	Pass	968




1.15. Band Edge for SA_Part22-24-27(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.955	-60.6	-35	25.6	Pass	1130



1.16. Band Edge for SA_Part22-24-27(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.118	-47.15	-35	12.15	Pass	1130



6. n25


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.7	-13	15.7	Pass	401
1849	1850	0.051	RMS	1850	-17	-13	4	Pass	401
1850	1855	1	RMS	1850.313	20.94	30	9.06	Pass	401




6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.479	-28.77	-13	15.77	Pass	401
1849	1850	0.051	RMS	1850	-26.36	-13	13.36	Pass	401
1850	1855	1	RMS	1853.663	14.73	30	15.27	Pass	401



6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.65	20.49	30	9.51	Pass	401
1915	1916	0.051	RMS	1915	-18.73	-13	5.73	Pass	401
1916.5	1925	1	RMS	1916.5	-31.45	-13	18.45	Pass	401




6.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.175	14.2	30	15.8	Pass	401
1915	1916	0.051	RMS	1915.003	-26.22	-13	13.22	Pass	401
1916.5	1925	1	RMS	1916.5	-25.1	-13	12.1	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-36.5	-13	23.5	Pass	401
1849	1850	0.15	RMS	1850	-16.67	-13	3.67	Pass	401
1850	1865	1	RMS	1850.45	21.05	30	8.95	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-24.9	-13	11.9	Pass	401
1849	1850	0.15	RMS	1850	-31.25	-13	18.25	Pass	401
1850	1865	1	RMS	1863.388	10.28	30	19.72	Pass	401



6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1914.513	20.72	30	9.28	Pass	401
1915	1916	0.15	RMS	1915	-18.38	-13	5.38	Pass	401
1916.5	1935	1	RMS	1916.5	-39.16	-13	26.16	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1901.65	10.1	30	19.9	Pass	401
1915	1916	0.15	RMS	1915.005	-32.21	-13	19.21	Pass	401
1916	1935	1	RMS	1916	-26.13	-13	13.13	Pass	401




6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-38.6	-13	25.6	Pass	401
1849	1850	0.2	RMS	1850	-18.03	-13	5.03	Pass	401
1850	1870	1	RMS	1850.5	21.08	30	8.92	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-28.38	-13	15.38	Pass	401
1849	1850	0.2	RMS	1849.993	-32.05	-13	19.05	Pass	401
1850	1870	1	RMS	1867.7	9.15	30	20.85	Pass	401



6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1914.4	20.74	30	9.26	Pass	401
1915	1916	0.2	RMS	1915	-19.61	-13	6.61	Pass	401
1916.5	1940	1	RMS	1916.5	-40.47	-13	27.47	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1896.45	8.78	30	21.22	Pass	401
1915	1916	0.2	RMS	1915.005	-32.33	-13	19.33	Pass	401
1916	1940	1	RMS	1917.38	-30.09	-13	17.09	Pass	401



8. n26 15kHz(824-849)


8.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	821.988	-48.78	-13	35.78	Pass	401
823	824	0.05	RMS	824	-16.12	-13	3.12	Pass	21
824	829	0.1	RMS	824.338	18.58	30	11.42	Pass	401




8.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-34.89	-13	21.89	Pass	401
823	824	0.051	RMS	824	-25.81	-13	12.81	Pass	401
824	829	0.1	RMS	824.5	5.1	30	24.9	Pass	401



8.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.55	30	11.45	Pass	401
849	850	0.051	RMS	849	-17.19	-13	4.19	Pass	401
850	859	0.1	RMS	851.013	-48.42	-13	35.42	Pass	401




8.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.488	5.25	30	24.75	Pass	401
849	850	0.051	RMS	849	-28.01	-13	15.01	Pass	401
850	859	0.1	RMS	850.473	-36.27	-13	23.27	Pass	401




8.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.098	-49.02	-13	36.02	Pass	401
823	824	0.15	RMS	824	-16.46	-13	3.46	Pass	8
824	839	0.1	RMS	824.488	18.54	30	11.46	Pass	401




8.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	821.955	-40.89	-13	27.89	Pass	401
823	824	0.15	RMS	824	-32.18	-13	19.18	Pass	401
824	839	0.1	RMS	836	0.25	30	29.75	Pass	401




8.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	18.6	30	11.4	Pass	401
849	850	0.15	RMS	849	-17.57	-13	4.57	Pass	401
850	869	0.1	RMS	850.903	-48.51	-13	35.51	Pass	401




8.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	845.588	0.23	30	29.77	Pass	401
849	850	0.15	RMS	849.003	-31.91	-13	18.91	Pass	401
850	869	0.1	RMS	851.33	-39.7	-13	26.7	Pass	401




8.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-49.26	-13	36.26	Pass	401
823	824	0.2	RMS	824	-17.04	-13	4.04	Pass	401
824	844	0.1	RMS	824.55	18.52	30	11.48	Pass	401




8.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	821.62	-42.33	-13	29.33	Pass	401
823	824	0.2	RMS	823.998	-34.45	-13	21.45	Pass	401
824	844	0.1	RMS	831	-1.14	30	31.14	Pass	401



8.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.46	30	11.54	Pass	401
849	850	0.2	RMS	849	-18.69	-13	5.69	Pass	401
850	874	0.1	RMS	850.78	-48.97	-13	35.97	Pass	401



8.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	844.45	-1.06	30	31.06	Pass	401
849	850	0.2	RMS	849.005	-34.86	-13	21.86	Pass	401
850	874	0.1	RMS	851.02	-41	-13	28	Pass	401



1. n26 15kHz(814-824)


1.1. Band Edge for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-19.49	-13	6.49	Pass	401
813.9625	814	0.002	RMS	813.992	-30.26	-20	10.26	Pass	401
814	819	0.1	RMS	814.338	18.45	30	11.55	Pass	401




1.2. Band Edge for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.85	-13	12.85	Pass	401
813.9625	814	0.051	RMS	814	-27.47	-20	7.47	Pass	401
814	819	0.1	RMS	818.225	4.98	30	25.02	Pass	401



1.3. Band Edge for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	18.49	30	11.51	Pass	401
824	824.0375	0.002	RMS	824.005	-27.85	-20	7.85	Pass	401
824.0875	829	0.1	RMS	824.088	-18.72	-13	5.72	Pass	401




1.4. Band Edge for SA_Part90(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.913	5.12	30	24.88	Pass	401
824	824.0375	0.051	RMS	824.001	-26.93	-20	6.93	Pass	401
824.0375	829	0.1	RMS	824.038	-24.99	-13	11.99	Pass	401




1.5. Band Edge for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-18.15	-13	5.15	Pass	401
813.9625	814	0.002	RMS	813.992	-32.65	-20	12.65	Pass	401
814	824	0.1	RMS	814.4	18.43	30	11.57	Pass	401




1.6. Band Edge for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-31.35	-13	18.35	Pass	401
813.9625	814	0.1	RMS	813.993	-30.17	-20	10.17	Pass	401
814	824	0.1	RMS	817.6	1.86	30	28.14	Pass	401




1.7. Band Edge for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	18.39	30	11.61	Pass	401
824	824.0375	0.002	RMS	824.005	-29.93	-20	9.93	Pass	401
824.0375	834	0.1	RMS	824.038	-17.6	-13	4.6	Pass	401



1.8. Band Edge for SA_Part90(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	821.05	1.85	30	28.15	Pass	401
824	824.0375	0.1	RMS	824.001	-30.31	-20	10.31	Pass	401
824.0375	834	0.1	RMS	824.038	-31.42	-13	18.42	Pass	401



2. n30 15kHz


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2280.33	-48.3	-40	8.3	Pass	401
2292	2296	1	RMS	2295.76	-47.77	-31	16.77	Pass	401
2296	2300	1	RMS	2296.91	-47.75	-25	22.75	Pass	401
2300	2304	1	RMS	2304	-38.45	-13	25.45	Pass	5
2304	2304.95	0.1	RMS	2304.95	-18.2	-13	5.2	Pass	401
2305	2310	0.1	RMS	2305.338	17.15	30	12.85	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2288.88	-48.29	-40	8.29	Pass	401
2292	2296	1	RMS	2295.98	-47.15	-31	16.15	Pass	401
2296	2300	1	RMS	2299.99	-37.67	-25	12.67	Pass	401
2300	2304	1	RMS	2304	-19.26	-13	6.26	Pass	5
2304	2305	0.1	RMS	2305	-22.7	-13	9.7	Pass	401
2305	2310	0.1	RMS	2309.588	3.74	30	26.26	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2314.65	17.06	30	12.94	Pass	401
2315.05	2316	0.1	RMS	2315.05	-19.06	-13	6.06	Pass	401
2316	2320	1	RMS	2316	-38.85	-13	25.85	Pass	5
2320	2324	1	RMS	2320.01	-47.68	-25	22.68	Pass	401
2324	2328	1	RMS	2326.57	-47.81	-31	16.81	Pass	401
2328	2340	1	RMS	2338.11	-48.2	-40	8.2	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2310.463	3.65	30	26.35	Pass	401
2315	2316	0.1	RMS	2315.003	-25.75	-13	12.75	Pass	401
2316	2320	1	RMS	2316	-22.45	-13	9.45	Pass	5
2320	2324	1	RMS	2320	-38.98	-25	13.98	Pass	401
2324	2328	1	RMS	2324.05	-47.19	-31	16.19	Pass	401
2328	2340	1	RMS	2328	-48.16	-40	8.16	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2290.44	-48.24	-40	8.24	Pass	401
2292	2296	1	RMS	2292.85	-47.77	-31	16.77	Pass	401
2296	2300	1	RMS	2299.81	-47.71	-25	22.71	Pass	401
2300	2304	1	RMS	2304	-36.29	-13	23.29	Pass	5
2304	2304.9	0.2	RMS	2304.898	-17.99	-13	4.99	Pass	401
2305	2315	0.1	RMS	2305.4	17.16	30	12.84	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.85	-47.68	-40	7.68	Pass	401
2292	2296	1	RMS	2296	-40.64	-31	9.64	Pass	401
2296	2299.5	1	RMS	2299.483	-28.37	-25	3.37	Pass	401
2300	2304	1	RMS	2304	-21.82	-13	8.82	Pass	5
2304	2305	0.2	RMS	2304.998	-23.54	-13	10.54	Pass	401
2305	2315	0.1	RMS	2306.55	0.57	30	29.43	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.575	17.25	30	12.75	Pass	401
2315.1	2316	0.2	RMS	2315.102	-18.2	-13	5.2	Pass	401
2316	2320	1	RMS	2316	-35.25	-13	22.25	Pass	5
2320	2324	1	RMS	2320.14	-47.1	-25	22.1	Pass	401
2324	2328	1	RMS	2324.22	-47.78	-31	16.78	Pass	401
2328	2340	1	RMS	2328.84	-48.22	-40	8.22	Pass	401



2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2306.575	0.58	30	29.42	Pass	401
2315	2316	0.2	RMS	2315	-24.85	-13	11.85	Pass	401
2316	2320	1	RMS	2316	-22.29	-13	9.29	Pass	5
2320.5	2324	1	RMS	2320.64	-28.41	-25	3.41	Pass	401
2324	2328	1	RMS	2324	-39.18	-31	8.18	Pass	401
2328	2340	1	RMS	2328	-45.29	-40	5.29	Pass	401



2. n38_PC3


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.675	-46.66	-25	21.66	Pass	401
2550	2565	1	RMS	2562	-45.41	-13	32.41	Pass	401
2565	2569	1	RMS	2569	-26.77	-10	16.77	Pass	401
2569	2570	0.051	RMS	2570	-25.2	-10	15.2	Pass	401
2570	2590	1	RMS	2571	20.57	30	9.43	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-41.33	-25	16.33	Pass	401
2550	2565	1	RMS	2565	-30.56	-13	17.56	Pass	401
2565	2569	1	RMS	2568.99	-28.5	-10	18.5	Pass	401
2569	2570	0.39	RMS	2570	-27.83	-10	17.83	Pass	401
2570	2590	1	RMS	2571.9	8.24	30	21.76	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619	20.61	30	9.39	Pass	401
2620	2621	0.051	RMS	2620	-27.2	-10	17.2	Pass	401
2621	2625	1	RMS	2621	-28.48	-10	18.48	Pass	401
2625	2640	1	RMS	2628	-45.62	-13	32.62	Pass	401
2640	2645	1	RMS	2642.463	-46.2	-25	21.2	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2615.85	8.53	30	21.47	Pass	401
2620	2621	0.39	RMS	2620.008	-28.09	-10	18.09	Pass	401
2621	2625	1	RMS	2621.01	-29	-10	19	Pass	401
2625	2640	1	RMS	2625.038	-30.96	-13	17.96	Pass	401
2640	2645	1	RMS	2640.038	-39.24	-25	14.24	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2535.725	-46.67	-25	21.67	Pass	401
2540	2565	1	RMS	2564.375	-45.8	-13	32.8	Pass	401
2565	2569	1	RMS	2569	-31.38	-10	21.38	Pass	401
2569	2570	0.051	RMS	2570	-29.63	-10	19.63	Pass	401
2570	2600	1	RMS	2571.125	20.48	30	9.52	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.763	-42.53	-25	17.53	Pass	401
2540	2565	1	RMS	2564.875	-30.59	-13	17.59	Pass	401
2565	2569	1	RMS	2568.95	-28.51	-10	18.51	Pass	401
2569	2570	0.62	RMS	2570	-27.17	-10	17.17	Pass	401
2570	2600	1	RMS	2572.025	6.39	30	23.61	Pass	401



2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.8	20.53	30	9.47	Pass	401
2620	2621	0.051	RMS	2620.003	-32.68	-10	22.68	Pass	401
2621	2625	1	RMS	2621	-33.75	-10	23.75	Pass	401
2625	2650	1	RMS	2632.563	-45.67	-13	32.67	Pass	401
2650	2655	1	RMS	2653.825	-46.17	-25	21.17	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2616.85	6.6	30	23.4	Pass	401
2620	2621	0.62	RMS	2620.003	-27.17	-10	17.17	Pass	401
2621	2625	1	RMS	2621.01	-29.72	-10	19.72	Pass	401
2625	2650	1	RMS	2625	-32.19	-13	19.19	Pass	401
2650	2655	1	RMS	2650	-40.3	-25	15.3	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2526.85	-46.49	-25	21.49	Pass	401
2530	2565	1	RMS	2564.213	-46	-13	33	Pass	401
2565	2569	1	RMS	2569	-30.87	-10	20.87	Pass	401
2569	2570	0.051	RMS	2570	-29.1	-10	19.1	Pass	401
2570	2610	1	RMS	2571.1	20.46	30	9.54	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.963	-42.97	-25	17.97	Pass	401
2530	2565	1	RMS	2565	-31.42	-13	18.42	Pass	401
2565	2569	1	RMS	2568.98	-29.7	-10	19.7	Pass	401
2569	2570	0.82	RMS	2570	-19.33	-10	9.33	Pass	401
2570	2610	1	RMS	2572.2	4.94	30	25.06	Pass	401



2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	20.41	30	9.59	Pass	401
2620	2621	0.051	RMS	2620.003	-30.3	-10	20.3	Pass	401
2621	2625	1	RMS	2621.01	-31.83	-10	21.83	Pass	401
2625	2660	1	RMS	2637.775	-45.49	-13	32.49	Pass	401
2660	2665	1	RMS	2662.238	-46.39	-25	21.39	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2616.8	5.16	30	24.84	Pass	401
2620	2621	0.82	RMS	2620	-20.74	-10	10.74	Pass	401
2621	2625	1	RMS	2621.03	-30.96	-10	20.96	Pass	401
2625	2660	1	RMS	2625.088	-33.59	-13	20.59	Pass	401
2660	2665	1	RMS	2660.15	-41.08	-25	16.08	Pass	401



1. n41


1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2487.916	-45.58	-25	20.58	Pass	401
2490.5	2495	1	RMS	2495	-25.67	-13	12.67	Pass	401
2495	2496	0.051	RMS	2496	-24.49	-13	11.49	Pass	401
2496	2516	1	RMS	2497	22.22	40	17.78	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2490	-28.14	-25	3.14	Pass	401
2490.5	2494.5	1	RMS	2494.5	-22.71	-13	9.71	Pass	401
2495	2496	0.39	RMS	2496	-22.9	-13	9.9	Pass	401
2496	2516	1	RMS	2513.2	11.63	40	28.37	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2688.95	22.64	40	17.36	Pass	401
2690	2691	0.051	RMS	2690.003	-24.95	-10	14.95	Pass	401
2691	2695	1	RMS	2691	-26.43	-10	16.43	Pass	401
2695	2710	1	RMS	2697.7	-46.07	-13	33.07	Pass	401
2710	2715	1	RMS	2713.325	-50.17	-25	25.17	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2671.85	11.61	40	28.39	Pass	401
2690	2691	0.39	RMS	2690	-20.81	-10	10.81	Pass	401
2691.5	2695	1	RMS	2691.526	-19.82	-10	9.82	Pass	401
2695.5	2710	1	RMS	2695.5	-24.3	-13	11.3	Pass	401
2710	2715	1	RMS	2710.025	-33.77	-25	8.77	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2486.335	-48.91	-25	23.91	Pass	401
2490.5	2495	1	RMS	2495	-26.36	-13	13.36	Pass	401
2495	2496	0.051	RMS	2495.998	-25.17	-13	12.17	Pass	401
2496	2556	1	RMS	2497.05	22.15	40	17.85	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490	1	RMS	2489.263	-31.33	-25	6.33	Pass	401
2490.5	2495	1	RMS	2495	-28.74	-13	15.74	Pass	401
2495	2495.5	1	RMS	2495.5	-25.18	-13	12.18	Pass	401
2496	2556	1	RMS	2515.65	6.23	40	33.77	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	22.17	40	17.83	Pass	401
2690	2691	0.051	RMS	2690.003	-27.62	-10	17.62	Pass	401
2691	2695	1	RMS	2691	-28.94	-10	18.94	Pass	401
2695	2750	1	RMS	2717.963	-47.32	-13	34.32	Pass	401
2750	2755	1	RMS	2750.688	-49.74	-25	24.74	Pass	401




1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2640.65	6.68	40	33.32	Pass	401
2690.5	2691	1	RMS	2690.503	-24.87	-10	14.87	Pass	401
2691	2695	1	RMS	2691.02	-26.81	-10	16.81	Pass	401
2695	2750	1	RMS	2695	-28.6	-13	15.6	Pass	401
2750	2755	1	RMS	2750.375	-46.27	-25	21.27	Pass	401




1.13. Band Edge for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2486.271	-49.15	-25	24.15	Pass	401
2490.5	2495	1	RMS	2495	-27.77	-13	14.77	Pass	401
2495	2496	0.051	RMS	2495.998	-26.44	-13	13.44	Pass	401
2496	2596	1	RMS	2497	21.64	40	18.36	Pass	401




1.14. Band Edge for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.14	-25	8.14	Pass	401
2490.5	2495	1	RMS	2494.966	-31.43	-13	18.43	Pass	401
2495	2495.5	1	RMS	2495.498	-28.46	-13	15.46	Pass	401
2496	2596	1	RMS	2593.25	3.73	40	36.27	Pass	401




1.15. Band Edge for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.98	40	18.02	Pass	401
2690	2691	0.051	RMS	2690.003	-27.53	-10	17.53	Pass	401
2691	2695	1	RMS	2691	-28.71	-10	18.71	Pass	401
2695	2790	1	RMS	2737.75	-48.15	-13	35.15	Pass	401
2790	2795	1	RMS	2790.825	-49.85	-25	24.85	Pass	401



1.16. Band Edge for SA_Part22-24-27(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2596.5	3.96	40	36.04	Pass	401
2690.5	2691	1	RMS	2690.5	-28.21	-10	18.21	Pass	401
2691	2695	1	RMS	2691.02	-30.65	-10	20.65	Pass	401
2695	2790	1	RMS	2695	-31.73	-13	18.73	Pass	401
2790	2795	1	RMS	2792.625	-49.66	-25	24.66	Pass	401



4. n66


4.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-29.3	-13	16.3	Pass	401
1709	1710	0.02	RMS	1709.998	-21.28	-13	8.28	Pass	401
1710	1715	1	RMS	1710.288	20.27	30	9.73	Pass	401




4.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-26.77	-13	13.77	Pass	401
1709	1710	0.051	RMS	1710	-26.84	-13	13.84	Pass	401
1710	1715	1	RMS	1713.688	14.04	30	15.96	Pass	401




4.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.65	20.25	30	9.75	Pass	401
1780	1781	0.051	RMS	1780	-18.51	-13	5.51	Pass	401
1781.5	1790	1	RMS	1781.5	-31.95	-13	18.95	Pass	401




4.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.163	13.98	30	16.02	Pass	401
1780	1781	0.051	RMS	1780	-26.84	-13	13.84	Pass	401
1781.5	1790	1	RMS	1781.5	-28.39	-13	15.39	Pass	401




4.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708.5	1	RMS	1708.5	-37.22	-13	24.22	Pass	401
1709	1710	0.15	RMS	1709.998	-16.63	-13	3.63	Pass	401
1710	1725	1	RMS	1710.413	20.39	30	9.61	Pass	401




4.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1709	1	RMS	1709	-24.61	-13	11.61	Pass	401
1709	1710	0.15	RMS	1709.995	-30.37	-13	17.37	Pass	401
1710	1725	1	RMS	1711.5	9.65	30	20.35	Pass	401




4.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1779.475	20.28	30	9.72	Pass	401
1780	1781	0.15	RMS	1780	-17.87	-13	4.87	Pass	401
1781.5	1800	1	RMS	1781.5	-40.5	-13	27.5	Pass	401




4.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1777.6	9.25	30	20.75	Pass	401
1780	1781	0.15	RMS	1780	-32.59	-13	19.59	Pass	401
1781	1800	1	RMS	1781	-26.85	-13	13.85	Pass	401




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-40.52	-13	27.52	Pass	401
1709	1710	0.2	RMS	1709.998	-18	-13	5	Pass	401
1710	1730	1	RMS	1710.5	20.4	30	9.6	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.441	-33.97	-13	20.97	Pass	401
1709	1710	0.2	RMS	1710	-32.39	-13	19.39	Pass	401
1710	1730	1	RMS	1713.25	8.35	30	21.65	Pass	401



4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.33	30	9.67	Pass	401
1780	1781	0.2	RMS	1780	-19.36	-13	6.36	Pass	401
1781.5	1805	1	RMS	1781.5	-42.89	-13	29.89	Pass	401



4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1761.95	8.02	30	21.98	Pass	401
1780	1781	0.2	RMS	1780	-33.48	-13	20.48	Pass	401
1781.5	1805	1	RMS	1781.5	-32.47	-13	19.47	Pass	401



7. n71 15kHz


7.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-19.31	-13	6.31	Pass	401
662.9	663	0.03	RMS	663	-18.74	-13	5.74	Pass	401
663	668	0.1	RMS	663.338	18.25	30	11.75	Pass	401




7.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-27.69	-13	14.69	Pass	401
662.9	663	0.03	RMS	663	-29.41	-13	16.41	Pass	401
663	668	0.1	RMS	667.425	4.5	30	25.5	Pass	401



7.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	18.2	30	11.8	Pass	401
698	698.1	0.03	RMS	698.001	-19.85	-13	6.85	Pass	401
698.1	708	0.1	RMS	698.1	-20.55	-13	7.55	Pass	401




7.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	693.825	4.79	30	25.21	Pass	401
698	698.1	0.03	RMS	698	-30.68	-13	17.68	Pass	401
698.1	708	0.1	RMS	698.1	-28.52	-13	15.52	Pass	401




7.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-23.94	-13	10.94	Pass	401
662.9	663	0.03	RMS	663	-23.95	-13	10.95	Pass	401
663	678	0.1	RMS	663.488	18.18	30	11.82	Pass	401




7.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-39.15	-13	26.15	Pass	401
662.9	663	0.03	RMS	663	-41.32	-13	28.32	Pass	401
663	678	0.1	RMS	675.038	-0.16	30	30.16	Pass	401




7.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	18.34	30	11.66	Pass	401
698	698.1	0.03	RMS	698	-24.86	-13	11.86	Pass	401
698.1	718	0.1	RMS	698.1	-24.87	-13	11.87	Pass	401




7.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	685.7	0.17	30	29.83	Pass	401
698	698.1	0.03	RMS	698	-39.4	-13	26.4	Pass	401
698.1	718	0.1	RMS	698.1	-36.67	-13	23.67	Pass	401




7.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-28.76	-13	15.76	Pass	401
662.9	663	0.03	RMS	663	-28.06	-13	15.06	Pass	401
663	683	0.1	RMS	663.55	18.14	30	11.86	Pass	401




7.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-41.66	-13	28.66	Pass	401
662.9	663	0.03	RMS	663	-44.55	-13	31.55	Pass	401
663	683	0.1	RMS	676.65	-1.32	30	31.32	Pass	401




7.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	18.3	30	11.7	Pass	401
698	698.1	0.03	RMS	698.001	-28.58	-13	15.58	Pass	401
698.1	723	0.1	RMS	698.1	-29.31	-13	16.31	Pass	401



7.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	688.5	-1.16	30	31.16	Pass	401
698	698.1	0.03	RMS	698	-42.18	-13	29.18	Pass	401
698.1	723	0.1	RMS	698.1	-39.21	-13	26.21	Pass	401



5. n77(3450-3550)


5.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3441.85	-39.51	-13	26.51	Pass	401
3445	3449	0.62	RMS	3449	-35.52	-13	22.52	Pass	401
3449	3450	0.051	RMS	3449.995	-24.72	-13	11.72	Pass	401
3450	3470	1	RMS	3451	23.45	40	16.55	Pass	401




5.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-25.84	-13	12.84	Pass	401
3445	3449	0.62	RMS	3448.94	-24.06	-13	11.06	Pass	401
3449	3450	0.39	RMS	3449.993	-22.26	-13	9.26	Pass	401
3450	3470	1	RMS	3465.3	11.92	40	28.08	Pass	401




5.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	22.58	40	17.42	Pass	401
3550	3551	0.051	RMS	3550.008	-24.92	-13	11.92	Pass	401
3551	3555	0.62	RMS	3551	-35.01	-13	22.01	Pass	401
3555	3575	1	RMS	3557.65	-41.32	-13	28.32	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3545.7	11.05	40	28.95	Pass	401
3550	3551	0.39	RMS	3550.008	-23.63	-13	10.63	Pass	401
3551	3555	0.62	RMS	3551	-24.25	-13	11.25	Pass	401
3555	3575	1	RMS	3555.25	-27.79	-13	14.79	Pass	401




5.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3418.15	-40.14	-13	27.14	Pass	401
3445	3449	0.62	RMS	3449	-35.46	-13	22.46	Pass	401
3449	3450	0.051	RMS	3450	-24.2	-13	11.2	Pass	401
3450	3510	1	RMS	3451.05	23.19	40	16.81	Pass	401




5.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-31.29	-13	18.29	Pass	401
3445	3449	0.62	RMS	3447.17	-32.3	-13	19.3	Pass	401
3449	3450	0.39	RMS	3449.995	-29.95	-13	16.95	Pass	401
3450	3510	1	RMS	3458.85	6.37	40	33.63	Pass	401




5.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	22.41	40	17.59	Pass	401
3550	3551	0.051	RMS	3550	-26.19	-13	13.19	Pass	401
3551	3555	0.62	RMS	3551	-35.17	-13	22.17	Pass	401
3555	3615	1	RMS	3557.55	-41.32	-13	28.32	Pass	401




5.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3541.75	6.03	40	33.97	Pass	401
3550	3551	0.39	RMS	3550.003	-30.71	-13	17.71	Pass	401
3551	3555	0.62	RMS	3551.07	-32.97	-13	19.97	Pass	401
3555	3615	1	RMS	3555	-33.75	-13	20.75	Pass	401




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3442.75	-40.05	-13	27.05	Pass	401
3445	3449	0.62	RMS	3449	-35.66	-13	22.66	Pass	401
3449	3450	0.051	RMS	3450	-25.55	-13	12.55	Pass	401
3450	3550	1	RMS	3451	23.1	40	16.9	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-34.13	-13	21.13	Pass	401
3445	3449	0.62	RMS	3447.23	-35.14	-13	22.14	Pass	401
3449	3450	0.39	RMS	3449.998	-31.65	-13	18.65	Pass	401
3450	3550	1	RMS	3463	3.85	40	36.15	Pass	401



5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.2	40	17.8	Pass	401
3550	3551	0.051	RMS	3550.003	-27.38	-13	14.38	Pass	401
3551	3555	0.62	RMS	3551.01	-35.93	-13	22.93	Pass	401
3555	3655	1	RMS	3555	-41.37	-13	28.37	Pass	401



5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3457.25	3.88	40	36.12	Pass	401
3550	3551	0.39	RMS	3550.008	-32.43	-13	19.43	Pass	401
3551	3555	0.62	RMS	3551.01	-34.77	-13	21.77	Pass	401
3555	3655	1	RMS	3555	-35.09	-13	22.09	Pass	401



6. n77(3700-3980)


6.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3691.95	-41.7	-13	28.7	Pass	401
3695	3699	0.62	RMS	3699	-36.32	-13	23.32	Pass	401
3699	3700	0.051	RMS	3699.998	-25.99	-13	12.99	Pass	401
3700	3720	1	RMS	3701.05	21.44	40	18.56	Pass	401




6.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-26.12	-13	13.12	Pass	401
3695	3699	0.62	RMS	3699	-24.1	-13	11.1	Pass	401
3699	3700	0.39	RMS	3699.993	-23.33	-13	10.33	Pass	401
3700	3720	1	RMS	3715.75	9.94	40	30.06	Pass	401




6.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3978.95	21.67	40	18.33	Pass	401
3980	3981	0.051	RMS	3980.003	-26.77	-13	13.77	Pass	401
3981	3985	0.62	RMS	3981	-35.44	-13	22.44	Pass	401
3985	4005	1	RMS	3985.9	-41.53	-13	28.53	Pass	401




6.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3975.75	9.66	40	30.34	Pass	401
3980	3981	0.39	RMS	3980.005	-24.13	-13	11.13	Pass	401
3981	3985	0.62	RMS	3981.04	-24.73	-13	11.73	Pass	401
3985	4005	1	RMS	3985	-27.61	-13	14.61	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-41.88	-13	28.88	Pass	401
3695	3699	0.62	RMS	3699	-36.82	-13	23.82	Pass	401
3699	3700	0.051	RMS	3700	-27.47	-13	14.47	Pass	401
3700	3760	1	RMS	3701.05	21.23	40	18.77	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-32.26	-13	19.26	Pass	401
3695	3699	0.62	RMS	3698.65	-32.4	-13	19.4	Pass	401
3699	3700	0.39	RMS	3699.995	-30.82	-13	17.82	Pass	401
3700	3760	1	RMS	3751.6	4.96	40	35.04	Pass	401



6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	22.15	40	17.85	Pass	401
3980	3981	0.051	RMS	3980.003	-28.05	-13	15.05	Pass	401
3981	3985	0.62	RMS	3981.01	-35.7	-13	22.7	Pass	401
3985	4045	1	RMS	3988.45	-41.59	-13	28.59	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3946.1	5.7	40	34.3	Pass	401
3980	3981	0.39	RMS	3980.008	-30.28	-13	17.28	Pass	401
3981	3985	0.62	RMS	3981.2	-31	-13	18	Pass	401
3985	4045	1	RMS	3985	-30.7	-13	17.7	Pass	401



6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3693.25	-42.11	-13	29.11	Pass	401
3695	3699	0.62	RMS	3699	-36.9	-13	23.9	Pass	401
3699	3700	0.051	RMS	3699.993	-27.71	-13	14.71	Pass	401
3700	3800	1	RMS	3701	21.03	40	18.97	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.25	-35.1	-13	22.1	Pass	401
3695	3699	0.62	RMS	3698.56	-35.75	-13	22.75	Pass	401
3699	3700	0.39	RMS	3699.998	-32.96	-13	19.96	Pass	401
3700	3800	1	RMS	3781.25	2.84	40	37.16	Pass	401



6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	21.89	40	18.11	Pass	401
3980	3981	0.051	RMS	3980	-27.45	-13	14.45	Pass	401
3981	3985	0.62	RMS	3981.01	-35.84	-13	22.84	Pass	401
3985	4085	1	RMS	3990	-41.65	-13	28.65	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3892	3.44	40	36.56	Pass	401
3980	3981	0.39	RMS	3980.01	-32.9	-13	19.9	Pass	401
3981	3985	0.62	RMS	3981	-34.47	-13	21.47	Pass	401
3985	4085	1	RMS	3985.25	-34.39	-13	21.39	Pass	401



7. n78(3450-3550)


7.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3441.7	-39.22	-13	26.22	Pass	401
3445	3449	0.62	RMS	3449	-34.88	-13	21.88	Pass	401
3449	3450	0.051	RMS	3450	-23.61	-13	10.61	Pass	401
3450	3470	1	RMS	3450.95	23.57	40	16.43	Pass	401




7.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-25.62	-13	12.62	Pass	401
3445	3449	0.62	RMS	3448.97	-24.13	-13	11.13	Pass	401
3449	3450	0.39	RMS	3449.99	-22.2	-13	9.2	Pass	401
3450	3470	1	RMS	3465.75	11.91	40	28.09	Pass	401




7.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549.05	22.64	40	17.36	Pass	401
3550	3551	0.051	RMS	3550.003	-24.73	-13	11.73	Pass	401
3551	3555	0.62	RMS	3551.02	-34.65	-13	21.65	Pass	401
3555	3575	1	RMS	3555.4	-41.27	-13	28.27	Pass	401




7.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3545.75	11.08	40	28.92	Pass	401
3550	3551	0.39	RMS	3550.01	-22.87	-13	9.87	Pass	401
3551	3555	0.62	RMS	3551.01	-23.46	-13	10.46	Pass	401
3555	3575	1	RMS	3555	-27.77	-13	14.77	Pass	401




7.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3443.75	-39.99	-13	26.99	Pass	401
3445	3449	0.62	RMS	3448.99	-37.21	-13	24.21	Pass	401
3449	3450	0.39	RMS	3449.998	-20.55	-13	7.55	Pass	401
3450	3500	1	RMS	3451.25	23.21	40	16.79	Pass	401




7.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-30.25	-13	17.25	Pass	401
3445	3449	0.62	RMS	3448.52	-29.97	-13	16.97	Pass	401
3449	3450	0.39	RMS	3449.998	-29.34	-13	16.34	Pass	401
3450	3500	1	RMS	3456	7.35	40	32.65	Pass	401



7.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	22.35	40	17.65	Pass	401
3550	3551	0.39	RMS	3550	-23.27	-13	10.27	Pass	401
3551	3555	0.62	RMS	3551.01	-37.8	-13	24.8	Pass	401
3555	3605	1	RMS	3555	-41.5	-13	28.5	Pass	401




7.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3546.125	6.79	40	33.21	Pass	401
3550	3551	0.39	RMS	3550	-30.38	-13	17.38	Pass	401
3551	3555	0.62	RMS	3551.1	-30.74	-13	17.74	Pass	401
3555	3605	1	RMS	3555	-32.45	-13	19.45	Pass	401




7.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-40.11	-13	27.11	Pass	401
3445	3449	0.62	RMS	3448.99	-36.15	-13	23.15	Pass	401
3449	3450	0.051	RMS	3450	-25.61	-13	12.61	Pass	401
3450	3550	1	RMS	3451	23.02	40	16.98	Pass	401




7.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-34.8	-13	21.8	Pass	401
3445	3449	0.62	RMS	3447.43	-35.93	-13	22.93	Pass	401
3449	3450	0.39	RMS	3449.998	-31.95	-13	18.95	Pass	401
3450	3550	1	RMS	3462.5	3.9	40	36.1	Pass	401



7.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.14	40	17.86	Pass	401
3550	3551	0.051	RMS	3550.003	-27.47	-13	14.47	Pass	401
3551	3555	0.62	RMS	3551.02	-36.05	-13	23.05	Pass	401
3555	3655	1	RMS	3556.75	-41.4	-13	28.4	Pass	401



7.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3461	3.86	40	36.14	Pass	401
3550	3551	0.39	RMS	3550.008	-32.72	-13	19.72	Pass	401
3551	3555	0.62	RMS	3551.02	-35.53	-13	22.53	Pass	401
3555	3655	1	RMS	3555	-35.71	-13	22.71	Pass	401



8. n78(3700-3800)


8.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3691.7	-41.58	-13	28.58	Pass	401
3695	3699	0.62	RMS	3699	-36.02	-13	23.02	Pass	401
3699	3700	0.051	RMS	3699.998	-25.94	-13	12.94	Pass	401
3700	3720	1	RMS	3701.05	21.52	40	18.48	Pass	401




8.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.85	-26.24	-13	13.24	Pass	401
3695	3699	0.62	RMS	3698.9	-23.75	-13	10.75	Pass	401
3699	3700	0.39	RMS	3699.998	-22.81	-13	9.81	Pass	401
3700	3720	1	RMS	3704.1	9.91	40	30.09	Pass	401



8.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	21.84	40	18.16	Pass	401
3800	3801	0.051	RMS	3800.003	-25.99	-13	12.99	Pass	401
3801	3805	0.62	RMS	3801	-35.63	-13	22.63	Pass	401
3805	3825	1	RMS	3805.15	-41.42	-13	28.42	Pass	401




8.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3784.55	10.32	40	29.68	Pass	401
3800	3801	0.39	RMS	3800.013	-23.04	-13	10.04	Pass	401
3801	3805	0.62	RMS	3801.01	-23.04	-13	10.04	Pass	401
3805	3825	1	RMS	3805	-25.86	-13	12.86	Pass	401




8.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3692.75	-42.26	-13	29.26	Pass	401
3695	3699	0.62	RMS	3698.98	-38.21	-13	25.21	Pass	401
3699	3700	0.39	RMS	3700	-21.5	-13	8.5	Pass	401
3700	3750	1	RMS	3701.25	21.32	40	18.68	Pass	401




8.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-30.09	-13	17.09	Pass	401
3695	3699	0.62	RMS	3698.68	-30.44	-13	17.44	Pass	401
3699	3700	0.39	RMS	3699.995	-30.73	-13	17.73	Pass	401
3700	3750	1	RMS	3746	5.68	40	34.32	Pass	401



8.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	21.55	40	18.45	Pass	401
3800	3801	0.39	RMS	3800	-24.08	-13	11.08	Pass	401
3801	3805	0.62	RMS	3801.03	-38.38	-13	25.38	Pass	401
3805	3855	1	RMS	3806.75	-41.68	-13	28.68	Pass	401




8.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3774.375	6.03	40	33.97	Pass	401
3800	3801	0.39	RMS	3800.003	-30.65	-13	17.65	Pass	401
3801	3805	0.62	RMS	3801	-30.03	-13	17.03	Pass	401
3805	3855	1	RMS	3805	-30.67	-13	17.67	Pass	401



8.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3693	-42.22	-13	29.22	Pass	401
3695	3699	0.62	RMS	3698.98	-37.01	-13	24.01	Pass	401
3699	3700	0.051	RMS	3699.998	-27.5	-13	14.5	Pass	401
3700	3800	1	RMS	3701	21.06	40	18.94	Pass	401




8.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-35	-13	22	Pass	401
3695	3699	0.62	RMS	3699	-35.73	-13	22.73	Pass	401
3699	3700	0.39	RMS	3700	-32.88	-13	19.88	Pass	401
3700	3800	1	RMS	3776	2.71	40	37.29	Pass	401



8.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	21.48	40	18.52	Pass	401
3800	3801	0.051	RMS	3800.003	-27.69	-13	14.69	Pass	401
3801	3805	0.62	RMS	3801.02	-36.39	-13	23.39	Pass	401
3805	3905	1	RMS	3805.75	-41.71	-13	28.71	Pass	401



8.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3777	2.69	40	37.31	Pass	401
3800	3801	0.39	RMS	3800	-33.35	-13	20.35	Pass	401
3801	3805	0.62	RMS	3801.01	-35.24	-13	22.24	Pass	401
3805	3905	1	RMS	3805	-35.16	-13	22.16	Pass	401



--BLANK BELOW--