



8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.47	-25	Pass	2986
30	1000	0.1	RMS	977.6	-57.11	-25	Pass	9701
1000	2560	1	RMS	2554	-43.47	-25	Pass	1561
2560	2630	1	RMS	2590.625	21.84	60	Pass	401
2630	3000	1	RMS	2689.2	-43.65	-25	Pass	401
3000	12000	1	RMS	11844	-59.53	-25	Pass	9001
12000	26500	1	RMS	25594	-40.29	-25	Pass	14501




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.12	-25	Pass	2986
30	1000	0.1	RMS	902.6	-57.04	-25	Pass	9701
1000	2560	1	RMS	2542	-43.43	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.32	60	Pass	401
2630	3000	1	RMS	2630	-43.52	-25	Pass	401
3000	12000	1	RMS	11849	-59.55	-25	Pass	9001
12000	26500	1	RMS	25594	-40.33	-25	Pass	14501




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2986
30	1000	0.1	RMS	895.9	-57.1	-25	Pass	9701
1000	2560	1	RMS	2552	-43.52	-25	Pass	1561
2560	2630	1	RMS	2610.575	21.96	60	Pass	401
2630	3000	1	RMS	2686.425	-43.62	-25	Pass	401
3000	12000	1	RMS	11847	-59.48	-25	Pass	9001
12000	26500	1	RMS	25612	-40.35	-25	Pass	14501




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.2	-25	Pass	2986
30	1000	0.1	RMS	901.2	-56.99	-25	Pass	9701
1000	2560	1	RMS	2560	-39.95	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.29	60	Pass	401
2630	3000	1	RMS	2682.725	-43.61	-25	Pass	401
3000	12000	1	RMS	11854	-59.45	-25	Pass	9001
12000	26500	1	RMS	25604	-40.34	-25	Pass	14501




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-25	Pass	2986
30	1000	0.1	RMS	960.9	-57.15	-25	Pass	9701
1000	2560	1	RMS	2558	-41.37	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.55	60	Pass	401
2630	3000	1	RMS	2678.1	-43.64	-25	Pass	401
3000	12000	1	RMS	11850	-59.45	-25	Pass	9001
12000	26500	1	RMS	25592	-40.4	-25	Pass	14501




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.53	-25	Pass	2986
30	1000	0.1	RMS	982	-57.11	-25	Pass	9701
1000	2560	1	RMS	2560	-43.48	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.06	60	Pass	401
2630	3000	1	RMS	2691.05	-43.62	-25	Pass	401
3000	12000	1	RMS	11858	-59.44	-25	Pass	9001
12000	26500	1	RMS	25599	-40.34	-25	Pass	14501




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52	-25	Pass	2986
30	1000	0.1	RMS	878.2	-56.97	-25	Pass	9701
1000	2560	1	RMS	2560	-43.52	-25	Pass	1561
2560	2630	1	RMS	2588.35	20.98	60	Pass	401
2630	3000	1	RMS	2683.65	-43.64	-25	Pass	401
3000	12000	1	RMS	11863	-59.52	-25	Pass	9001
12000	26500	1	RMS	25605	-40.32	-25	Pass	14501




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.94	-25	Pass	2986
30	1000	0.1	RMS	982.9	-57.1	-25	Pass	9701
1000	2560	1	RMS	2554	-43.41	-25	Pass	1561
2560	2645	1	RMS	2605.688	22.49	60	Pass	401
2645	3000	1	RMS	2679.613	-43.59	-25	Pass	401
3000	12000	1	RMS	11841	-59.49	-25	Pass	9001
12000	26500	1	RMS	25611	-40.32	-25	Pass	14501




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.81	-25	Pass	2986
30	1000	0.1	RMS	977	-56.88	-25	Pass	9701
1000	2560	1	RMS	2550	-43.47	-25	Pass	1561
2560	2645	1	RMS	2605.9	21.73	60	Pass	401
2645	3000	1	RMS	2695.588	-43.62	-25	Pass	401
3000	12000	1	RMS	11864	-59.5	-25	Pass	9001
12000	26500	1	RMS	25596	-40.34	-25	Pass	14501




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.94	-25	Pass	2986
30	1000	0.1	RMS	939.9	-57.18	-25	Pass	9701
1000	2560	1	RMS	2560	-38.63	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.83	60	Pass	401
2630	3000	1	RMS	2689.2	-43.61	-25	Pass	401
3000	12000	1	RMS	11856	-59.46	-25	Pass	9001
12000	26500	1	RMS	25608	-40.25	-25	Pass	14501




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2986
30	1000	0.1	RMS	900.4	-57.1	-25	Pass	9701
1000	2560	1	RMS	2558	-39.26	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.56	60	Pass	401
2630	3000	1	RMS	2688.275	-43.62	-25	Pass	401
3000	12000	1	RMS	11870	-59.43	-25	Pass	9001
12000	26500	1	RMS	25596	-40.34	-25	Pass	14501




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-25	Pass	2986
30	1000	0.1	RMS	880.1	-57.08	-25	Pass	9701
1000	2560	1	RMS	2554	-43.48	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.84	60	Pass	401
2630	3000	1	RMS	2684.575	-43.65	-25	Pass	401
3000	12000	1	RMS	11859	-59.54	-25	Pass	9001
12000	26500	1	RMS	25608	-40.38	-25	Pass	14501




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.73	-25	Pass	2986
30	1000	0.1	RMS	997.9	-57.06	-25	Pass	9701
1000	2560	1	RMS	2557	-43.49	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.41	60	Pass	401
2630	3000	1	RMS	2691.05	-43.64	-25	Pass	401
3000	12000	1	RMS	11862	-59.46	-25	Pass	9001
12000	26500	1	RMS	25582	-40.24	-25	Pass	14501




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.2	-25	Pass	2986
30	1000	0.1	RMS	904.9	-56.93	-25	Pass	9701
1000	2560	1	RMS	2560	-43.51	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.67	60	Pass	401
2645	3000	1	RMS	2681.388	-43.59	-25	Pass	401
3000	12000	1	RMS	11864	-59.52	-25	Pass	9001
12000	26500	1	RMS	25601	-40.39	-25	Pass	14501



8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.51	-25	Pass	2986
30	1000	0.1	RMS	968.5	-57.15	-25	Pass	9701
1000	2560	1	RMS	2558	-43.52	-25	Pass	1561
2560	2645	1	RMS	2601.013	21.98	60	Pass	401
2645	3000	1	RMS	2677.838	-43.59	-25	Pass	401
3000	12000	1	RMS	11975	-59.49	-25	Pass	9001
12000	26500	1	RMS	25599	-40.37	-25	Pass	14501



9. LTE_Band41 full


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-25	Pass	2986
30	1000	0.1	RMS	875.9	-57.15	-25	Pass	9701
1000	2486	1	RMS	2484	-44.11	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.57	60	Pass	401
2700	3000	1	RMS	2700.75	-43.75	-25	Pass	401
3000	12000	1	RMS	11850	-59.51	-25	Pass	9001
12000	27000	1	RMS	25595	-40.8	-25	Pass	15001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.57	-25	Pass	2986
30	1000	0.1	RMS	875	-57	-25	Pass	9701
1000	2486	1	RMS	2486	-44.06	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.51	60	Pass	401
2700	3000	1	RMS	2700	-43.78	-25	Pass	401
3000	12000	1	RMS	11849	-59.51	-25	Pass	9001
12000	27000	1	RMS	25604	-40.82	-25	Pass	15001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-25	Pass	2986
30	1000	0.1	RMS	876.1	-57.04	-25	Pass	9701
1000	2486	1	RMS	2426	-44.21	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.26	60	Pass	401
2700	3000	1	RMS	2700.75	-43.71	-25	Pass	401
3000	12000	1	RMS	11835	-59.47	-25	Pass	9001
12000	27000	1	RMS	25603	-40.81	-25	Pass	15001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.88	-25	Pass	2986
30	1000	0.1	RMS	899.4	-57.14	-25	Pass	9701
1000	2486	1	RMS	2485	-44.24	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.05	60	Pass	401
2700	3000	1	RMS	2704.5	-43.76	-25	Pass	401
3000	12000	1	RMS	11845	-59.55	-25	Pass	9001
12000	27000	1	RMS	25608	-40.8	-25	Pass	15001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-25	Pass	2986
30	1000	0.1	RMS	884.8	-57.08	-25	Pass	9701
1000	2486	1	RMS	2484	-44.19	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.47	60	Pass	401
2700	3000	1	RMS	2701.5	-43.7	-25	Pass	401
3000	12000	1	RMS	11844	-59.44	-25	Pass	9001
12000	27000	1	RMS	25600	-40.76	-25	Pass	15001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-25	Pass	2986
30	1000	0.1	RMS	902.2	-56.88	-25	Pass	9701
1000	2486	1	RMS	2485	-44.2	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.85	60	Pass	401
2700	3000	1	RMS	2700	-43.7	-25	Pass	401
3000	12000	1	RMS	11848	-59.51	-25	Pass	9001
12000	27000	1	RMS	25608	-40.9	-25	Pass	15001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.7	-25	Pass	2986
30	1000	0.1	RMS	896.9	-57.09	-25	Pass	9701
1000	2486	1	RMS	2486	-42.56	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.4	60	Pass	401
2700	3000	1	RMS	2700	-43.75	-25	Pass	401
3000	12000	1	RMS	11842	-59.47	-25	Pass	9001
12000	27000	1	RMS	25593	-40.82	-25	Pass	15001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.65	-25	Pass	2986
30	1000	0.1	RMS	995.7	-57.12	-25	Pass	9701
1000	2486	1	RMS	2485	-43.7	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.27	60	Pass	401
2700	3000	1	RMS	2700.75	-43.77	-25	Pass	401
3000	12000	1	RMS	11867	-59.45	-25	Pass	9001
12000	27000	1	RMS	25579	-40.73	-25	Pass	15001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-25	Pass	2986
30	1000	0.1	RMS	924.3	-57.13	-25	Pass	9701
1000	2486	1	RMS	2483	-44.22	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.98	60	Pass	401
2700	3000	1	RMS	2702.25	-43.74	-25	Pass	401
3000	12000	1	RMS	11846	-59.53	-25	Pass	9001
12000	27000	1	RMS	25600	-40.78	-25	Pass	15001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.83	-25	Pass	2986
30	1000	0.1	RMS	884.1	-57.14	-25	Pass	9701
1000	2486	1	RMS	2485	-44.27	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.11	60	Pass	401
2700	3000	1	RMS	2700.75	-43.78	-25	Pass	401
3000	12000	1	RMS	11857	-59.45	-25	Pass	9001
12000	27000	1	RMS	25607	-40.8	-25	Pass	15001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-25	Pass	2986
30	1000	0.1	RMS	878.2	-57.03	-25	Pass	9701
1000	2486	1	RMS	2485	-44.21	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.98	60	Pass	401
2700	3000	1	RMS	2700	-43.08	-25	Pass	401
3000	12000	1	RMS	11855	-59.46	-25	Pass	9001
12000	27000	1	RMS	25602	-40.75	-25	Pass	15001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.61	-25	Pass	2986
30	1000	0.1	RMS	907.3	-57.03	-25	Pass	9701
1000	2486	1	RMS	2486	-44.23	-25	Pass	1487
2486	2700	1	RMS	2680.74	20.83	60	Pass	401
2700	3000	1	RMS	2700	-43.17	-25	Pass	401
3000	12000	1	RMS	11850	-59.5	-25	Pass	9001
12000	27000	1	RMS	25614	-40.81	-25	Pass	15001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.48	-25	Pass	2986
30	1000	0.1	RMS	996.2	-57.06	-25	Pass	9701
1000	2486	1	RMS	2486	-40.74	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.52	60	Pass	401
2700	3000	1	RMS	2700.75	-43.72	-25	Pass	401
3000	12000	1	RMS	11851	-59.48	-25	Pass	9001
12000	27000	1	RMS	25592	-40.82	-25	Pass	15001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-25	Pass	2986
30	1000	0.1	RMS	995.9	-57.08	-25	Pass	9701
1000	2486	1	RMS	2486	-42.3	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.35	60	Pass	401
2700	3000	1	RMS	2703	-43.77	-25	Pass	401
3000	12000	1	RMS	11878	-59.51	-25	Pass	9001
12000	27000	1	RMS	25609	-40.85	-25	Pass	15001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.42	-25	Pass	2986
30	1000	0.1	RMS	979.6	-57.15	-25	Pass	9701
1000	2486	1	RMS	2486	-44.17	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.35	60	Pass	401
2700	3000	1	RMS	2702.25	-43.78	-25	Pass	401
3000	12000	1	RMS	11851	-59.39	-25	Pass	9001
12000	27000	1	RMS	25601	-40.86	-25	Pass	15001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.92	-25	Pass	2986
30	1000	0.1	RMS	897.9	-57.13	-25	Pass	9701
1000	2486	1	RMS	2481	-44.25	-25	Pass	1487
2486	2700	1	RMS	2586.58	20.14	60	Pass	401
2700	3000	1	RMS	2700	-43.8	-25	Pass	401
3000	12000	1	RMS	11849	-59.51	-25	Pass	9001
12000	27000	1	RMS	25601	-40.8	-25	Pass	15001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.3	-25	Pass	2986
30	1000	0.1	RMS	875.6	-57.11	-25	Pass	9701
1000	2486	1	RMS	2485	-44.11	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.06	60	Pass	401
2700	3000	1	RMS	2702.25	-42.32	-25	Pass	401
3000	12000	1	RMS	11856	-59.5	-25	Pass	9001
12000	27000	1	RMS	25609	-40.85	-25	Pass	15001




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.88	-25	Pass	2986
30	1000	0.1	RMS	843.9	-57.07	-25	Pass	9701
1000	2486	1	RMS	2484	-44.15	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.8	60	Pass	401
2700	3000	1	RMS	2702.25	-42.11	-25	Pass	401
3000	12000	1	RMS	11868	-59.49	-25	Pass	9001
12000	27000	1	RMS	25616	-40.77	-25	Pass	15001




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-25	Pass	2986
30	1000	0.1	RMS	893.8	-56.98	-25	Pass	9701
1000	2486	1	RMS	2486	-39.45	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.94	60	Pass	401
2700	3000	1	RMS	2700.75	-43.73	-25	Pass	401
3000	12000	1	RMS	11872	-59.52	-25	Pass	9001
12000	27000	1	RMS	25605	-40.82	-25	Pass	15001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.49	-25	Pass	2986
30	1000	0.1	RMS	885.2	-57.06	-25	Pass	9701
1000	2486	1	RMS	2484	-40.64	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.65	60	Pass	401
2700	3000	1	RMS	2702.25	-43.77	-25	Pass	401
3000	12000	1	RMS	11867	-59.48	-25	Pass	9001
12000	27000	1	RMS	25623	-40.85	-25	Pass	15001




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.06	-25	Pass	2986
30	1000	0.1	RMS	885.5	-57.13	-25	Pass	9701
1000	2486	1	RMS	2486	-44.14	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.57	60	Pass	401
2700	3000	1	RMS	2700	-43.75	-25	Pass	401
3000	12000	1	RMS	11852	-59.51	-25	Pass	9001
12000	27000	1	RMS	25591	-40.73	-25	Pass	15001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.49	-25	Pass	2986
30	1000	0.1	RMS	879.7	-57.05	-25	Pass	9701
1000	2486	1	RMS	2483	-44.17	-25	Pass	1487
2486	2700	1	RMS	2584.44	20.52	60	Pass	401
2700	3000	1	RMS	2700.75	-43.75	-25	Pass	401
3000	12000	1	RMS	11854	-59.48	-25	Pass	9001
12000	27000	1	RMS	25611	-40.75	-25	Pass	15001




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-25	Pass	2986
30	1000	0.1	RMS	989.8	-57.01	-25	Pass	9701
1000	2486	1	RMS	2485	-44.2	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.53	60	Pass	401
2700	3000	1	RMS	2700.75	-39.78	-25	Pass	401
3000	12000	1	RMS	11854	-59.52	-25	Pass	9001
12000	27000	1	RMS	25598	-40.8	-25	Pass	15001



9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2986
30	1000	0.1	RMS	968.4	-57.14	-25	Pass	9701
1000	2486	1	RMS	2485	-44.22	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.11	60	Pass	401
2700	3000	1	RMS	2700	-40.04	-25	Pass	401
3000	12000	1	RMS	11863	-59.42	-25	Pass	9001
12000	27000	1	RMS	25596	-40.71	-25	Pass	15001



1. LTE_Band42 3450-3550


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.3	-13	Pass	2986
30	1000	0.1	RMS	858.606	-59.85	-13	Pass	9701
1000	3000	1	RMS	2968	-44.93	-13	Pass	2001
3000	3430	1	RMS	3001	-42.61	-13	Pass	431
3430	3570	1	RMS	3449.95	21.78	60	Pass	401
3570	6500	1	RMS	6491	-49.22	-13	Pass	2931
6500	26500	1	RMS	26491	-51.77	-13	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:42115, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-13	Pass	2986
30	1000	0.1	RMS	856.305	-59.82	-13	Pass	9701
1000	3000	1	RMS	2960	-44.92	-13	Pass	2001
3000	3430	1	RMS	3000	-42.62	-13	Pass	431
3430	3570	1	RMS	3450.3	21.31	60	Pass	401
3570	6500	1	RMS	6499	-49.31	-13	Pass	2931
6500	26500	1	RMS	26498	-51.7	-13	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-13	Pass	2986
30	1000	0.1	RMS	854.904	-59.81	-13	Pass	9701
1000	3000	1	RMS	2966	-44.99	-13	Pass	2001
3000	3430	1	RMS	3002	-42.6	-13	Pass	431
3430	3570	1	RMS	3497.9	21.5	60	Pass	401
3570	6500	1	RMS	6212	-49.25	-13	Pass	2931
6500	26500	1	RMS	26499	-51.73	-13	Pass	20003




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:42590, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.07	-13	Pass	2986
30	1000	0.1	RMS	855.905	-59.81	-13	Pass	9701
1000	3000	1	RMS	2959	-44.97	-13	Pass	2001
3000	3430	1	RMS	3000	-42.6	-13	Pass	431
3430	3570	1	RMS	3497.55	21.33	60	Pass	401
3570	6500	1	RMS	6211	-49.28	-13	Pass	2931
6500	26500	1	RMS	26486	-51.69	-13	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-13	Pass	2986
30	1000	0.1	RMS	847.4	-59.83	-13	Pass	9701
1000	3000	1	RMS	2968	-44.96	-13	Pass	2001
3000	3430	1	RMS	3001	-42.59	-13	Pass	431
3430	3570	1	RMS	3545.5	21.1	60	Pass	401
3570	6500	1	RMS	6494	-49.19	-13	Pass	2931
6500	26500	1	RMS	26500	-51.73	-13	Pass	20003




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:43065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.73	-13	Pass	2986
30	1000	0.1	RMS	855.004	-59.89	-13	Pass	9701
1000	3000	1	RMS	2970	-44.95	-13	Pass	2001
3000	3430	1	RMS	3000	-42.58	-13	Pass	431
3430	3570	1	RMS	3545.15	20.72	60	Pass	401
3570	6500	1	RMS	6482	-49.27	-13	Pass	2931
6500	26500	1	RMS	26500	-51.59	-13	Pass	20003




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-13	Pass	401
0.15	30	0.01	RMS	0.33	-68.42	-13	Pass	2986
30	1000	0.1	RMS	858.806	-59.77	-13	Pass	9701
1000	3000	1	RMS	2952	-44.98	-13	Pass	2001
3000	3430	1	RMS	3001	-42.6	-13	Pass	431
3430	3570	1	RMS	3450.3	21.46	60	Pass	401
3570	6500	1	RMS	6498	-49.21	-13	Pass	2931
6500	26500	1	RMS	26497	-51.57	-13	Pass	20003




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:42140, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.85	-13	Pass	2986
30	1000	0.1	RMS	856.505	-59.76	-13	Pass	9701
1000	3000	1	RMS	2960	-44.95	-13	Pass	2001
3000	3430	1	RMS	3001	-42.59	-13	Pass	431
3430	3570	1	RMS	3450.3	20.9	60	Pass	401
3570	6500	1	RMS	6220	-49.25	-13	Pass	2931
6500	26500	1	RMS	26474	-51.82	-13	Pass	20003




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-13	Pass	2986
30	1000	0.1	RMS	863.91	-59.78	-13	Pass	9701
1000	3000	1	RMS	2951	-44.98	-13	Pass	2001
3000	3430	1	RMS	3000	-42.6	-13	Pass	431
3430	3570	1	RMS	3495.1	21.37	60	Pass	401
3570	6500	1	RMS	6204	-49.27	-13	Pass	2931
6500	26500	1	RMS	26495	-51.65	-13	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:42590, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.79	-13	Pass	2986
30	1000	0.1	RMS	857.305	-59.79	-13	Pass	9701
1000	3000	1	RMS	2961	-44.99	-13	Pass	2001
3000	3430	1	RMS	3000	-42.6	-13	Pass	431
3430	3570	1	RMS	3495.1	20.04	60	Pass	401
3570	6500	1	RMS	6214	-49.24	-13	Pass	2931
6500	26500	1	RMS	26500	-51.71	-13	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.8	-13	Pass	401
0.15	30	0.01	RMS	0.31	-68.73	-13	Pass	2986
30	1000	0.1	RMS	848.6	-59.89	-13	Pass	9701
1000	3000	1	RMS	2955	-45	-13	Pass	2001
3000	3430	1	RMS	3001	-42.61	-13	Pass	431
3430	3570	1	RMS	3540.25	22.05	60	Pass	401
3570	6500	1	RMS	6487	-49.25	-13	Pass	2931
6500	26500	1	RMS	26496	-51.77	-13	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:43040, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-13	Pass	2986
30	1000	0.1	RMS	845.5	-59.83	-13	Pass	9701
1000	3000	1	RMS	2957	-44.83	-13	Pass	2001
3000	3430	1	RMS	3003	-42.63	-13	Pass	431
3430	3570	1	RMS	3540.25	20.93	60	Pass	401
3570	6500	1	RMS	6480	-49.25	-13	Pass	2931
6500	26500	1	RMS	26497	-51.74	-13	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-13	Pass	2986
30	1000	0.1	RMS	860.107	-59.85	-13	Pass	9701
1000	3000	1	RMS	2956	-44.95	-13	Pass	2001
3000	3430	1	RMS	3001	-42.61	-13	Pass	431
3430	3570	1	RMS	3451	21.26	60	Pass	401
3570	6500	1	RMS	6212	-49.34	-13	Pass	2931
6500	26500	1	RMS	26500	-51.82	-13	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:42165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.85	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.9	-13	Pass	2986
30	1000	0.1	RMS	847.1	-59.84	-13	Pass	9701
1000	3000	1	RMS	2956	-45.01	-13	Pass	2001
3000	3430	1	RMS	3001	-42.59	-13	Pass	431
3430	3570	1	RMS	3451	20.3	60	Pass	401
3570	6500	1	RMS	6488	-49.28	-13	Pass	2931
6500	26500	1	RMS	26499	-51.81	-13	Pass	20003




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.84	-13	Pass	2986
30	1000	0.1	RMS	854.804	-59.69	-13	Pass	9701
1000	3000	1	RMS	2971	-44.94	-13	Pass	2001
3000	3430	1	RMS	3001	-42.64	-13	Pass	431
3430	3570	1	RMS	3493	21.95	60	Pass	401
3570	6500	1	RMS	6485	-49.31	-13	Pass	2931
6500	26500	1	RMS	26488	-51.81	-13	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:42590, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	Pass	401
0.15	30	0.01	RMS	0.28	-68.33	-13	Pass	2986
30	1000	0.1	RMS	852.502	-59.82	-13	Pass	9701
1000	3000	1	RMS	2963	-44.96	-13	Pass	2001
3000	3430	1	RMS	3000	-42.63	-13	Pass	431
3430	3570	1	RMS	3493.35	20.98	60	Pass	401
3570	6500	1	RMS	6260	-49.27	-13	Pass	2931
6500	26500	1	RMS	26495	-51.73	-13	Pass	20003




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.22	-13	Pass	2986
30	1000	0.1	RMS	858.506	-59.84	-13	Pass	9701
1000	3000	1	RMS	2975	-45.03	-13	Pass	2001
3000	3430	1	RMS	3001	-42.63	-13	Pass	431
3430	3570	1	RMS	3535.7	22.14	60	Pass	401
3570	6500	1	RMS	3588	-49.15	-13	Pass	2931
6500	26500	1	RMS	26500	-51.71	-13	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:43015, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.6	-13	Pass	2986
30	1000	0.1	RMS	848.3	-59.88	-13	Pass	9701
1000	3000	1	RMS	2961	-44.99	-13	Pass	2001
3000	3430	1	RMS	3000	-42.63	-13	Pass	431
3430	3570	1	RMS	3535.35	20.43	60	Pass	401
3570	6500	1	RMS	6415	-49.38	-13	Pass	2931
6500	26500	1	RMS	26480	-51.72	-13	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.77	-13	Pass	2986
30	1000	0.1	RMS	849.5	-59.91	-13	Pass	9701
1000	3000	1	RMS	2964	-44.91	-13	Pass	2001
3000	3430	1	RMS	3001	-42.63	-13	Pass	431
3430	3570	1	RMS	3450.65	21.81	60	Pass	401
3570	6500	1	RMS	6479	-49.31	-13	Pass	2931
6500	26500	1	RMS	26500	-51.79	-13	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-13	Pass	2986
30	1000	0.1	RMS	863.409	-59.88	-13	Pass	9701
1000	3000	1	RMS	2938	-44.94	-13	Pass	2001
3000	3430	1	RMS	3001	-42.65	-13	Pass	431
3430	3570	1	RMS	3451	21.15	60	Pass	401
3570	6500	1	RMS	6478	-49.32	-13	Pass	2931
6500	26500	1	RMS	26490	-51.78	-13	Pass	20003




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.3	-13	Pass	2986
30	1000	0.1	RMS	820.4	-59.84	-13	Pass	9701
1000	3000	1	RMS	2963	-45	-13	Pass	2001
3000	3430	1	RMS	3000	-42.62	-13	Pass	431
3430	3570	1	RMS	3490.9	21.8	60	Pass	401
3570	6500	1	RMS	6492	-49.23	-13	Pass	2931
6500	26500	1	RMS	26497	-51.82	-13	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:42590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.48	-13	Pass	2986
30	1000	0.1	RMS	851.201	-59.79	-13	Pass	9701
1000	3000	1	RMS	2967	-44.96	-13	Pass	2001
3000	3430	1	RMS	3001	-42.62	-13	Pass	431
3430	3570	1	RMS	3491.25	20.22	60	Pass	401
3570	6500	1	RMS	6207	-49.23	-13	Pass	2931
6500	26500	1	RMS	26488	-51.8	-13	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.65	-13	Pass	2986
30	1000	0.1	RMS	855.404	-59.72	-13	Pass	9701
1000	3000	1	RMS	2966	-44.97	-13	Pass	2001
3000	3430	1	RMS	3001	-42.6	-13	Pass	431
3430	3570	1	RMS	3530.8	21.85	60	Pass	401
3570	6500	1	RMS	6469	-49.32	-13	Pass	2931
6500	26500	1	RMS	26500	-51.81	-13	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.41	-13	Pass	2986
30	1000	0.1	RMS	866.912	-59.78	-13	Pass	9701
1000	3000	1	RMS	2963	-44.96	-13	Pass	2001
3000	3430	1	RMS	3001	-42.61	-13	Pass	431
3430	3570	1	RMS	3531.15	20.65	60	Pass	401
3570	6500	1	RMS	6488	-49.28	-13	Pass	2931
6500	26500	1	RMS	26499	-51.74	-13	Pass	20003



1. LTE_Band43 3700-3800


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.69	-13	Pass	691
0.15	30	0.01	RMS	0.23	-66.75	-13	Pass	2986
30	1000	0.1	RMS	999	-54.01	-13	Pass	9701
1000	3000	1	RMS	2999	-40.14	-13	Pass	2001
3000	3680	1	RMS	3601.159	-38.79	-13	Pass	691
3680	3820	1	RMS	3700.29	21.65	60	Pass	691
3820	6500	1	RMS	6497	-32.28	-13	Pass	2681
6500	38000	1	RMS	37590	-29.06	-13	Pass	31501




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.52	-13	Pass	691
0.15	30	0.01	RMS	0.15	-66.06	-13	Pass	2986
30	1000	0.1	RMS	985.3	-53.99	-13	Pass	9701
1000	3000	1	RMS	2994	-40.14	-13	Pass	2001
3000	3680	1	RMS	3602.145	-38.87	-13	Pass	691
3680	3820	1	RMS	3700.087	20.67	60	Pass	691
3820	6500	1	RMS	6499	-32.29	-13	Pass	2681
6500	38000	1	RMS	37579	-29.13	-13	Pass	31501




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.72	-13	Pass	691
0.15	30	0.01	RMS	0.15	-66.37	-13	Pass	2986
30	1000	0.1	RMS	978.6	-53.93	-13	Pass	9701
1000	3000	1	RMS	2985	-40.15	-13	Pass	2001
3000	3680	1	RMS	3598.203	-38.85	-13	Pass	691
3680	3820	1	RMS	3747.971	22.06	60	Pass	691
3820	6500	1	RMS	6498	-32.31	-13	Pass	2681
6500	38000	1	RMS	37573	-29.11	-13	Pass	31501




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:45090, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.42	-13	Pass	691
0.15	30	0.01	RMS	0.24	-66.87	-13	Pass	2986
30	1000	0.1	RMS	995.9	-53.92	-13	Pass	9701
1000	3000	1	RMS	2999	-40.13	-13	Pass	2001
3000	3680	1	RMS	3593.275	-38.87	-13	Pass	691
3680	3820	1	RMS	3747.768	21.15	60	Pass	691
3820	6500	1	RMS	6499	-32.25	-13	Pass	2681
6500	38000	1	RMS	37591	-29.07	-13	Pass	31501




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.71	-13	Pass	691
0.15	30	0.01	RMS	0.24	-66.99	-13	Pass	2986
30	1000	0.1	RMS	974.7	-53.94	-13	Pass	9701
1000	3000	1	RMS	2992	-40.13	-13	Pass	2001
3000	3680	1	RMS	3604.116	-38.81	-13	Pass	691
3680	3820	1	RMS	3795.449	21.14	60	Pass	691
3820	6500	1	RMS	6496	-32.28	-13	Pass	2681
6500	38000	1	RMS	37584	-29.11	-13	Pass	31501




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.46	-13	Pass	691
0.15	30	0.01	RMS	28.67	-67.22	-13	Pass	2986
30	1000	0.1	RMS	989.9	-53.96	-13	Pass	9701
1000	3000	1	RMS	2988	-40.14	-13	Pass	2001
3000	3680	1	RMS	3601.159	-38.84	-13	Pass	691
3680	3820	1	RMS	3795.449	19.95	60	Pass	691
3820	6500	1	RMS	6498	-32.29	-13	Pass	2681
6500	38000	1	RMS	37553	-29.13	-13	Pass	31501




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.57	-13	Pass	691
0.15	30	0.01	RMS	0.15	-66.28	-13	Pass	2986
30	1000	0.1	RMS	979.9	-54.03	-13	Pass	9701
1000	3000	1	RMS	2991	-40.14	-13	Pass	2001
3000	3680	1	RMS	3605.101	-38.82	-13	Pass	691
3680	3820	1	RMS	3700.696	21.51	60	Pass	691
3820	6500	1	RMS	6492	-32.33	-13	Pass	2681
6500	38000	1	RMS	37585	-28.99	-13	Pass	31501




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.33	-13	Pass	691
0.15	30	0.01	RMS	0.23	-67	-13	Pass	2986
30	1000	0.1	RMS	998.6	-53.83	-13	Pass	9701
1000	3000	1	RMS	2997	-40.14	-13	Pass	2001
3000	3680	1	RMS	3600.174	-38.84	-13	Pass	691
3680	3820	1	RMS	3700.696	20.14	60	Pass	691
3820	6500	1	RMS	6499	-32.29	-13	Pass	2681
6500	38000	1	RMS	37560	-29.14	-13	Pass	31501




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.76	-13	Pass	691
0.15	30	0.01	RMS	0.23	-66.43	-13	Pass	2986
30	1000	0.1	RMS	996.1	-53.72	-13	Pass	9701
1000	3000	1	RMS	2990	-40.13	-13	Pass	2001
3000	3680	1	RMS	3602.145	-38.81	-13	Pass	691
3680	3820	1	RMS	3745.739	22.25	60	Pass	691
3820	6500	1	RMS	6500	-32.24	-13	Pass	2681
6500	38000	1	RMS	37572	-29.07	-13	Pass	31501




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:45090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.52	-13	Pass	691
0.15	30	0.01	RMS	0.24	-66.33	-13	Pass	2986
30	1000	0.1	RMS	997.9	-53.79	-13	Pass	9701
1000	3000	1	RMS	3000	-40.15	-13	Pass	2001
3000	3680	1	RMS	3595.246	-38.86	-13	Pass	691
3680	3820	1	RMS	3745.536	21.32	60	Pass	691
3820	6500	1	RMS	6497	-32.25	-13	Pass	2681
6500	38000	1	RMS	37591	-29.03	-13	Pass	31501




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.66	-13	Pass	691
0.15	30	0.01	RMS	25.83	-66.8	-13	Pass	2986
30	1000	0.1	RMS	994	-53.96	-13	Pass	9701
1000	3000	1	RMS	2993	-40.13	-13	Pass	2001
3000	3680	1	RMS	3598.203	-38.87	-13	Pass	691
3680	3820	1	RMS	3790.58	21.71	60	Pass	691
3820	6500	1	RMS	6497	-32.3	-13	Pass	2681
6500	38000	1	RMS	37587	-29.1	-13	Pass	31501




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.64	-13	Pass	691
0.15	30	0.01	RMS	0.24	-66.72	-13	Pass	2986
30	1000	0.1	RMS	987	-53.97	-13	Pass	9701
1000	3000	1	RMS	2997	-40.16	-13	Pass	2001
3000	3680	1	RMS	3603.13	-38.79	-13	Pass	691
3680	3820	1	RMS	3790.783	20.52	60	Pass	691
3820	6500	1	RMS	6490	-32.28	-13	Pass	2681
6500	38000	1	RMS	37596	-29.07	-13	Pass	31501




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.57	-13	Pass	691
0.15	30	0.01	RMS	0.16	-65.8	-13	Pass	2986
30	1000	0.1	RMS	990.9	-54.03	-13	Pass	9701
1000	3000	1	RMS	2991	-40.13	-13	Pass	2001
3000	3680	1	RMS	3600.174	-38.86	-13	Pass	691
3680	3820	1	RMS	3700.696	21.94	60	Pass	691
3820	6500	1	RMS	6500	-32.23	-13	Pass	2681
6500	38000	1	RMS	37572	-29.09	-13	Pass	31501




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.25	-13	Pass	691
0.15	30	0.01	RMS	0.23	-66.16	-13	Pass	2986
30	1000	0.1	RMS	988	-53.75	-13	Pass	9701
1000	3000	1	RMS	2993	-39.98	-13	Pass	2001
3000	3680	1	RMS	3598.203	-38.66	-13	Pass	691
3680	3820	1	RMS	3700.899	20.2	60	Pass	691
3820	6500	1	RMS	6495	-32.11	-13	Pass	2681
6500	38000	1	RMS	37593	-29.83	-13	Pass	31501




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.55	-13	Pass	691
0.15	30	0.01	RMS	0.15	-64.72	-13	Pass	2986
30	1000	0.1	RMS	987.4	-53.67	-13	Pass	9701
1000	3000	1	RMS	2989	-39.94	-13	Pass	2001
3000	3680	1	RMS	3603.13	-38.66	-13	Pass	691
3680	3820	1	RMS	3743.507	22.69	60	Pass	691
3820	6500	1	RMS	6494	-32.2	-13	Pass	2681
6500	38000	1	RMS	37596	-29.76	-13	Pass	31501




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:45090, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.33	-13	Pass	691
0.15	30	0.01	RMS	0.15	-65.92	-13	Pass	2986
30	1000	0.1	RMS	991.1	-53.75	-13	Pass	9701
1000	3000	1	RMS	2994	-39.94	-13	Pass	2001
3000	3680	1	RMS	3604.116	-38.65	-13	Pass	691
3680	3820	1	RMS	3743.304	21.66	60	Pass	691
3820	6500	1	RMS	6500	-32.14	-13	Pass	2681
6500	38000	1	RMS	37577	-29.78	-13	Pass	31501




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.45	-13	Pass	691
0.15	30	0.01	RMS	0.23	-65.78	-13	Pass	2986
30	1000	0.1	RMS	999.4	-53.59	-13	Pass	9701
1000	3000	1	RMS	2992	-39.88	-13	Pass	2001
3000	3680	1	RMS	3599.188	-38.56	-13	Pass	691
3680	3820	1	RMS	3785.71	21.33	60	Pass	691
3820	6500	1	RMS	6499	-32.05	-13	Pass	2681
6500	38000	1	RMS	37582	-29.65	-13	Pass	31501




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.04	-13	Pass	691
0.15	30	0.01	RMS	0.24	-66.62	-13	Pass	2986
30	1000	0.1	RMS	995.8	-53.77	-13	Pass	9701
1000	3000	1	RMS	2989	-39.98	-13	Pass	2001
3000	3680	1	RMS	3607.072	-38.65	-13	Pass	691
3680	3820	1	RMS	3785.71	20.86	60	Pass	691
3820	6500	1	RMS	6498	-32.14	-13	Pass	2681
6500	38000	1	RMS	37575	-29.81	-13	Pass	31501




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.36	-13	Pass	691
0.15	30	0.01	RMS	0.23	-66.91	-13	Pass	2986
30	1000	0.1	RMS	992.4	-53.72	-13	Pass	9701
1000	3000	1	RMS	2988	-39.95	-13	Pass	2001
3000	3680	1	RMS	3603.13	-38.62	-13	Pass	691
3680	3820	1	RMS	3701.101	21.18	60	Pass	691
3820	6500	1	RMS	6500	-32.12	-13	Pass	2681
6500	38000	1	RMS	37583	-29.73	-13	Pass	31501




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.29	-13	Pass	691
0.15	30	0.01	RMS	0.15	-65.98	-13	Pass	2986
30	1000	0.1	RMS	964.9	-53.79	-13	Pass	9701
1000	3000	1	RMS	2988	-39.99	-13	Pass	2001
3000	3680	1	RMS	3595.246	-38.66	-13	Pass	691
3680	3820	1	RMS	3701.101	20.13	60	Pass	691
3820	6500	1	RMS	6496	-32.1	-13	Pass	2681
6500	38000	1	RMS	37576	-29.76	-13	Pass	31501




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.48	-13	Pass	691
0.15	30	0.01	RMS	0.15	-66.6	-13	Pass	2986
30	1000	0.1	RMS	976.8	-53.86	-13	Pass	9701
1000	3000	1	RMS	2990	-40	-13	Pass	2001
3000	3680	1	RMS	3599.188	-38.62	-13	Pass	691
3680	3820	1	RMS	3741.072	22.03	60	Pass	691
3820	6500	1	RMS	6498	-32.13	-13	Pass	2681
6500	38000	1	RMS	37571	-29.78	-13	Pass	31501




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:45090, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.08	-13	Pass	691
0.15	30	0.01	RMS	0.24	-65.58	-13	Pass	2986
30	1000	0.1	RMS	1000	-53.68	-13	Pass	9701
1000	3000	1	RMS	2992	-39.98	-13	Pass	2001
3000	3680	1	RMS	3602.145	-38.64	-13	Pass	691
3680	3820	1	RMS	3741.275	21.46	60	Pass	691
3820	6500	1	RMS	6500	-32.13	-13	Pass	2681
6500	38000	1	RMS	37592	-29.79	-13	Pass	31501




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.57	-13	Pass	691
0.15	30	0.01	RMS	0.23	-66.2	-13	Pass	2986
30	1000	0.1	RMS	982.9	-53.8	-13	Pass	9701
1000	3000	1	RMS	2987	-39.94	-13	Pass	2001
3000	3680	1	RMS	3601.159	-38.61	-13	Pass	691
3680	3820	1	RMS	3781.246	21.6	60	Pass	691
3820	6500	1	RMS	6492	-32.16	-13	Pass	2681
6500	38000	1	RMS	37581	-29.89	-13	Pass	31501



1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.37	-13	Pass	691
0.15	30	0.01	RMS	0.24	-65.95	-13	Pass	2986
30	1000	0.1	RMS	972	-53.88	-13	Pass	9701
1000	3000	1	RMS	2993	-39.97	-13	Pass	2001
3000	3680	1	RMS	3601.159	-38.64	-13	Pass	691
3680	3820	1	RMS	3781.043	21.21	60	Pass	691
3820	6500	1	RMS	6499	-32.05	-13	Pass	2681
6500	38000	1	RMS	37586	-29.77	-13	Pass	31501



12. LTE_Band66


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	909.9	-60.87	-13	Pass	9701
1000	1700	1	RMS	1699	-50.87	-13	Pass	701
1700	1790	1	RMS	1710.35	22.73	60	Pass	401
1790	3000	1	RMS	2680	-47.17	-13	Pass	1211
3000	12000	1	RMS	11949	-40.01	-13	Pass	9001
12000	20000	1	RMS	19999	-29.87	-13	Pass	8001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	1000	0.1	RMS	885	-60.86	-13	Pass	9701
1000	1700	1	RMS	1697	-50.97	-13	Pass	701
1700	1790	1	RMS	1710.125	21.8	60	Pass	401
1790	3000	1	RMS	2680	-47.19	-13	Pass	1211
3000	12000	1	RMS	11954	-40.07	-13	Pass	9001
12000	20000	1	RMS	19971	-29.91	-13	Pass	8001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	984.4	-60.85	-13	Pass	9701
1000	1700	1	RMS	1693	-50.94	-13	Pass	701
1700	1790	1	RMS	1744.55	22.94	60	Pass	401
1790	3000	1	RMS	2686	-47.21	-13	Pass	1211
3000	12000	1	RMS	11951	-40.01	-13	Pass	9001
12000	20000	1	RMS	19953	-29.86	-13	Pass	8001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	889	-60.83	-13	Pass	9701
1000	1700	1	RMS	1648	-51	-13	Pass	701
1700	1790	1	RMS	1744.55	22.05	60	Pass	401
1790	3000	1	RMS	2694	-47.27	-13	Pass	1211
3000	12000	1	RMS	11937	-40.06	-13	Pass	9001
12000	20000	1	RMS	19958	-29.83	-13	Pass	8001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	991.8	-60.9	-13	Pass	9701
1000	1700	1	RMS	1664	-50.94	-13	Pass	701
1700	1790	1	RMS	1778.75	22.83	60	Pass	401
1790	3000	1	RMS	2693	-47.19	-13	Pass	1211
3000	12000	1	RMS	11937	-40.11	-13	Pass	9001
12000	20000	1	RMS	19994	-29.86	-13	Pass	8001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.63	-13	Pass	2986
30	1000	0.1	RMS	989	-60.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1790	1	RMS	1778.975	22.02	60	Pass	401
1790	3000	1	RMS	2681	-47.19	-13	Pass	1211
3000	12000	1	RMS	11959	-40.07	-13	Pass	9001
12000	20000	1	RMS	19968	-29.93	-13	Pass	8001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	1000	0.1	RMS	996.9	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1790	1	RMS	1710.35	22.82	60	Pass	401
1790	3000	1	RMS	2691	-47.2	-13	Pass	1211
3000	12000	1	RMS	11956	-40.08	-13	Pass	9001
12000	20000	1	RMS	19985	-29.89	-13	Pass	8001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2986
30	1000	0.1	RMS	972.5	-61	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1710.35	21.96	60	Pass	401
1790	3000	1	RMS	2685	-47.24	-13	Pass	1211
3000	12000	1	RMS	11962	-40.04	-13	Pass	9001
12000	20000	1	RMS	19960	-29.77	-13	Pass	8001




12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	922.7	-60.88	-13	Pass	9701
1000	1700	1	RMS	1690	-50.93	-13	Pass	701
1700	1790	1	RMS	1743.65	22.85	60	Pass	401
1790	3000	1	RMS	2695	-47.2	-13	Pass	1211
3000	12000	1	RMS	11944	-40.09	-13	Pass	9001
12000	20000	1	RMS	19956	-29.84	-13	Pass	8001




12.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	879.6	-60.9	-13	Pass	9701
1000	1700	1	RMS	1691	-51	-13	Pass	701
1700	1790	1	RMS	1743.65	21.79	60	Pass	401
1790	3000	1	RMS	2688	-47.22	-13	Pass	1211
3000	12000	1	RMS	11950	-40.04	-13	Pass	9001
12000	20000	1	RMS	19961	-29.87	-13	Pass	8001




12.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	992.3	-60.92	-13	Pass	9701
1000	1700	1	RMS	1690	-50.98	-13	Pass	701
1700	1790	1	RMS	1777.175	22.94	60	Pass	401
1790	3000	1	RMS	2682	-47.23	-13	Pass	1211
3000	12000	1	RMS	11944	-40.11	-13	Pass	9001
12000	20000	1	RMS	19958	-29.87	-13	Pass	8001




12.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	1000	0.1	RMS	869.5	-60.94	-13	Pass	9701
1000	1700	1	RMS	1661	-50.97	-13	Pass	701
1700	1790	1	RMS	1777.175	21.98	60	Pass	401
1790	3000	1	RMS	2681	-47.25	-13	Pass	1211
3000	12000	1	RMS	11953	-40.08	-13	Pass	9001
12000	20000	1	RMS	19972	-29.9	-13	Pass	8001




12.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	881.6	-60.89	-13	Pass	9701
1000	1700	1	RMS	1699	-50.83	-13	Pass	701
1700	1790	1	RMS	1710.35	23.02	60	Pass	401
1790	3000	1	RMS	2679	-47.19	-13	Pass	1211
3000	12000	1	RMS	11958	-39.97	-13	Pass	9001
12000	20000	1	RMS	19964	-29.86	-13	Pass	8001




12.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	1000	0.1	RMS	899	-60.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1790	1	RMS	1710.35	21.99	60	Pass	401
1790	3000	1	RMS	2687	-47.19	-13	Pass	1211
3000	12000	1	RMS	11950	-40.04	-13	Pass	9001
12000	20000	1	RMS	19967	-29.84	-13	Pass	8001



12.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	1000	0.1	RMS	990.6	-60.87	-13	Pass	9701
1000	1700	1	RMS	1698	-50.96	-13	Pass	701
1700	1790	1	RMS	1742.75	22.86	60	Pass	401
1790	3000	1	RMS	2690	-47.21	-13	Pass	1211
3000	12000	1	RMS	11947	-40.05	-13	Pass	9001
12000	20000	1	RMS	19968	-29.85	-13	Pass	8001



12.16. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	879.6	-61	-13	Pass	9701
1000	1700	1	RMS	1690	-50.97	-13	Pass	701
1700	1790	1	RMS	1742.75	22	60	Pass	401
1790	3000	1	RMS	2682	-47.19	-13	Pass	1211
3000	12000	1	RMS	11953	-40.03	-13	Pass	9001
12000	20000	1	RMS	19965	-29.89	-13	Pass	8001




12.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	891.5	-60.89	-13	Pass	9701
1000	1700	1	RMS	1655	-51	-13	Pass	701
1700	1790	1	RMS	1775.375	22.99	60	Pass	401
1790	3000	1	RMS	2690	-47.21	-13	Pass	1211
3000	12000	1	RMS	11962	-40.04	-13	Pass	9001
12000	20000	1	RMS	19974	-29.83	-13	Pass	8001




12.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	905.6	-60.89	-13	Pass	9701
1000	1700	1	RMS	1674	-50.99	-13	Pass	701
1700	1790	1	RMS	1775.375	22.11	60	Pass	401
1790	3000	1	RMS	2688	-47.2	-13	Pass	1211
3000	12000	1	RMS	11973	-40.08	-13	Pass	9001
12000	20000	1	RMS	19965	-29.9	-13	Pass	8001




12.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	882	-60.88	-13	Pass	9701
1000	1700	1	RMS	1700	-50.07	-13	Pass	701
1700	1790	1	RMS	1710.575	23.06	60	Pass	401
1790	3000	1	RMS	2694	-47.19	-13	Pass	1211
3000	12000	1	RMS	11961	-40.03	-13	Pass	9001
12000	20000	1	RMS	19957	-29.85	-13	Pass	8001




12.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	878.4	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.14	-13	Pass	701
1700	1790	1	RMS	1710.575	22.11	60	Pass	401
1790	3000	1	RMS	2685	-47.2	-13	Pass	1211
3000	12000	1	RMS	11964	-40.01	-13	Pass	9001
12000	20000	1	RMS	19965	-29.85	-13	Pass	8001




12.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2986
30	1000	0.1	RMS	984	-60.76	-13	Pass	9701
1000	1700	1	RMS	1688	-50.99	-13	Pass	701
1700	1790	1	RMS	1740.5	22.91	60	Pass	401
1790	3000	1	RMS	2674	-47.23	-13	Pass	1211
3000	12000	1	RMS	11959	-40.09	-13	Pass	9001
12000	20000	1	RMS	19958	-29.9	-13	Pass	8001




12.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	969.1	-60.91	-13	Pass	9701
1000	1700	1	RMS	1688	-50.98	-13	Pass	701
1700	1790	1	RMS	1740.5	21.91	60	Pass	401
1790	3000	1	RMS	2686	-47.25	-13	Pass	1211
3000	12000	1	RMS	11947	-40.08	-13	Pass	9001
12000	20000	1	RMS	19949	-29.84	-13	Pass	8001




12.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	1000	0.1	RMS	911.1	-60.9	-13	Pass	9701
1000	1700	1	RMS	1661	-51	-13	Pass	701
1700	1790	1	RMS	1770.65	22.91	60	Pass	401
1790	3000	1	RMS	2679	-47.26	-13	Pass	1211
3000	12000	1	RMS	11967	-40.1	-13	Pass	9001
12000	20000	1	RMS	19957	-29.88	-13	Pass	8001




12.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	1000	0.1	RMS	901.6	-60.9	-13	Pass	9701
1000	1700	1	RMS	1653	-50.99	-13	Pass	701
1700	1790	1	RMS	1770.65	22.05	60	Pass	401
1790	3000	1	RMS	2680	-47.19	-13	Pass	1211
3000	12000	1	RMS	11957	-39.91	-13	Pass	9001
12000	20000	1	RMS	19962	-29.85	-13	Pass	8001




12.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	1000	0.1	RMS	882.6	-60.92	-13	Pass	9701
1000	1700	1	RMS	1699	-48.05	-13	Pass	701
1700	1790	1	RMS	1710.8	23.05	60	Pass	401
1790	3000	1	RMS	2696	-47.23	-13	Pass	1211
3000	12000	1	RMS	11949	-40	-13	Pass	9001
12000	20000	1	RMS	19965	-29.81	-13	Pass	8001




12.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	892.2	-60.97	-13	Pass	9701
1000	1700	1	RMS	1699	-49.05	-13	Pass	701
1700	1790	1	RMS	1710.8	22.1	60	Pass	401
1790	3000	1	RMS	2693	-47.24	-13	Pass	1211
3000	12000	1	RMS	11948	-40	-13	Pass	9001
12000	20000	1	RMS	19963	-29.89	-13	Pass	8001




12.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	989.4	-60.9	-13	Pass	9701
1000	1700	1	RMS	1657	-50.99	-13	Pass	701
1700	1790	1	RMS	1738.25	23	60	Pass	401
1790	3000	1	RMS	2688	-47.19	-13	Pass	1211
3000	12000	1	RMS	11962	-40.06	-13	Pass	9001
12000	20000	1	RMS	19967	-29.89	-13	Pass	8001




12.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	958.4	-60.96	-13	Pass	9701
1000	1700	1	RMS	1677	-51	-13	Pass	701
1700	1790	1	RMS	1738.25	21.99	60	Pass	401
1790	3000	1	RMS	2693	-47.17	-13	Pass	1211
3000	12000	1	RMS	11956	-39.97	-13	Pass	9001
12000	20000	1	RMS	19965	-29.8	-13	Pass	8001




12.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	900.9	-60.77	-13	Pass	9701
1000	1700	1	RMS	1667	-50.97	-13	Pass	701
1700	1790	1	RMS	1765.925	22.91	60	Pass	401
1790	3000	1	RMS	2693	-47.2	-13	Pass	1211
3000	12000	1	RMS	11953	-40.02	-13	Pass	9001
12000	20000	1	RMS	19958	-29.85	-13	Pass	8001




12.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	993.8	-60.97	-13	Pass	9701
1000	1700	1	RMS	1690	-50.95	-13	Pass	701
1700	1790	1	RMS	1765.925	22.04	60	Pass	401
1790	3000	1	RMS	2686	-47.22	-13	Pass	1211
3000	12000	1	RMS	11949	-39.98	-13	Pass	9001
12000	20000	1	RMS	19950	-29.86	-13	Pass	8001




12.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	903.7	-60.98	-13	Pass	9701
1000	1700	1	RMS	1696	-48.89	-13	Pass	701
1700	1790	1	RMS	1711.025	22.99	60	Pass	401
1790	3000	1	RMS	2690	-47.16	-13	Pass	1211
3000	12000	1	RMS	11964	-40	-13	Pass	9001
12000	20000	1	RMS	19971	-29.91	-13	Pass	8001




12.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	1000	0.1	RMS	994.2	-60.97	-13	Pass	9701
1000	1700	1	RMS	1700	-49.49	-13	Pass	701
1700	1790	1	RMS	1711.025	22.22	60	Pass	401
1790	3000	1	RMS	2683	-47.22	-13	Pass	1211
3000	12000	1	RMS	11970	-40.07	-13	Pass	9001
12000	20000	1	RMS	19958	-29.92	-13	Pass	8001




12.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	908.8	-60.86	-13	Pass	9701
1000	1700	1	RMS	1697	-50.96	-13	Pass	701
1700	1790	1	RMS	1736	22.84	60	Pass	401
1790	3000	1	RMS	2678	-47.21	-13	Pass	1211
3000	12000	1	RMS	11959	-40.06	-13	Pass	9001
12000	20000	1	RMS	19967	-29.88	-13	Pass	8001




12.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.97	-13	Pass	2986
30	1000	0.1	RMS	926.3	-60.83	-13	Pass	9701
1000	1700	1	RMS	1679	-50.96	-13	Pass	701
1700	1790	1	RMS	1736	22.06	60	Pass	401
1790	3000	1	RMS	2683	-47.26	-13	Pass	1211
3000	12000	1	RMS	11969	-40.05	-13	Pass	9001
12000	20000	1	RMS	19969	-29.88	-13	Pass	8001




12.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	1000	0.1	RMS	987.3	-60.87	-13	Pass	9701
1000	1700	1	RMS	1658	-50.95	-13	Pass	701
1700	1790	1	RMS	1760.975	22.86	60	Pass	401
1790	3000	1	RMS	1790	-42.35	-13	Pass	1211
3000	12000	1	RMS	11961	-40.01	-13	Pass	9001
12000	20000	1	RMS	19948	-29.86	-13	Pass	8001



12.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	890.4	-60.78	-13	Pass	9701
1000	1700	1	RMS	1667	-51	-13	Pass	701
1700	1790	1	RMS	1760.975	22.23	60	Pass	401
1790	3000	1	RMS	1790	-42.84	-13	Pass	1211
3000	12000	1	RMS	11941	-40.01	-13	Pass	9001
12000	20000	1	RMS	19962	-29.88	-13	Pass	8001



6. LTE_Band71


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	653	0.1	RMS	496.5	-62.5	-13	Pass	6231
653	709	0.1	RMS	663.3	19.36	60	Pass	561
709	1000	0.1	RMS	879.3	-61.58	-13	Pass	2911
1000	3000	1	RMS	2678	-46.82	-13	Pass	2001
3000	10000	1	RMS	9958	-41.24	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	653	0.1	RMS	652.2	-62.52	-13	Pass	6231
653	709	0.1	RMS	663.3	18.38	60	Pass	561
709	1000	0.1	RMS	908	-61.57	-13	Pass	2911
1000	3000	1	RMS	2692	-46.83	-13	Pass	2001
3000	10000	1	RMS	9953	-41.25	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	653	0.1	RMS	638	-62.52	-13	Pass	6231
653	709	0.1	RMS	678.3	19.62	60	Pass	561
709	1000	0.1	RMS	882.6	-61.73	-13	Pass	2911
1000	3000	1	RMS	2694	-46.83	-13	Pass	2001
3000	10000	1	RMS	9279	-41.27	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.53	-13	Pass	2986
30	653	0.1	RMS	516.5	-62.47	-13	Pass	6231
653	709	0.1	RMS	678.3	18.45	60	Pass	561
709	1000	0.1	RMS	889.5	-61.69	-13	Pass	2911
1000	3000	1	RMS	2684	-46.81	-13	Pass	2001
3000	10000	1	RMS	9959	-41.26	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2986
30	653	0.1	RMS	650.9	-62.49	-13	Pass	6231
653	709	0.1	RMS	693.3	19.51	60	Pass	561
709	1000	0.1	RMS	889.1	-61.69	-13	Pass	2911
1000	3000	1	RMS	2691	-46.82	-13	Pass	2001
3000	10000	1	RMS	9952	-41.2	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	653	0.1	RMS	626.9	-62.57	-13	Pass	6231
653	709	0.1	RMS	693.3	18.62	60	Pass	561
709	1000	0.1	RMS	1000	-61.79	-13	Pass	2911
1000	3000	1	RMS	2693	-46.81	-13	Pass	2001
3000	10000	1	RMS	9969	-41.26	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2986
30	653	0.1	RMS	642.6	-62.38	-13	Pass	6231
653	709	0.1	RMS	663.6	19.87	60	Pass	561
709	1000	0.1	RMS	883.9	-61.73	-13	Pass	2911
1000	3000	1	RMS	2684	-46.81	-13	Pass	2001
3000	10000	1	RMS	9983	-41.24	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	653	0.1	RMS	650.8	-62.47	-13	Pass	6231
653	709	0.1	RMS	663.6	18.93	60	Pass	561
709	1000	0.1	RMS	919.4	-61.69	-13	Pass	2911
1000	3000	1	RMS	2679	-46.82	-13	Pass	2001
3000	10000	1	RMS	9975	-41.23	-13	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	653	0.1	RMS	612.5	-62.49	-13	Pass	6231
653	709	0.1	RMS	676.1	19.97	60	Pass	561
709	1000	0.1	RMS	893.1	-61.72	-13	Pass	2911
1000	3000	1	RMS	2689	-46.81	-13	Pass	2001
3000	10000	1	RMS	9981	-41.28	-13	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	653	0.1	RMS	499.4	-62.47	-13	Pass	6231
653	709	0.1	RMS	676.1	18.99	60	Pass	561
709	1000	0.1	RMS	864.1	-61.76	-13	Pass	2911
1000	3000	1	RMS	2694	-46.79	-13	Pass	2001
3000	10000	1	RMS	9983	-41.22	-13	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	653	0.1	RMS	646.7	-62.39	-13	Pass	6231
653	709	0.1	RMS	688.6	20.06	60	Pass	561
709	1000	0.1	RMS	886.7	-61.63	-13	Pass	2911
1000	3000	1	RMS	2682	-46.8	-13	Pass	2001
3000	10000	1	RMS	9962	-41.25	-13	Pass	7001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	653	0.1	RMS	636.5	-62.5	-13	Pass	6231
653	709	0.1	RMS	688.6	19.06	60	Pass	561
709	1000	0.1	RMS	893.5	-61.74	-13	Pass	2911
1000	3000	1	RMS	2689	-46.79	-13	Pass	2001
3000	10000	1	RMS	9975	-41.2	-13	Pass	7001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	653	0.1	RMS	641.7	-62.54	-13	Pass	6231
653	709	0.1	RMS	663.8	19.25	60	Pass	561
709	1000	0.1	RMS	867.1	-61.74	-13	Pass	2911
1000	3000	1	RMS	2677	-46.81	-13	Pass	2001
3000	10000	1	RMS	9956	-41.21	-13	Pass	7001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	653	0.1	RMS	643.3	-62.58	-13	Pass	6231
653	709	0.1	RMS	663.8	18.39	60	Pass	561
709	1000	0.1	RMS	995.9	-61.74	-13	Pass	2911
1000	3000	1	RMS	2691	-46.78	-13	Pass	2001
3000	10000	1	RMS	9978	-41.24	-13	Pass	7001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	653	0.1	RMS	484.3	-62.38	-13	Pass	6231
653	709	0.1	RMS	673.8	19.52	60	Pass	561
709	1000	0.1	RMS	894.7	-61.59	-13	Pass	2911
1000	3000	1	RMS	1348	-46.81	-13	Pass	2001
3000	10000	1	RMS	9973	-41.24	-13	Pass	7001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	653	0.1	RMS	500.2	-62.6	-13	Pass	6231
653	709	0.1	RMS	673.8	18.61	60	Pass	561
709	1000	0.1	RMS	871.3	-61.73	-13	Pass	2911
1000	3000	1	RMS	2688	-46.81	-13	Pass	2001
3000	10000	1	RMS	9955	-41.25	-13	Pass	7001




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	653	0.1	RMS	637.7	-62.39	-13	Pass	6231
653	709	0.1	RMS	683.8	19.51	60	Pass	561
709	1000	0.1	RMS	710.4	-59.66	-13	Pass	2911
1000	3000	1	RMS	2688	-46.81	-13	Pass	2001
3000	10000	1	RMS	9283	-41.2	-13	Pass	7001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	653	0.1	RMS	488.6	-62.46	-13	Pass	6231
653	709	0.1	RMS	683.8	18.72	60	Pass	561
709	1000	0.1	RMS	710.5	-59.66	-13	Pass	2911
1000	3000	1	RMS	2684	-46.8	-13	Pass	2001
3000	10000	1	RMS	9278	-41.16	-13	Pass	7001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	653	0.1	RMS	651.8	-62.2	-13	Pass	6231
653	709	0.1	RMS	664.1	19.85	60	Pass	561
709	1000	0.1	RMS	889.6	-61.77	-13	Pass	2911
1000	3000	1	RMS	2682	-46.86	-13	Pass	2001
3000	10000	1	RMS	9947	-41.23	-13	Pass	7001




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.31	-13	Pass	2986
30	653	0.1	RMS	493.4	-62.57	-13	Pass	6231
653	709	0.1	RMS	664.1	18.94	60	Pass	561
709	1000	0.1	RMS	945.4	-61.84	-13	Pass	2911
1000	3000	1	RMS	2681	-46.84	-13	Pass	2001
3000	10000	1	RMS	9276	-41.19	-13	Pass	7001




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	653	0.1	RMS	645.9	-62.47	-13	Pass	6231
653	709	0.1	RMS	674.1	19.91	60	Pass	561
709	1000	0.1	RMS	709.7	-58.97	-13	Pass	2911
1000	3000	1	RMS	1348	-46.5	-13	Pass	2001
3000	10000	1	RMS	9280	-41.22	-13	Pass	7001




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	653	0.1	RMS	496.5	-62.57	-13	Pass	6231
653	709	0.1	RMS	674.1	19.03	60	Pass	561
709	1000	0.1	RMS	709.4	-59.65	-13	Pass	2911
1000	3000	1	RMS	2693	-46.82	-13	Pass	2001
3000	10000	1	RMS	9958	-41.21	-13	Pass	7001




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	653	0.1	RMS	498.9	-62.32	-13	Pass	6231
653	709	0.1	RMS	679.1	20.02	60	Pass	561
709	1000	0.1	RMS	709.1	-60.9	-13	Pass	2911
1000	3000	1	RMS	2685	-46.78	-13	Pass	2001
3000	10000	1	RMS	9950	-41.21	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	653	0.1	RMS	510.9	-62.43	-13	Pass	6231
653	709	0.1	RMS	679.1	19.03	60	Pass	561
709	1000	0.1	RMS	709	-60.96	-13	Pass	2911
1000	3000	1	RMS	2685	-46.79	-13	Pass	2001
3000	10000	1	RMS	9985	-41.24	-13	Pass	7001




SA

2. n2


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.69	-13	53.69	Pass	401
0.15	30	0.01	RMS	0.73	-60.21	-13	47.21	Pass	2986
30	1000	0.1	RMS	892.829	-59	-13	46	Pass	9701
1000	1840	1	RMS	1840	-46.65	-13	33.65	Pass	841
1840	1920	1	RMS	1853.6	15.4	60	44.6	Pass	401
1920	3000	1	RMS	2977	-45.56	-13	32.56	Pass	1081
3000	7000	1	RMS	6982	-57.72	-13	44.72	Pass	4001
7000	20000	1	RMS	17502	-47.96	-13	34.96	Pass	13002




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.26	-13	53.26	Pass	401
0.15	30	0.01	RMS	0.7	-60.9	-13	47.9	Pass	2986
30	1000	0.1	RMS	898.933	-59.16	-13	46.16	Pass	9701
1000	1840	1	RMS	1840	-48.19	-13	35.19	Pass	841
1840	1920	1	RMS	1850.2	21.35	60	38.65	Pass	401
1920	3000	1	RMS	2971	-45.33	-13	32.33	Pass	1081
3000	7000	1	RMS	6980	-58.08	-13	45.08	Pass	4001
7000	20000	1	RMS	17505	-48.3	-13	35.3	Pass	13002




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.72	-13	52.72	Pass	401
0.15	30	0.01	RMS	0.73	-57.27	-13	44.27	Pass	2986
30	1000	0.1	RMS	890.027	-59.34	-13	46.34	Pass	9701
1000	1840	1	RMS	1799	-48.29	-13	35.29	Pass	841
1840	1920	1	RMS	1854.6	21.47	60	38.53	Pass	401
1920	3000	1	RMS	2971	-45.39	-13	32.39	Pass	1081
3000	7000	1	RMS	6980	-57.84	-13	44.84	Pass	4001
7000	20000	1	RMS	17496	-48.25	-13	35.25	Pass	13002




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.15	-13	53.15	Pass	401
0.15	30	0.01	RMS	0.67	-55.51	-13	42.51	Pass	2986
30	1000	0.1	RMS	898.433	-59.2	-13	46.2	Pass	9701
1000	1840	1	RMS	1798	-48.31	-13	35.31	Pass	841
1840	1920	1	RMS	1879	15.53	60	44.47	Pass	401
1920	3000	1	RMS	2967	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	6972	-57.87	-13	44.87	Pass	4001
7000	20000	1	RMS	17501	-48.07	-13	35.07	Pass	13002




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.67	-57.14	-13	44.14	Pass	2986
30	1000	0.1	RMS	707.7	-59.34	-13	46.34	Pass	9701
1000	1840	1	RMS	1797	-48.26	-13	35.26	Pass	841
1840	1920	1	RMS	1877.8	21.47	60	38.53	Pass	401
1920	3000	1	RMS	2978	-45.33	-13	32.33	Pass	1081
3000	7000	1	RMS	6978	-57.93	-13	44.93	Pass	4001
7000	20000	1	RMS	17493	-48.32	-13	35.32	Pass	13002




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.06	-13	53.06	Pass	401
0.15	30	0.01	RMS	0.73	-59.48	-13	46.48	Pass	2986
30	1000	0.1	RMS	878.92	-59.4	-13	46.4	Pass	9701
1000	1840	1	RMS	1780	-48.39	-13	35.39	Pass	841
1840	1920	1	RMS	1882	21.51	60	38.49	Pass	401
1920	3000	1	RMS	2975	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	6973	-57.87	-13	44.87	Pass	4001
7000	20000	1	RMS	17500	-48.11	-13	35.11	Pass	13002




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65	-13	52	Pass	401
0.15	30	0.01	RMS	0.67	-60.55	-13	47.55	Pass	2986
30	1000	0.1	RMS	882.522	-59.29	-13	46.29	Pass	9701
1000	1840	1	RMS	1775	-48.34	-13	35.34	Pass	841
1840	1920	1	RMS	1906.2	15.39	60	44.61	Pass	401
1920	3000	1	RMS	2971	-45.22	-13	32.22	Pass	1081
3000	7000	1	RMS	6977	-57.73	-13	44.73	Pass	4001
7000	20000	1	RMS	17498	-47.96	-13	34.96	Pass	13002




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.94	-13	52.94	Pass	401
0.15	30	0.01	RMS	0.67	-55.41	-13	42.41	Pass	2986
30	1000	0.1	RMS	900.434	-59.3	-13	46.3	Pass	9701
1000	1840	1	RMS	1799	-48.27	-13	35.27	Pass	841
1840	1920	1	RMS	1905.2	21.18	60	38.82	Pass	401
1920	3000	1	RMS	2972	-45.33	-13	32.33	Pass	1081
3000	7000	1	RMS	6973	-58.01	-13	45.01	Pass	4001
7000	20000	1	RMS	17499	-47.94	-13	34.94	Pass	13002




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.28	-13	53.28	Pass	401
0.15	30	0.01	RMS	0.67	-55.81	-13	42.81	Pass	2986
30	1000	0.1	RMS	895.731	-59.38	-13	46.38	Pass	9701
1000	1840	1	RMS	1802	-48.1	-13	35.1	Pass	841
1840	1920	1	RMS	1909.6	21.27	60	38.73	Pass	401
1920	3000	1	RMS	2964	-45.38	-13	32.38	Pass	1081
3000	7000	1	RMS	6977	-58.09	-13	45.09	Pass	4001
7000	20000	1	RMS	17504	-47.96	-13	34.96	Pass	13002




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.26	-13	51.26	Pass	401
0.15	30	0.01	RMS	0.67	-52.68	-13	39.68	Pass	2986
30	1000	0.1	RMS	935.857	-59.48	-13	46.48	Pass	9701
1000	1840	1	RMS	1840	-31.07	-13	18.07	Pass	841
1840	1920	1	RMS	1862.6	9.33	60	50.67	Pass	401
1920	3000	1	RMS	2982	-45.5	-13	32.5	Pass	1081
3000	7000	1	RMS	6981	-57.76	-13	44.76	Pass	4001
7000	20000	1	RMS	17499	-48.03	-13	35.03	Pass	13002




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.51	-13	52.51	Pass	401
0.15	30	0.01	RMS	0.5	-61.53	-13	48.53	Pass	2986
30	1000	0.1	RMS	903.136	-59.39	-13	46.39	Pass	9701
1000	1840	1	RMS	1840	-48.07	-13	35.07	Pass	841
1840	1920	1	RMS	1850.4	21.41	60	38.59	Pass	401
1920	3000	1	RMS	2972	-45.51	-13	32.51	Pass	1081
3000	7000	1	RMS	6981	-57.85	-13	44.85	Pass	4001
7000	20000	1	RMS	19683	-48.43	-13	35.43	Pass	13002




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.65	-13	53.65	Pass	401
0.15	30	0.01	RMS	0.67	-52.37	-13	39.37	Pass	2986
30	1000	0.1	RMS	825.1	-59.47	-13	46.47	Pass	9701
1000	1840	1	RMS	1840	-45.47	-13	32.47	Pass	841
1840	1920	1	RMS	1869.4	21.5	60	38.5	Pass	401
1920	3000	1	RMS	2975	-45.48	-13	32.48	Pass	1081
3000	7000	1	RMS	6996	-58.01	-13	45.01	Pass	4001
7000	20000	1	RMS	17498	-48.06	-13	35.06	Pass	13002




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.61	-13	50.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	883.423	-63.87	-13	50.87	Pass	9701
1000	1840	1	RMS	1840	-50.07	-13	37.07	Pass	841
1840	1920	1	RMS	1879	9.35	60	50.65	Pass	401
1920	3000	1	RMS	1920	-48.83	-13	35.83	Pass	1081
3000	7000	1	RMS	6925	-61.46	-13	48.46	Pass	4001
7000	20000	1	RMS	19903	-50.53	-13	37.53	Pass	13002




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-67.79	-13	54.79	Pass	401
0.15	30	0.01	RMS	0.67	-60.47	-13	47.47	Pass	2986
30	1000	0.1	RMS	882.822	-59.06	-13	46.06	Pass	9701
1000	1840	1	RMS	1804	-48.12	-13	35.12	Pass	841
1840	1920	1	RMS	1870.4	21.49	60	38.51	Pass	401
1920	3000	1	RMS	2970	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	6977	-57.76	-13	44.76	Pass	4001
7000	20000	1	RMS	17500	-47.98	-13	34.98	Pass	13002




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.41	-13	51.41	Pass	401
0.15	30	0.01	RMS	0.67	-58.72	-13	45.72	Pass	2986
30	1000	0.1	RMS	631.6	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1811	-48.2	-13	35.2	Pass	841
1840	1920	1	RMS	1889.4	21.4	60	38.6	Pass	401
1920	3000	1	RMS	2978	-45.33	-13	32.33	Pass	1081
3000	7000	1	RMS	6977	-57.74	-13	44.74	Pass	4001
7000	20000	1	RMS	17497	-48.16	-13	35.16	Pass	13002




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.32	-13	51.32	Pass	401
0.15	30	0.01	RMS	0.73	-60.43	-13	47.43	Pass	2986
30	1000	0.1	RMS	903.536	-59.27	-13	46.27	Pass	9701
1000	1840	1	RMS	1799	-48.27	-13	35.27	Pass	841
1840	1920	1	RMS	1891.6	9.14	60	50.86	Pass	401
1920	3000	1	RMS	1920	-30.48	-13	17.48	Pass	1081
3000	7000	1	RMS	6972	-57.89	-13	44.89	Pass	4001
7000	20000	1	RMS	17502	-48.24	-13	35.24	Pass	13002




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-61.21	-13	48.21	Pass	401
0.15	30	0.01	RMS	0.7	-62.85	-13	49.85	Pass	2986
30	1000	0.1	RMS	906.238	-59.43	-13	46.43	Pass	9701
1000	1840	1	RMS	1838	-48.18	-13	35.18	Pass	841
1840	1920	1	RMS	1890.4	21.36	60	38.64	Pass	401
1920	3000	1	RMS	2969	-45.55	-13	32.55	Pass	1081
3000	7000	1	RMS	6980	-57.94	-13	44.94	Pass	4001
7000	20000	1	RMS	17499	-47.96	-13	34.96	Pass	13002




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.72	-13	52.72	Pass	401
0.15	30	0.01	RMS	0.67	-58.21	-13	45.21	Pass	2986
30	1000	0.1	RMS	903.236	-59.45	-13	46.45	Pass	9701
1000	1840	1	RMS	1805	-48.21	-13	35.21	Pass	841
1840	1920	1	RMS	1909.4	21.22	60	38.78	Pass	401
1920	3000	1	RMS	2982	-45.44	-13	32.44	Pass	1081
3000	7000	1	RMS	6979	-57.91	-13	44.91	Pass	4001
7000	20000	1	RMS	17500	-48.01	-13	35.01	Pass	13002




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.6	-13	51.6	Pass	401
0.15	30	0.01	RMS	0.73	-58.97	-13	45.97	Pass	2986
30	1000	0.1	RMS	908.139	-59.4	-13	46.4	Pass	9701
1000	1840	1	RMS	1840	-30.94	-13	17.94	Pass	841
1840	1920	1	RMS	1874.8	6.41	60	53.59	Pass	401
1920	3000	1	RMS	1920	-38.77	-13	25.77	Pass	1081
3000	7000	1	RMS	6973	-57.79	-13	44.79	Pass	4001
7000	20000	1	RMS	17496	-48.02	-13	35.02	Pass	13002




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.02	-13	50.02	Pass	401
0.15	30	0.01	RMS	0.49	-66.32	-13	53.32	Pass	2986
30	1000	0.1	RMS	983.889	-59.39	-13	46.39	Pass	9701
1000	1840	1	RMS	1840	-47.84	-13	34.84	Pass	841
1840	1920	1	RMS	1850.6	21.37	60	38.63	Pass	401
1920	3000	1	RMS	2971	-45.12	-13	32.12	Pass	1081
3000	7000	1	RMS	6982	-57.73	-13	44.73	Pass	4001
7000	20000	1	RMS	17495	-48.21	-13	35.21	Pass	13002




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.51	-13	51.51	Pass	401
0.15	30	0.01	RMS	0.55	-61.52	-13	48.52	Pass	2986
30	1000	0.1	RMS	925.05	-59.25	-13	46.25	Pass	9701
1000	1840	1	RMS	1802	-48.14	-13	35.14	Pass	841
1840	1920	1	RMS	1889.2	21.45	60	38.55	Pass	401
1920	3000	1	RMS	2971	-45.41	-13	32.41	Pass	1081
3000	7000	1	RMS	6985	-58.04	-13	45.04	Pass	4001
7000	20000	1	RMS	17505	-48.15	-13	35.15	Pass	13002




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.64	-13	52.64	Pass	401
0.15	30	0.01	RMS	0.21	-64.89	-13	51.89	Pass	2986
30	1000	0.1	RMS	894.93	-59.03	-13	46.03	Pass	9701
1000	1840	1	RMS	1840	-34.72	-13	21.72	Pass	841
1840	1920	1	RMS	1879.2	6.4	60	53.6	Pass	401
1920	3000	1	RMS	1920	-34.4	-13	21.4	Pass	1081
3000	7000	1	RMS	6978	-57.99	-13	44.99	Pass	4001
7000	20000	1	RMS	17501	-47.94	-13	34.94	Pass	13002




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.66	-13	51.66	Pass	401
0.15	30	0.01	RMS	0.7	-64.04	-13	51.04	Pass	2986
30	1000	0.1	RMS	916.945	-59.32	-13	46.32	Pass	9701
1000	1840	1	RMS	1835	-48.22	-13	35.22	Pass	841
1840	1920	1	RMS	1860.6	21.46	60	38.54	Pass	401
1920	3000	1	RMS	2982	-45.42	-13	32.42	Pass	1081
3000	7000	1	RMS	6975	-57.93	-13	44.93	Pass	4001
7000	20000	1	RMS	17499	-48.22	-13	35.22	Pass	13002




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.21	-13	53.21	Pass	401
0.15	30	0.01	RMS	0.67	-56.19	-13	43.19	Pass	2986
30	1000	0.1	RMS	916.745	-59.16	-13	46.16	Pass	9701
1000	1840	1	RMS	1801	-48.28	-13	35.28	Pass	841
1840	1920	1	RMS	1899.2	21.26	60	38.74	Pass	401
1920	3000	1	RMS	2979	-45.57	-13	32.57	Pass	1081
3000	7000	1	RMS	6982	-57.78	-13	44.78	Pass	4001
7000	20000	1	RMS	17499	-48.2	-13	35.2	Pass	13002




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.87	-13	53.87	Pass	401
0.15	30	0.01	RMS	0.56	-58.1	-13	45.1	Pass	2986
30	1000	0.1	RMS	910.441	-59.37	-13	46.37	Pass	9701
1000	1840	1	RMS	1840	-39.83	-13	26.83	Pass	841
1840	1920	1	RMS	1882.2	6.32	60	53.68	Pass	401
1920	3000	1	RMS	1920	-30.26	-13	17.26	Pass	1081
3000	7000	1	RMS	6979	-57.73	-13	44.73	Pass	4001
7000	20000	1	RMS	17505	-48.24	-13	35.24	Pass	13002




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-56.94	-13	43.94	Pass	401
0.15	30	0.01	RMS	0.67	-61.75	-13	48.75	Pass	2986
30	1000	0.1	RMS	879.82	-59.27	-13	46.27	Pass	9701
1000	1840	1	RMS	1794	-48.33	-13	35.33	Pass	841
1840	1920	1	RMS	1870.6	21.53	60	38.47	Pass	401
1920	3000	1	RMS	2971	-45.27	-13	32.27	Pass	1081
3000	7000	1	RMS	6978	-57.93	-13	44.93	Pass	4001
7000	20000	1	RMS	17497	-48.01	-13	35.01	Pass	13002



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.11	-13	51.11	Pass	401
0.15	30	0.01	RMS	0.67	-56.91	-13	43.91	Pass	2986
30	1000	0.1	RMS	895.631	-59.4	-13	46.4	Pass	9701
1000	1840	1	RMS	1777	-48.39	-13	35.39	Pass	841
1840	1920	1	RMS	1909.2	21.2	60	38.8	Pass	401
1920	3000	1	RMS	2974	-45.39	-13	32.39	Pass	1081
3000	7000	1	RMS	6980	-57.83	-13	44.83	Pass	4001
7000	20000	1	RMS	17500	-48.12	-13	35.12	Pass	13002



1. n5


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	814	-53.91	-13	40.91	Pass	7841
814	859	0.1	RMS	824.9	4.59	60	55.41	Pass	451
859	1000	0.1	RMS	898.6	-64.04	-13	51.04	Pass	1411
1000	3000	1	RMS	2867	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	8901	-58.12	-13	45.12	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	813.7	-64.3	-13	51.3	Pass	7841
814	859	0.1	RMS	824.3	17.36	60	42.64	Pass	451
859	1000	0.1	RMS	882.9	-64.07	-13	51.07	Pass	1411
1000	3000	1	RMS	2873	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8997	-58.2	-13	45.2	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	811.6	-64.31	-13	51.31	Pass	7841
814	859	0.1	RMS	828.6	16.77	60	43.23	Pass	451
859	1000	0.1	RMS	998	-64.04	-13	51.04	Pass	1411
1000	3000	1	RMS	2870	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	8994	-58.17	-13	45.17	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.19	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	813.9	-63.68	-13	50.68	Pass	7841
814	859	0.1	RMS	835	4.56	60	55.44	Pass	451
859	1000	0.1	RMS	988.7	-63.98	-13	50.98	Pass	1411
1000	3000	1	RMS	2871	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8896	-58.18	-13	45.18	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.19	-71.4	-13	58.4	Pass	2986
30	814	0.1	RMS	747.1	-64.33	-13	51.33	Pass	7841
814	859	0.1	RMS	834.3	17.27	60	42.73	Pass	451
859	1000	0.1	RMS	898.3	-63.94	-13	50.94	Pass	1411
1000	3000	1	RMS	2871	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	8909	-58.23	-13	45.23	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.16	-70.45	-13	57.45	Pass	2986
30	814	0.1	RMS	739.9	-64.42	-13	51.42	Pass	7841
814	859	0.1	RMS	838.6	17.01	60	42.99	Pass	451
859	1000	0.1	RMS	883.4	-64.03	-13	51.03	Pass	1411
1000	3000	1	RMS	2869	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	9002	-58.19	-13	45.19	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	814	0.1	RMS	747.9	-64.39	-13	51.39	Pass	7841
814	859	0.1	RMS	844.8	4.93	60	55.07	Pass	451
859	1000	0.1	RMS	901.8	-63.95	-13	50.95	Pass	1411
1000	3000	1	RMS	2869	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	8904	-58.19	-13	45.19	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-13	57.98	Pass	2986
30	814	0.1	RMS	736.4	-64.17	-13	51.17	Pass	7841
814	859	0.1	RMS	844.3	17.54	60	42.46	Pass	451
859	1000	0.1	RMS	890.4	-64.06	-13	51.06	Pass	1411
1000	3000	1	RMS	2869	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8989	-58.2	-13	45.2	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	734.9	-64.39	-13	51.39	Pass	7841
814	859	0.1	RMS	848.6	16.67	60	43.33	Pass	451
859	1000	0.1	RMS	907.3	-63.99	-13	50.99	Pass	1411
1000	3000	1	RMS	2866	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	8999	-58.2	-13	45.2	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	57.8	Pass	2986
30	814	0.1	RMS	813.9	-39.11	-13	26.11	Pass	7841
814	859	0.1	RMS	838.4	-0.41	60	60.41	Pass	451
859	1000	0.1	RMS	899.4	-64.03	-13	51.03	Pass	1411
1000	3000	1	RMS	2866	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8990	-58.16	-13	45.16	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	57.64	Pass	2986
30	814	0.1	RMS	810.4	-60.29	-13	47.29	Pass	7841
814	859	0.1	RMS	824.5	17.42	60	42.58	Pass	451
859	1000	0.1	RMS	890.3	-64.08	-13	51.08	Pass	1411
1000	3000	1	RMS	2869	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	8998	-58.17	-13	45.17	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.16	-70.3	-13	57.3	Pass	2986
30	814	0.1	RMS	810.5	-56.35	-13	43.35	Pass	7841
814	859	0.1	RMS	838.5	17.8	60	42.2	Pass	451
859	1000	0.1	RMS	906.1	-64.01	-13	51.01	Pass	1411
1000	3000	1	RMS	2869	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	8900	-58.09	-13	45.09	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	814	0.1	RMS	813.4	-46.79	-13	33.79	Pass	7841
814	859	0.1	RMS	843.3	-0.49	60	60.49	Pass	451
859	1000	0.1	RMS	901	-64.06	-13	51.06	Pass	1411
1000	3000	1	RMS	2869	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8973	-58.16	-13	45.16	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.17	-71	-13	58	Pass	2986
30	814	0.1	RMS	812.7	-62.49	-13	49.49	Pass	7841
814	859	0.1	RMS	829.5	17.33	60	42.67	Pass	451
859	1000	0.1	RMS	897	-64.04	-13	51.04	Pass	1411
1000	3000	1	RMS	2866	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	8996	-58.21	-13	45.21	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.21	-71.51	-13	58.51	Pass	2986
30	814	0.1	RMS	814	-63.63	-13	50.63	Pass	7841
814	859	0.1	RMS	843.5	17.81	60	42.19	Pass	451
859	1000	0.1	RMS	894.4	-63.97	-13	50.97	Pass	1411
1000	3000	1	RMS	2868	-48.91	-13	35.91	Pass	2001
3000	10000	1	RMS	8999	-58.19	-13	45.19	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	813.9	-50.6	-13	37.6	Pass	7841
814	859	0.1	RMS	838.4	-0.42	60	60.42	Pass	451
859	1000	0.1	RMS	894	-63.76	-13	50.76	Pass	1411
1000	3000	1	RMS	2871	-48.89	-13	35.89	Pass	2001
3000	10000	1	RMS	9000	-58.14	-13	45.14	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	814	0.1	RMS	813.1	-64.23	-13	51.23	Pass	7841
814	859	0.1	RMS	834.5	17.4	60	42.6	Pass	451
859	1000	0.1	RMS	888.7	-63.98	-13	50.98	Pass	1411
1000	3000	1	RMS	2869	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8901	-58.15	-13	45.15	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	814	0.1	RMS	747.9	-64.34	-13	51.34	Pass	7841
814	859	0.1	RMS	848.5	17.32	60	42.68	Pass	451
859	1000	0.1	RMS	886.3	-64.09	-13	51.09	Pass	1411
1000	3000	1	RMS	2869	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8982	-58.19	-13	45.19	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.21	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	814	-36.37	-13	23.37	Pass	7841
814	859	0.1	RMS	837.4	-1.63	60	61.63	Pass	451
859	1000	0.1	RMS	910.8	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2869	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8991	-58.01	-13	45.01	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	57.34	Pass	2986
30	814	0.1	RMS	813.9	-60.61	-13	47.61	Pass	7841
814	859	0.1	RMS	824.5	17.35	60	42.65	Pass	451
859	1000	0.1	RMS	895.9	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2871	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8903	-57.96	-13	44.96	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.89	-13	60.89	Pass	401
0.15	30	0.01	RMS	0.16	-70.88	-13	57.88	Pass	2986
30	814	0.1	RMS	814	-56.78	-13	43.78	Pass	7841
814	859	0.1	RMS	843.4	17.44	60	42.56	Pass	451
859	1000	0.1	RMS	891.2	-63.72	-13	50.72	Pass	1411
1000	3000	1	RMS	2870	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8997	-57.95	-13	44.95	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.25	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	814	-38.57	-13	25.57	Pass	7841
814	859	0.1	RMS	835.7	-1.56	60	61.56	Pass	451
859	1000	0.1	RMS	986.2	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2870	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8996	-57.97	-13	44.97	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.17	-70.84	-13	57.84	Pass	2986
30	814	0.1	RMS	808.1	-55.7	-13	42.7	Pass	7841
814	859	0.1	RMS	827	17.2	60	42.8	Pass	451
859	1000	0.1	RMS	894.5	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2871	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8918	-58.01	-13	45.01	Pass	7001




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	808.2	-58.93	-13	45.93	Pass	7841
814	859	0.1	RMS	845.9	17.36	60	42.64	Pass	451
859	1000	0.1	RMS	894.7	-63.7	-13	50.7	Pass	1411
1000	3000	1	RMS	2869	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8995	-58.03	-13	45.03	Pass	7001




1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	57.76	Pass	2986
30	814	0.1	RMS	814	-41.48	-13	28.48	Pass	7841
814	859	0.1	RMS	838.2	-1.45	60	61.45	Pass	451
859	1000	0.1	RMS	890.5	-63.53	-13	50.53	Pass	1411
1000	3000	1	RMS	2871	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8907	-57.99	-13	44.99	Pass	7001




1.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	58.07	Pass	2986
30	814	0.1	RMS	810.6	-54.4	-13	41.4	Pass	7841
814	859	0.1	RMS	829.5	17.22	60	42.78	Pass	451
859	1000	0.1	RMS	916.7	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2867	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8990	-57.92	-13	44.92	Pass	7001



1.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.64	-13	60.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	810.7	-55.87	-13	42.87	Pass	7841
814	859	0.1	RMS	848.4	16.91	60	43.09	Pass	451
859	1000	0.1	RMS	920.9	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2869	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8905	-58.03	-13	45.03	Pass	7001



1. n7


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.47	-25	48.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-25	45.81	Pass	2986
30	1000	0.1	RMS	880.921	-63.99	-25	38.99	Pass	9701
1000	2495	1	RMS	2495	-32.63	-25	7.63	Pass	1496
2495	2575	1	RMS	2501	14.55	60	45.45	Pass	401
2575	3000	1	RMS	2869	-48.93	-25	23.93	Pass	426
3000	7000	1	RMS	6886	-61.2	-25	36.2	Pass	4001
7000	26000	1	RMS	25190	-43.79	-25	18.79	Pass	19003




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-25	46.66	Pass	401
0.15	30	0.01	RMS	0.24	-69.18	-25	44.18	Pass	2986
30	1000	0.1	RMS	891.228	-59.34	-25	34.34	Pass	9701
1000	2495	1	RMS	2495	-44.45	-25	19.45	Pass	1496
2495	2575	1	RMS	2500.2	20.48	60	39.52	Pass	401
2575	3000	1	RMS	2973	-45.45	-25	20.45	Pass	426
3000	7000	1	RMS	6986	-57.61	-25	32.61	Pass	4001
7000	26000	1	RMS	24122	-44.05	-25	19.05	Pass	19003




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-25	46.96	Pass	401
0.15	30	0.01	RMS	0.73	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	917.345	-58.96	-25	33.96	Pass	9701
1000	2495	1	RMS	2495	-43.61	-25	18.61	Pass	1496
2495	2575	1	RMS	2504.6	20.37	60	39.63	Pass	401
2575	3000	1	RMS	2988	-45.56	-25	20.56	Pass	426
3000	7000	1	RMS	6984	-57.45	-25	32.45	Pass	4001
7000	26000	1	RMS	25128	-43.8	-25	18.8	Pass	19003




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-25	48.15	Pass	401
0.15	30	0.01	RMS	0.67	-67.21	-25	42.21	Pass	2986
30	1000	0.1	RMS	888.726	-59.27	-25	34.27	Pass	9701
1000	2495	1	RMS	2493	-46.56	-25	21.56	Pass	1496
2495	2575	1	RMS	2533.6	14.53	60	45.47	Pass	401
2575	3000	1	RMS	2984	-45.62	-25	20.62	Pass	426
3000	7000	1	RMS	6979	-57.47	-25	32.47	Pass	4001
7000	26000	1	RMS	24109	-43.81	-25	18.81	Pass	19003




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.67	-66.02	-25	41.02	Pass	2986
30	1000	0.1	RMS	998.399	-59.33	-25	34.33	Pass	9701
1000	2495	1	RMS	2495	-46.66	-25	21.66	Pass	1496
2495	2575	1	RMS	2532.8	20.46	60	39.54	Pass	401
2575	3000	1	RMS	2974	-45.65	-25	20.65	Pass	426
3000	7000	1	RMS	6980	-57.36	-25	32.36	Pass	4001
7000	26000	1	RMS	25116	-43.69	-25	18.69	Pass	19003




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.89	-25	46.89	Pass	401
0.15	30	0.01	RMS	0.68	-69	-25	44	Pass	2986
30	1000	0.1	RMS	870.914	-59.25	-25	34.25	Pass	9701
1000	2495	1	RMS	2493	-46.8	-25	21.8	Pass	1496
2495	2575	1	RMS	2537	20.55	60	39.45	Pass	401
2575	3000	1	RMS	2975	-45.42	-25	20.42	Pass	426
3000	7000	1	RMS	6976	-57.4	-25	32.4	Pass	4001
7000	26000	1	RMS	24094	-44.03	-25	19.03	Pass	19003




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-25	46.17	Pass	401
0.15	30	0.01	RMS	18.84	-69.46	-25	44.46	Pass	2986
30	1000	0.1	RMS	897.732	-59.29	-25	34.29	Pass	9701
1000	2495	1	RMS	2488	-46.87	-25	21.87	Pass	1496
2495	2575	1	RMS	2566.2	15.12	60	44.88	Pass	401
2575	3000	1	RMS	2575	-32.55	-25	7.55	Pass	426
3000	7000	1	RMS	6975	-57.83	-25	32.83	Pass	4001
7000	26000	1	RMS	25056	-43.96	-25	18.96	Pass	19003




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.67	-66.72	-25	41.72	Pass	2986
30	1000	0.1	RMS	905.537	-59.3	-25	34.3	Pass	9701
1000	2495	1	RMS	2494	-46.47	-25	21.47	Pass	1496
2495	2575	1	RMS	2565.2	21.24	60	38.76	Pass	401
2575	3000	1	RMS	2575	-44.06	-25	19.06	Pass	426
3000	7000	1	RMS	6981	-57.45	-25	32.45	Pass	4001
7000	26000	1	RMS	24115	-43.97	-25	18.97	Pass	19003




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-72.8	-25	47.8	Pass	401
0.15	30	0.01	RMS	0.67	-67.98	-25	42.98	Pass	2986
30	1000	0.1	RMS	982.989	-59.41	-25	34.41	Pass	9701
1000	2495	1	RMS	2490	-46.91	-25	21.91	Pass	1496
2495	2575	1	RMS	2569.6	21.21	60	38.79	Pass	401
2575	3000	1	RMS	2575	-44.96	-25	19.96	Pass	426
3000	7000	1	RMS	6980	-57.27	-25	32.27	Pass	4001
7000	26000	1	RMS	24103	-43.81	-25	18.81	Pass	19003




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.79	-25	45.79	Pass	401
0.15	30	0.01	RMS	0.61	-67.61	-25	42.61	Pass	2986
30	1000	0.1	RMS	895.131	-59.39	-25	34.39	Pass	9701
1000	2475	1	RMS	2475	-46.84	-25	21.84	Pass	1476
2475	2595	1	RMS	2520	7.3	60	52.7	Pass	401
2595	3000	1	RMS	2978	-45.48	-25	20.48	Pass	406
3000	7000	1	RMS	6980	-57.72	-25	32.72	Pass	4001
7000	26000	1	RMS	25108	-43.8	-25	18.8	Pass	19003




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.83	-25	45.83	Pass	401
0.15	30	0.01	RMS	0.73	-67.9	-25	42.9	Pass	2986
30	1000	0.1	RMS	910.941	-59.32	-25	34.32	Pass	9701
1000	2475	1	RMS	2422	-47.04	-25	22.04	Pass	1476
2475	2595	1	RMS	2500.5	20.46	60	39.54	Pass	401
2595	3000	1	RMS	2973	-45.42	-25	20.42	Pass	406
3000	7000	1	RMS	6978	-57.42	-25	32.42	Pass	4001
7000	26000	1	RMS	25119	-43.89	-25	18.89	Pass	19003




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.1	-25	46.1	Pass	401
0.15	30	0.01	RMS	0.61	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	903.436	-59.13	-25	34.13	Pass	9701
1000	2475	1	RMS	2475	-47.21	-25	22.21	Pass	1476
2475	2595	1	RMS	2524.2	20.36	60	39.64	Pass	401
2595	3000	1	RMS	2969	-45.5	-25	20.5	Pass	406
3000	7000	1	RMS	6980	-57.41	-25	32.41	Pass	4001
7000	26000	1	RMS	24097	-43.88	-25	18.88	Pass	19003




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.49	-25	43.49	Pass	401
0.15	30	0.01	RMS	21.64	-69.54	-25	44.54	Pass	2986
30	1000	0.1	RMS	928.853	-59.27	-25	34.27	Pass	9701
1000	2475	1	RMS	2475	-46.82	-25	21.82	Pass	1476
2475	2595	1	RMS	2524.2	7.5	60	52.5	Pass	401
2595	3000	1	RMS	2973	-45.46	-25	20.46	Pass	406
3000	7000	1	RMS	6980	-57.64	-25	32.64	Pass	4001
7000	26000	1	RMS	25072	-43.97	-25	18.97	Pass	19003




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.61	-25	43.61	Pass	401
0.15	30	0.01	RMS	0.67	-65.38	-25	40.38	Pass	2986
30	1000	0.1	RMS	906.538	-59.37	-25	34.37	Pass	9701
1000	2475	1	RMS	2475	-46.95	-25	21.95	Pass	1476
2475	2595	1	RMS	2523	20.3	60	39.7	Pass	401
2595	3000	1	RMS	2972	-45.38	-25	20.38	Pass	406
3000	7000	1	RMS	6995	-57.77	-25	32.77	Pass	4001
7000	26000	1	RMS	24097	-43.94	-25	18.94	Pass	19003




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.12	-25	42.12	Pass	401
0.15	30	0.01	RMS	0.73	-69.12	-25	44.12	Pass	2986
30	1000	0.1	RMS	881.221	-59.49	-25	34.49	Pass	9701
1000	2475	1	RMS	2475	-47.1	-25	22.1	Pass	1476
2475	2595	1	RMS	2546.7	20.68	60	39.32	Pass	401
2595	3000	1	RMS	2970	-45.65	-25	20.65	Pass	406
3000	7000	1	RMS	6977	-57.6	-25	32.6	Pass	4001
7000	26000	1	RMS	25097	-43.87	-25	18.87	Pass	19003




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.04	-25	46.04	Pass	401
0.15	30	0.01	RMS	17.58	-70.15	-25	45.15	Pass	2986
30	1000	0.1	RMS	911.341	-58.98	-25	33.98	Pass	9701
1000	2475	1	RMS	2472	-46.82	-25	21.82	Pass	1476
2475	2595	1	RMS	2564.1	7.72	60	52.28	Pass	401
2595	3000	1	RMS	2975	-45.52	-25	20.52	Pass	406
3000	7000	1	RMS	6981	-57.87	-25	32.87	Pass	4001
7000	26000	1	RMS	25086	-43.86	-25	18.86	Pass	19003




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.09	-25	47.09	Pass	401
0.15	30	0.01	RMS	23.82	-69.34	-25	44.34	Pass	2986
30	1000	0.1	RMS	471.1	-59.35	-25	34.35	Pass	9701
1000	2475	1	RMS	2471	-47.05	-25	22.05	Pass	1476
2475	2595	1	RMS	2545.5	20.62	60	39.38	Pass	401
2595	3000	1	RMS	2966	-45.49	-25	20.49	Pass	406
3000	7000	1	RMS	6979	-57.77	-25	32.77	Pass	4001
7000	26000	1	RMS	24099	-44.02	-25	19.02	Pass	19003




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-25	48.67	Pass	401
0.15	30	0.01	RMS	1.32	-69.17	-25	44.17	Pass	2986
30	1000	0.1	RMS	899.233	-59.15	-25	34.15	Pass	9701
1000	2475	1	RMS	2471	-47.08	-25	22.08	Pass	1476
2475	2595	1	RMS	2569.2	21.2	60	38.8	Pass	401
2595	3000	1	RMS	2984	-45.53	-25	20.53	Pass	406
3000	7000	1	RMS	6978	-57.52	-25	32.52	Pass	4001
7000	26000	1	RMS	25103	-43.89	-25	18.89	Pass	19003




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	0.47	-69.19	-25	44.19	Pass	2986
30	1000	0.1	RMS	903.836	-58.91	-25	33.91	Pass	9701
1000	2450	1	RMS	2410	-47.19	-25	22.19	Pass	1451
2450	2620	1	RMS	2522.25	4.38	60	55.62	Pass	401
2620	3000	1	RMS	2972.45	-45.43	-25	20.43	Pass	401
3000	7000	1	RMS	6980	-57.59	-25	32.59	Pass	4001
7000	26000	1	RMS	24136	-44.05	-25	19.05	Pass	19003




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.57	-25	46.57	Pass	401
0.15	30	0.01	RMS	0.61	-69.43	-25	44.43	Pass	2986
30	1000	0.1	RMS	925.651	-59.35	-25	34.35	Pass	9701
1000	2450	1	RMS	2415	-47.26	-25	22.26	Pass	1451
2450	2620	1	RMS	2500.575	20.42	60	39.58	Pass	401
2620	3000	1	RMS	2969.6	-45.48	-25	20.48	Pass	401
3000	7000	1	RMS	6981	-57.59	-25	32.59	Pass	4001
7000	26000	1	RMS	24111	-44.04	-25	19.04	Pass	19003




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.67	-25	38.67	Pass	401
0.15	30	0.01	RMS	0.67	-67.68	-25	42.68	Pass	2986
30	1000	0.1	RMS	915.344	-59.25	-25	34.25	Pass	9701
1000	2450	1	RMS	2188	-47.05	-25	22.05	Pass	1451
2450	2620	1	RMS	2549.025	20.65	60	39.35	Pass	401
2620	3000	1	RMS	2983.85	-45.65	-25	20.65	Pass	401
3000	7000	1	RMS	6983	-57.73	-25	32.73	Pass	4001
7000	26000	1	RMS	25081	-43.9	-25	18.9	Pass	19003




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.35	-25	47.35	Pass	401
0.15	30	0.01	RMS	3.12	-69.55	-25	44.55	Pass	2986
30	1000	0.1	RMS	925.551	-59.24	-25	34.24	Pass	9701
1000	2450	1	RMS	2439	-47.1	-25	22.1	Pass	1451
2450	2620	1	RMS	2523.95	4.56	60	55.44	Pass	401
2620	3000	1	RMS	2974.35	-45.41	-25	20.41	Pass	401
3000	7000	1	RMS	6984	-57.58	-25	32.58	Pass	4001
7000	26000	1	RMS	24111	-43.95	-25	18.95	Pass	19003




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-25	47.77	Pass	401
0.15	30	0.01	RMS	17.95	-69.95	-25	44.95	Pass	2986
30	1000	0.1	RMS	907.239	-59.34	-25	34.34	Pass	9701
1000	2450	1	RMS	2092	-47.22	-25	22.22	Pass	1451
2450	2620	1	RMS	2510.775	19.76	60	40.24	Pass	401
2620	3000	1	RMS	2970.55	-45.47	-25	20.47	Pass	401
3000	7000	1	RMS	6980	-57.45	-25	32.45	Pass	4001
7000	26000	1	RMS	25113	-43.88	-25	18.88	Pass	19003




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	28.56	-69.79	-25	44.79	Pass	2986
30	1000	0.1	RMS	981.688	-59.18	-25	34.18	Pass	9701
1000	2450	1	RMS	2198	-47.13	-25	22.13	Pass	1451
2450	2620	1	RMS	2558.8	20.64	60	39.36	Pass	401
2620	3000	1	RMS	2979.1	-45.61	-25	20.61	Pass	401
3000	7000	1	RMS	6976	-57.58	-25	32.58	Pass	4001
7000	26000	1	RMS	25067	-44.01	-25	19.01	Pass	19003




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.7	-25	42.7	Pass	401
0.15	30	0.01	RMS	0.24	-69.76	-25	44.76	Pass	2986
30	1000	0.1	RMS	988.192	-59.25	-25	34.25	Pass	9701
1000	2450	1	RMS	2410	-47.25	-25	22.25	Pass	1451
2450	2620	1	RMS	2529.475	4.73	60	55.27	Pass	401
2620	3000	1	RMS	2969.6	-45.45	-25	20.45	Pass	401
3000	7000	1	RMS	6973	-57.55	-25	32.55	Pass	4001
7000	26000	1	RMS	25128	-43.96	-25	18.96	Pass	19003




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.02	-25	41.02	Pass	401
0.15	30	0.01	RMS	0.26	-69.7	-25	44.7	Pass	2986
30	1000	0.1	RMS	929.653	-59.29	-25	34.29	Pass	9701
1000	2450	1	RMS	2200	-47.08	-25	22.08	Pass	1451
2450	2620	1	RMS	2520.55	20.27	60	39.73	Pass	401
2620	3000	1	RMS	2983.85	-45.6	-25	20.6	Pass	401
3000	7000	1	RMS	6978	-57.77	-25	32.77	Pass	4001
7000	26000	1	RMS	25079	-43.96	-25	18.96	Pass	19003



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-25	46.97	Pass	401
0.15	30	0.01	RMS	14.4	-69.61	-25	44.61	Pass	2986
30	1000	0.1	RMS	930.754	-59.41	-25	34.41	Pass	9701
1000	2450	1	RMS	2178	-47.07	-25	22.07	Pass	1451
2450	2620	1	RMS	2569	21.22	60	38.78	Pass	401
2620	3000	1	RMS	2972.45	-45.5	-25	20.5	Pass	401
3000	7000	1	RMS	6983	-57.81	-25	32.81	Pass	4001
7000	26000	1	RMS	25097	-43.68	-25	18.68	Pass	19003



4. n26 15kHz(824-849)


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.67	-64.93	-13	51.93	Pass	2986
30	814	0.1	RMS	814	-53.22	-13	40.22	Pass	7841
814	859	0.1	RMS	824.5	4.31	60	55.69	Pass	451
859	1000	0.1	RMS	911	-59.36	-13	46.36	Pass	1411
1000	3000	1	RMS	2970	-45.48	-13	32.48	Pass	2001
3000	10000	1	RMS	9990	-55.63	-13	42.63	Pass	7001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	58.72	Pass	401
0.15	30	0.01	RMS	0.16	-68.98	-13	55.98	Pass	2986
30	814	0.1	RMS	723.5	-59.92	-13	46.92	Pass	7841
814	859	0.1	RMS	824.3	17.14	60	42.86	Pass	451
859	1000	0.1	RMS	877.5	-59.56	-13	46.56	Pass	1411
1000	3000	1	RMS	2971	-45.42	-13	32.42	Pass	2001
3000	10000	1	RMS	9913	-55.84	-13	42.84	Pass	7001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72	-13	59	Pass	401
0.15	30	0.01	RMS	13.29	-70.09	-13	57.09	Pass	2986
30	814	0.1	RMS	484.9	-59.8	-13	46.8	Pass	7841
814	859	0.1	RMS	828.7	16.67	60	43.33	Pass	451
859	1000	0.1	RMS	901.2	-59.57	-13	46.57	Pass	1411
1000	3000	1	RMS	2971	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9956	-55.81	-13	42.81	Pass	7001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	21.03	-69.53	-13	56.53	Pass	2986
30	814	0.1	RMS	651.7	-59.7	-13	46.7	Pass	7841
814	859	0.1	RMS	834.6	4.33	60	55.67	Pass	451
859	1000	0.1	RMS	884.5	-59.66	-13	46.66	Pass	1411
1000	3000	1	RMS	2977	-45.44	-13	32.44	Pass	2001
3000	10000	1	RMS	9943	-55.66	-13	42.66	Pass	7001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.68	-69.96	-13	56.96	Pass	2986
30	814	0.1	RMS	803.9	-59.79	-13	46.79	Pass	7841
814	859	0.1	RMS	834.3	17.12	60	42.88	Pass	451
859	1000	0.1	RMS	993.6	-59.49	-13	46.49	Pass	1411
1000	3000	1	RMS	2984	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9946	-55.68	-13	42.68	Pass	7001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	56.41	Pass	2986
30	814	0.1	RMS	485.9	-59.69	-13	46.69	Pass	7841
814	859	0.1	RMS	838.7	16.89	60	43.11	Pass	451
859	1000	0.1	RMS	915.4	-59.64	-13	46.64	Pass	1411
1000	3000	1	RMS	2969	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9978	-55.66	-13	42.66	Pass	7001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.27	-69.21	-13	56.21	Pass	2986
30	814	0.1	RMS	472.1	-59.84	-13	46.84	Pass	7841
814	859	0.1	RMS	844.6	4.68	60	55.32	Pass	451
859	1000	0.1	RMS	906.6	-59.43	-13	46.43	Pass	1411
1000	3000	1	RMS	2970	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	9963	-55.66	-13	42.66	Pass	7001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	16.32	-69.82	-13	56.82	Pass	2986
30	814	0.1	RMS	485.3	-59.91	-13	46.91	Pass	7841
814	859	0.1	RMS	844.3	17.26	60	42.74	Pass	451
859	1000	0.1	RMS	906.7	-59.39	-13	46.39	Pass	1411
1000	3000	1	RMS	2971	-45.42	-13	32.42	Pass	2001
3000	10000	1	RMS	9977	-55.82	-13	42.82	Pass	7001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.21	-69.35	-13	56.35	Pass	2986
30	814	0.1	RMS	358.9	-59.63	-13	46.63	Pass	7841
814	859	0.1	RMS	848.7	16.48	60	43.52	Pass	451
859	1000	0.1	RMS	902.4	-59.66	-13	46.66	Pass	1411
1000	3000	1	RMS	2969	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	10000	-55.84	-13	42.84	Pass	7001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	27.78	-69.35	-13	56.35	Pass	2986
30	814	0.1	RMS	814	-38.79	-13	25.79	Pass	7841
814	859	0.1	RMS	838.4	-0.71	60	60.71	Pass	451
859	1000	0.1	RMS	988.8	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2964	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	9986	-55.59	-13	42.59	Pass	7001



4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.17	-68.83	-13	55.83	Pass	2986
30	814	0.1	RMS	810.4	-57.65	-13	44.65	Pass	7841
814	859	0.1	RMS	824.5	17.11	60	42.89	Pass	451
859	1000	0.1	RMS	910.8	-59.35	-13	46.35	Pass	1411
1000	3000	1	RMS	2989	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	9951	-55.61	-13	42.61	Pass	7001



4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.17	-69.48	-13	56.48	Pass	2986
30	814	0.1	RMS	810.4	-56.19	-13	43.19	Pass	7841
814	859	0.1	RMS	838.5	17.57	60	42.43	Pass	451
859	1000	0.1	RMS	984.4	-59.33	-13	46.33	Pass	1411
1000	3000	1	RMS	2973	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9947	-55.6	-13	42.6	Pass	7001

