

Appendix for LTE B13

CONTENTS

Appendix A: Effective (Isotropic) Radiated Power Output Data	3
Test Result	3
Appendix B: Peak-to-Average Ratio(CCDF)	5
Test Result	5
Test Graphs	6
Appendix C: 26dB Bandwidth and Occupied Bandwidth	9
Test Result	9
Test Graphs	10
Appendix D: Band Edge	12
Test Result	12
Test Graphs	13
Appendix E: Conducted Spurious Emission	16
Test Result	16
Test Graphs	19
Appendix F: Frequency Stability	39
Test Result	39
Appendix G: Modulation Characteristics	42
Test Result	42
Test Graphs	43

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Limit (dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	23.10	34.8	PASS
Band13	5MHz	QPSK	23205	1RB#12	23.43	34.8	PASS
Band13	5MHz	QPSK	23205	1RB#24	23.08	34.8	PASS
Band13	5MHz	QPSK	23205	12RB#0	22.13	34.8	PASS
Band13	5MHz	QPSK	23205	12RB#6	22.39	34.8	PASS
Band13	5MHz	QPSK	23205	12RB#13	22.29	34.8	PASS
Band13	5MHz	QPSK	23205	25RB#0	22.19	34.8	PASS
Band13	5MHz	16QAM	23205	1RB#0	21.70	34.8	PASS
Band13	5MHz	16QAM	23205	1RB#12	22.41	34.8	PASS
Band13	5MHz	16QAM	23205	1RB#24	21.95	34.8	PASS
Band13	5MHz	16QAM	23205	12RB#0	21.99	34.8	PASS
Band13	5MHz	16QAM	23205	12RB#6	22.26	34.8	PASS
Band13	5MHz	16QAM	23205	12RB#13	22.25	34.8	PASS
Band13	5MHz	16QAM	23205	25RB#0	22.14	34.8	PASS
Band13	5MHz	QPSK	23230	1RB#0	23.50	34.8	PASS
Band13	5MHz	QPSK	23230	1RB#12	22.85	34.8	PASS
Band13	5MHz	QPSK	23230	1RB#24	22.38	34.8	PASS
Band13	5MHz	QPSK	23230	12RB#0	22.15	34.8	PASS
Band13	5MHz	QPSK	23230	12RB#6	21.88	34.8	PASS
Band13	5MHz	QPSK	23230	12RB#13	21.44	34.8	PASS
Band13	5MHz	QPSK	23230	25RB#0	21.73	34.8	PASS
Band13	5MHz	16QAM	23230	1RB#0	22.27	34.8	PASS
Band13	5MHz	16QAM	23230	1RB#12	21.72	34.8	PASS
Band13	5MHz	16QAM	23230	1RB#24	21.16	34.8	PASS
Band13	5MHz	16QAM	23230	12RB#0	22.10	34.8	PASS
Band13	5MHz	16QAM	23230	12RB#6	21.84	34.8	PASS
Band13	5MHz	16QAM	23230	12RB#13	21.40	34.8	PASS
Band13	5MHz	16QAM	23230	25RB#0	21.72	34.8	PASS
Band13	5MHz	QPSK	23255	1RB#0	22.95	34.8	PASS
Band13	5MHz	QPSK	23255	1RB#12	22.36	34.8	PASS
Band13	5MHz	QPSK	23255	1RB#24	22.74	34.8	PASS
Band13	5MHz	QPSK	23255	12RB#0	21.37	34.8	PASS
Band13	5MHz	QPSK	23255	12RB#6	21.31	34.8	PASS
Band13	5MHz	QPSK	23255	12RB#13	21.34	34.8	PASS
Band13	5MHz	QPSK	23255	25RB#0	21.36	34.8	PASS
Band13	5MHz	16QAM	23255	1RB#0	21.62	34.8	PASS


Band13	5MHz	16QAM	23255	1RB#12	21.23	34.8	PASS
Band13	5MHz	16QAM	23255	1RB#24	21.62	34.8	PASS
Band13	5MHz	16QAM	23255	12RB#0	21.35	34.8	PASS
Band13	5MHz	16QAM	23255	12RB#6	21.31	34.8	PASS
Band13	5MHz	16QAM	23255	12RB#13	21.34	34.8	PASS
Band13	5MHz	16QAM	23255	25RB#0	21.37	34.8	PASS
Band13	10MHz	QPSK	23230	1RB#0	22.65	34.8	PASS
Band13	10MHz	QPSK	23230	1RB#24	22.64	34.8	PASS
Band13	10MHz	QPSK	23230	1RB#49	22.41	34.8	PASS
Band13	10MHz	QPSK	23230	25RB#0	21.98	34.8	PASS
Band13	10MHz	QPSK	23230	25RB#12	21.62	34.8	PASS
Band13	10MHz	QPSK	23230	25RB#25	21.16	34.8	PASS
Band13	10MHz	QPSK	23230	50RB#0	21.37	34.8	PASS
Band13	10MHz	16QAM	23230	1RB#0	21.44	34.8	PASS
Band13	10MHz	16QAM	23230	1RB#24	21.57	34.8	PASS
Band13	10MHz	16QAM	23230	1RB#49	21.32	34.8	PASS
Band13	10MHz	16QAM	23230	25RB#0	21.90	34.8	PASS
Band13	10MHz	16QAM	23230	25RB#12	21.62	34.8	PASS
Band13	10MHz	16QAM	23230	25RB#25	21.15	34.8	PASS
Band13	10MHz	16QAM	23230	50RB#0	21.36	34.8	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	3.78	13	PASS
Band13	5MHz	QPSK	23205	25RB#0	5.20	13	PASS
Band13	5MHz	16QAM	23205	1RB#0	4.76	13	PASS
Band13	5MHz	16QAM	23205	25RB#0	5.50	13	PASS
Band13	5MHz	QPSK	23230	1RB#0	3.70	13	PASS
Band13	5MHz	QPSK	23230	25RB#0	5.56	13	PASS
Band13	5MHz	16QAM	23230	1RB#0	4.50	13	PASS
Band13	5MHz	16QAM	23230	25RB#0	6.06	13	PASS
Band13	5MHz	QPSK	23255	1RB#0	5.34	13	PASS
Band13	5MHz	QPSK	23255	25RB#0	5.90	13	PASS
Band13	5MHz	16QAM	23255	1RB#0	5.98	13	PASS
Band13	5MHz	16QAM	23255	25RB#0	6.46	13	PASS
Band13	10MHz	QPSK	23230	1RB#0	3.84	13	PASS
Band13	10MHz	QPSK	23230	50RB#0	5.56	13	PASS
Band13	10MHz	16QAM	23230	1RB#0	4.96	13	PASS
Band13	10MHz	16QAM	23230	50RB#0	6.16	13	PASS

Test Graphs





12:38:31 AM 09/12/2025

Band13-5MHz-16QAM-23230-1RB#0-PASS



12:38:40 AM 09/12/2025

Band13-5MHz-16QAM-23230-25RB#0-PASS



12:38:47 AM 09/12/2025

Band13-5MHz-QPSK-23255-1RB#0-PASS



12:38:56 AM 09/12/2025

Band13-5MHz-QPSK-23255-25RB#0-PASS




12:39:51 AM 09/12/2025

Band13-5MHz-16QAM-23255-1RB#0-PASS



12:39:01 AM 09/12/2025

Band13-5MHz-16QAM-23255-25RB#0-PASS




Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band13	5MHz	QPSK	23205	25RB#0	4.484	4.82	PASS
Band13	5MHz	16QAM	23205	25RB#0	4.486	4.81	PASS
Band13	5MHz	QPSK	23230	25RB#0	4.488	4.86	PASS
Band13	5MHz	16QAM	23230	25RB#0	4.493	4.86	PASS
Band13	5MHz	QPSK	23255	25RB#0	4.498	4.83	PASS
Band13	5MHz	16QAM	23255	25RB#0	4.495	4.84	PASS
Band13	10MHz	QPSK	23230	50RB#0	8.983	9.60	PASS
Band13	10MHz	16QAM	23230	50RB#0	8.973	9.70	PASS

Test Graphs






Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	-59.33	24.13	PASS
Band13	5MHz	QPSK	23205	1RB#24	-59.69	24.49	PASS
Band13	5MHz	QPSK	23205	25RB#0	-41.68	6.48	PASS
Band13	5MHz	16QAM	23205	1RB#0	-58.93	23.73	PASS
Band13	5MHz	16QAM	23205	1RB#24	-59.78	24.58	PASS
Band13	5MHz	16QAM	23205	25RB#0	-39.41	4.21	PASS
Band13	5MHz	QPSK	23255	1RB#0	-32.61	19.61	PASS
Band13	5MHz	QPSK	23255	1RB#24	-59.34	24.14	PASS
Band13	5MHz	QPSK	23255	25RB#0	-54.44	19.24	PASS
Band13	5MHz	16QAM	23255	1RB#0	-32.39	19.39	PASS
Band13	5MHz	16QAM	23255	1RB#24	-59.13	23.93	PASS
Band13	5MHz	16QAM	23255	25RB#0	-52.24	17.04	PASS
Band13	10MHz	QPSK	23230	1RB#0	-44.42	9.22	PASS
Band13	10MHz	QPSK	23230	1RB#49	-59.05	23.85	PASS
Band13	10MHz	QPSK	23230	50RB#0	-49.93	14.73	PASS
Band13	10MHz	16QAM	23230	1RB#0	-45.43	10.23	PASS
Band13	10MHz	16QAM	23230	1RB#49	-59.54	24.34	PASS
Band13	10MHz	16QAM	23230	50RB#0	-47.74	12.54	PASS


Test Graphs





09:10:36 AM 09/11/2025

Band13-5MHz-QPSK-23255-1RB#0-PASS



09:11:11 AM 09/11/2025

Band13-5MHz-QPSK-23255-1RB#24-PASS



09:11:45 AM 09/11/2025

Band13-5MHz-QPSK-23255-25RB#0-PASS



09:10:53 AM 09/11/2025

Band13-5MHz-16QAM-23255-1RB#0-PASS



09:11:29 AM 09/11/2025

Band13-5MHz-16QAM-23255-1RB#24-PASS




09:12:03 AM 09/11/2025

Band13-5MHz-16QAM-23255-25RB#0-PASS



12:42:14 AM 09/12/2025

Band13-10MHz-QPSK-23230-1RB#0-PASS



12:42:51 AM 09/12/2025

Band13-10MHz-QPSK-23230-1RB#49-PASS




12:42:24 AM 09/12/2025

Band13-10MHz-QPSK-23230-50RB#0-PASS



12:41:33 AM 09/12/2025

Band13-10MHz-16QAM-23230-1RB#0-PASS



12:42:08 AM 09/12/2025

Band13-10MHz-16QAM-23230-1RB#49-PASS



12:42:43 AM 09/12/2025

Band13-10MHz-16QAM-23230-50RB#0-PASS

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band13	5MHz	QPSK	23205	1RB#0	0.009~0.15	-69.26	-33.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	0.15~30	-69.06	-23.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	30~1000	-53.86	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	1000~3000	-43.53	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#0	3000~10000	-28.63	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	0.009~0.15	-68.97	-33.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	0.15~30	-69.86	-23.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	30~1000	-54.72	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	1000~3000	-43.57	-13.0	PASS
Band13	5MHz	QPSK	23205	1RB#24	3000~10000	-28.58	-13.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	0.009~0.15	-67.63	-33.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	0.15~30	-70.73	-23.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	30~1000	-54.08	-13.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	1000~3000	-43.75	-13.0	PASS
Band13	5MHz	QPSK	23205	25RB#0	3000~10000	-28.37	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	0.009~0.15	-69.03	-33.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	0.15~30	-69.97	-23.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	30~1000	-54.42	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	1000~3000	-43.74	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#0	3000~10000	-28.42	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	0.009~0.15	-67.59	-33.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	0.15~30	-71.04	-23.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	30~1000	-54.43	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	1000~3000	-43.45	-13.0	PASS
Band13	5MHz	16QAM	23205	1RB#24	3000~10000	-28.55	-13.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	0.009~0.15	-70.40	-33.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	0.15~30	-71.03	-23.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	30~1000	-54.63	-13.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	1000~3000	-43.46	-13.0	PASS
Band13	5MHz	16QAM	23205	25RB#0	3000~10000	-28.51	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	0.009~0.15	-68.36	-33.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	0.15~30	-68.95	-23.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	30~1000	-54.67	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	1000~3000	-42.92	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#0	3000~10000	-28.13	-13.0	PASS

Band13	5MHz	QPSK	23230	1RB#24	0.009~0.15	-69.47	-33.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	0.15~30	-69.88	-23.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	30~1000	-54.46	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	1000~3000	-43.45	-13.0	PASS
Band13	5MHz	QPSK	23230	1RB#24	3000~10000	-28.60	-13.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	0.009~0.15	-69.61	-33.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	0.15~30	-71.42	-23.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	30~1000	-53.65	-13.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	1000~3000	-43.45	-13.0	PASS
Band13	5MHz	QPSK	23230	25RB#0	3000~10000	-28.66	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	0.009~0.15	-65.29	-33.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	0.15~30	-67.21	-23.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	30~1000	-54.22	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	1000~3000	-43.63	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#0	3000~10000	-28.22	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	0.009~0.15	-68.30	-33.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	0.15~30	-70.05	-23.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	30~1000	-54.05	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	1000~3000	-43.65	-13.0	PASS
Band13	5MHz	16QAM	23230	1RB#24	3000~10000	-28.53	-13.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	0.009~0.15	-68.99	-33.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	0.15~30	-71.38	-23.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	30~1000	-54.11	-13.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	1000~3000	-43.36	-13.0	PASS
Band13	5MHz	16QAM	23230	25RB#0	3000~10000	-28.68	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	0.009~0.15	-67.91	-33.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	0.15~30	-67.13	-23.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	30~1000	-54.15	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	1000~3000	-43.26	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#0	3000~10000	-28.60	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	0.009~0.15	-68.59	-33.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	0.15~30	-67.44	-23.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	30~1000	-54.39	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	1000~3000	-43.70	-13.0	PASS
Band13	5MHz	QPSK	23255	1RB#24	3000~10000	-28.56	-13.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	0.009~0.15	-69.09	-33.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	0.15~30	-71.81	-23.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	30~1000	-54.22	-13.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	1000~3000	-43.13	-13.0	PASS
Band13	5MHz	QPSK	23255	25RB#0	3000~10000	-27.97	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	0.009~0.15	-66.42	-33.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	0.15~30	-70.37	-23.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	30~1000	-54.55	-13.0	PASS


Band13	5MHz	16QAM	23255	1RB#0	1000~3000	-43.68	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#0	3000~10000	-28.71	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	0.009~0.15	-67.68	-33.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	0.15~30	-67.78	-23.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	30~1000	-54.92	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	1000~3000	-43.42	-13.0	PASS
Band13	5MHz	16QAM	23255	1RB#24	3000~10000	-28.39	-13.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	0.009~0.15	-67.48	-33.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	0.15~30	-70.92	-23.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	30~1000	-54.60	-13.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	1000~3000	-43.52	-13.0	PASS
Band13	5MHz	16QAM	23255	25RB#0	3000~10000	-28.88	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	0.009~0.15	-69.57	-33.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	0.15~30	-69.26	-23.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	30~1000	-54.37	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	1000~3000	-43.34	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#0	3000~10000	-28.70	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	0.009~0.15	-65.47	-33.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	0.15~30	-69.46	-23.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	30~1000	-54.24	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	1000~3000	-43.46	-13.0	PASS
Band13	10MHz	QPSK	23230	1RB#49	3000~10000	-27.97	-13.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	0.009~0.15	-66.71	-33.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	0.15~30	-73.04	-23.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	30~1000	-54.61	-13.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	1000~3000	-43.65	-13.0	PASS
Band13	10MHz	QPSK	23230	50RB#0	3000~10000	-28.48	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	0.009~0.15	-68.21	-33.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	0.15~30	-71.16	-23.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	30~1000	-54.68	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	1000~3000	-43.69	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#0	3000~10000	-28.33	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	0.009~0.15	-67.79	-33.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	0.15~30	-70.90	-23.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	30~1000	-54.52	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	1000~3000	-43.47	-13.0	PASS
Band13	10MHz	16QAM	23230	1RB#49	3000~10000	-28.33	-13.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	0.009~0.15	-69.59	-33.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	0.15~30	-72.43	-23.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	30~1000	-54.31	-13.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	1000~3000	-43.45	-13.0	PASS
Band13	10MHz	16QAM	23230	50RB#0	3000~10000	-28.40	-13.0	PASS

Test Graphs







Band13-5MHz-QPSK-23205-1RB#24-0.15~30-P
ASS



Band13-5MHz-QPSK-23205-1RB#24-30~1000-P
ASS



Band13-5MHz-QPSK-23205-1RB#24-1000~300
0-PASS




Band13-5MHz-QPSK-23205-1RB#24-3000~100
00-PASS




Band13-5MHz-QPSK-23205-25RB#0-0.009~0.1
5-PASS



Band13-5MHz-QPSK-23205-25RB#0-0.15~30-P
ASS



Band13-5MHz-QPSK-23205-25RB#0-30~1000-P
ASS



Band13-5MHz-QPSK-23205-25RB#0-1000~300
0-PASS



Band13-5MHz-QPSK-23205-25RB#0-3000~100
00-PASS




Band13-5MHz-16QAM-23205-1RB#0-0.009~0.1
5-PASS



Band13-5MHz-16QAM-23205-1RB#0-0.15~30-P
ASS




Band13-5MHz-16QAM-23205-1RB#0-30~1000-P
ASS



Band13-5MHz-16QAM-23205-1RB#0-1000~300
0-PASS




Band13-5MHz-16QAM-23205-1RB#0-3000~100
00-PASS



Band13-5MHz-16QAM-23205-1RB#24-0.009~0.
15-PASS




Band13-5MHz-16QAM-23205-1RB#24-0.15~30-
PASS



Band13-5MHz-16QAM-23205-1RB#24-30~1000-
PASS



Band13-5MHz-16QAM-23205-1RB#24-1000~30
00-PASS



Band13-5MHz-16QAM-23205-1RB#24-3000~10000-PASS




Band13-5MHz-16QAM-23205-25RB#0-0.009~0.15-PASS




Band13-5MHz-16QAM-23205-25RB#0-0.15~30-PASS



Band13-5MHz-16QAM-23205-25RB#0-30~1000-PASS



Band13-5MHz-16QAM-23205-25RB#0-1000~3000-PASS




Band13-5MHz-16QAM-23205-25RB#0-3000~10000-PASS




Band13-5MHz-QPSK-23230-1RB#0-0.009~0.15-
PASS




Band13-5MHz-QPSK-23230-1RB#0-0.15~30-PA
SS




Band13-5MHz-QPSK-23230-1RB#0-30~1000-P
ASS



Band13-5MHz-QPSK-23230-1RB#0-1000~3000-
PASS



Band13-5MHz-QPSK-23230-1RB#0-3000~1000
0-PASS




Band13-5MHz-QPSK-23230-1RB#24-0.009~0.1
5-PASS




Band13-5MHz-QPSK-23230-1RB#24-0.15~30-P
ASS




Band13-5MHz-QPSK-23230-1RB#24-30~1000-P
ASS



Band13-5MHz-QPSK-23230-1RB#24-1000~300
0-PASS



Band13-5MHz-QPSK-23230-1RB#24-3000~100
00-PASS




Band13-5MHz-QPSK-23230-25RB#0-0.009~0.1
5-PASS




Band13-5MHz-QPSK-23230-25RB#0-0.15~30-P
ASS



Band13-5MHz-QPSK-23230-25RB#0-30~1000-P
ASS



Band13-5MHz-QPSK-23230-25RB#0-1000~300
0-PASS




Band13-5MHz-QPSK-23230-25RB#0-3000~100
00-PASS




Band13-5MHz-16QAM-23230-1RB#0-0.009~0.1
5-PASS




Band13-5MHz-16QAM-23230-1RB#0-0.15~30-P
ASS




Band13-5MHz-16QAM-23230-1RB#0-30~1000-P
ASS



Band13-5MHz-16QAM-23230-1RB#0-1000~300
0-PASS



Band13-5MHz-16QAM-23230-1RB#0-3000~100
00-PASS




Band13-5MHz-16QAM-23230-1RB#24-0.009~0.
15-PASS




Band13-5MHz-16QAM-23230-1RB#24-0.15~30-
PASS



Band13-5MHz-16QAM-23230-1RB#24-30~1000-
PASS



Band13-5MHz-16QAM-23230-1RB#24-1000~30
00-PASS



Band13-5MHz-16QAM-23230-1RB#24-3000~10000-PASS




Band13-5MHz-16QAM-23230-25RB#0-0.009~0.15-PASS




Band13-5MHz-16QAM-23230-25RB#0-0.15~30-PASS



Band13-5MHz-16QAM-23230-25RB#0-30~1000-PASS



Band13-5MHz-16QAM-23230-25RB#0-1000~3000-PASS



Band13-5MHz-16QAM-23230-25RB#0-3000~10000-PASS




Band13-5MHz-QPSK-23255-1RB#0-0.009~0.15-
PASS




Band13-5MHz-QPSK-23255-1RB#0-0.15~30-PA
SS



Band13-5MHz-QPSK-23255-1RB#0-30~1000-P
ASS



Band13-5MHz-QPSK-23255-1RB#0-1000~3000-
PASS




Band13-5MHz-QPSK-23255-1RB#0-3000~1000
0-PASS




Band13-5MHz-QPSK-23255-1RB#24-0.009~0.1
5-PASS




Band13-5MHz-QPSK-23255-1RB#24-0.15~30-P
ASS



Band13-5MHz-QPSK-23255-1RB#24-30~1000-P
ASS



Band13-5MHz-QPSK-23255-1RB#24-1000~300
0-PASS



Band13-5MHz-QPSK-23255-1RB#24-3000~100
00-PASS




Band13-5MHz-QPSK-23255-25RB#0-0.009~0.1
5-PASS




Band13-5MHz-QPSK-23255-25RB#0-0.15~30-P
ASS



Band13-5MHz-QPSK-23255-25RB#0-30~1000-P
ASS



Band13-5MHz-QPSK-23255-25RB#0-1000~300
0-PASS




Band13-5MHz-QPSK-23255-25RB#0-3000~100
00-PASS



Band13-5MHz-16QAM-23255-1RB#0-0.009~0.1
5-PASS



Band13-5MHz-16QAM-23255-1RB#0-0.15~30-P
ASS



Band13-5MHz-16QAM-23255-1RB#0-30~1000-P
ASS