

Appendix for LTE B26A

CONTENTS

Appendix A: Effective (Isotropic) Radiated Power Output Data	3
Test Result	3
Appendix B: Peak-to-Average Ratio(CCDF)	7
Test Result	7
Test Graphs	9
Appendix C: 26dB Bandwidth and Occupied Bandwidth	17
Test Result	17
Test Graphs	18
Appendix D: Band Edge	22
Test Result	22
Test Graphs	24
Appendix E: Conducted Spurious Emission	32
Test Result	32
Test Graphs	40
Appendix F: Frequency Stability	95
Test Result	95
Appendix G: Modulation Characteristics	109
Test Result	109
Test Graphs	111

Appendix A: Effective (Isotropic) Radiated Power Output Data**Test Result**

Band	Bandwidth	Modulation	Channel	RB Configuration	Power (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	21.34	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#2	21.16	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	21.54	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#0	21.07	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#1	21.14	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	3RB#3	21.29	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	21.16	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	21.21	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#2	21.22	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	21.45	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#0	20.86	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#1	21.06	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	3RB#3	21.07	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	21.13	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	22.45	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#2	22.26	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	22.37	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#0	22.17	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#1	22.18	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	3RB#3	22.19	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	22.16	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	22.12	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#2	22.27	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	22.14	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#0	21.95	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#1	22.05	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	3RB#3	21.97	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	21.96	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	22.01	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#2	21.88	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	22.09	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#0	21.80	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#1	21.83	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	3RB#3	21.97	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	21.83	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	21.65	50	PASS

Band26(814-824)	1.4MHz	16QAM	26783	1RB#2	21.76	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	21.83	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#0	21.53	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#1	21.70	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	3RB#3	21.69	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	21.76	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	20.92	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#8	21.44	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	21.60	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#0	21.17	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#4	21.42	50	PASS
Band26(814-824)	3MHz	QPSK	26705	8RB#7	21.57	50	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	21.33	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	20.87	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#8	21.39	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	21.59	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#0	21.18	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#4	21.41	50	PASS
Band26(814-824)	3MHz	16QAM	26705	8RB#7	21.57	50	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	21.32	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	22.05	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#8	22.19	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	22.28	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#0	22.07	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#4	22.14	50	PASS
Band26(814-824)	3MHz	QPSK	26740	8RB#7	22.16	50	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	22.09	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	21.77	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#8	22.21	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	22.04	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#0	22.01	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#4	22.03	50	PASS
Band26(814-824)	3MHz	16QAM	26740	8RB#7	22.09	50	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	21.97	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	22.31	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#8	22.00	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	21.95	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#0	22.22	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#4	21.98	50	PASS
Band26(814-824)	3MHz	QPSK	26775	8RB#7	21.89	50	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	22.03	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	21.98	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#8	21.90	50	PASS

Band26(814-824)	3MHz	16QAM	26775	1RB#14	21.68	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#0	22.17	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#4	21.83	50	PASS
Band26(814-824)	3MHz	16QAM	26775	8RB#7	21.83	50	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	21.90	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	21.04	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#12	21.69	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	22.07	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#0	21.29	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#6	21.67	50	PASS
Band26(814-824)	5MHz	QPSK	26715	12RB#13	21.79	50	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	21.58	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	20.90	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#12	21.58	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	21.95	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#0	21.25	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#6	21.64	50	PASS
Band26(814-824)	5MHz	16QAM	26715	12RB#13	21.75	50	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	21.55	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	21.82	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#12	22.13	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	22.27	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#0	21.87	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#6	22.11	50	PASS
Band26(814-824)	5MHz	QPSK	26740	12RB#13	22.12	50	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	22.02	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	21.74	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#12	22.17	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	22.25	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#0	21.86	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#6	22.12	50	PASS
Band26(814-824)	5MHz	16QAM	26740	12RB#13	22.10	50	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	21.94	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	22.23	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#12	22.28	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	21.96	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#0	22.13	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#6	22.25	50	PASS
Band26(814-824)	5MHz	QPSK	26765	12RB#13	21.98	50	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	22.08	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	21.99	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#12	22.20	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	21.80	50	PASS


Band26(814-824)	5MHz	16QAM	26765	12RB#0	22.10	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#6	22.16	50	PASS
Band26(814-824)	5MHz	16QAM	26765	12RB#13	21.93	50	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	22.05	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	20.97	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#24	22.09	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	21.77	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#0	21.47	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#12	22.00	50	PASS
Band26(814-824)	10MHz	QPSK	26740	25RB#25	21.95	50	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	21.75	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	20.93	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#24	22.00	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	21.72	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#0	21.42	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#12	21.95	50	PASS
Band26(814-824)	10MHz	16QAM	26740	25RB#25	21.87	50	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	21.70	50	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	21.20	50	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#38	22.16	50	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	21.76	50	PASS
Band26(814-824)	15MHz	QPSK	26765	38RB#0	21.91	50	PASS
Band26(814-824)	15MHz	QPSK	26765	38RB#18	22.02	50	PASS
Band26(814-824)	15MHz	QPSK	26765	38RB#37	21.91	50	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	21.90	50	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	21.14	50	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#38	22.06	50	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	21.71	50	PASS
Band26(814-824)	15MHz	16QAM	26765	38RB#0	21.91	50	PASS
Band26(814-824)	15MHz	16QAM	26765	38RB#18	21.95	50	PASS
Band26(814-824)	15MHz	16QAM	26765	38RB#37	21.90	50	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	21.82	50	PASS







Appendix B: Peak-to-Average Ratio(CCDF)**Test Result**

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit(dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	5.36	13	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	5.40	13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	6.20	13	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	6.00	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	5.00	13	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	5.04	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	5.52	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	5.68	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	4.72	13	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	4.80	13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	5.44	13	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	5.32	13	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	5.48	13	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	5.20	13	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	6.24	13	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	6.00	13	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	5.16	13	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	5.04	13	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	5.80	13	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	5.76	13	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	4.92	13	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	4.92	13	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	5.52	13	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	5.60	13	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	5.60	13	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	5.36	13	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	5.80	13	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	5.88	13	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	5.28	13	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	5.20	13	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	5.52	13	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	5.68	13	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	5.12	13	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	5.00	13	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	5.36	13	PASS





Band26(814-824)	5MHz	16QAM	26765	25RB#0	5.48	13	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	5.44	13	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	5.20	13	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	6.20	13	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	5.92	13	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	5.52	13	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	5.36	13	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	6.14	13	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	5.78	13	PASS





Test Graphs





 Center 819 MHz 2 dB/ Mean Pwr + 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 23.13 dBm Peak 29.21 dBm Crest 6.08 dB 10 % 2.84 dB 1 % 4.68 dB .1 % 5.52 dB .01 % 5.92 dB Date: 11.SEP.2025 16:27:14	 Center 819 MHz 2 dB/ Mean Pwr + 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 23.28 dBm Peak 30.06 dBm Crest 6.78 dB 10 % 2.92 dB 1 % 4.68 dB .1 % 5.68 dB .01 % 6.36 dB Date: 11.SEP.2025 16:28:08
Band26(814-824)-1.4MHz-16QAM-26740-1RB#0 -PASS	Band26(814-824)-1.4MHz-16QAM-26740-6RB#0 -PASS
 Center 823.3 MHz 2 dB/ Mean Pwr + 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 23.01 dBm Peak 28.30 dBm Crest 5.29 dB 10 % 2.36 dB 1 % 3.80 dB .1 % 4.72 dB .01 % 5.12 dB Date: 11.SEP.2025 16:28:36	 Center 823.3 MHz 2 dB/ Mean Pwr + 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 23.20 dBm Peak 29.36 dBm Crest 6.16 dB 10 % 2.44 dB 1 % 3.92 dB .1 % 4.80 dB .01 % 5.52 dB Date: 11.SEP.2025 16:29:26
Band26(814-824)-1.4MHz-QPSK-26783-1RB#0- PASS	Band26(814-824)-1.4MHz-QPSK-26783-6RB#0- PASS
 Center 823.3 MHz 2 dB/ Mean Pwr + 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.82 dBm Peak 28.86 dBm Crest 6.04 dB 10 % 2.84 dB 1 % 4.44 dB .1 % 5.44 dB .01 % 5.92 dB Date: 11.SEP.2025 16:29:01	 Center 823.3 MHz 2 dB/ Mean Pwr + 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 23.13 dBm Peak 29.50 dBm Crest 6.37 dB 10 % 2.84 dB 1 % 4.40 dB .1 % 5.32 dB .01 % 6.08 dB Date: 11.SEP.2025 16:29:51
Band26(814-824)-1.4MHz-16QAM-26783-1RB#0 -PASS	Band26(814-824)-1.4MHz-16QAM-26783-6RB#0 -PASS


Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 20.19 dBm Peak 26.82 dBm Crest 6.63 dB 10 % 2.52 dB 1 % 4.28 dB .1 % 5.48 dB .01 % 6.32 dB Date: 11.SEP.2025 16:34:24	Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.04 dBm Peak 28.86 dBm Crest 6.83 dB 10 % 2.40 dB 1 % 4.16 dB .1 % 5.20 dB .01 % 5.88 dB Date: 11.SEP.2025 16:35:15
Band26(814-824)-3MHz-QPSK-26705-1RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS
Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 20.25 dBm Peak 27.45 dBm Crest 7.20 dB 10 % 2.84 dB 1 % 4.88 dB .1 % 6.24 dB .01 % 7.00 dB Date: 11.SEP.2025 16:34:50	Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.03 dBm Peak 29.78 dBm Crest 7.75 dB 10 % 2.92 dB 1 % 4.76 dB .1 % 6.00 dB .01 % 6.76 dB Date: 11.SEP.2025 16:35:41
Band26(814-824)-3MHz-16QAM-26705-1RB#0- PASS	Band26(814-824)-3MHz-16QAM-26705-15RB#0 -PASS
Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 21.07 dBm Peak 27.24 dBm Crest 6.17 dB 10 % 2.48 dB 1 % 4.08 dB .1 % 5.16 dB .01 % 5.88 dB Date: 11.SEP.2025 16:36:10	Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.72 dBm Peak 29.21 dBm Crest 6.49 dB 10 % 2.36 dB 1 % 4.04 dB .1 % 5.04 dB .01 % 5.68 dB Date: 11.SEP.2025 16:37:01
Band26(814-824)-3MHz-QPSK-26740-1RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS

 Ref: 30 dBm Offset: 6.7 dB Att: 50 dB AQT: 2.5 s Center 819 MHz 2 dB/ Mean Pwr = 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 21.10 dBm Peak 27.66 dBm Crest 6.56 dB 10 % 2.80 dB 1 % 4.64 dB .1 % 5.80 dB .01 % 6.40 dB Date: 11.SEP.2025 16:36:36	 Ref: 30 dBm Offset: 6.7 dB Att: 50 dB AQT: 2.5 s Center 819 MHz 2 dB/ Mean Pwr = 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.70 dBm Peak 30.06 dBm Crest 7.37 dB 10 % 2.88 dB 1 % 4.64 dB .1 % 5.76 dB .01 % 6.48 dB Date: 11.SEP.2025 16:37:28
Band26(814-824)-3MHz-16QAM-26740-1RB#0- PASS	Band26(814-824)-3MHz-16QAM-26740-15RB#0 -PASS
 Ref: 30 dBm Offset: 6.7 dB Att: 50 dB AQT: 2.5 s Center 822.5 MHz 2 dB/ Mean Pwr = 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 21.52 dBm Peak 27.31 dBm Crest 5.79 dB 10 % 2.44 dB 1 % 3.92 dB .1 % 4.92 dB .01 % 5.52 dB Date: 11.SEP.2025 16:37:56	 Ref: 30 dBm Offset: 6.7 dB Att: 50 dB AQT: 2.5 s Center 822.5 MHz 2 dB/ Mean Pwr = 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.79 dBm Peak 29.07 dBm Crest 6.29 dB 10 % 2.36 dB 1 % 3.96 dB .1 % 4.92 dB .01 % 5.52 dB Date: 11.SEP.2025 16:38:48
Band26(814-824)-3MHz-QPSK-26775-1RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS
 Ref: 30 dBm Offset: 6.7 dB Att: 50 dB AQT: 2.5 s Center 822.5 MHz 2 dB/ Mean Pwr = 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 21.53 dBm Peak 27.73 dBm Crest 6.21 dB 10 % 2.72 dB 1 % 4.48 dB .1 % 5.52 dB .01 % 6.00 dB Date: 11.SEP.2025 16:38:23	 Ref: 30 dBm Offset: 6.7 dB Att: 50 dB AQT: 2.5 s Center 822.5 MHz 2 dB/ Mean Pwr = 20 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.73 dBm Peak 29.78 dBm Crest 7.05 dB 10 % 2.84 dB 1 % 4.52 dB .1 % 5.60 dB .01 % 6.28 dB Date: 11.SEP.2025 16:39:14
Band26(814-824)-3MHz-16QAM-26775-1RB#0- PASS	Band26(814-824)-3MHz-16QAM-26775-15RB#0 -PASS

 Center 816.5 MHz 2 dB/ 10 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.19 dBm Peak 28.86 dBm Crest 6.67 dB 10 % 2.56 dB 1 % 4.40 dB .1 % 5.60 dB .01 % 6.40 dB Date: 11.SEP.2025 16:43:38	 Center 816.5 MHz 2 dB/ 10 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.94 dBm Peak 29.71 dBm Crest 6.77 dB 10 % 2.32 dB 1 % 4.24 dB .1 % 5.36 dB .01 % 6.04 dB Date: 11.SEP.2025 16:44:25
Band26(814-824)-5MHz-QPSK-26715-1RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS
 Center 816.5 MHz 2 dB/ 10 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.20 dBm Peak 28.93 dBm Crest 6.74 dB 10 % 2.84 dB 1 % 4.80 dB .1 % 5.80 dB .01 % 6.52 dB Date: 11.SEP.2025 16:44:01	 Center 816.5 MHz 2 dB/ 10 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.92 dBm Peak 30.41 dBm Crest 7.49 dB 10 % 2.84 dB 1 % 4.72 dB .1 % 5.88 dB .01 % 6.68 dB Date: 11.SEP.2025 16:44:48
Band26(814-824)-5MHz-16QAM-26715-1RB#0- PASS	Band26(814-824)-5MHz-16QAM-26715-25RB#0 -PASS
 Center 819 MHz 2 dB/ 10 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 22.80 dBm Peak 29.07 dBm Crest 6.27 dB 10 % 2.52 dB 1 % 4.24 dB .1 % 5.28 dB .01 % 5.96 dB Date: 11.SEP.2025 16:45:16	 Center 819 MHz 2 dB/ 10 dB Complementary Cumulative Distribution Function (10000000 samples) Trace 1 Mean 23.37 dBm Peak 29.85 dBm Crest 6.48 dB 10 % 2.32 dB 1 % 4.12 dB .1 % 5.20 dB .01 % 5.84 dB Date: 11.SEP.2025 16:46:03
Band26(814-824)-5MHz-QPSK-26740-1RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26740-25RB#0-P ASS














Appendix C: 26dB Bandwidth and Occupied Bandwidth







Test Result





Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1.105	1.26	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	1.105	1.27	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.095	1.27	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.095	1.27	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1.1	1.27	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	1.115	1.27	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	2.74	2.99	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	2.72	3.00	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	2.73	2.98	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	2.73	2.99	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	2.74	3.00	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	2.73	2.98	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	4.49	4.84	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	4.51	4.87	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.49	4.86	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	4.49	4.88	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	4.5	4.86	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	4.49	4.85	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	9.07	10.03	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	9.03	9.97	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	13.5	14.65	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	13.5	14.65	PASS

Test Graphs



PASS  Date: 11.SEP.2025 12:22:55	-PASS  Date: 11.SEP.2025 12:23:08
Band26(814-824)-3MHz-QPSK-26705-15RB#0-P ASS  Date: 11.SEP.2025 12:23:23	Band26(814-824)-3MHz-16QAM-26705-15RB#0 -PASS  Date: 11.SEP.2025 12:23:36
Band26(814-824)-3MHz-QPSK-26740-15RB#0-P ASS  Date: 11.SEP.2025 12:23:51	Band26(814-824)-3MHz-16QAM-26740-15RB#0 -PASS  Date: 11.SEP.2025 12:24:04
Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS	Band26(814-824)-3MHz-16QAM-26775-15RB#0 -PASS

 Date: 11.SEP.2025 12:48:52	 Date: 11.SEP.2025 12:49:05
Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26715-25RB#0 -PASS
 Date: 11.SEP.2025 12:49:21	 Date: 11.SEP.2025 12:49:34
Band26(814-824)-5MHz-QPSK-26740-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26740-25RB#0 -PASS
 Date: 11.SEP.2025 12:49:48	 Date: 11.SEP.2025 12:50:01
Band26(814-824)-5MHz-QPSK-26765-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26765-25RB#0 -PASS

 Date: 12.SEP.2025 10:33:52	 Date: 12.SEP.2025 10:34:03
Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS	Band26(814-824)-10MHz-16QAM-26740-50RB#0-PASS
 Date: 11.SEP.2025 13:21:07	 Date: 11.SEP.2025 13:21:19
Band26(814-824)-15MHz-QPSK-26765-75RB#0-PASS	Band26(814-824)-15MHz-16QAM-26765-75RB#0-PASS


Appendix D: Band Edge







Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Margin (dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	-30.27	17.27	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	-29.86	16.86	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	-30.96	17.96	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	-29.91	16.91	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	-29.77	16.77	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	-28.67	15.67	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	-26.36	13.36	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	-25.72	12.72	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	-20.00	7.00	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	-26.49	13.49	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	-26.76	13.76	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	-18.89	5.89	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	-29.90	16.90	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	-28.73	15.73	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	-32.15	19.15	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	-29.55	16.55	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	-27.11	14.11	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	-30.34	17.34	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	-25.52	12.52	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	-25.93	12.93	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	-22.91	9.91	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	-23.63	10.63	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	-22.57	9.57	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	-21.96	8.96	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	-33.97	20.97	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	-32.13	19.13	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	-32.65	19.65	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	-34.01	21.01	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	-33.10	20.10	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	-30.86	17.86	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	-32.29	19.29	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	-31.64	18.64	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	-26.77	13.77	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	-32.64	19.64	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	-31.93	18.93	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	-25.79	12.79	PASS







Band26(814-824)	10MHz	QPSK	26740	1RB#0	-42.33	29.33	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	-41.11	28.11	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	-33.08	20.08	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	-41.60	28.60	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	-39.77	26.77	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	-31.58	18.58	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	-43.90	30.90	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	-43.29	30.29	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	-31.87	18.87	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	-43.75	30.75	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	-41.93	28.93	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	-30.84	17.84	PASS






Test Graphs









-PASS <table><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RBW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dBm]</th></tr><tr><td>817.600 M</td><td>822.563 M</td><td>100.00 k</td><td>822.562500 M</td><td>-26.36</td><td>-13.36</td></tr><tr><td>822.563 M</td><td>822.600 M</td><td>2.00 k</td><td>822.597263 M</td><td>-35.24</td><td>-15.24</td></tr><tr><td>822.600 M</td><td>824.000 M</td><td>100.00 k</td><td>822.626800 M</td><td>21.32</td><td>-77.68</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.031913 M</td><td>-52.23</td><td>-32.23</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.712400 M</td><td>-33.96</td><td>-20.96</td></tr></table> Date: 11.SEP.2025 12:00:40	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]	817.600 M	822.563 M	100.00 k	822.562500 M	-26.36	-13.36	822.563 M	822.600 M	2.00 k	822.597263 M	-35.24	-15.24	822.600 M	824.000 M	100.00 k	822.626800 M	21.32	-77.68	824.000 M	824.038 M	2.00 k	824.031913 M	-52.23	-32.23	824.038 M	829.000 M	100.00 k	824.712400 M	-33.96	-20.96	-PASS <table><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RBW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dBm]</th></tr><tr><td>817.600 M</td><td>822.563 M</td><td>100.00 k</td><td>821.912412 M</td><td>-33.90</td><td>-20.90</td></tr><tr><td>822.563 M</td><td>822.600 M</td><td>2.00 k</td><td>822.584363 M</td><td>-51.71</td><td>-31.71</td></tr><tr><td>822.600 M</td><td>824.000 M</td><td>100.00 k</td><td>823.734000 M</td><td>21.46</td><td>-77.54</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.030413 M</td><td>-35.79</td><td>-15.79</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.037500 M</td><td>-25.72</td><td>-12.72</td></tr></table> Date: 11.SEP.2025 12:01:23	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]	817.600 M	822.563 M	100.00 k	821.912412 M	-33.90	-20.90	822.563 M	822.600 M	2.00 k	822.584363 M	-51.71	-31.71	822.600 M	824.000 M	100.00 k	823.734000 M	21.46	-77.54	824.000 M	824.038 M	2.00 k	824.030413 M	-35.79	-15.79	824.038 M	829.000 M	100.00 k	824.037500 M	-25.72	-12.72
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]																																																																				
817.600 M	822.563 M	100.00 k	822.562500 M	-26.36	-13.36																																																																				
822.563 M	822.600 M	2.00 k	822.597263 M	-35.24	-15.24																																																																				
822.600 M	824.000 M	100.00 k	822.626800 M	21.32	-77.68																																																																				
824.000 M	824.038 M	2.00 k	824.031913 M	-52.23	-32.23																																																																				
824.038 M	829.000 M	100.00 k	824.712400 M	-33.96	-20.96																																																																				
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]																																																																				
817.600 M	822.563 M	100.00 k	821.912412 M	-33.90	-20.90																																																																				
822.563 M	822.600 M	2.00 k	822.584363 M	-51.71	-31.71																																																																				
822.600 M	824.000 M	100.00 k	823.734000 M	21.46	-77.54																																																																				
824.000 M	824.038 M	2.00 k	824.030413 M	-35.79	-15.79																																																																				
824.038 M	829.000 M	100.00 k	824.037500 M	-25.72	-12.72																																																																				
Band26(814-824)-1.4MHz-QPSK-26783-1RB#0- PASS <table><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RBW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dBm]</th></tr><tr><td>817.600 M</td><td>822.563 M</td><td>100.00 k</td><td>822.587537 M</td><td>-20.90</td><td>-7.00</td></tr><tr><td>822.563 M</td><td>822.600 M</td><td>2.00 k</td><td>822.575362 M</td><td>-31.77</td><td>-11.77</td></tr><tr><td>822.600 M</td><td>824.000 M</td><td>100.00 k</td><td>823.766200 M</td><td>13.83</td><td>-85.17</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.032700 M</td><td>-32.45</td><td>-12.45</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.037500 M</td><td>-20.33</td><td>-7.33</td></tr></table> Date: 11.SEP.2025 12:02:06	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]	817.600 M	822.563 M	100.00 k	822.587537 M	-20.90	-7.00	822.563 M	822.600 M	2.00 k	822.575362 M	-31.77	-11.77	822.600 M	824.000 M	100.00 k	823.766200 M	13.83	-85.17	824.000 M	824.038 M	2.00 k	824.032700 M	-32.45	-12.45	824.038 M	829.000 M	100.00 k	824.037500 M	-20.33	-7.33	Band26(814-824)-1.4MHz-QPSK-26783-1RB#5- PASS <table><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RBW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dBm]</th></tr><tr><td>817.600 M</td><td>822.563 M</td><td>100.00 k</td><td>822.587537 M</td><td>-26.49</td><td>-13.49</td></tr><tr><td>822.563 M</td><td>822.600 M</td><td>2.00 k</td><td>822.596650 M</td><td>-35.92</td><td>-15.92</td></tr><tr><td>822.600 M</td><td>824.000 M</td><td>100.00 k</td><td>822.877200 M</td><td>21.20</td><td>-77.80</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.034150 M</td><td>-50.47</td><td>-30.47</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.702475 M</td><td>-34.53</td><td>-21.53</td></tr></table> Date: 11.SEP.2025 12:01:01	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]	817.600 M	822.563 M	100.00 k	822.587537 M	-26.49	-13.49	822.563 M	822.600 M	2.00 k	822.596650 M	-35.92	-15.92	822.600 M	824.000 M	100.00 k	822.877200 M	21.20	-77.80	824.000 M	824.038 M	2.00 k	824.034150 M	-50.47	-30.47	824.038 M	829.000 M	100.00 k	824.702475 M	-34.53	-21.53
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]																																																																				
817.600 M	822.563 M	100.00 k	822.587537 M	-20.90	-7.00																																																																				
822.563 M	822.600 M	2.00 k	822.575362 M	-31.77	-11.77																																																																				
822.600 M	824.000 M	100.00 k	823.766200 M	13.83	-85.17																																																																				
824.000 M	824.038 M	2.00 k	824.032700 M	-32.45	-12.45																																																																				
824.038 M	829.000 M	100.00 k	824.037500 M	-20.33	-7.33																																																																				
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]																																																																				
817.600 M	822.563 M	100.00 k	822.587537 M	-26.49	-13.49																																																																				
822.563 M	822.600 M	2.00 k	822.596650 M	-35.92	-15.92																																																																				
822.600 M	824.000 M	100.00 k	822.877200 M	21.20	-77.80																																																																				
824.000 M	824.038 M	2.00 k	824.034150 M	-50.47	-30.47																																																																				
824.038 M	829.000 M	100.00 k	824.702475 M	-34.53	-21.53																																																																				
Band26(814-824)-1.4MHz-QPSK-26783-6RB#0- PASS <table><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RBW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dBm]</th></tr><tr><td>817.600 M</td><td>822.563 M</td><td>100.00 k</td><td>821.907450 M</td><td>-33.65</td><td>-20.65</td></tr><tr><td>822.563 M</td><td>822.600 M</td><td>2.00 k</td><td>822.596738 M</td><td>-50.22</td><td>-30.22</td></tr><tr><td>822.600 M</td><td>824.000 M</td><td>100.00 k</td><td>823.784000 M</td><td>21.29</td><td>-77.71</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.030450 M</td><td>-36.39</td><td>-16.39</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.042463 M</td><td>-26.76</td><td>-13.76</td></tr></table> Date: 11.SEP.2025 12:01:45	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]	817.600 M	822.563 M	100.00 k	821.907450 M	-33.65	-20.65	822.563 M	822.600 M	2.00 k	822.596738 M	-50.22	-30.22	822.600 M	824.000 M	100.00 k	823.784000 M	21.29	-77.71	824.000 M	824.038 M	2.00 k	824.030450 M	-36.39	-16.39	824.038 M	829.000 M	100.00 k	824.042463 M	-26.76	-13.76	Band26(814-824)-1.4MHz-16QAM-26783-1RB#0- -PASS <table><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RBW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dBm]</th></tr><tr><td>817.600 M</td><td>822.563 M</td><td>100.00 k</td><td>822.547613 M</td><td>-18.89</td><td>-5.89</td></tr><tr><td>822.563 M</td><td>822.600 M</td><td>2.00 k</td><td>822.589912 M</td><td>-30.39</td><td>-10.39</td></tr><tr><td>822.600 M</td><td>824.000 M</td><td>100.00 k</td><td>823.543600 M</td><td>13.83</td><td>-85.17</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.014475 M</td><td>-31.97</td><td>-11.97</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.037500 M</td><td>-19.06</td><td>-6.06</td></tr></table> Date: 11.SEP.2025 12:02:28	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]	817.600 M	822.563 M	100.00 k	822.547613 M	-18.89	-5.89	822.563 M	822.600 M	2.00 k	822.589912 M	-30.39	-10.39	822.600 M	824.000 M	100.00 k	823.543600 M	13.83	-85.17	824.000 M	824.038 M	2.00 k	824.014475 M	-31.97	-11.97	824.038 M	829.000 M	100.00 k	824.037500 M	-19.06	-6.06
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]																																																																				
817.600 M	822.563 M	100.00 k	821.907450 M	-33.65	-20.65																																																																				
822.563 M	822.600 M	2.00 k	822.596738 M	-50.22	-30.22																																																																				
822.600 M	824.000 M	100.00 k	823.784000 M	21.29	-77.71																																																																				
824.000 M	824.038 M	2.00 k	824.030450 M	-36.39	-16.39																																																																				
824.038 M	829.000 M	100.00 k	824.042463 M	-26.76	-13.76																																																																				
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dBm]																																																																				
817.600 M	822.563 M	100.00 k	822.547613 M	-18.89	-5.89																																																																				
822.563 M	822.600 M	2.00 k	822.589912 M	-30.39	-10.39																																																																				
822.600 M	824.000 M	100.00 k	823.543600 M	13.83	-85.17																																																																				
824.000 M	824.038 M	2.00 k	824.014475 M	-31.97	-11.97																																																																				
824.038 M	829.000 M	100.00 k	824.037500 M	-19.06	-6.06																																																																				
Band26(814-824)-1.4MHz-16QAM-26783-1RB#5- -PASS	Band26(814-824)-1.4MHz-16QAM-26783-6RB#0- -PASS																																																																								









 Date: 11.SEP.2025 12:26:50	 Date: 11.SEP.2025 12:27:35
Band26(814-824)-3MHz-QPSK-26775-1RB#0-P ASS	Band26(814-824)-3MHz-QPSK-26775-1RB#14-P ASS
 Date: 11.SEP.2025 12:28:20	 Date: 11.SEP.2025 12:27:14
Band26(814-824)-3MHz-QPSK-26775-15RB#0-P ASS	Band26(814-824)-3MHz-16QAM-26775-1RB#0-P PASS
 Date: 11.SEP.2025 12:27:58	 Date: 11.SEP.2025 12:28:42
Band26(814-824)-3MHz-16QAM-26775-1RB#14 -PASS	Band26(814-824)-3MHz-16QAM-26775-15RB#0 -PASS

 Date: 11.SEP.2025 12:50:31	 Date: 11.SEP.2025 12:51:14
Band26(814-824)-5MHz-QPSK-26715-1RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26715-1RB#24-P ASS
 Date: 11.SEP.2025 12:51:57	 Date: 11.SEP.2025 12:50:52
Band26(814-824)-5MHz-QPSK-26715-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26715-1RB#0-PASS
 Date: 11.SEP.2025 12:51:36	 Date: 11.SEP.2025 12:52:21
Band26(814-824)-5MHz-16QAM-26715-1RB#24-PASS	Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS

 Date: 11.SEP.2025 12:52:47	 Date: 11.SEP.2025 12:53:30
Band26(814-824)-5MHz-QPSK-26765-1RB#0-P ASS	Band26(814-824)-5MHz-QPSK-26765-1RB#24-P ASS
 Date: 11.SEP.2025 12:54:13	 Date: 11.SEP.2025 12:53:08
Band26(814-824)-5MHz-QPSK-26765-25RB#0-P ASS	Band26(814-824)-5MHz-16QAM-26765-1RB#0- PASS
 Date: 11.SEP.2025 12:53:52	 Date: 11.SEP.2025 12:54:35
Band26(814-824)-5MHz-16QAM-26765-1RB#24 -PASS	Band26(814-824)-5MHz-16QAM-26765-25RB#0 -PASS

Ref: 30 dBm Offset: 6.7 dB SWP: 1.04 SPR: 60 Limit: CHAN: FAN SPK: 20 DB: 20 Start 809 MHz Stop 829 MHz 2 MHz <table><thead><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dB]</th></tr></thead><tbody><tr><td>809.000 M</td><td>813.962 M</td><td>100.00 k</td><td>813.947612 M</td><td>-40.33</td><td>-29.33</td></tr><tr><td>813.962 M</td><td>814.000 M</td><td>2.00 k</td><td>813.965012 M</td><td>-54.77</td><td>-34.77</td></tr><tr><td>814.000 M</td><td>824.000 M</td><td>100.00 k</td><td>814.610000 M</td><td>20.21</td><td>-78.79</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.025837 M</td><td>-49.98</td><td>-49.98</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>827.813963 M</td><td>-46.44</td><td>-33.44</td></tr></tbody></table> Date: 11.SEP.2025 13:12:07 Band26(814-824)-10MHz-QPSK-26740-1RB#0-P ASS	Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]	809.000 M	813.962 M	100.00 k	813.947612 M	-40.33	-29.33	813.962 M	814.000 M	2.00 k	813.965012 M	-54.77	-34.77	814.000 M	824.000 M	100.00 k	814.610000 M	20.21	-78.79	824.000 M	824.038 M	2.00 k	824.025837 M	-49.98	-49.98	824.038 M	829.000 M	100.00 k	827.813963 M	-46.44	-33.44	Ref: 30 dBm Offset: 6.7 dB SWP: 1.04 SPR: 60 Limit: CHAN: FAN SPK: 20 DB: 20 Start 809 MHz Stop 829 MHz 2 MHz <table><thead><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dB]</th></tr></thead><tbody><tr><td>809.000 M</td><td>813.962 M</td><td>100.00 k</td><td>810.166187 M</td><td>-45.14</td><td>-32.14</td></tr><tr><td>813.962 M</td><td>814.000 M</td><td>2.00 k</td><td>813.993137 M</td><td>-62.15</td><td>-62.15</td></tr><tr><td>814.000 M</td><td>824.000 M</td><td>100.00 k</td><td>823.398000 M</td><td>21.04</td><td>-77.96</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.002138 M</td><td>-52.21</td><td>-32.21</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.042463 M</td><td>-41.11</td><td>-28.11</td></tr></tbody></table> Date: 11.SEP.2025 13:12:50 Band26(814-824)-10MHz-QPSK-26740-1RB#49- PASS	Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]	809.000 M	813.962 M	100.00 k	810.166187 M	-45.14	-32.14	813.962 M	814.000 M	2.00 k	813.993137 M	-62.15	-62.15	814.000 M	824.000 M	100.00 k	823.398000 M	21.04	-77.96	824.000 M	824.038 M	2.00 k	824.002138 M	-52.21	-32.21	824.038 M	829.000 M	100.00 k	824.042463 M	-41.11	-28.11
Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]																																																																				
809.000 M	813.962 M	100.00 k	813.947612 M	-40.33	-29.33																																																																				
813.962 M	814.000 M	2.00 k	813.965012 M	-54.77	-34.77																																																																				
814.000 M	824.000 M	100.00 k	814.610000 M	20.21	-78.79																																																																				
824.000 M	824.038 M	2.00 k	824.025837 M	-49.98	-49.98																																																																				
824.038 M	829.000 M	100.00 k	827.813963 M	-46.44	-33.44																																																																				
Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]																																																																				
809.000 M	813.962 M	100.00 k	810.166187 M	-45.14	-32.14																																																																				
813.962 M	814.000 M	2.00 k	813.993137 M	-62.15	-62.15																																																																				
814.000 M	824.000 M	100.00 k	823.398000 M	21.04	-77.96																																																																				
824.000 M	824.038 M	2.00 k	824.002138 M	-52.21	-32.21																																																																				
824.038 M	829.000 M	100.00 k	824.042463 M	-41.11	-28.11																																																																				
Ref: 30 dBm Offset: 6.7 dB SWP: 1.04 SPR: 60 Limit: CHAN: FAN SPK: 20 DB: 20 Start 809 MHz Stop 829 MHz 2 MHz <table><thead><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dB]</th></tr></thead><tbody><tr><td>809.000 M</td><td>813.962 M</td><td>100.00 k</td><td>813.942650 M</td><td>-34.29</td><td>-21.29</td></tr><tr><td>813.962 M</td><td>814.000 M</td><td>2.00 k</td><td>813.972437 M</td><td>-46.89</td><td>-26.89</td></tr><tr><td>814.000 M</td><td>824.000 M</td><td>100.00 k</td><td>817.930000 M</td><td>8.81</td><td>-94.19</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.029100 M</td><td>-45.05</td><td>-25.05</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.077200 M</td><td>-33.08</td><td>-20.08</td></tr></tbody></table> Date: 11.SEP.2025 13:13:33 Band26(814-824)-10MHz-QPSK-26740-50RB#0- PASS	Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]	809.000 M	813.962 M	100.00 k	813.942650 M	-34.29	-21.29	813.962 M	814.000 M	2.00 k	813.972437 M	-46.89	-26.89	814.000 M	824.000 M	100.00 k	817.930000 M	8.81	-94.19	824.000 M	824.038 M	2.00 k	824.029100 M	-45.05	-25.05	824.038 M	829.000 M	100.00 k	824.077200 M	-33.08	-20.08	Ref: 30 dBm Offset: 6.7 dB SWP: 1.04 SPR: 60 Limit: CHAN: FAN SPK: 20 DB: 20 Start 809 MHz Stop 829 MHz 2 MHz <table><thead><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dB]</th></tr></thead><tbody><tr><td>809.000 M</td><td>813.962 M</td><td>100.00 k</td><td>813.962500 M</td><td>-41.60</td><td>-28.60</td></tr><tr><td>813.962 M</td><td>814.000 M</td><td>2.00 k</td><td>813.964412 M</td><td>-54.72</td><td>-34.72</td></tr><tr><td>814.000 M</td><td>824.000 M</td><td>100.00 k</td><td>814.620000 M</td><td>20.37</td><td>-78.63</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.001837 M</td><td>-61.97</td><td>-61.97</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>827.833813 M</td><td>-46.04</td><td>-33.04</td></tr></tbody></table> Date: 11.SEP.2025 13:12:28 Band26(814-824)-10MHz-16QAM-26740-1RB#0 -PASS	Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]	809.000 M	813.962 M	100.00 k	813.962500 M	-41.60	-28.60	813.962 M	814.000 M	2.00 k	813.964412 M	-54.72	-34.72	814.000 M	824.000 M	100.00 k	814.620000 M	20.37	-78.63	824.000 M	824.038 M	2.00 k	824.001837 M	-61.97	-61.97	824.038 M	829.000 M	100.00 k	827.833813 M	-46.04	-33.04
Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]																																																																				
809.000 M	813.962 M	100.00 k	813.942650 M	-34.29	-21.29																																																																				
813.962 M	814.000 M	2.00 k	813.972437 M	-46.89	-26.89																																																																				
814.000 M	824.000 M	100.00 k	817.930000 M	8.81	-94.19																																																																				
824.000 M	824.038 M	2.00 k	824.029100 M	-45.05	-25.05																																																																				
824.038 M	829.000 M	100.00 k	824.077200 M	-33.08	-20.08																																																																				
Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]																																																																				
809.000 M	813.962 M	100.00 k	813.962500 M	-41.60	-28.60																																																																				
813.962 M	814.000 M	2.00 k	813.964412 M	-54.72	-34.72																																																																				
814.000 M	824.000 M	100.00 k	814.620000 M	20.37	-78.63																																																																				
824.000 M	824.038 M	2.00 k	824.001837 M	-61.97	-61.97																																																																				
824.038 M	829.000 M	100.00 k	827.833813 M	-46.04	-33.04																																																																				
Ref: 30 dBm Offset: 6.7 dB SWP: 1.04 SPR: 60 Limit: CHAN: FAN SPK: 20 DB: 20 Start 809 MHz Stop 829 MHz 2 MHz <table><thead><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dB]</th></tr></thead><tbody><tr><td>809.000 M</td><td>813.962 M</td><td>100.00 k</td><td>810.210850 M</td><td>-48.94</td><td>-31.94</td></tr><tr><td>813.962 M</td><td>814.000 M</td><td>2.00 k</td><td>813.980050 M</td><td>-61.54</td><td>-61.54</td></tr><tr><td>814.000 M</td><td>824.000 M</td><td>100.00 k</td><td>823.440000 M</td><td>21.34</td><td>-77.66</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.000038 M</td><td>-49.44</td><td>-29.44</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.042463 M</td><td>-39.77</td><td>-26.77</td></tr></tbody></table> Date: 11.SEP.2025 13:13:12 Band26(814-824)-10MHz-16QAM-26740-1RB#4 9-PASS	Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]	809.000 M	813.962 M	100.00 k	810.210850 M	-48.94	-31.94	813.962 M	814.000 M	2.00 k	813.980050 M	-61.54	-61.54	814.000 M	824.000 M	100.00 k	823.440000 M	21.34	-77.66	824.000 M	824.038 M	2.00 k	824.000038 M	-49.44	-29.44	824.038 M	829.000 M	100.00 k	824.042463 M	-39.77	-26.77	Ref: 30 dBm Offset: 6.7 dB SWP: 1.04 SPR: 60 Limit: CHAN: FAN SPK: 20 DB: 20 Start 809 MHz Stop 829 MHz 2 MHz <table><thead><tr><th>Start [Hz]</th><th>Stop [Hz]</th><th>RW [Hz]</th><th>Freq [Hz]</th><th>PwrAbs [dBm]</th><th>ALimit [dB]</th></tr></thead><tbody><tr><td>809.000 M</td><td>813.962 M</td><td>100.00 k</td><td>813.838438 M</td><td>-32.27</td><td>-19.27</td></tr><tr><td>813.962 M</td><td>814.000 M</td><td>2.00 k</td><td>813.967262 M</td><td>-45.94</td><td>-25.94</td></tr><tr><td>814.000 M</td><td>824.000 M</td><td>100.00 k</td><td>819.030000 M</td><td>4.94</td><td>-94.06</td></tr><tr><td>824.000 M</td><td>824.038 M</td><td>2.00 k</td><td>824.032250 M</td><td>-43.44</td><td>-23.44</td></tr><tr><td>824.038 M</td><td>829.000 M</td><td>100.00 k</td><td>824.270738 M</td><td>-31.58</td><td>-18.58</td></tr></tbody></table> Date: 11.SEP.2025 13:13:55 Band26(814-824)-10MHz-16QAM-26740-50RB# 0-PASS	Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]	809.000 M	813.962 M	100.00 k	813.838438 M	-32.27	-19.27	813.962 M	814.000 M	2.00 k	813.967262 M	-45.94	-25.94	814.000 M	824.000 M	100.00 k	819.030000 M	4.94	-94.06	824.000 M	824.038 M	2.00 k	824.032250 M	-43.44	-23.44	824.038 M	829.000 M	100.00 k	824.270738 M	-31.58	-18.58
Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]																																																																				
809.000 M	813.962 M	100.00 k	810.210850 M	-48.94	-31.94																																																																				
813.962 M	814.000 M	2.00 k	813.980050 M	-61.54	-61.54																																																																				
814.000 M	824.000 M	100.00 k	823.440000 M	21.34	-77.66																																																																				
824.000 M	824.038 M	2.00 k	824.000038 M	-49.44	-29.44																																																																				
824.038 M	829.000 M	100.00 k	824.042463 M	-39.77	-26.77																																																																				
Start [Hz]	Stop [Hz]	RW [Hz]	Freq [Hz]	PwrAbs [dBm]	ALimit [dB]																																																																				
809.000 M	813.962 M	100.00 k	813.838438 M	-32.27	-19.27																																																																				
813.962 M	814.000 M	2.00 k	813.967262 M	-45.94	-25.94																																																																				
814.000 M	824.000 M	100.00 k	819.030000 M	4.94	-94.06																																																																				
824.000 M	824.038 M	2.00 k	824.032250 M	-43.44	-23.44																																																																				
824.038 M	829.000 M	100.00 k	824.270738 M	-31.58	-18.58																																																																				

 Date: 11.SEP.2025 13:21:45	 Date: 11.SEP.2025 13:22:30
Band26(814-824)-15MHz-QPSK-26765-1RB#0-P ASS	Band26(814-824)-15MHz-QPSK-26765-1RB#74- PASS
 Date: 11.SEP.2025 13:23:15	 Date: 11.SEP.2025 13:22:08
Band26(814-824)-15MHz-QPSK-26765-75RB#0- PASS	Band26(814-824)-15MHz-16QAM-26765-1RB#0 -PASS
 Date: 11.SEP.2025 13:22:54	 Date: 11.SEP.2025 13:23:39
Band26(814-824)-15MHz-16QAM-26765-1RB#7 4-PASS	Band26(814-824)-15MHz-16QAM-26765-75RB# 0-PASS

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	0.009~0.15	-48.78	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	0.15~30	-63.61	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	30~1000	-52.12	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	1000~3000	-48.72	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	3000~10000	-33.73	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	0.009~0.15	-48.59	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	0.15~30	-65.13	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	30~1000	-52.14	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	1000~3000	-48.84	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	3000~10000	-33.83	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	0.009~0.15	-47.96	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	0.15~30	-59.82	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	30~1000	-54.10	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	1000~3000	-48.62	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	3000~10000	-33.70	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	0.009~0.15	-48.04	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	0.15~30	-64.19	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	30~1000	-53.08	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	1000~3000	-48.78	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	3000~10000	-33.67	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	0.009~0.15	-48.30	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	0.15~30	-65.65	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	30~1000	-51.87	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	1000~3000	-48.86	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	0.009~0.15	-49.91	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	0.15~30	-60.08	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	30~1000	-53.08	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	1000~3000	-48.72	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	0.009~0.15	-47.54	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	0.15~30	-61.84	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	30~1000	-52.00	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	1000~3000	-48.83	-13.0	PASS

Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	3000~10000	-33.79	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	0.009~0.15	-49.81	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	0.15~30	-62.81	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	30~1000	-51.96	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	1000~3000	-48.90	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	3000~10000	-33.67	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	0.009~0.15	-48.14	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	0.15~30	-59.72	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	30~1000	-54.31	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1000~3000	-48.73	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	3000~10000	-33.69	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	0.009~0.15	-46.65	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	0.15~30	-63.37	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	30~1000	-50.38	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	1000~3000	-48.89	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	3000~10000	-33.81	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	0.009~0.15	-48.39	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	0.15~30	-65.65	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	30~1000	-50.46	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	1000~3000	-48.84	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	3000~10000	-33.81	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	0.009~0.15	-48.90	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	0.15~30	-60.21	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	30~1000	-53.18	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1000~3000	-48.81	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	0.009~0.15	-48.51	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	0.15~30	-63.77	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	30~1000	-52.01	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	1000~3000	-48.90	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	3000~10000	-33.76	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	0.009~0.15	-49.23	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	0.15~30	-63.53	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	30~1000	-52.16	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	1000~3000	-48.87	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	3000~10000	-33.75	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	0.009~0.15	-49.21	-33.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	0.15~30	-60.67	-23.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	30~1000	-54.10	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	1000~3000	-48.80	-13.0	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	3000~10000	-33.62	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	0.009~0.15	-48.42	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	0.15~30	-61.24	-23.0	PASS

Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	30~1000	-52.28	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	3000~10000	-33.77	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	0.009~0.15	-47.59	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	0.15~30	-64.04	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	30~1000	-51.85	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	3000~10000	-33.76	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	0.009~0.15	-50.31	-33.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	0.15~30	-60.23	-23.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	30~1000	-52.96	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	3000~10000	-33.62	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	0.009~0.15	-47.86	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	0.15~30	-64.92	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	30~1000	-51.64	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	1000~3000	-48.86	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#0	3000~10000	-33.78	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	0.009~0.15	-48.78	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	0.15~30	-62.03	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	30~1000	-51.86	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	1000~3000	-48.80	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	0.009~0.15	-49.47	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	0.15~30	-66.62	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	30~1000	-59.21	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	3000~10000	-33.66	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	0.009~0.15	-48.22	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	0.15~30	-66.65	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	30~1000	-52.07	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	1000~3000	-48.96	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	3000~10000	-33.49	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	0.009~0.15	-47.64	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	0.15~30	-62.18	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	30~1000	-51.91	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	1000~3000	-48.89	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	3000~10000	-33.59	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	0.009~0.15	-49.19	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	0.15~30	-66.36	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	30~1000	-54.00	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	1000~3000	-48.82	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	3000~10000	-33.66	-13.0	PASS

Band26(814-824)	3MHz	QPSK	26740	1RB#0	0.009~0.15	-47.69	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	0.15~30	-62.50	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	30~1000	-52.09	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	1000~3000	-48.88	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	0.009~0.15	-48.97	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	0.15~30	-61.41	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	30~1000	-51.94	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	1000~3000	-48.72	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	3000~10000	-33.80	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	0.009~0.15	-49.54	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	0.15~30	-66.45	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	30~1000	-53.84	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	1000~3000	-48.86	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	3000~10000	-33.74	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	0.009~0.15	-48.43	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	0.15~30	-68.74	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	30~1000	-50.21	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	1000~3000	-48.88	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	3000~10000	-33.75	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	0.009~0.15	-48.77	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	0.15~30	-63.70	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	30~1000	-50.52	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	3000~10000	-33.60	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	0.009~0.15	-48.58	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	0.15~30	-64.65	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	30~1000	-54.04	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	1000~3000	-48.90	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	3000~10000	-33.67	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	0.009~0.15	-48.65	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	0.15~30	-63.02	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	30~1000	-50.48	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	1000~3000	-48.86	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	3000~10000	-33.78	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	0.009~0.15	-48.43	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	0.15~30	-63.14	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	30~1000	-51.98	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	1000~3000	-48.71	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	0.009~0.15	-48.82	-33.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	0.15~30	-66.20	-23.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	30~1000	-54.03	-13.0	PASS

Band26(814-824)	3MHz	QPSK	26775	15RB#0	1000~3000	-48.83	-13.0	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	3000~10000	-33.72	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	0.009~0.15	-48.61	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	0.15~30	-60.11	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	30~1000	-50.65	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	1000~3000	-48.88	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	0.009~0.15	-48.20	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	0.15~30	-64.00	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	30~1000	-52.21	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	1000~3000	-48.89	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	3000~10000	-33.78	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	0.009~0.15	-48.63	-33.0	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	0.15~30	-65.02	-23.0	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	30~1000	-53.78	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	1000~3000	-48.92	-13.0	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	0.009~0.15	-47.80	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	0.15~30	-61.73	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	30~1000	-51.79	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	1000~3000	-48.89	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	3000~10000	-33.76	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	0.009~0.15	-48.74	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	0.15~30	-60.66	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	30~1000	-51.75	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	1000~3000	-48.66	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	0.009~0.15	-49.64	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	0.15~30	-66.09	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	30~1000	-58.81	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	1000~3000	-48.96	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	3000~10000	-33.72	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	0.009~0.15	-47.60	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	0.15~30	-66.19	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	30~1000	-51.81	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	3000~10000	-33.68	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	0.009~0.15	-48.42	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	0.15~30	-63.12	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	30~1000	-50.31	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	1000~3000	-48.84	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	3000~10000	-33.85	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	0.009~0.15	-49.04	-33.0	PASS

Band26(814-824)	5MHz	16QAM	26715	25RB#0	0.15~30	-66.47	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	30~1000	-57.47	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	1000~3000	-48.74	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	3000~10000	-33.73	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	0.009~0.15	-48.50	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	0.15~30	-63.75	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	30~1000	-51.69	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	1000~3000	-48.98	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	0.009~0.15	-48.27	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	0.15~30	-61.89	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	30~1000	-50.40	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	1000~3000	-48.86	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	0.009~0.15	-48.14	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	0.15~30	-65.53	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	30~1000	-58.09	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	1000~3000	-48.83	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	3000~10000	-33.82	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	0.009~0.15	-48.16	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	0.15~30	-61.18	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	30~1000	-52.22	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	1000~3000	-48.79	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	3000~10000	-33.64	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	0.009~0.15	-49.46	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	0.15~30	-62.49	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	30~1000	-50.45	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	1000~3000	-48.83	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	3000~10000	-33.73	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	0.009~0.15	-48.97	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	0.15~30	-65.77	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	30~1000	-54.04	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	1000~3000	-48.90	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	3000~10000	-33.62	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	0.009~0.15	-48.97	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	0.15~30	-63.73	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	30~1000	-52.00	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	1000~3000	-48.85	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	0.009~0.15	-49.13	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	0.15~30	-62.07	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	30~1000	-51.90	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	1000~3000	-48.78	-13.0	PASS

Band26(814-824)	5MHz	QPSK	26765	1RB#24	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	0.009~0.15	-48.84	-33.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	0.15~30	-64.56	-23.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	30~1000	-56.99	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	1000~3000	-48.60	-13.0	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	3000~10000	-33.68	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	0.009~0.15	-48.53	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	0.15~30	-65.63	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	30~1000	-51.97	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	1000~3000	-48.91	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	3000~10000	-33.77	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	0.009~0.15	-47.47	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	0.15~30	-61.92	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	30~1000	-51.60	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	1000~3000	-48.75	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	3000~10000	-33.71	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	0.009~0.15	-48.84	-33.0	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	0.15~30	-65.27	-23.0	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	30~1000	-56.83	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	1000~3000	-48.98	-13.0	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	3000~10000	-33.68	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	0.009~0.15	-49.03	-33.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	0.15~30	-62.30	-23.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	30~1000	-52.13	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	1000~3000	-48.92	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	3000~10000	-33.65	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	0.009~0.15	-48.32	-33.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	0.15~30	-63.56	-23.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	30~1000	-51.56	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	1000~3000	-48.79	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	3000~10000	-33.60	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	0.009~0.15	-48.95	-33.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	0.15~30	-68.10	-23.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	30~1000	-58.55	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	1000~3000	-48.96	-13.0	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	3000~10000	-33.73	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	0.009~0.15	-49.47	-33.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	0.15~30	-63.56	-23.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	30~1000	-52.09	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	1000~3000	-48.92	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	3000~10000	-33.78	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	0.009~0.15	-47.69	-33.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	0.15~30	-62.40	-23.0	PASS

Band26(814-824)	10MHz	16QAM	26740	1RB#49	30~1000	-50.43	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	1000~3000	-48.87	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	3000~10000	-33.61	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	0.009~0.15	-48.42	-33.0	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	0.15~30	-68.89	-23.0	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	30~1000	-58.10	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	1000~3000	-48.79	-13.0	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	3000~10000	-33.59	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	0.009~0.15	-48.56	-33.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	0.15~30	-64.91	-23.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	30~1000	-51.97	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	1000~3000	-48.91	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#0	3000~10000	-33.64	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	0.009~0.15	-48.90	-33.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	0.15~30	-61.49	-23.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	30~1000	-53.35	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	1000~3000	-48.80	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	1RB#74	3000~10000	-33.75	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	0.009~0.15	-49.92	-33.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	0.15~30	-61.98	-23.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	30~1000	-58.24	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	1000~3000	-48.86	-13.0	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	3000~10000	-33.73	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	0.009~0.15	-48.28	-33.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	0.15~30	-65.04	-23.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	30~1000	-52.08	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	1000~3000	-48.77	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#0	3000~10000	-33.68	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	0.009~0.15	-47.78	-33.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	0.15~30	-63.21	-23.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	30~1000	-51.92	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	1000~3000	-48.76	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	1RB#74	3000~10000	-33.72	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	0.009~0.15	-47.58	-33.0	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	0.15~30	-62.06	-23.0	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	30~1000	-58.17	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	1000~3000	-48.93	-13.0	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	3000~10000	-33.82	-13.0	PASS

Test Graphs

