

Appendix Test Data

Report No:	1812C50390312503-07	Test Sample NO:	1-2-2
Start Test Date:	2025-08-25	Finish Test Date:	2025-09-17
Test Engineer:	<i>Toker Wang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	23.3°C	Relative Humidity:	55%
Pressure:	101 kPa		

Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	22.63	PASS
Band14	5MHz	QPSK	23305	1RB#12	22.29	PASS
Band14	5MHz	QPSK	23305	1RB#24	22.36	PASS
Band14	5MHz	QPSK	23305	12RB#0	21.49	PASS
Band14	5MHz	QPSK	23305	12RB#6	21.49	PASS
Band14	5MHz	QPSK	23305	12RB#13	21.61	PASS
Band14	5MHz	QPSK	23305	25RB#0	21.56	PASS
Band14	5MHz	16QAM	23305	1RB#0	21.61	PASS
Band14	5MHz	16QAM	23305	1RB#12	21.21	PASS
Band14	5MHz	16QAM	23305	1RB#24	21.24	PASS
Band14	5MHz	16QAM	23305	12RB#0	20.52	PASS
Band14	5MHz	16QAM	23305	12RB#6	20.45	PASS
Band14	5MHz	16QAM	23305	12RB#13	20.67	PASS
Band14	5MHz	16QAM	23305	25RB#0	20.65	PASS
Band14	5MHz	QPSK	23330	1RB#0	22.24	PASS
Band14	5MHz	QPSK	23330	1RB#12	22.08	PASS
Band14	5MHz	QPSK	23330	1RB#24	22.29	PASS
Band14	5MHz	QPSK	23330	12RB#0	21.49	PASS
Band14	5MHz	QPSK	23330	12RB#6	21.52	PASS
Band14	5MHz	QPSK	23330	12RB#13	21.49	PASS
Band14	5MHz	QPSK	23330	25RB#0	21.50	PASS
Band14	5MHz	16QAM	23330	1RB#0	21.17	PASS
Band14	5MHz	16QAM	23330	1RB#12	20.97	PASS
Band14	5MHz	16QAM	23330	1RB#24	21.13	PASS
Band14	5MHz	16QAM	23330	12RB#0	20.49	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band14	5MHz	16QAM	23330	12RB#6	20.52	PASS
Band14	5MHz	16QAM	23330	12RB#13	20.49	PASS
Band14	5MHz	16QAM	23330	25RB#0	20.49	PASS
Band14	5MHz	QPSK	23355	1RB#0	22.25	PASS
Band14	5MHz	QPSK	23355	1RB#12	22.09	PASS
Band14	5MHz	QPSK	23355	1RB#24	22.24	PASS
Band14	5MHz	QPSK	23355	12RB#0	21.64	PASS
Band14	5MHz	QPSK	23355	12RB#6	21.54	PASS
Band14	5MHz	QPSK	23355	12RB#13	21.28	PASS
Band14	5MHz	QPSK	23355	25RB#0	21.52	PASS
Band14	5MHz	16QAM	23355	1RB#0	21.30	PASS
Band14	5MHz	16QAM	23355	1RB#12	21.15	PASS
Band14	5MHz	16QAM	23355	1RB#24	21.25	PASS
Band14	5MHz	16QAM	23355	12RB#0	20.66	PASS
Band14	5MHz	16QAM	23355	12RB#6	20.60	PASS
Band14	5MHz	16QAM	23355	12RB#13	20.30	PASS
Band14	5MHz	16QAM	23355	25RB#0	20.44	PASS
Band14	10MHz	QPSK	23330	1RB#0	22.29	PASS
Band14	10MHz	QPSK	23330	1RB#24	22.30	PASS
Band14	10MHz	QPSK	23330	1RB#49	22.36	PASS
Band14	10MHz	QPSK	23330	25RB#0	21.53	PASS
Band14	10MHz	QPSK	23330	25RB#12	21.69	PASS
Band14	10MHz	QPSK	23330	25RB#25	21.39	PASS
Band14	10MHz	QPSK	23330	50RB#0	21.48	PASS
Band14	10MHz	16QAM	23330	1RB#0	21.35	PASS
Band14	10MHz	16QAM	23330	1RB#24	21.24	PASS
Band14	10MHz	16QAM	23330	1RB#49	21.36	PASS
Band14	10MHz	16QAM	23330	25RB#0	20.48	PASS
Band14	10MHz	16QAM	23330	25RB#12	20.73	PASS
Band14	10MHz	16QAM	23330	25RB#25	20.36	PASS
Band14	10MHz	16QAM	23330	50RB#0	20.49	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	5.81	13	PASS
Band14	5MHz	QPSK	23305	25RB#0	5.71	13	PASS
Band14	5MHz	16QAM	23305	1RB#0	6.14	13	PASS
Band14	5MHz	16QAM	23305	25RB#0	6.35	13	PASS
Band14	5MHz	QPSK	23330	1RB#0	5.64	13	PASS
Band14	5MHz	QPSK	23330	25RB#0	5.61	13	PASS
Band14	5MHz	16QAM	23330	1RB#0	6.18	13	PASS
Band14	5MHz	16QAM	23330	25RB#0	6.29	13	PASS
Band14	5MHz	QPSK	23355	1RB#0	5.13	13	PASS
Band14	5MHz	QPSK	23355	25RB#0	5.62	13	PASS
Band14	5MHz	16QAM	23355	1RB#0	5.72	13	PASS
Band14	5MHz	16QAM	23355	25RB#0	6.34	13	PASS
Band14	10MHz	QPSK	23330	1RB#0	5.58	13	PASS
Band14	10MHz	QPSK	23330	50RB#0	5.35	13	PASS
Band14	10MHz	16QAM	23330	1RB#0	6.46	13	PASS
Band14	10MHz	16QAM	23330	50RB#0	6.20	13	PASS

Test Graphs







Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band14	5MHz	QPSK	23305	25RB#0	4.5058	4.958	PASS
Band14	5MHz	16QAM	23305	25RB#0	4.5075	4.979	PASS
Band14	5MHz	QPSK	23330	25RB#0	4.4896	4.920	PASS
Band14	5MHz	16QAM	23330	25RB#0	4.4895	4.914	PASS
Band14	5MHz	QPSK	23355	25RB#0	4.4916	4.924	PASS
Band14	5MHz	16QAM	23355	25RB#0	4.4870	4.926	PASS
Band14	10MHz	QPSK	23330	50RB#0	8.9284	9.749	PASS
Band14	10MHz	16QAM	23330	50RB#0	8.9257	9.666	PASS

Test Graphs







Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	-20.94	7.94	PASS
Band14	5MHz	QPSK	23305	1RB#24	-58.68	23.68	PASS
Band14	5MHz	QPSK	23305	25RB#0	-31.20	18.20	PASS
Band14	5MHz	16QAM	23305	1RB#0	-20.85	7.85	PASS
Band14	5MHz	16QAM	23305	1RB#24	-58.70	23.70	PASS
Band14	5MHz	16QAM	23305	25RB#0	-32.21	19.21	PASS
Band14	5MHz	QPSK	23355	1RB#0	-58.47	23.47	PASS
Band14	5MHz	QPSK	23355	1RB#24	-20.17	7.17	PASS
Band14	5MHz	QPSK	23355	25RB#0	-50.65	15.65	PASS
Band14	5MHz	16QAM	23355	1RB#0	-58.46	23.46	PASS
Band14	5MHz	16QAM	23355	1RB#24	-20.18	7.18	PASS
Band14	5MHz	16QAM	23355	25RB#0	-52.81	17.81	PASS
Band14	10MHz	QPSK	23330	1RB#0	-26.19	13.19	PASS
Band14	10MHz	QPSK	23330	1RB#49	-26.14	13.14	PASS
Band14	10MHz	QPSK	23330	50RB#0	-51.37	16.37	PASS
Band14	10MHz	16QAM	23330	1RB#0	-27.62	14.62	PASS
Band14	10MHz	16QAM	23330	1RB#49	-26.01	13.01	PASS
Band14	10MHz	16QAM	23330	50RB#0	-51.35	16.35	PASS

Test Graphs







Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	0.009~0.15	-45.23	-33.0	PASS
Band14	5MHz	QPSK	23305	1RB#0	0.15~30	-52.45	-23.0	PASS
Band14	5MHz	QPSK	23305	1RB#0	30~1000	-59.89	-13.0	PASS
Band14	5MHz	QPSK	23305	1RB#0	1000~3000	-44.87	-13.0	PASS
Band14	5MHz	QPSK	23305	1RB#0	3000~10000	-43.92	-13.0	PASS
Band14	5MHz	QPSK	23305	1RB#24	0.009~0.15	-45.03	-33.0	PASS
Band14	5MHz	QPSK	23305	1RB#24	0.15~30	-52.16	-23.0	PASS
Band14	5MHz	QPSK	23305	1RB#24	30~1000	-60.05	-13.0	PASS
Band14	5MHz	QPSK	23305	1RB#24	1000~3000	-45.54	-13.0	PASS
Band14	5MHz	QPSK	23305	1RB#24	3000~10000	-44.01	-13.0	PASS
Band14	5MHz	QPSK	23305	25RB#0	0.009~0.15	-42.47	-33.0	PASS
Band14	5MHz	QPSK	23305	25RB#0	0.15~30	-50.77	-23.0	PASS
Band14	5MHz	QPSK	23305	25RB#0	30~1000	-59.87	-13.0	PASS
Band14	5MHz	QPSK	23305	25RB#0	1000~3000	-45.57	-13.0	PASS
Band14	5MHz	QPSK	23305	25RB#0	3000~10000	-42.94	-13.0	PASS
Band14	5MHz	16QAM	23305	1RB#0	0.009~0.15	-44.92	-33.0	PASS
Band14	5MHz	16QAM	23305	1RB#0	0.15~30	-54.50	-23.0	PASS
Band14	5MHz	16QAM	23305	1RB#0	30~1000	-59.69	-13.0	PASS
Band14	5MHz	16QAM	23305	1RB#0	1000~3000	-45.28	-13.0	PASS
Band14	5MHz	16QAM	23305	1RB#0	3000~10000	-43.97	-13.0	PASS
Band14	5MHz	16QAM	23305	1RB#24	0.009~0.15	-44.47	-33.0	PASS
Band14	5MHz	16QAM	23305	1RB#24	0.15~30	-51.81	-23.0	PASS
Band14	5MHz	16QAM	23305	1RB#24	30~1000	-59.98	-13.0	PASS
Band14	5MHz	16QAM	23305	1RB#24	1000~3000	-39.96	-13.0	PASS
Band14	5MHz	16QAM	23305	1RB#24	3000~10000	-43.85	-13.0	PASS
Band14	5MHz	16QAM	23305	25RB#0	0.009~0.15	-44.75	-33.0	PASS
Band14	5MHz	16QAM	23305	25RB#0	0.15~30	-50.88	-23.0	PASS
Band14	5MHz	16QAM	23305	25RB#0	30~1000	-59.84	-13.0	PASS
Band14	5MHz	16QAM	23305	25RB#0	1000~3000	-43.06	-13.0	PASS
Band14	5MHz	16QAM	23305	25RB#0	3000~10000	-43.97	-13.0	PASS
Band14	5MHz	QPSK	23330	1RB#0	0.009~0.15	-44.67	-33.0	PASS
Band14	5MHz	QPSK	23330	1RB#0	0.15~30	-51.61	-23.0	PASS
Band14	5MHz	QPSK	23330	1RB#0	30~1000	-59.77	-13.0	PASS
Band14	5MHz	QPSK	23330	1RB#0	1000~3000	-43.81	-13.0	PASS
Band14	5MHz	QPSK	23330	1RB#0	3000~10000	-43.64	-13.0	PASS
Band14	5MHz	QPSK	23330	1RB#24	0.009~0.15	-44.65	-33.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band14	5MHz	QPSK	23330	1RB#24	0.15~30	-51.00	-23.0	PASS
Band14	5MHz	QPSK	23330	1RB#24	30~1000	-59.77	-13.0	PASS
Band14	5MHz	QPSK	23330	1RB#24	1000~3000	-45.22	-13.0	PASS
Band14	5MHz	QPSK	23330	1RB#24	3000~10000	-43.55	-13.0	PASS
Band14	5MHz	QPSK	23330	25RB#0	0.009~0.15	-44.80	-33.0	PASS
Band14	5MHz	QPSK	23330	25RB#0	0.15~30	-53.42	-23.0	PASS
Band14	5MHz	QPSK	23330	25RB#0	30~1000	-59.79	-13.0	PASS
Band14	5MHz	QPSK	23330	25RB#0	1000~3000	-37.50	-13.0	PASS
Band14	5MHz	QPSK	23330	25RB#0	3000~10000	-43.67	-13.0	PASS
Band14	5MHz	16QAM	23330	1RB#0	0.009~0.15	-45.54	-33.0	PASS
Band14	5MHz	16QAM	23330	1RB#0	0.15~30	-50.79	-23.0	PASS
Band14	5MHz	16QAM	23330	1RB#0	30~1000	-59.94	-13.0	PASS
Band14	5MHz	16QAM	23330	1RB#0	1000~3000	-43.50	-13.0	PASS
Band14	5MHz	16QAM	23330	1RB#0	3000~10000	-43.76	-13.0	PASS
Band14	5MHz	16QAM	23330	1RB#24	0.009~0.15	-44.37	-33.0	PASS
Band14	5MHz	16QAM	23330	1RB#24	0.15~30	-50.86	-23.0	PASS
Band14	5MHz	16QAM	23330	1RB#24	30~1000	-59.81	-13.0	PASS
Band14	5MHz	16QAM	23330	1RB#24	1000~3000	-45.85	-13.0	PASS
Band14	5MHz	16QAM	23330	1RB#24	3000~10000	-43.88	-13.0	PASS
Band14	5MHz	16QAM	23330	25RB#0	0.009~0.15	-44.97	-33.0	PASS
Band14	5MHz	16QAM	23330	25RB#0	0.15~30	-54.01	-23.0	PASS
Band14	5MHz	16QAM	23330	25RB#0	30~1000	-60.04	-13.0	PASS
Band14	5MHz	16QAM	23330	25RB#0	1000~3000	-40.73	-13.0	PASS
Band14	5MHz	16QAM	23330	25RB#0	3000~10000	-43.62	-13.0	PASS
Band14	5MHz	QPSK	23355	1RB#0	0.009~0.15	-45.66	-33.0	PASS
Band14	5MHz	QPSK	23355	1RB#0	0.15~30	-52.10	-23.0	PASS
Band14	5MHz	QPSK	23355	1RB#0	30~1000	-59.59	-13.0	PASS
Band14	5MHz	QPSK	23355	1RB#0	1000~3000	-40.76	-13.0	PASS
Band14	5MHz	QPSK	23355	1RB#0	3000~10000	-43.90	-13.0	PASS
Band14	5MHz	QPSK	23355	1RB#24	0.009~0.15	-46.03	-33.0	PASS
Band14	5MHz	QPSK	23355	1RB#24	0.15~30	-50.52	-23.0	PASS
Band14	5MHz	QPSK	23355	1RB#24	30~1000	-59.72	-13.0	PASS
Band14	5MHz	QPSK	23355	1RB#24	1000~3000	-38.98	-13.0	PASS
Band14	5MHz	QPSK	23355	1RB#24	3000~10000	-43.74	-13.0	PASS
Band14	5MHz	QPSK	23355	25RB#0	0.009~0.15	-43.87	-33.0	PASS
Band14	5MHz	QPSK	23355	25RB#0	0.15~30	-51.13	-23.0	PASS
Band14	5MHz	QPSK	23355	25RB#0	30~1000	-59.73	-13.0	PASS
Band14	5MHz	QPSK	23355	25RB#0	1000~3000	-39.00	-13.0	PASS
Band14	5MHz	QPSK	23355	25RB#0	3000~10000	-43.93	-13.0	PASS
Band14	5MHz	16QAM	23355	1RB#0	0.009~0.15	-43.68	-33.0	PASS
Band14	5MHz	16QAM	23355	1RB#0	0.15~30	-50.56	-23.0	PASS
Band14	5MHz	16QAM	23355	1RB#0	30~1000	-59.94	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Band14	5MHz	16QAM	23355	1RB#0	1000~3000	-41.13	-13.0	PASS
Band14	5MHz	16QAM	23355	1RB#0	3000~10000	-43.70	-13.0	PASS
Band14	5MHz	16QAM	23355	1RB#24	0.009~0.15	-45.07	-33.0	PASS
Band14	5MHz	16QAM	23355	1RB#24	0.15~30	-50.95	-23.0	PASS
Band14	5MHz	16QAM	23355	1RB#24	30~1000	-59.53	-13.0	PASS
Band14	5MHz	16QAM	23355	1RB#24	1000~3000	-39.80	-13.0	PASS
Band14	5MHz	16QAM	23355	1RB#24	3000~10000	-43.66	-13.0	PASS
Band14	5MHz	16QAM	23355	25RB#0	0.009~0.15	-45.14	-33.0	PASS
Band14	5MHz	16QAM	23355	25RB#0	0.15~30	-52.32	-23.0	PASS
Band14	5MHz	16QAM	23355	25RB#0	30~1000	-60.00	-13.0	PASS
Band14	5MHz	16QAM	23355	25RB#0	1000~3000	-45.37	-13.0	PASS
Band14	5MHz	16QAM	23355	25RB#0	3000~10000	-43.73	-13.0	PASS
Band14	10MHz	QPSK	23330	1RB#0	0.009~0.15	-43.91	-33.0	PASS
Band14	10MHz	QPSK	23330	1RB#0	0.15~30	-54.54	-23.0	PASS
Band14	10MHz	QPSK	23330	1RB#0	30~1000	-59.49	-13.0	PASS
Band14	10MHz	QPSK	23330	1RB#0	1000~3000	-39.95	-13.0	PASS
Band14	10MHz	QPSK	23330	1RB#0	3000~10000	-43.49	-13.0	PASS
Band14	10MHz	QPSK	23330	1RB#49	0.009~0.15	-44.69	-33.0	PASS
Band14	10MHz	QPSK	23330	1RB#49	0.15~30	-51.14	-23.0	PASS
Band14	10MHz	QPSK	23330	1RB#49	30~1000	-60.20	-13.0	PASS
Band14	10MHz	QPSK	23330	1RB#49	1000~3000	-39.13	-13.0	PASS
Band14	10MHz	QPSK	23330	1RB#49	3000~10000	-43.73	-13.0	PASS
Band14	10MHz	QPSK	23330	50RB#0	0.009~0.15	-43.42	-33.0	PASS
Band14	10MHz	QPSK	23330	50RB#0	0.15~30	-50.25	-23.0	PASS
Band14	10MHz	QPSK	23330	50RB#0	30~1000	-58.63	-13.0	PASS
Band14	10MHz	QPSK	23330	50RB#0	1000~3000	-39.65	-13.0	PASS
Band14	10MHz	QPSK	23330	50RB#0	3000~10000	-43.97	-13.0	PASS
Band14	10MHz	16QAM	23330	1RB#0	0.009~0.15	-43.58	-33.0	PASS
Band14	10MHz	16QAM	23330	1RB#0	0.15~30	-50.13	-23.0	PASS
Band14	10MHz	16QAM	23330	1RB#0	30~1000	-59.76	-13.0	PASS
Band14	10MHz	16QAM	23330	1RB#0	1000~3000	-46.06	-13.0	PASS
Band14	10MHz	16QAM	23330	1RB#0	3000~10000	-43.74	-13.0	PASS
Band14	10MHz	16QAM	23330	1RB#49	0.009~0.15	-44.87	-33.0	PASS
Band14	10MHz	16QAM	23330	1RB#49	0.15~30	-51.00	-23.0	PASS
Band14	10MHz	16QAM	23330	1RB#49	30~1000	-59.82	-13.0	PASS
Band14	10MHz	16QAM	23330	1RB#49	1000~3000	-39.19	-13.0	PASS
Band14	10MHz	16QAM	23330	1RB#49	3000~10000	-43.75	-13.0	PASS
Band14	10MHz	16QAM	23330	50RB#0	0.009~0.15	-44.70	-33.0	PASS
Band14	10MHz	16QAM	23330	50RB#0	0.15~30	-53.41	-23.0	PASS
Band14	10MHz	16QAM	23330	50RB#0	30~1000	-59.53	-13.0	PASS
Band14	10MHz	16QAM	23330	50RB#0	1000~3000	-39.54	-13.0	PASS
Band14	10MHz	16QAM	23330	50RB#0	3000~10000	-43.65	-13.0	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Test Graphs














Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


























Shenzhen Anbotek Compliance Laboratory Limited


Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com














Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band14	5MHz	QPSK	23305	25RB#0	VN	NT	-6.47	-0.008185	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	VL	NT	-3.68	-0.004655	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	VH	NT	4.43	0.005604	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	VN	NT	-4.08	-0.005161	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	VL	NT	6.91	0.008741	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	VH	NT	-7.87	-0.009956	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	VN	NT	4.52	0.005700	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	VL	NT	-3.83	-0.004830	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	VH	NT	3.15	0.003972	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	VN	NT	1.49	0.001879	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	VL	NT	-5.28	-0.006658	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	VH	NT	-6.42	-0.008096	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	VN	NT	-3.68	-0.004626	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	VL	NT	-6.62	-0.008322	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	VH	NT	-5.42	-0.006813	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	VN	NT	-0.96	-0.001207	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	VL	NT	4.45	0.005594	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	VH	NT	6.42	0.008070	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	VN	NT	3.05	0.003846	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	VL	NT	-3.15	-0.003972	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	VH	NT	7.02	0.008852	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	VN	NT	-4.72	-0.005952	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	VL	NT	-2.10	-0.002648	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	VH	NT	5.06	0.006381	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band14	5MHz	QPSK	23305	25RB#0	NV	-30	6.65	0.008412	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	-20	5.28	0.006679	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	-10	7.41	0.009374	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	0	5.45	0.006894	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	10	4.13	0.005225	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	20	-1.53	-0.001935	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band14	5MHz	QPSK	23305	25RB#0	NV	30	-3.98	-0.005035	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	40	4.95	0.006262	±2.5	PASS
Band14	5MHz	QPSK	23305	25RB#0	NV	50	-5.08	-0.006426	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	-30	-1.83	-0.002315	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	-20	4.43	0.005604	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	-10	2.29	0.002897	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	0	-4.59	-0.005806	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	10	3.40	0.004301	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	20	3.10	0.003922	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	30	-7.70	-0.009741	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	40	5.28	0.006679	±2.5	PASS
Band14	5MHz	16QAM	23305	25RB#0	NV	50	-4.96	-0.006275	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	-30	-4.39	-0.005536	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	-20	-6.69	-0.008436	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	-10	1.85	0.002333	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	0	2.45	0.003090	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	10	-3.96	-0.004994	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	20	6.15	0.007755	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	30	-6.22	-0.007844	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	40	-9.26	-0.011677	±2.5	PASS
Band14	5MHz	QPSK	23330	25RB#0	NV	50	-2.83	-0.003569	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	-30	5.35	0.006747	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	-20	-7.93	-0.010000	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	-10	4.61	0.005813	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	0	5.98	0.007541	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	10	4.13	0.005208	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	20	5.21	0.006570	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	30	4.82	0.006078	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	40	-6.90	-0.008701	±2.5	PASS
Band14	5MHz	16QAM	23330	25RB#0	NV	50	-7.65	-0.009647	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	-30	-4.71	-0.005921	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	-20	2.09	0.002627	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	-10	-6.18	-0.007769	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	0	-4.01	-0.005041	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	10	-3.78	-0.004752	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	20	-2.47	-0.003105	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	30	-1.80	-0.002263	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	40	-3.85	-0.004840	±2.5	PASS
Band14	5MHz	QPSK	23355	25RB#0	NV	50	7.38	0.009277	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	-30	-3.36	-0.004224	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	-20	-5.26	-0.006612	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band14	5MHz	16QAM	23355	25RB#0	NV	-10	3.81	0.004789	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	0	2.42	0.003042	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	10	-3.60	-0.004525	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	20	-2.52	-0.003168	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	30	7.65	0.009617	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	40	2.90	0.003646	±2.5	PASS
Band14	5MHz	16QAM	23355	25RB#0	NV	50	5.78	0.007266	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	-30	3.75	0.004729	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	-20	2.69	0.003392	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	-10	-4.72	-0.005952	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	0	-3.49	-0.004401	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	10	2.73	0.003443	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	20	-1.02	-0.001286	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	30	-6.27	-0.007907	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	40	1.86	0.002346	±2.5	PASS
Band14	10MHz	QPSK	23330	50RB#0	NV	50	-5.35	-0.006747	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	-30	1.89	0.002383	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	-20	-6.77	-0.008537	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	-10	3.81	0.004805	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	0	7.32	0.009231	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	10	2.49	0.003140	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	20	8.94	0.011274	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	30	4.59	0.005788	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	40	-2.69	-0.003392	±2.5	PASS
Band14	10MHz	16QAM	23330	50RB#0	NV	50	-7.87	-0.009924	±2.5	PASS

---END---