

Appendix: N41

Table of Contents

Appendix A: Effective (Isotropic) Radiated Power Output Data for SA 3
 Test Result 3

Appendix B: Peak-to-Average Ratio for SA 65
 Test Result 65

Appendix C: 26dB Bandwidth and Occupied Bandwidth for SA 118
 Test Result 118
 Test Graphs 125

Appendix D: Band Edge for SA 191
 Test Result 191

Appendix E: Conducted Spurious Emission for SA 300
 Test Result 300
 Test Graphs 571

Appendix F: Frequency Stability for SA 2056
 Test Result 2056

Appendix A: Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS (KHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Power	EIRP (dBm)	EIRP (W)	Verdict
n41	30	10	DFT-BPSK	L	Edge_1RB_Left	20.46	23.93	0.247	PASS
n41	30	10	DFT-BPSK	L	Inner_1RB_Left	23.83	27.3	0.537	PASS
n41	30	10	DFT-BPSK	L	Inner_1RB_Right	23.28	26.75	0.473	PASS
n41	30	10	DFT-BPSK	L	Edge_1RB_Right	20.19	23.66	0.232	PASS
n41	30	10	DFT-BPSK	L	Inner_Full	23.8	27.27	0.533	PASS
n41	30	10	DFT-BPSK	L	Outer_Full	20.1	23.57	0.228	PASS
n41	30	10	DFT-QPSK	L	Edge_1RB_Left	20.42	23.89	0.245	PASS
n41	30	10	DFT-QPSK	L	Inner_1RB_Left	23.89	27.36	0.545	PASS
n41	30	10	DFT-QPSK	L	Inner_1RB_Right	23.32	26.79	0.478	PASS
n41	30	10	DFT-QPSK	L	Edge_1RB_Right	20.17	23.64	0.231	PASS
n41	30	10	DFT-QPSK	L	Inner_Full	23.58	27.05	0.507	PASS
n41	30	10	DFT-QPSK	L	Outer_Full	22.7	26.17	0.414	PASS
n41	30	10	DFT-16QAM	L	Edge_1RB_Left	20.26	23.73	0.236	PASS
n41	30	10	DFT-16QAM	L	Inner_1RB_Left	22.83	26.3	0.427	PASS
n41	30	10	DFT-16QAM	L	Inner_1RB_Right	22.49	25.96	0.394	PASS
n41	30	10	DFT-16QAM	L	Edge_1RB_Right	19.97	23.44	0.221	PASS
n41	30	10	DFT-16QAM	L	Inner_Full	22.79	26.26	0.423	PASS
n41	30	10	DFT-16QAM	L	Outer_Full	21.79	25.26	0.336	PASS
n41	30	10	DFT-64QAM	L	Edge_1RB_Left	20.85	24.32	0.270	PASS
n41	30	10	DFT-64QAM	L	Inner_1RB_Left	21.61	25.08	0.322	PASS
n41	30	10	DFT-64QAM	L	Inner_1RB_Right	21.23	24.7	0.295	PASS
n41	30	10	DFT-64QAM	L	Edge_1RB_Right	20.31	23.78	0.239	PASS
n41	30	10	DFT-64QAM	L	Inner_Full	21.42	24.89	0.308	PASS
n41	30	10	DFT-64QAM	L	Outer_Full	21.4	24.87	0.307	PASS
n41	30	10	DFT-256QAM	L	Edge_1RB_Left	19.51	22.98	0.199	PASS
n41	30	10	DFT-256QAM	L	Inner_1RB_Left	19.41	22.88	0.194	PASS

n41	30	10	DFT-256QAM	L	Inner_1RB_Right	19.29	22.76	0.189	PASS
n41	30	10	DFT-256QAM	L	Edge_1RB_Right	19.26	22.73	0.187	PASS
n41	30	10	DFT-256QAM	L	Inner_Full	19.58	23.05	0.202	PASS
n41	30	10	DFT-256QAM	L	Outer_Full	19.43	22.9	0.195	PASS
n41	30	10	CP-QPSK	L	Edge_1RB_Left	20.32	23.79	0.239	PASS
n41	30	10	CP-QPSK	L	Inner_1RB_Left	22.32	25.79	0.379	PASS
n41	30	10	CP-QPSK	L	Inner_1RB_Right	22.11	25.58	0.361	PASS
n41	30	10	CP-QPSK	L	Edge_1RB_Right	20.35	23.82	0.241	PASS
n41	30	10	CP-QPSK	L	Inner_Full	22.24	25.71	0.372	PASS
n41	30	10	CP-QPSK	L	Outer_Full	20.83	24.3	0.269	PASS
n41	30	10	CP-16QAM	L	Edge_1RB_Left	20.18	23.65	0.232	PASS
n41	30	10	CP-16QAM	L	Inner_1RB_Left	21.66	25.13	0.326	PASS
n41	30	10	CP-16QAM	L	Inner_1RB_Right	21.37	24.84	0.305	PASS
n41	30	10	CP-16QAM	L	Edge_1RB_Right	20.1	23.57	0.228	PASS
n41	30	10	CP-16QAM	L	Inner_Full	21.76	25.23	0.333	PASS
n41	30	10	CP-16QAM	L	Outer_Full	20.9	24.37	0.274	PASS
n41	30	10	CP-64QAM	L	Edge_1RB_Left	20.49	23.96	0.249	PASS
n41	30	10	CP-64QAM	L	Inner_1RB_Left	20.82	24.29	0.269	PASS
n41	30	10	CP-64QAM	L	Inner_1RB_Right	20.57	24.04	0.254	PASS
n41	30	10	CP-64QAM	L	Edge_1RB_Right	20.35	23.82	0.241	PASS
n41	30	10	CP-64QAM	L	Inner_Full	20.46	23.93	0.247	PASS
n41	30	10	CP-64QAM	L	Outer_Full	20.39	23.86	0.243	PASS
n41	30	10	CP-256QAM	L	Edge_1RB_Left	17.54	21.01	0.126	PASS
n41	30	10	CP-256QAM	L	Inner_1RB_Left	17.66	21.13	0.130	PASS
n41	30	10	CP-256QAM	L	Inner_1RB_Right	17.49	20.96	0.125	PASS
n41	30	10	CP-256QAM	L	Edge_1RB_Right	17.42	20.89	0.123	PASS
n41	30	10	CP-256QAM	L	Inner_Full	17.66	21.13	0.130	PASS
n41	30	10	CP-256QAM	L	Outer_Full	17.61	21.08	0.128	PASS
n41	30	10	DFT-BPSK	M	Edge_1RB_Left	20.46	23.93	0.247	PASS

n41	30	10	DFT-BPSK	M	Inner_1RB_Left	23.84	27.31	0.538	PASS
n41	30	10	DFT-BPSK	M	Inner_1RB_Right	23.88	27.35	0.543	PASS
n41	30	10	DFT-BPSK	M	Edge_1RB_Right	20.57	24.04	0.254	PASS
n41	30	10	DFT-BPSK	M	Inner_Full	23.93	27.4	0.550	PASS
n41	30	10	DFT-BPSK	M	Outer_Full	23.49	26.96	0.497	PASS
n41	30	10	DFT-QPSK	M	Edge_1RB_Left	20.51	23.98	0.250	PASS
n41	30	10	DFT-QPSK	M	Inner_1RB_Left	24.09	27.56	0.570	PASS
n41	30	10	DFT-QPSK	M	Inner_1RB_Right	24	27.47	0.558	PASS
n41	30	10	DFT-QPSK	M	Edge_1RB_Right	20.54	24.01	0.252	PASS
n41	30	10	DFT-QPSK	M	Inner_Full	23.92	27.39	0.548	PASS
n41	30	10	DFT-QPSK	M	Outer_Full	22.95	26.42	0.439	PASS
n41	30	10	DFT-16QAM	M	Edge_1RB_Left	20.24	23.71	0.235	PASS
n41	30	10	DFT-16QAM	M	Inner_1RB_Left	22.92	26.39	0.436	PASS
n41	30	10	DFT-16QAM	M	Inner_1RB_Right	23.11	26.58	0.455	PASS
n41	30	10	DFT-16QAM	M	Edge_1RB_Right	20.38	23.85	0.243	PASS
n41	30	10	DFT-16QAM	M	Inner_Full	23.06	26.53	0.450	PASS
n41	30	10	DFT-16QAM	M	Outer_Full	22.08	25.55	0.359	PASS
n41	30	10	DFT-64QAM	M	Edge_1RB_Left	20.77	24.24	0.265	PASS
n41	30	10	DFT-64QAM	M	Inner_1RB_Left	22.41	25.88	0.387	PASS
n41	30	10	DFT-64QAM	M	Inner_1RB_Right	21.78	25.25	0.335	PASS
n41	30	10	DFT-64QAM	M	Edge_1RB_Right	20.81	24.28	0.268	PASS
n41	30	10	DFT-64QAM	M	Inner_Full	22.43	25.9	0.389	PASS
n41	30	10	DFT-64QAM	M	Outer_Full	22.44	25.91	0.390	PASS
n41	30	10	DFT-256QAM	M	Edge_1RB_Left	19.6	23.07	0.203	PASS
n41	30	10	DFT-256QAM	M	Inner_1RB_Left	19.56	23.03	0.201	PASS
n41	30	10	DFT-256QAM	M	Inner_1RB_Right	19.62	23.09	0.204	PASS
n41	30	10	DFT-256QAM	M	Edge_1RB_Right	19.67	23.14	0.206	PASS
n41	30	10	DFT-256QAM	M	Inner_Full	19.79	23.26	0.212	PASS
n41	30	10	DFT-256QAM	M	Outer_Full	19.62	23.09	0.204	PASS

n41	30	10	CP-QPSK	M	Edge_1RB_Left	20.55	24.02	0.252	PASS
n41	30	10	CP-QPSK	M	Inner_1RB_Left	22.28	25.75	0.376	PASS
n41	30	10	CP-QPSK	M	Inner_1RB_Right	22.73	26.2	0.417	PASS
n41	30	10	CP-QPSK	M	Edge_1RB_Right	20.66	24.13	0.259	PASS
n41	30	10	CP-QPSK	M	Inner_Full	22.44	25.91	0.390	PASS
n41	30	10	CP-QPSK	M	Outer_Full	21.04	24.51	0.282	PASS
n41	30	10	CP-16QAM	M	Edge_1RB_Left	20.28	23.75	0.237	PASS
n41	30	10	CP-16QAM	M	Inner_1RB_Left	21.85	25.32	0.340	PASS
n41	30	10	CP-16QAM	M	Inner_1RB_Right	21.88	25.35	0.343	PASS
n41	30	10	CP-16QAM	M	Edge_1RB_Right	20.45	23.92	0.247	PASS
n41	30	10	CP-16QAM	M	Inner_Full	21.99	25.46	0.352	PASS
n41	30	10	CP-16QAM	M	Outer_Full	20.96	24.43	0.277	PASS
n41	30	10	CP-64QAM	M	Edge_1RB_Left	20.84	24.31	0.270	PASS
n41	30	10	CP-64QAM	M	Inner_1RB_Left	20.87	24.34	0.272	PASS
n41	30	10	CP-64QAM	M	Inner_1RB_Right	20.74	24.21	0.264	PASS
n41	30	10	CP-64QAM	M	Edge_1RB_Right	20.88	24.35	0.272	PASS
n41	30	10	CP-64QAM	M	Inner_Full	20.57	24.04	0.254	PASS
n41	30	10	CP-64QAM	M	Outer_Full	20.56	24.03	0.253	PASS
n41	30	10	CP-256QAM	M	Edge_1RB_Left	17.64	21.11	0.129	PASS
n41	30	10	CP-256QAM	M	Inner_1RB_Left	17.65	21.12	0.129	PASS
n41	30	10	CP-256QAM	M	Inner_1RB_Right	17.78	21.25	0.133	PASS
n41	30	10	CP-256QAM	M	Edge_1RB_Right	17.82	21.29	0.135	PASS
n41	30	10	CP-256QAM	M	Inner_Full	17.95	21.42	0.139	PASS
n41	30	10	CP-256QAM	M	Outer_Full	17.73	21.2	0.132	PASS
n41	30	10	DFT-BPSK	H	Edge_1RB_Left	20.7	24.17	0.261	PASS
n41	30	10	DFT-BPSK	H	Inner_1RB_Left	23.68	27.15	0.519	PASS
n41	30	10	DFT-BPSK	H	Inner_1RB_Right	23.83	27.3	0.537	PASS
n41	30	10	DFT-BPSK	H	Edge_1RB_Right	20.8	24.27	0.267	PASS
n41	30	10	DFT-BPSK	H	Inner_Full	23.59	27.06	0.508	PASS

n41	30	10	DFT-BPSK	H	Outer_Full	23.28	26.75	0.473	PASS
n41	30	10	DFT-QPSK	H	Edge_1RB_Left	20.64	24.11	0.258	PASS
n41	30	10	DFT-QPSK	H	Inner_1RB_Left	23.74	27.21	0.526	PASS
n41	30	10	DFT-QPSK	H	Inner_1RB_Right	23.81	27.28	0.535	PASS
n41	30	10	DFT-QPSK	H	Edge_1RB_Right	20.76	24.23	0.265	PASS
n41	30	10	DFT-QPSK	H	Inner_Full	23.89	27.36	0.545	PASS
n41	30	10	DFT-QPSK	H	Outer_Full	22.9	26.37	0.434	PASS
n41	30	10	DFT-16QAM	H	Edge_1RB_Left	20.49	23.96	0.249	PASS
n41	30	10	DFT-16QAM	H	Inner_1RB_Left	22.63	26.1	0.407	PASS
n41	30	10	DFT-16QAM	H	Inner_1RB_Right	22.73	26.2	0.417	PASS
n41	30	10	DFT-16QAM	H	Edge_1RB_Right	20.71	24.18	0.262	PASS
n41	30	10	DFT-16QAM	H	Inner_Full	22.97	26.44	0.441	PASS
n41	30	10	DFT-16QAM	H	Outer_Full	22.1	25.57	0.361	PASS
n41	30	10	DFT-64QAM	H	Edge_1RB_Left	20.76	24.23	0.265	PASS
n41	30	10	DFT-64QAM	H	Inner_1RB_Left	22.5	25.97	0.395	PASS
n41	30	10	DFT-64QAM	H	Inner_1RB_Right	20.06	23.53	0.225	PASS
n41	30	10	DFT-64QAM	H	Edge_1RB_Right	21.03	24.5	0.282	PASS
n41	30	10	DFT-64QAM	H	Inner_Full	22.57	26.04	0.402	PASS
n41	30	10	DFT-64QAM	H	Outer_Full	22.6	26.07	0.405	PASS
n41	30	10	DFT-256QAM	H	Edge_1RB_Left	19.79	23.26	0.212	PASS
n41	30	10	DFT-256QAM	H	Inner_1RB_Left	19.84	23.31	0.214	PASS
n41	30	10	DFT-256QAM	H	Inner_1RB_Right	19.77	23.24	0.211	PASS
n41	30	10	DFT-256QAM	H	Edge_1RB_Right	19.89	23.36	0.217	PASS
n41	30	10	DFT-256QAM	H	Inner_Full	19.96	23.43	0.220	PASS
n41	30	10	DFT-256QAM	H	Outer_Full	19.9	23.37	0.217	PASS
n41	30	10	CP-QPSK	H	Edge_1RB_Left	20.78	24.25	0.266	PASS
n41	30	10	CP-QPSK	H	Inner_1RB_Left	22.41	25.88	0.387	PASS
n41	30	10	CP-QPSK	H	Inner_1RB_Right	22.75	26.22	0.419	PASS
n41	30	10	CP-QPSK	H	Edge_1RB_Right	20.89	24.36	0.273	PASS

n41	30	10	CP-QPSK	H	Inner_Full	22.43	25.9	0.389	PASS
n41	30	10	CP-QPSK	H	Outer_Full	21.1	24.57	0.286	PASS
n41	30	10	CP-16QAM	H	Edge_1RB_Left	20.29	23.76	0.238	PASS
n41	30	10	CP-16QAM	H	Inner_1RB_Left	21.78	25.25	0.335	PASS
n41	30	10	CP-16QAM	H	Inner_1RB_Right	21.78	25.25	0.335	PASS
n41	30	10	CP-16QAM	H	Edge_1RB_Right	20.67	24.14	0.259	PASS
n41	30	10	CP-16QAM	H	Inner_Full	22	25.47	0.352	PASS
n41	30	10	CP-16QAM	H	Outer_Full	21.27	24.74	0.298	PASS
n41	30	10	CP-64QAM	H	Edge_1RB_Left	20.88	24.35	0.272	PASS
n41	30	10	CP-64QAM	H	Inner_1RB_Left	20.97	24.44	0.278	PASS
n41	30	10	CP-64QAM	H	Inner_1RB_Right	21.13	24.6	0.288	PASS
n41	30	10	CP-64QAM	H	Edge_1RB_Right	20.98	24.45	0.279	PASS
n41	30	10	CP-64QAM	H	Inner_Full	20.83	24.3	0.269	PASS
n41	30	10	CP-64QAM	H	Outer_Full	20.81	24.28	0.268	PASS
n41	30	10	CP-256QAM	H	Edge_1RB_Left	17.97	21.44	0.139	PASS
n41	30	10	CP-256QAM	H	Inner_1RB_Left	17.91	21.38	0.137	PASS
n41	30	10	CP-256QAM	H	Inner_1RB_Right	18.03	21.5	0.141	PASS
n41	30	10	CP-256QAM	H	Edge_1RB_Right	18.04	21.51	0.142	PASS
n41	30	10	CP-256QAM	H	Inner_Full	17.98	21.45	0.140	PASS
n41	30	10	CP-256QAM	H	Outer_Full	17.99	21.46	0.140	PASS
n41	30	15	DFT-BPSK	L	Edge_1RB_Left	20.39	23.86	0.243	PASS
n41	30	15	DFT-BPSK	L	Inner_1RB_Left	23.74	27.21	0.526	PASS
n41	30	15	DFT-BPSK	L	Inner_1RB_Right	22.9	26.37	0.434	PASS
n41	30	15	DFT-BPSK	L	Edge_1RB_Right	19.85	23.32	0.215	PASS
n41	30	15	DFT-BPSK	L	Inner_Full	23.41	26.88	0.488	PASS
n41	30	15	DFT-BPSK	L	Outer_Full	22.97	26.44	0.441	PASS
n41	30	15	DFT-QPSK	L	Edge_1RB_Left	20.35	23.82	0.241	PASS
n41	30	15	DFT-QPSK	L	Inner_1RB_Left	23.82	27.29	0.536	PASS
n41	30	15	DFT-QPSK	L	Inner_1RB_Right	22.89	26.36	0.433	PASS

n41	30	15	DFT-QPSK	L	Edge_1RB_Right	19.82	23.29	0.213	PASS
n41	30	15	DFT-QPSK	L	Inner_Full	23.41	26.88	0.488	PASS
n41	30	15	DFT-QPSK	L	Outer_Full	22.55	26.02	0.400	PASS
n41	30	15	DFT-16QAM	L	Edge_1RB_Left	20.13	23.6	0.229	PASS
n41	30	15	DFT-16QAM	L	Inner_1RB_Left	22.67	26.14	0.411	PASS
n41	30	15	DFT-16QAM	L	Inner_1RB_Right	21.9	25.37	0.344	PASS
n41	30	15	DFT-16QAM	L	Edge_1RB_Right	19.79	23.26	0.212	PASS
n41	30	15	DFT-16QAM	L	Inner_Full	22.63	26.1	0.407	PASS
n41	30	15	DFT-16QAM	L	Outer_Full	21.68	25.15	0.327	PASS
n41	30	15	DFT-64QAM	L	Edge_1RB_Left	20.45	23.92	0.247	PASS
n41	30	15	DFT-64QAM	L	Inner_1RB_Left	21.43	24.9	0.309	PASS
n41	30	15	DFT-64QAM	L	Inner_1RB_Right	20.93	24.4	0.275	PASS
n41	30	15	DFT-64QAM	L	Edge_1RB_Right	20.02	23.49	0.223	PASS
n41	30	15	DFT-64QAM	L	Inner_Full	22.13	25.6	0.363	PASS
n41	30	15	DFT-64QAM	L	Outer_Full	21.99	25.46	0.352	PASS
n41	30	15	DFT-256QAM	L	Edge_1RB_Left	19.42	22.89	0.195	PASS
n41	30	15	DFT-256QAM	L	Inner_1RB_Left	19.4	22.87	0.194	PASS
n41	30	15	DFT-256QAM	L	Inner_1RB_Right	18.97	22.44	0.175	PASS
n41	30	15	DFT-256QAM	L	Edge_1RB_Right	19.01	22.48	0.177	PASS
n41	30	15	DFT-256QAM	L	Inner_Full	19.35	22.82	0.191	PASS
n41	30	15	DFT-256QAM	L	Outer_Full	19.38	22.85	0.193	PASS
n41	30	15	CP-QPSK	L	Edge_1RB_Left	20.46	23.93	0.247	PASS
n41	30	15	CP-QPSK	L	Inner_1RB_Left	22.08	25.55	0.359	PASS
n41	30	15	CP-QPSK	L	Inner_1RB_Right	21.79	25.26	0.336	PASS
n41	30	15	CP-QPSK	L	Edge_1RB_Right	19.92	23.39	0.218	PASS
n41	30	15	CP-QPSK	L	Inner_Full	22.31	25.78	0.378	PASS
n41	30	15	CP-QPSK	L	Outer_Full	20.76	24.23	0.265	PASS
n41	30	15	CP-16QAM	L	Edge_1RB_Left	20.34	23.81	0.240	PASS
n41	30	15	CP-16QAM	L	Inner_1RB_Left	21.72	25.19	0.330	PASS

n41	30	15	CP-16QAM	L	Inner_1RB_Right	21.09	24.56	0.286	PASS
n41	30	15	CP-16QAM	L	Edge_1RB_Right	19.56	23.03	0.201	PASS
n41	30	15	CP-16QAM	L	Inner_Full	21.7	25.17	0.329	PASS
n41	30	15	CP-16QAM	L	Outer_Full	20.85	24.32	0.270	PASS
n41	30	15	CP-64QAM	L	Edge_1RB_Left	20.51	23.98	0.250	PASS
n41	30	15	CP-64QAM	L	Inner_1RB_Left	20.54	24.01	0.252	PASS
n41	30	15	CP-64QAM	L	Inner_1RB_Right	20.01	23.48	0.223	PASS
n41	30	15	CP-64QAM	L	Edge_1RB_Right	20	23.47	0.222	PASS
n41	30	15	CP-64QAM	L	Inner_Full	20.3	23.77	0.238	PASS
n41	30	15	CP-64QAM	L	Outer_Full	20.34	23.81	0.240	PASS
n41	30	15	CP-256QAM	L	Edge_1RB_Left	17.71	21.18	0.131	PASS
n41	30	15	CP-256QAM	L	Inner_1RB_Left	17.56	21.03	0.127	PASS
n41	30	15	CP-256QAM	L	Inner_1RB_Right	17.21	20.68	0.117	PASS
n41	30	15	CP-256QAM	L	Edge_1RB_Right	17.17	20.64	0.116	PASS
n41	30	15	CP-256QAM	L	Inner_Full	17.63	21.1	0.129	PASS
n41	30	15	CP-256QAM	L	Outer_Full	17.54	21.01	0.126	PASS
n41	30	15	DFT-BPSK	M	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	15	DFT-BPSK	M	Inner_1RB_Left	24.63	28.1	0.646	PASS
n41	30	15	DFT-BPSK	M	Inner_1RB_Right	24.67	28.14	0.652	PASS
n41	30	15	DFT-BPSK	M	Edge_1RB_Right	21.4	24.87	0.307	PASS
n41	30	15	DFT-BPSK	M	Inner_Full	24.72	28.19	0.659	PASS
n41	30	15	DFT-BPSK	M	Outer_Full	24.22	27.69	0.587	PASS
n41	30	15	DFT-QPSK	M	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	15	DFT-QPSK	M	Inner_1RB_Left	24.74	28.21	0.662	PASS
n41	30	15	DFT-QPSK	M	Inner_1RB_Right	24.83	28.3	0.676	PASS
n41	30	15	DFT-QPSK	M	Edge_1RB_Right	21.48	24.95	0.313	PASS
n41	30	15	DFT-QPSK	M	Inner_Full	24.7	28.17	0.656	PASS
n41	30	15	DFT-QPSK	M	Outer_Full	23.84	27.31	0.538	PASS
n41	30	15	DFT-16QAM	M	Edge_1RB_Left	21.07	24.54	0.284	PASS

n41	30	15	DFT-16QAM	M	Inner_1RB_Left	23.49	26.96	0.497	PASS
n41	30	15	DFT-16QAM	M	Inner_1RB_Right	23.66	27.13	0.516	PASS
n41	30	15	DFT-16QAM	M	Edge_1RB_Right	21.28	24.75	0.299	PASS
n41	30	15	DFT-16QAM	M	Inner_Full	23.88	27.35	0.543	PASS
n41	30	15	DFT-16QAM	M	Outer_Full	22.97	26.44	0.441	PASS
n41	30	15	DFT-64QAM	M	Edge_1RB_Left	21.51	24.98	0.315	PASS
n41	30	15	DFT-64QAM	M	Inner_1RB_Left	22.39	25.86	0.385	PASS
n41	30	15	DFT-64QAM	M	Inner_1RB_Right	22.49	25.96	0.394	PASS
n41	30	15	DFT-64QAM	M	Edge_1RB_Right	21.62	25.09	0.323	PASS
n41	30	15	DFT-64QAM	M	Inner_Full	22.44	25.91	0.390	PASS
n41	30	15	DFT-64QAM	M	Outer_Full	22.34	25.81	0.381	PASS
n41	30	15	DFT-256QAM	M	Edge_1RB_Left	20.36	23.83	0.242	PASS
n41	30	15	DFT-256QAM	M	Inner_1RB_Left	20.29	23.76	0.238	PASS
n41	30	15	DFT-256QAM	M	Inner_1RB_Right	20.5	23.97	0.249	PASS
n41	30	15	DFT-256QAM	M	Edge_1RB_Right	20.54	24.01	0.252	PASS
n41	30	15	DFT-256QAM	M	Inner_Full	20.44	23.91	0.246	PASS
n41	30	15	DFT-256QAM	M	Outer_Full	20.49	23.96	0.249	PASS
n41	30	15	CP-QPSK	M	Edge_1RB_Left	21.34	24.81	0.303	PASS
n41	30	15	CP-QPSK	M	Inner_1RB_Left	23.28	26.75	0.473	PASS
n41	30	15	CP-QPSK	M	Inner_1RB_Right	23.22	26.69	0.467	PASS
n41	30	15	CP-QPSK	M	Edge_1RB_Right	21.44	24.91	0.310	PASS
n41	30	15	CP-QPSK	M	Inner_Full	23.47	26.94	0.494	PASS
n41	30	15	CP-QPSK	M	Outer_Full	21.89	25.36	0.344	PASS
n41	30	15	CP-16QAM	M	Edge_1RB_Left	20.95	24.42	0.277	PASS
n41	30	15	CP-16QAM	M	Inner_1RB_Left	22.51	25.98	0.396	PASS
n41	30	15	CP-16QAM	M	Inner_1RB_Right	22.75	26.22	0.419	PASS
n41	30	15	CP-16QAM	M	Edge_1RB_Right	21.1	24.57	0.286	PASS
n41	30	15	CP-16QAM	M	Inner_Full	22.86	26.33	0.430	PASS
n41	30	15	CP-16QAM	M	Outer_Full	21.95	25.42	0.348	PASS

n41	30	15	CP-64QAM	M	Edge_1RB_Left	21.4	24.87	0.307	PASS
n41	30	15	CP-64QAM	M	Inner_1RB_Left	21.51	24.98	0.315	PASS
n41	30	15	CP-64QAM	M	Inner_1RB_Right	21.56	25.03	0.318	PASS
n41	30	15	CP-64QAM	M	Edge_1RB_Right	21.55	25.02	0.318	PASS
n41	30	15	CP-64QAM	M	Inner_Full	21.35	24.82	0.303	PASS
n41	30	15	CP-64QAM	M	Outer_Full	21.43	24.9	0.309	PASS
n41	30	15	CP-256QAM	M	Edge_1RB_Left	18.55	22.02	0.159	PASS
n41	30	15	CP-256QAM	M	Inner_1RB_Left	18.53	22	0.158	PASS
n41	30	15	CP-256QAM	M	Inner_1RB_Right	18.65	22.12	0.163	PASS
n41	30	15	CP-256QAM	M	Edge_1RB_Right	18.66	22.13	0.163	PASS
n41	30	15	CP-256QAM	M	Inner_Full	18.63	22.1	0.162	PASS
n41	30	15	CP-256QAM	M	Outer_Full	18.62	22.09	0.162	PASS
n41	30	15	DFT-BPSK	H	Edge_1RB_Left	21.55	25.02	0.318	PASS
n41	30	15	DFT-BPSK	H	Inner_1RB_Left	24.45	27.92	0.619	PASS
n41	30	15	DFT-BPSK	H	Inner_1RB_Right	24.56	28.03	0.635	PASS
n41	30	15	DFT-BPSK	H	Edge_1RB_Right	21.52	24.99	0.316	PASS
n41	30	15	DFT-BPSK	H	Inner_Full	24.36	27.83	0.607	PASS
n41	30	15	DFT-BPSK	H	Outer_Full	24.06	27.53	0.566	PASS
n41	30	15	DFT-QPSK	H	Edge_1RB_Left	21.46	24.93	0.311	PASS
n41	30	15	DFT-QPSK	H	Inner_1RB_Left	24.51	27.98	0.628	PASS
n41	30	15	DFT-QPSK	H	Inner_1RB_Right	24.66	28.13	0.650	PASS
n41	30	15	DFT-QPSK	H	Edge_1RB_Right	21.55	25.02	0.318	PASS
n41	30	15	DFT-QPSK	H	Inner_Full	24.4	27.87	0.612	PASS
n41	30	15	DFT-QPSK	H	Outer_Full	23.67	27.14	0.518	PASS
n41	30	15	DFT-16QAM	H	Edge_1RB_Left	21.43	24.9	0.309	PASS
n41	30	15	DFT-16QAM	H	Inner_1RB_Left	23.52	26.99	0.500	PASS
n41	30	15	DFT-16QAM	H	Inner_1RB_Right	23.49	26.96	0.497	PASS
n41	30	15	DFT-16QAM	H	Edge_1RB_Right	21.45	24.92	0.310	PASS
n41	30	15	DFT-16QAM	H	Inner_Full	23.68	27.15	0.519	PASS

n41	30	15	DFT-16QAM	H	Outer_Full	22.85	26.32	0.429	PASS
n41	30	15	DFT-64QAM	H	Edge_1RB_Left	21.76	25.23	0.333	PASS
n41	30	15	DFT-64QAM	H	Inner_1RB_Left	22.62	26.09	0.406	PASS
n41	30	15	DFT-64QAM	H	Inner_1RB_Right	22.46	25.93	0.392	PASS
n41	30	15	DFT-64QAM	H	Edge_1RB_Right	21.58	25.05	0.320	PASS
n41	30	15	DFT-64QAM	H	Inner_Full	22.43	25.9	0.389	PASS
n41	30	15	DFT-64QAM	H	Outer_Full	22.4	25.87	0.386	PASS
n41	30	15	DFT-256QAM	H	Edge_1RB_Left	20.61	24.08	0.256	PASS
n41	30	15	DFT-256QAM	H	Inner_1RB_Left	20.64	24.11	0.258	PASS
n41	30	15	DFT-256QAM	H	Inner_1RB_Right	20.64	24.11	0.258	PASS
n41	30	15	DFT-256QAM	H	Edge_1RB_Right	20.7	24.17	0.261	PASS
n41	30	15	DFT-256QAM	H	Inner_Full	20.63	24.1	0.257	PASS
n41	30	15	DFT-256QAM	H	Outer_Full	20.65	24.12	0.258	PASS
n41	30	15	CP-QPSK	H	Edge_1RB_Left	21.56	25.03	0.318	PASS
n41	30	15	CP-QPSK	H	Inner_1RB_Left	23.08	26.55	0.452	PASS
n41	30	15	CP-QPSK	H	Inner_1RB_Right	23	26.47	0.444	PASS
n41	30	15	CP-QPSK	H	Edge_1RB_Right	21.52	24.99	0.316	PASS
n41	30	15	CP-QPSK	H	Inner_Full	23.36	26.83	0.482	PASS
n41	30	15	CP-QPSK	H	Outer_Full	22.04	25.51	0.356	PASS
n41	30	15	CP-16QAM	H	Edge_1RB_Left	21.26	24.73	0.297	PASS
n41	30	15	CP-16QAM	H	Inner_1RB_Left	22.48	25.95	0.394	PASS
n41	30	15	CP-16QAM	H	Inner_1RB_Right	22.47	25.94	0.393	PASS
n41	30	15	CP-16QAM	H	Edge_1RB_Right	21.35	24.82	0.303	PASS
n41	30	15	CP-16QAM	H	Inner_Full	22.92	26.39	0.436	PASS
n41	30	15	CP-16QAM	H	Outer_Full	22.08	25.55	0.359	PASS
n41	30	15	CP-64QAM	H	Edge_1RB_Left	21.71	25.18	0.330	PASS
n41	30	15	CP-64QAM	H	Inner_1RB_Left	21.7	25.17	0.329	PASS
n41	30	15	CP-64QAM	H	Inner_1RB_Right	21.73	25.2	0.331	PASS
n41	30	15	CP-64QAM	H	Edge_1RB_Right	21.67	25.14	0.327	PASS

n41	30	15	CP-64QAM	H	Inner_Full	21.52	24.99	0.316	PASS
n41	30	15	CP-64QAM	H	Outer_Full	21.62	25.09	0.323	PASS
n41	30	15	CP-256QAM	H	Edge_1RB_Left	18.82	22.29	0.169	PASS
n41	30	15	CP-256QAM	H	Inner_1RB_Left	18.7	22.17	0.165	PASS
n41	30	15	CP-256QAM	H	Inner_1RB_Right	18.76	22.23	0.167	PASS
n41	30	15	CP-256QAM	H	Edge_1RB_Right	18.82	22.29	0.169	PASS
n41	30	15	CP-256QAM	H	Inner_Full	18.87	22.34	0.171	PASS
n41	30	15	CP-256QAM	H	Outer_Full	18.91	22.38	0.173	PASS
n41	30	20	DFT-BPSK	L	Edge_1RB_Left	21.18	24.65	0.292	PASS
n41	30	20	DFT-BPSK	L	Inner_1RB_Left	24.52	27.99	0.630	PASS
n41	30	20	DFT-BPSK	L	Inner_1RB_Right	23.45	26.92	0.492	PASS
n41	30	20	DFT-BPSK	L	Edge_1RB_Right	20.47	23.94	0.248	PASS
n41	30	20	DFT-BPSK	L	Inner_Full	23.99	27.46	0.557	PASS
n41	30	20	DFT-BPSK	L	Outer_Full	23.72	27.19	0.524	PASS
n41	30	20	DFT-QPSK	L	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	20	DFT-QPSK	L	Inner_1RB_Left	24.7	28.17	0.656	PASS
n41	30	20	DFT-QPSK	L	Inner_1RB_Right	23.52	26.99	0.500	PASS
n41	30	20	DFT-QPSK	L	Edge_1RB_Right	20.47	23.94	0.248	PASS
n41	30	20	DFT-QPSK	L	Inner_Full	24.1	27.57	0.571	PASS
n41	30	20	DFT-QPSK	L	Outer_Full	20.86	24.33	0.271	PASS
n41	30	20	DFT-16QAM	L	Edge_1RB_Left	20.94	24.41	0.276	PASS
n41	30	20	DFT-16QAM	L	Inner_1RB_Left	23.58	27.05	0.507	PASS
n41	30	20	DFT-16QAM	L	Inner_1RB_Right	22.5	25.97	0.395	PASS
n41	30	20	DFT-16QAM	L	Edge_1RB_Right	20.29	23.76	0.238	PASS
n41	30	20	DFT-16QAM	L	Inner_Full	23.22	26.69	0.467	PASS
n41	30	20	DFT-16QAM	L	Outer_Full	22.36	25.83	0.383	PASS
n41	30	20	DFT-64QAM	L	Edge_1RB_Left	21.34	24.81	0.303	PASS
n41	30	20	DFT-64QAM	L	Inner_1RB_Left	22.32	25.79	0.379	PASS
n41	30	20	DFT-64QAM	L	Inner_1RB_Right	21.44	24.91	0.310	PASS

n41	30	20	DFT-64QAM	L	Edge_1RB_Right	20.68	24.15	0.260	PASS
n41	30	20	DFT-64QAM	L	Inner_Full	21.91	25.38	0.345	PASS
n41	30	20	DFT-64QAM	L	Outer_Full	21.86	25.33	0.341	PASS
n41	30	20	DFT-256QAM	L	Edge_1RB_Left	20.16	23.63	0.231	PASS
n41	30	20	DFT-256QAM	L	Inner_1RB_Left	20.22	23.69	0.234	PASS
n41	30	20	DFT-256QAM	L	Inner_1RB_Right	19.69	23.16	0.207	PASS
n41	30	20	DFT-256QAM	L	Edge_1RB_Right	19.58	23.05	0.202	PASS
n41	30	20	DFT-256QAM	L	Inner_Full	20.1	23.57	0.228	PASS
n41	30	20	DFT-256QAM	L	Outer_Full	20.03	23.5	0.224	PASS
n41	30	20	CP-QPSK	L	Edge_1RB_Left	21.38	24.85	0.305	PASS
n41	30	20	CP-QPSK	L	Inner_1RB_Left	23.03	26.5	0.447	PASS
n41	30	20	CP-QPSK	L	Inner_1RB_Right	22.11	25.58	0.361	PASS
n41	30	20	CP-QPSK	L	Edge_1RB_Right	20.6	24.07	0.255	PASS
n41	30	20	CP-QPSK	L	Inner_Full	22.72	26.19	0.416	PASS
n41	30	20	CP-QPSK	L	Outer_Full	21.4	24.87	0.307	PASS
n41	30	20	CP-16QAM	L	Edge_1RB_Left	20.88	24.35	0.272	PASS
n41	30	20	CP-16QAM	L	Inner_1RB_Left	22.22	25.69	0.371	PASS
n41	30	20	CP-16QAM	L	Inner_1RB_Right	21.56	25.03	0.318	PASS
n41	30	20	CP-16QAM	L	Edge_1RB_Right	20.33	23.8	0.240	PASS
n41	30	20	CP-16QAM	L	Inner_Full	22.38	25.85	0.385	PASS
n41	30	20	CP-16QAM	L	Outer_Full	21.43	24.9	0.309	PASS
n41	30	20	CP-64QAM	L	Edge_1RB_Left	21.28	24.75	0.299	PASS
n41	30	20	CP-64QAM	L	Inner_1RB_Left	21.31	24.78	0.301	PASS
n41	30	20	CP-64QAM	L	Inner_1RB_Right	20.74	24.21	0.264	PASS
n41	30	20	CP-64QAM	L	Edge_1RB_Right	20.65	24.12	0.258	PASS
n41	30	20	CP-64QAM	L	Inner_Full	21.15	24.62	0.290	PASS
n41	30	20	CP-64QAM	L	Outer_Full	21.03	24.5	0.282	PASS
n41	30	20	CP-256QAM	L	Edge_1RB_Left	18.32	21.79	0.151	PASS
n41	30	20	CP-256QAM	L	Inner_1RB_Left	18.4	21.87	0.154	PASS

n41	30	20	CP-256QAM	L	Inner_1RB_Right	17.92	21.39	0.138	PASS
n41	30	20	CP-256QAM	L	Edge_1RB_Right	17.93	21.4	0.138	PASS
n41	30	20	CP-256QAM	L	Inner_Full	18.22	21.69	0.148	PASS
n41	30	20	CP-256QAM	L	Outer_Full	18.28	21.75	0.150	PASS
n41	30	20	DFT-BPSK	M	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	20	DFT-BPSK	M	Inner_1RB_Left	24.54	28.01	0.632	PASS
n41	30	20	DFT-BPSK	M	Inner_1RB_Right	24.75	28.22	0.664	PASS
n41	30	20	DFT-BPSK	M	Edge_1RB_Right	21.45	24.92	0.310	PASS
n41	30	20	DFT-BPSK	M	Inner_Full	24.83	28.3	0.676	PASS
n41	30	20	DFT-BPSK	M	Outer_Full	24.27	27.74	0.594	PASS
n41	30	20	DFT-QPSK	M	Edge_1RB_Left	21.23	24.7	0.295	PASS
n41	30	20	DFT-QPSK	M	Inner_1RB_Left	24.72	28.19	0.659	PASS
n41	30	20	DFT-QPSK	M	Inner_1RB_Right	24.69	28.16	0.655	PASS
n41	30	20	DFT-QPSK	M	Edge_1RB_Right	21.37	24.84	0.305	PASS
n41	30	20	DFT-QPSK	M	Inner_Full	24.74	28.21	0.662	PASS
n41	30	20	DFT-QPSK	M	Outer_Full	23.83	27.3	0.537	PASS
n41	30	20	DFT-16QAM	M	Edge_1RB_Left	21.24	24.71	0.296	PASS
n41	30	20	DFT-16QAM	M	Inner_1RB_Left	23.59	27.06	0.508	PASS
n41	30	20	DFT-16QAM	M	Inner_1RB_Right	23.78	27.25	0.531	PASS
n41	30	20	DFT-16QAM	M	Edge_1RB_Right	21.2	24.67	0.293	PASS
n41	30	20	DFT-16QAM	M	Inner_Full	23.87	27.34	0.542	PASS
n41	30	20	DFT-16QAM	M	Outer_Full	23.01	26.48	0.445	PASS
n41	30	20	DFT-64QAM	M	Edge_1RB_Left	21.54	25.01	0.317	PASS
n41	30	20	DFT-64QAM	M	Inner_1RB_Left	22.44	25.91	0.390	PASS
n41	30	20	DFT-64QAM	M	Inner_1RB_Right	22.52	25.99	0.397	PASS
n41	30	20	DFT-64QAM	M	Edge_1RB_Right	21.58	25.05	0.320	PASS
n41	30	20	DFT-64QAM	M	Inner_Full	22.37	25.84	0.384	PASS
n41	30	20	DFT-64QAM	M	Outer_Full	22.33	25.8	0.380	PASS
n41	30	20	DFT-256QAM	M	Edge_1RB_Left	20.35	23.82	0.241	PASS

n41	30	20	DFT-256QAM	M	Inner_1RB_Left	20.36	23.83	0.242	PASS
n41	30	20	DFT-256QAM	M	Inner_1RB_Right	20.54	24.01	0.252	PASS
n41	30	20	DFT-256QAM	M	Edge_1RB_Right	20.49	23.96	0.249	PASS
n41	30	20	DFT-256QAM	M	Inner_Full	20.47	23.94	0.248	PASS
n41	30	20	DFT-256QAM	M	Outer_Full	20.45	23.92	0.247	PASS
n41	30	20	CP-QPSK	M	Edge_1RB_Left	21.23	24.7	0.295	PASS
n41	30	20	CP-QPSK	M	Inner_1RB_Left	23.12	26.59	0.456	PASS
n41	30	20	CP-QPSK	M	Inner_1RB_Right	23.48	26.95	0.495	PASS
n41	30	20	CP-QPSK	M	Edge_1RB_Right	21.47	24.94	0.312	PASS
n41	30	20	CP-QPSK	M	Inner_Full	23.42	26.89	0.489	PASS
n41	30	20	CP-QPSK	M	Outer_Full	21.88	25.35	0.343	PASS
n41	30	20	CP-16QAM	M	Edge_1RB_Left	21.12	24.59	0.288	PASS
n41	30	20	CP-16QAM	M	Inner_1RB_Left	22.43	25.9	0.389	PASS
n41	30	20	CP-16QAM	M	Inner_1RB_Right	22.71	26.18	0.415	PASS
n41	30	20	CP-16QAM	M	Edge_1RB_Right	21.17	24.64	0.291	PASS
n41	30	20	CP-16QAM	M	Inner_Full	22.92	26.39	0.436	PASS
n41	30	20	CP-16QAM	M	Outer_Full	21.86	25.33	0.341	PASS
n41	30	20	CP-64QAM	M	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	20	CP-64QAM	M	Inner_1RB_Left	21.39	24.86	0.306	PASS
n41	30	20	CP-64QAM	M	Inner_1RB_Right	21.57	25.04	0.319	PASS
n41	30	20	CP-64QAM	M	Edge_1RB_Right	21.61	25.08	0.322	PASS
n41	30	20	CP-64QAM	M	Inner_Full	21.49	24.96	0.313	PASS
n41	30	20	CP-64QAM	M	Outer_Full	21.42	24.89	0.308	PASS
n41	30	20	CP-256QAM	M	Edge_1RB_Left	18.53	22	0.158	PASS
n41	30	20	CP-256QAM	M	Inner_1RB_Left	18.54	22.01	0.159	PASS
n41	30	20	CP-256QAM	M	Inner_1RB_Right	18.66	22.13	0.163	PASS
n41	30	20	CP-256QAM	M	Edge_1RB_Right	18.71	22.18	0.165	PASS
n41	30	20	CP-256QAM	M	Inner_Full	18.65	22.12	0.163	PASS
n41	30	20	CP-256QAM	M	Outer_Full	18.6	22.07	0.161	PASS

n41	30	20	DFT-BPSK	H	Edge_1RB_Left	21.6	25.07	0.321	PASS
n41	30	20	DFT-BPSK	H	Inner_1RB_Left	24.59	28.06	0.640	PASS
n41	30	20	DFT-BPSK	H	Inner_1RB_Right	24.58	28.05	0.638	PASS
n41	30	20	DFT-BPSK	H	Edge_1RB_Right	21.56	25.03	0.318	PASS
n41	30	20	DFT-BPSK	H	Inner_Full	24.52	27.99	0.630	PASS
n41	30	20	DFT-BPSK	H	Outer_Full	24.1	27.57	0.571	PASS
n41	30	20	DFT-QPSK	H	Edge_1RB_Left	21.55	25.02	0.318	PASS
n41	30	20	DFT-QPSK	H	Inner_1RB_Left	24.78	28.25	0.668	PASS
n41	30	20	DFT-QPSK	H	Inner_1RB_Right	24.79	28.26	0.670	PASS
n41	30	20	DFT-QPSK	H	Edge_1RB_Right	21.49	24.96	0.313	PASS
n41	30	20	DFT-QPSK	H	Inner_Full	24.51	27.98	0.628	PASS
n41	30	20	DFT-QPSK	H	Outer_Full	23.65	27.12	0.515	PASS
n41	30	20	DFT-16QAM	H	Edge_1RB_Left	21.51	24.98	0.315	PASS
n41	30	20	DFT-16QAM	H	Inner_1RB_Left	23.67	27.14	0.518	PASS
n41	30	20	DFT-16QAM	H	Inner_1RB_Right	23.57	27.04	0.506	PASS
n41	30	20	DFT-16QAM	H	Edge_1RB_Right	21.34	24.81	0.303	PASS
n41	30	20	DFT-16QAM	H	Inner_Full	23.7	27.17	0.521	PASS
n41	30	20	DFT-16QAM	H	Outer_Full	22.85	26.32	0.429	PASS
n41	30	20	DFT-64QAM	H	Edge_1RB_Left	21.86	25.33	0.341	PASS
n41	30	20	DFT-64QAM	H	Inner_1RB_Left	22.73	26.2	0.417	PASS
n41	30	20	DFT-64QAM	H	Inner_1RB_Right	22.64	26.11	0.408	PASS
n41	30	20	DFT-64QAM	H	Edge_1RB_Right	21.73	25.2	0.331	PASS
n41	30	20	DFT-64QAM	H	Inner_Full	22.46	25.93	0.392	PASS
n41	30	20	DFT-64QAM	H	Outer_Full	22.48	25.95	0.394	PASS
n41	30	20	DFT-256QAM	H	Edge_1RB_Left	20.69	24.16	0.261	PASS
n41	30	20	DFT-256QAM	H	Inner_1RB_Left	20.75	24.22	0.264	PASS
n41	30	20	DFT-256QAM	H	Inner_1RB_Right	20.72	24.19	0.262	PASS
n41	30	20	DFT-256QAM	H	Edge_1RB_Right	20.7	24.17	0.261	PASS
n41	30	20	DFT-256QAM	H	Inner_Full	20.71	24.18	0.262	PASS

n41	30	20	DFT-256QAM	H	Outer_Full	20.71	24.18	0.262	PASS
n41	30	20	CP-QPSK	H	Edge_1RB_Left	21.59	25.06	0.321	PASS
n41	30	20	CP-QPSK	H	Inner_1RB_Left	23.3	26.77	0.475	PASS
n41	30	20	CP-QPSK	H	Inner_1RB_Right	23.57	27.04	0.506	PASS
n41	30	20	CP-QPSK	H	Edge_1RB_Right	21.6	25.07	0.321	PASS
n41	30	20	CP-QPSK	H	Inner_Full	23.22	26.69	0.467	PASS
n41	30	20	CP-QPSK	H	Outer_Full	22.1	25.57	0.361	PASS
n41	30	20	CP-16QAM	H	Edge_1RB_Left	21.49	24.96	0.313	PASS
n41	30	20	CP-16QAM	H	Inner_1RB_Left	22.65	26.12	0.409	PASS
n41	30	20	CP-16QAM	H	Inner_1RB_Right	22.67	26.14	0.411	PASS
n41	30	20	CP-16QAM	H	Edge_1RB_Right	21.42	24.89	0.308	PASS
n41	30	20	CP-16QAM	H	Inner_Full	22.87	26.34	0.431	PASS
n41	30	20	CP-16QAM	H	Outer_Full	22.06	25.53	0.357	PASS
n41	30	20	CP-64QAM	H	Edge_1RB_Left	21.73	25.2	0.331	PASS
n41	30	20	CP-64QAM	H	Inner_1RB_Left	21.74	25.21	0.332	PASS
n41	30	20	CP-64QAM	H	Inner_1RB_Right	21.73	25.2	0.331	PASS
n41	30	20	CP-64QAM	H	Edge_1RB_Right	21.71	25.18	0.330	PASS
n41	30	20	CP-64QAM	H	Inner_Full	21.68	25.15	0.327	PASS
n41	30	20	CP-64QAM	H	Outer_Full	21.65	25.12	0.325	PASS
n41	30	20	CP-256QAM	H	Edge_1RB_Left	18.93	22.4	0.174	PASS
n41	30	20	CP-256QAM	H	Inner_1RB_Left	18.9	22.37	0.173	PASS
n41	30	20	CP-256QAM	H	Inner_1RB_Right	18.83	22.3	0.170	PASS
n41	30	20	CP-256QAM	H	Edge_1RB_Right	18.91	22.38	0.173	PASS
n41	30	20	CP-256QAM	H	Inner_Full	18.9	22.37	0.173	PASS
n41	30	20	CP-256QAM	H	Outer_Full	18.94	22.41	0.174	PASS
n41	30	30	DFT-BPSK	L	Edge_1RB_Left	21.08	24.55	0.285	PASS
n41	30	30	DFT-BPSK	L	Inner_1RB_Left	24.54	28.01	0.632	PASS
n41	30	30	DFT-BPSK	L	Inner_1RB_Right	23.69	27.16	0.520	PASS
n41	30	30	DFT-BPSK	L	Edge_1RB_Right	20.65	24.12	0.258	PASS

n41	30	30	DFT-BPSK	L	Inner_Full	23.75	27.22	0.527	PASS
n41	30	30	DFT-BPSK	L	Outer_Full	23.48	26.95	0.495	PASS
n41	30	30	DFT-QPSK	L	Edge_1RB_Left	21.06	24.53	0.284	PASS
n41	30	30	DFT-QPSK	L	Inner_1RB_Left	24.39	27.86	0.611	PASS
n41	30	30	DFT-QPSK	L	Inner_1RB_Right	23.76	27.23	0.528	PASS
n41	30	30	DFT-QPSK	L	Edge_1RB_Right	20.6	24.07	0.255	PASS
n41	30	30	DFT-QPSK	L	Inner_Full	23.72	27.19	0.524	PASS
n41	30	30	DFT-QPSK	L	Outer_Full	23.11	26.58	0.455	PASS
n41	30	30	DFT-16QAM	L	Edge_1RB_Left	20.88	24.35	0.272	PASS
n41	30	30	DFT-16QAM	L	Inner_1RB_Left	23.36	26.83	0.482	PASS
n41	30	30	DFT-16QAM	L	Inner_1RB_Right	22.74	26.21	0.418	PASS
n41	30	30	DFT-16QAM	L	Edge_1RB_Right	20.54	24.01	0.252	PASS
n41	30	30	DFT-16QAM	L	Inner_Full	22.89	26.36	0.433	PASS
n41	30	30	DFT-16QAM	L	Outer_Full	22.22	25.69	0.371	PASS
n41	30	30	DFT-64QAM	L	Edge_1RB_Left	21.25	24.72	0.296	PASS
n41	30	30	DFT-64QAM	L	Inner_1RB_Left	22.15	25.62	0.365	PASS
n41	30	30	DFT-64QAM	L	Inner_1RB_Right	21.6	25.07	0.321	PASS
n41	30	30	DFT-64QAM	L	Edge_1RB_Right	20.82	24.29	0.269	PASS
n41	30	30	DFT-64QAM	L	Inner_Full	21.6	25.07	0.321	PASS
n41	30	30	DFT-64QAM	L	Outer_Full	21.71	25.18	0.330	PASS
n41	30	30	DFT-256QAM	L	Edge_1RB_Left	20.2	23.67	0.233	PASS
n41	30	30	DFT-256QAM	L	Inner_1RB_Left	20.07	23.54	0.226	PASS
n41	30	30	DFT-256QAM	L	Inner_1RB_Right	19.74	23.21	0.209	PASS
n41	30	30	DFT-256QAM	L	Edge_1RB_Right	19.79	23.26	0.212	PASS
n41	30	30	DFT-256QAM	L	Inner_Full	19.8	23.27	0.212	PASS
n41	30	30	DFT-256QAM	L	Outer_Full	19.9	23.37	0.217	PASS
n41	30	30	CP-QPSK	L	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	30	CP-QPSK	L	Inner_1RB_Left	22.8	26.27	0.424	PASS
n41	30	30	CP-QPSK	L	Inner_1RB_Right	22.57	26.04	0.402	PASS

n41	30	30	CP-QPSK	L	Edge_1RB_Right	20.74	24.21	0.264	PASS
n41	30	30	CP-QPSK	L	Inner_Full	22.6	26.07	0.405	PASS
n41	30	30	CP-QPSK	L	Outer_Full	21.25	24.72	0.296	PASS
n41	30	30	CP-16QAM	L	Edge_1RB_Left	20.79	24.26	0.267	PASS
n41	30	30	CP-16QAM	L	Inner_1RB_Left	22.06	25.53	0.357	PASS
n41	30	30	CP-16QAM	L	Inner_1RB_Right	21.84	25.31	0.340	PASS
n41	30	30	CP-16QAM	L	Edge_1RB_Right	20.5	23.97	0.249	PASS
n41	30	30	CP-16QAM	L	Inner_Full	22.14	25.61	0.364	PASS
n41	30	30	CP-16QAM	L	Outer_Full	21.32	24.79	0.301	PASS
n41	30	30	CP-64QAM	L	Edge_1RB_Left	21.15	24.62	0.290	PASS
n41	30	30	CP-64QAM	L	Inner_1RB_Left	21.27	24.74	0.298	PASS
n41	30	30	CP-64QAM	L	Inner_1RB_Right	20.75	24.22	0.264	PASS
n41	30	30	CP-64QAM	L	Edge_1RB_Right	20.76	24.23	0.265	PASS
n41	30	30	CP-64QAM	L	Inner_Full	20.73	24.2	0.263	PASS
n41	30	30	CP-64QAM	L	Outer_Full	20.84	24.31	0.270	PASS
n41	30	30	CP-256QAM	L	Edge_1RB_Left	18.37	21.84	0.153	PASS
n41	30	30	CP-256QAM	L	Inner_1RB_Left	18.26	21.73	0.149	PASS
n41	30	30	CP-256QAM	L	Inner_1RB_Right	17.83	21.3	0.135	PASS
n41	30	30	CP-256QAM	L	Edge_1RB_Right	18.05	21.52	0.142	PASS
n41	30	30	CP-256QAM	L	Inner_Full	18.02	21.49	0.141	PASS
n41	30	30	CP-256QAM	L	Outer_Full	18.12	21.59	0.144	PASS
n41	30	30	DFT-BPSK	M	Edge_1RB_Left	21.28	24.75	0.299	PASS
n41	30	30	DFT-BPSK	M	Inner_1RB_Left	24.81	28.28	0.673	PASS
n41	30	30	DFT-BPSK	M	Inner_1RB_Right	24.47	27.94	0.622	PASS
n41	30	30	DFT-BPSK	M	Edge_1RB_Right	21.29	24.76	0.299	PASS
n41	30	30	DFT-BPSK	M	Inner_Full	24.63	28.1	0.646	PASS
n41	30	30	DFT-BPSK	M	Outer_Full	24.24	27.71	0.590	PASS
n41	30	30	DFT-QPSK	M	Edge_1RB_Left	21.25	24.72	0.296	PASS
n41	30	30	DFT-QPSK	M	Inner_1RB_Left	25.02	28.49	0.706	PASS

n41	30	30	DFT-QPSK	M	Inner_1RB_Right	24.43	27.9	0.617	PASS
n41	30	30	DFT-QPSK	M	Edge_1RB_Right	21.24	24.71	0.296	PASS
n41	30	30	DFT-QPSK	M	Inner_Full	24.76	28.23	0.665	PASS
n41	30	30	DFT-QPSK	M	Outer_Full	23.92	27.39	0.548	PASS
n41	30	30	DFT-16QAM	M	Edge_1RB_Left	21.15	24.62	0.290	PASS
n41	30	30	DFT-16QAM	M	Inner_1RB_Left	23.74	27.21	0.526	PASS
n41	30	30	DFT-16QAM	M	Inner_1RB_Right	23.57	27.04	0.506	PASS
n41	30	30	DFT-16QAM	M	Edge_1RB_Right	21.12	24.59	0.288	PASS
n41	30	30	DFT-16QAM	M	Inner_Full	23.82	27.29	0.536	PASS
n41	30	30	DFT-16QAM	M	Outer_Full	22.94	26.41	0.438	PASS
n41	30	30	DFT-64QAM	M	Edge_1RB_Left	21.47	24.94	0.312	PASS
n41	30	30	DFT-64QAM	M	Inner_1RB_Left	22.41	25.88	0.387	PASS
n41	30	30	DFT-64QAM	M	Inner_1RB_Right	22.3	25.77	0.378	PASS
n41	30	30	DFT-64QAM	M	Edge_1RB_Right	21.46	24.93	0.311	PASS
n41	30	30	DFT-64QAM	M	Inner_Full	22.43	25.9	0.389	PASS
n41	30	30	DFT-64QAM	M	Outer_Full	22.43	25.9	0.389	PASS
n41	30	30	DFT-256QAM	M	Edge_1RB_Left	20.32	23.79	0.239	PASS
n41	30	30	DFT-256QAM	M	Inner_1RB_Left	20.32	23.79	0.239	PASS
n41	30	30	DFT-256QAM	M	Inner_1RB_Right	20.33	23.8	0.240	PASS
n41	30	30	DFT-256QAM	M	Edge_1RB_Right	20.36	23.83	0.242	PASS
n41	30	30	DFT-256QAM	M	Inner_Full	20.46	23.93	0.247	PASS
n41	30	30	DFT-256QAM	M	Outer_Full	20.52	23.99	0.251	PASS
n41	30	30	CP-QPSK	M	Edge_1RB_Left	21.37	24.84	0.305	PASS
n41	30	30	CP-QPSK	M	Inner_1RB_Left	23.02	26.49	0.446	PASS
n41	30	30	CP-QPSK	M	Inner_1RB_Right	23.19	26.66	0.463	PASS
n41	30	30	CP-QPSK	M	Edge_1RB_Right	21.32	24.79	0.301	PASS
n41	30	30	CP-QPSK	M	Inner_Full	23.41	26.88	0.488	PASS
n41	30	30	CP-QPSK	M	Outer_Full	21.81	25.28	0.337	PASS
n41	30	30	CP-16QAM	M	Edge_1RB_Left	21.21	24.68	0.294	PASS

n41	30	30	CP-16QAM	M	Inner_1RB_Left	22.68	26.15	0.412	PASS
n41	30	30	CP-16QAM	M	Inner_1RB_Right	22.57	26.04	0.402	PASS
n41	30	30	CP-16QAM	M	Edge_1RB_Right	21.11	24.58	0.287	PASS
n41	30	30	CP-16QAM	M	Inner_Full	23.01	26.48	0.445	PASS
n41	30	30	CP-16QAM	M	Outer_Full	21.94	25.41	0.348	PASS
n41	30	30	CP-64QAM	M	Edge_1RB_Left	21.36	24.83	0.304	PASS
n41	30	30	CP-64QAM	M	Inner_1RB_Left	21.41	24.88	0.308	PASS
n41	30	30	CP-64QAM	M	Inner_1RB_Right	21.42	24.89	0.308	PASS
n41	30	30	CP-64QAM	M	Edge_1RB_Right	21.44	24.91	0.310	PASS
n41	30	30	CP-64QAM	M	Inner_Full	21.49	24.96	0.313	PASS
n41	30	30	CP-64QAM	M	Outer_Full	21.45	24.92	0.310	PASS
n41	30	30	CP-256QAM	M	Edge_1RB_Left	18.43	21.9	0.155	PASS
n41	30	30	CP-256QAM	M	Inner_1RB_Left	18.37	21.84	0.153	PASS
n41	30	30	CP-256QAM	M	Inner_1RB_Right	18.56	22.03	0.160	PASS
n41	30	30	CP-256QAM	M	Edge_1RB_Right	18.5	21.97	0.157	PASS
n41	30	30	CP-256QAM	M	Inner_Full	18.64	22.11	0.163	PASS
n41	30	30	CP-256QAM	M	Outer_Full	18.61	22.08	0.161	PASS
n41	30	30	DFT-BPSK	H	Edge_1RB_Left	21.54	25.01	0.317	PASS
n41	30	30	DFT-BPSK	H	Inner_1RB_Left	24.72	28.19	0.659	PASS
n41	30	30	DFT-BPSK	H	Inner_1RB_Right	24.56	28.03	0.635	PASS
n41	30	30	DFT-BPSK	H	Edge_1RB_Right	21.5	24.97	0.314	PASS
n41	30	30	DFT-BPSK	H	Inner_Full	24.7	28.17	0.656	PASS
n41	30	30	DFT-BPSK	H	Outer_Full	24.24	27.71	0.590	PASS
n41	30	30	DFT-QPSK	H	Edge_1RB_Left	21.5	24.97	0.314	PASS
n41	30	30	DFT-QPSK	H	Inner_1RB_Left	24.65	28.12	0.649	PASS
n41	30	30	DFT-QPSK	H	Inner_1RB_Right	24.53	28	0.631	PASS
n41	30	30	DFT-QPSK	H	Edge_1RB_Right	21.45	24.92	0.310	PASS
n41	30	30	DFT-QPSK	H	Inner_Full	24.71	28.18	0.658	PASS
n41	30	30	DFT-QPSK	H	Outer_Full	23.89	27.36	0.545	PASS

n41	30	30	DFT-16QAM	H	Edge_1RB_Left	21.42	24.89	0.308	PASS
n41	30	30	DFT-16QAM	H	Inner_1RB_Left	23.75	27.22	0.527	PASS
n41	30	30	DFT-16QAM	H	Inner_1RB_Right	23.49	26.96	0.497	PASS
n41	30	30	DFT-16QAM	H	Edge_1RB_Right	21.31	24.78	0.301	PASS
n41	30	30	DFT-16QAM	H	Inner_Full	23.9	27.37	0.546	PASS
n41	30	30	DFT-16QAM	H	Outer_Full	22.93	26.4	0.437	PASS
n41	30	30	DFT-64QAM	H	Edge_1RB_Left	21.72	25.19	0.330	PASS
n41	30	30	DFT-64QAM	H	Inner_1RB_Left	22.47	25.94	0.393	PASS
n41	30	30	DFT-64QAM	H	Inner_1RB_Right	22.37	25.84	0.384	PASS
n41	30	30	DFT-64QAM	H	Edge_1RB_Right	21.62	25.09	0.323	PASS
n41	30	30	DFT-64QAM	H	Inner_Full	22.61	26.08	0.406	PASS
n41	30	30	DFT-64QAM	H	Outer_Full	22.55	26.02	0.400	PASS
n41	30	30	DFT-256QAM	H	Edge_1RB_Left	20.6	24.07	0.255	PASS
n41	30	30	DFT-256QAM	H	Inner_1RB_Left	20.62	24.09	0.256	PASS
n41	30	30	DFT-256QAM	H	Inner_1RB_Right	20.61	24.08	0.256	PASS
n41	30	30	DFT-256QAM	H	Edge_1RB_Right	20.57	24.04	0.254	PASS
n41	30	30	DFT-256QAM	H	Inner_Full	20.76	24.23	0.265	PASS
n41	30	30	DFT-256QAM	H	Outer_Full	20.75	24.22	0.264	PASS
n41	30	30	CP-QPSK	H	Edge_1RB_Left	21.59	25.06	0.321	PASS
n41	30	30	CP-QPSK	H	Inner_1RB_Left	23.38	26.85	0.484	PASS
n41	30	30	CP-QPSK	H	Inner_1RB_Right	23.26	26.73	0.471	PASS
n41	30	30	CP-QPSK	H	Edge_1RB_Right	21.47	24.94	0.312	PASS
n41	30	30	CP-QPSK	H	Inner_Full	23.4	26.87	0.486	PASS
n41	30	30	CP-QPSK	H	Outer_Full	22.12	25.59	0.362	PASS
n41	30	30	CP-16QAM	H	Edge_1RB_Left	21.3	24.77	0.300	PASS
n41	30	30	CP-16QAM	H	Inner_1RB_Left	22.62	26.09	0.406	PASS
n41	30	30	CP-16QAM	H	Inner_1RB_Right	22.51	25.98	0.396	PASS
n41	30	30	CP-16QAM	H	Edge_1RB_Right	21.2	24.67	0.293	PASS
n41	30	30	CP-16QAM	H	Inner_Full	23.04	26.51	0.448	PASS

n41	30	30	CP-16QAM	H	Outer_Full	22.15	25.62	0.365	PASS
n41	30	30	CP-64QAM	H	Edge_1RB_Left	21.69	25.16	0.328	PASS
n41	30	30	CP-64QAM	H	Inner_1RB_Left	21.71	25.18	0.330	PASS
n41	30	30	CP-64QAM	H	Inner_1RB_Right	21.61	25.08	0.322	PASS
n41	30	30	CP-64QAM	H	Edge_1RB_Right	21.67	25.14	0.327	PASS
n41	30	30	CP-64QAM	H	Inner_Full	21.73	25.2	0.331	PASS
n41	30	30	CP-64QAM	H	Outer_Full	21.61	25.08	0.322	PASS
n41	30	30	CP-256QAM	H	Edge_1RB_Left	18.72	22.19	0.166	PASS
n41	30	30	CP-256QAM	H	Inner_1RB_Left	18.8	22.27	0.169	PASS
n41	30	30	CP-256QAM	H	Inner_1RB_Right	18.75	22.22	0.167	PASS
n41	30	30	CP-256QAM	H	Edge_1RB_Right	18.8	22.27	0.169	PASS
n41	30	30	CP-256QAM	H	Inner_Full	18.97	22.44	0.175	PASS
n41	30	30	CP-256QAM	H	Outer_Full	18.95	22.42	0.175	PASS
n41	30	40	DFT-BPSK	L	Edge_1RB_Left	21.05	24.52	0.283	PASS
n41	30	40	DFT-BPSK	L	Inner_1RB_Left	24.37	27.84	0.608	PASS
n41	30	40	DFT-BPSK	L	Inner_1RB_Right	24.33	27.8	0.603	PASS
n41	30	40	DFT-BPSK	L	Edge_1RB_Right	21.09	24.56	0.286	PASS
n41	30	40	DFT-BPSK	L	Inner_Full	23.6	27.07	0.509	PASS
n41	30	40	DFT-BPSK	L	Outer_Full	23.52	26.99	0.500	PASS
n41	30	40	DFT-QPSK	L	Edge_1RB_Left	21.06	24.53	0.284	PASS
n41	30	40	DFT-QPSK	L	Inner_1RB_Left	24.53	28	0.631	PASS
n41	30	40	DFT-QPSK	L	Inner_1RB_Right	24.33	27.8	0.603	PASS
n41	30	40	DFT-QPSK	L	Edge_1RB_Right	21.04	24.51	0.282	PASS
n41	30	40	DFT-QPSK	L	Inner_Full	23.64	27.11	0.514	PASS
n41	30	40	DFT-QPSK	L	Outer_Full	23.14	26.61	0.458	PASS
n41	30	40	DFT-16QAM	L	Edge_1RB_Left	20.88	24.35	0.272	PASS
n41	30	40	DFT-16QAM	L	Inner_1RB_Left	23.37	26.84	0.483	PASS
n41	30	40	DFT-16QAM	L	Inner_1RB_Right	23.32	26.79	0.478	PASS
n41	30	40	DFT-16QAM	L	Edge_1RB_Right	21	24.47	0.280	PASS

n41	30	40	DFT-16QAM	L	Inner_Full	22.88	26.35	0.432	PASS
n41	30	40	DFT-16QAM	L	Outer_Full	22.24	25.71	0.372	PASS
n41	30	40	DFT-64QAM	L	Edge_1RB_Left	21.27	24.74	0.298	PASS
n41	30	40	DFT-64QAM	L	Inner_1RB_Left	22.19	25.66	0.368	PASS
n41	30	40	DFT-64QAM	L	Inner_1RB_Right	22.13	25.6	0.363	PASS
n41	30	40	DFT-64QAM	L	Edge_1RB_Right	21.2	24.67	0.293	PASS
n41	30	40	DFT-64QAM	L	Inner_Full	21.49	24.96	0.313	PASS
n41	30	40	DFT-64QAM	L	Outer_Full	21.77	25.24	0.334	PASS
n41	30	40	DFT-256QAM	L	Edge_1RB_Left	20.15	23.62	0.230	PASS
n41	30	40	DFT-256QAM	L	Inner_1RB_Left	20.12	23.59	0.229	PASS
n41	30	40	DFT-256QAM	L	Inner_1RB_Right	20.15	23.62	0.230	PASS
n41	30	40	DFT-256QAM	L	Edge_1RB_Right	20.18	23.65	0.232	PASS
n41	30	40	DFT-256QAM	L	Inner_Full	19.71	23.18	0.208	PASS
n41	30	40	DFT-256QAM	L	Outer_Full	19.99	23.46	0.222	PASS
n41	30	40	CP-QPSK	L	Edge_1RB_Left	21.05	24.52	0.283	PASS
n41	30	40	CP-QPSK	L	Inner_1RB_Left	22.68	26.15	0.412	PASS
n41	30	40	CP-QPSK	L	Inner_1RB_Right	23.11	26.58	0.455	PASS
n41	30	40	CP-QPSK	L	Edge_1RB_Right	21.14	24.61	0.289	PASS
n41	30	40	CP-QPSK	L	Inner_Full	22.39	25.86	0.385	PASS
n41	30	40	CP-QPSK	L	Outer_Full	21.32	24.79	0.301	PASS
n41	30	40	CP-16QAM	L	Edge_1RB_Left	20.91	24.38	0.274	PASS
n41	30	40	CP-16QAM	L	Inner_1RB_Left	22.37	25.84	0.384	PASS
n41	30	40	CP-16QAM	L	Inner_1RB_Right	22.41	25.88	0.387	PASS
n41	30	40	CP-16QAM	L	Edge_1RB_Right	20.87	24.34	0.272	PASS
n41	30	40	CP-16QAM	L	Inner_Full	22.08	25.55	0.359	PASS
n41	30	40	CP-16QAM	L	Outer_Full	21.43	24.9	0.309	PASS
n41	30	40	CP-64QAM	L	Edge_1RB_Left	21.18	24.65	0.292	PASS
n41	30	40	CP-64QAM	L	Inner_1RB_Left	21.22	24.69	0.294	PASS
n41	30	40	CP-64QAM	L	Inner_1RB_Right	21.24	24.71	0.296	PASS

n41	30	40	CP-64QAM	L	Edge_1RB_Right	21.12	24.59	0.288	PASS
n41	30	40	CP-64QAM	L	Inner_Full	20.65	24.12	0.258	PASS
n41	30	40	CP-64QAM	L	Outer_Full	20.98	24.45	0.279	PASS
n41	30	40	CP-256QAM	L	Edge_1RB_Left	18.27	21.74	0.149	PASS
n41	30	40	CP-256QAM	L	Inner_1RB_Left	18.41	21.88	0.154	PASS
n41	30	40	CP-256QAM	L	Inner_1RB_Right	18.3	21.77	0.150	PASS
n41	30	40	CP-256QAM	L	Edge_1RB_Right	18.29	21.76	0.150	PASS
n41	30	40	CP-256QAM	L	Inner_Full	18	21.47	0.140	PASS
n41	30	40	CP-256QAM	L	Outer_Full	18.22	21.69	0.148	PASS
n41	30	40	DFT-BPSK	M	Edge_1RB_Left	21.31	24.78	0.301	PASS
n41	30	40	DFT-BPSK	M	Inner_1RB_Left	24.91	28.38	0.689	PASS
n41	30	40	DFT-BPSK	M	Inner_1RB_Right	24.47	27.94	0.622	PASS
n41	30	40	DFT-BPSK	M	Edge_1RB_Right	21.24	24.71	0.296	PASS
n41	30	40	DFT-BPSK	M	Inner_Full	24.78	28.25	0.668	PASS
n41	30	40	DFT-BPSK	M	Outer_Full	20.6	24.07	0.255	PASS
n41	30	40	DFT-QPSK	M	Edge_1RB_Left	21.38	24.85	0.305	PASS
n41	30	40	DFT-QPSK	M	Inner_1RB_Left	24.82	28.29	0.675	PASS
n41	30	40	DFT-QPSK	M	Inner_1RB_Right	24.62	28.09	0.644	PASS
n41	30	40	DFT-QPSK	M	Edge_1RB_Right	21.21	24.68	0.294	PASS
n41	30	40	DFT-QPSK	M	Inner_Full	24.79	28.26	0.670	PASS
n41	30	40	DFT-QPSK	M	Outer_Full	23.89	27.36	0.545	PASS
n41	30	40	DFT-16QAM	M	Edge_1RB_Left	21.22	24.69	0.294	PASS
n41	30	40	DFT-16QAM	M	Inner_1RB_Left	23.68	27.15	0.519	PASS
n41	30	40	DFT-16QAM	M	Inner_1RB_Right	23.49	26.96	0.497	PASS
n41	30	40	DFT-16QAM	M	Edge_1RB_Right	21.08	24.55	0.285	PASS
n41	30	40	DFT-16QAM	M	Inner_Full	23.92	27.39	0.548	PASS
n41	30	40	DFT-16QAM	M	Outer_Full	23.04	26.51	0.448	PASS
n41	30	40	DFT-64QAM	M	Edge_1RB_Left	21.54	25.01	0.317	PASS
n41	30	40	DFT-64QAM	M	Inner_1RB_Left	22.27	25.74	0.375	PASS

n41	30	40	DFT-64QAM	M	Inner_1RB_Right	22.27	25.74	0.375	PASS
n41	30	40	DFT-64QAM	M	Edge_1RB_Right	21.24	24.71	0.296	PASS
n41	30	40	DFT-64QAM	M	Inner_Full	22.39	25.86	0.385	PASS
n41	30	40	DFT-64QAM	M	Outer_Full	22.42	25.89	0.388	PASS
n41	30	40	DFT-256QAM	M	Edge_1RB_Left	20.29	23.76	0.238	PASS
n41	30	40	DFT-256QAM	M	Inner_1RB_Left	20.37	23.84	0.242	PASS
n41	30	40	DFT-256QAM	M	Inner_1RB_Right	20.38	23.85	0.243	PASS
n41	30	40	DFT-256QAM	M	Edge_1RB_Right	20.24	23.71	0.235	PASS
n41	30	40	DFT-256QAM	M	Inner_Full	20.49	23.96	0.249	PASS
n41	30	40	DFT-256QAM	M	Outer_Full	20.52	23.99	0.251	PASS
n41	30	40	CP-QPSK	M	Edge_1RB_Left	21.25	24.72	0.296	PASS
n41	30	40	CP-QPSK	M	Inner_1RB_Left	23.25	26.72	0.470	PASS
n41	30	40	CP-QPSK	M	Inner_1RB_Right	22.81	26.28	0.425	PASS
n41	30	40	CP-QPSK	M	Edge_1RB_Right	21.18	24.65	0.292	PASS
n41	30	40	CP-QPSK	M	Inner_Full	23.31	26.78	0.476	PASS
n41	30	40	CP-QPSK	M	Outer_Full	21.87	25.34	0.342	PASS
n41	30	40	CP-16QAM	M	Edge_1RB_Left	21.13	24.6	0.288	PASS
n41	30	40	CP-16QAM	M	Inner_1RB_Left	22.38	25.85	0.385	PASS
n41	30	40	CP-16QAM	M	Inner_1RB_Right	22.59	26.06	0.404	PASS
n41	30	40	CP-16QAM	M	Edge_1RB_Right	20.96	24.43	0.277	PASS
n41	30	40	CP-16QAM	M	Inner_Full	22.94	26.41	0.438	PASS
n41	30	40	CP-16QAM	M	Outer_Full	21.95	25.42	0.348	PASS
n41	30	40	CP-64QAM	M	Edge_1RB_Left	21.53	25	0.316	PASS
n41	30	40	CP-64QAM	M	Inner_1RB_Left	21.35	24.82	0.303	PASS
n41	30	40	CP-64QAM	M	Inner_1RB_Right	21.44	24.91	0.310	PASS
n41	30	40	CP-64QAM	M	Edge_1RB_Right	21.38	24.85	0.305	PASS
n41	30	40	CP-64QAM	M	Inner_Full	21.44	24.91	0.310	PASS
n41	30	40	CP-64QAM	M	Outer_Full	21.47	24.94	0.312	PASS
n41	30	40	CP-256QAM	M	Edge_1RB_Left	18.55	22.02	0.159	PASS

n41	30	40	CP-256QAM	M	Inner_1RB_Left	18.39	21.86	0.153	PASS
n41	30	40	CP-256QAM	M	Inner_1RB_Right	18.49	21.96	0.157	PASS
n41	30	40	CP-256QAM	M	Edge_1RB_Right	18.48	21.95	0.157	PASS
n41	30	40	CP-256QAM	M	Inner_Full	18.69	22.16	0.164	PASS
n41	30	40	CP-256QAM	M	Outer_Full	18.6	22.07	0.161	PASS
n41	30	40	DFT-BPSK	H	Edge_1RB_Left	21.25	24.72	0.296	PASS
n41	30	40	DFT-BPSK	H	Inner_1RB_Left	24.48	27.95	0.624	PASS
n41	30	40	DFT-BPSK	H	Inner_1RB_Right	24.53	28	0.631	PASS
n41	30	40	DFT-BPSK	H	Edge_1RB_Right	21.49	24.96	0.313	PASS
n41	30	40	DFT-BPSK	H	Inner_Full	24.75	28.22	0.664	PASS
n41	30	40	DFT-BPSK	H	Outer_Full	24.24	27.71	0.590	PASS
n41	30	40	DFT-QPSK	H	Edge_1RB_Left	21.21	24.68	0.294	PASS
n41	30	40	DFT-QPSK	H	Inner_1RB_Left	24.58	28.05	0.638	PASS
n41	30	40	DFT-QPSK	H	Inner_1RB_Right	24.63	28.1	0.646	PASS
n41	30	40	DFT-QPSK	H	Edge_1RB_Right	21.49	24.96	0.313	PASS
n41	30	40	DFT-QPSK	H	Inner_Full	24.75	28.22	0.664	PASS
n41	30	40	DFT-QPSK	H	Outer_Full	23.77	27.24	0.530	PASS
n41	30	40	DFT-16QAM	H	Edge_1RB_Left	21.01	24.48	0.281	PASS
n41	30	40	DFT-16QAM	H	Inner_1RB_Left	23.33	26.8	0.479	PASS
n41	30	40	DFT-16QAM	H	Inner_1RB_Right	23.47	26.94	0.494	PASS
n41	30	40	DFT-16QAM	H	Edge_1RB_Right	21.38	24.85	0.305	PASS
n41	30	40	DFT-16QAM	H	Inner_Full	23.95	27.42	0.552	PASS
n41	30	40	DFT-16QAM	H	Outer_Full	23.08	26.55	0.452	PASS
n41	30	40	DFT-64QAM	H	Edge_1RB_Left	21.46	24.93	0.311	PASS
n41	30	40	DFT-64QAM	H	Inner_1RB_Left	22.26	25.73	0.374	PASS
n41	30	40	DFT-64QAM	H	Inner_1RB_Right	22.4	25.87	0.386	PASS
n41	30	40	DFT-64QAM	H	Edge_1RB_Right	21.65	25.12	0.325	PASS
n41	30	40	DFT-64QAM	H	Inner_Full	22.62	26.09	0.406	PASS
n41	30	40	DFT-64QAM	H	Outer_Full	22.61	26.08	0.406	PASS

n41	30	40	DFT-256QAM	H	Edge_1RB_Left	20.33	23.8	0.240	PASS
n41	30	40	DFT-256QAM	H	Inner_1RB_Left	20.4	23.87	0.244	PASS
n41	30	40	DFT-256QAM	H	Inner_1RB_Right	20.54	24.01	0.252	PASS
n41	30	40	DFT-256QAM	H	Edge_1RB_Right	20.59	24.06	0.255	PASS
n41	30	40	DFT-256QAM	H	Inner_Full	20.81	24.28	0.268	PASS
n41	30	40	DFT-256QAM	H	Outer_Full	20.7	24.17	0.261	PASS
n41	30	40	CP-QPSK	H	Edge_1RB_Left	21.23	24.7	0.295	PASS
n41	30	40	CP-QPSK	H	Inner_1RB_Left	23.24	26.71	0.469	PASS
n41	30	40	CP-QPSK	H	Inner_1RB_Right	23.22	26.69	0.467	PASS
n41	30	40	CP-QPSK	H	Edge_1RB_Right	21.45	24.92	0.310	PASS
n41	30	40	CP-QPSK	H	Inner_Full	23.42	26.89	0.489	PASS
n41	30	40	CP-QPSK	H	Outer_Full	22	25.47	0.352	PASS
n41	30	40	CP-16QAM	H	Edge_1RB_Left	20.92	24.39	0.275	PASS
n41	30	40	CP-16QAM	H	Inner_1RB_Left	22.45	25.92	0.391	PASS
n41	30	40	CP-16QAM	H	Inner_1RB_Right	22.59	26.06	0.404	PASS
n41	30	40	CP-16QAM	H	Edge_1RB_Right	21.27	24.74	0.298	PASS
n41	30	40	CP-16QAM	H	Inner_Full	23.01	26.48	0.445	PASS
n41	30	40	CP-16QAM	H	Outer_Full	22.11	25.58	0.361	PASS
n41	30	40	CP-64QAM	H	Edge_1RB_Left	21.34	24.81	0.303	PASS
n41	30	40	CP-64QAM	H	Inner_1RB_Left	21.47	24.94	0.312	PASS
n41	30	40	CP-64QAM	H	Inner_1RB_Right	21.68	25.15	0.327	PASS
n41	30	40	CP-64QAM	H	Edge_1RB_Right	21.6	25.07	0.321	PASS
n41	30	40	CP-64QAM	H	Inner_Full	21.65	25.12	0.325	PASS
n41	30	40	CP-64QAM	H	Outer_Full	21.67	25.14	0.327	PASS
n41	30	40	CP-256QAM	H	Edge_1RB_Left	18.46	21.93	0.156	PASS
n41	30	40	CP-256QAM	H	Inner_1RB_Left	18.51	21.98	0.158	PASS
n41	30	40	CP-256QAM	H	Inner_1RB_Right	18.82	22.29	0.169	PASS
n41	30	40	CP-256QAM	H	Edge_1RB_Right	18.69	22.16	0.164	PASS
n41	30	40	CP-256QAM	H	Inner_Full	19	22.47	0.177	PASS

n41	30	40	CP-256QAM	H	Outer_Full	18.86	22.33	0.171	PASS
n41	30	50	DFT-BPSK	L	Edge_1RB_Left	21.06	24.53	0.284	PASS
n41	30	50	DFT-BPSK	L	Inner_1RB_Left	24.3	27.77	0.598	PASS
n41	30	50	DFT-BPSK	L	Inner_1RB_Right	24.51	27.98	0.628	PASS
n41	30	50	DFT-BPSK	L	Edge_1RB_Right	21.08	24.55	0.285	PASS
n41	30	50	DFT-BPSK	L	Inner_Full	23.8	27.27	0.533	PASS
n41	30	50	DFT-BPSK	L	Outer_Full	23.8	27.27	0.533	PASS
n41	30	50	DFT-QPSK	L	Edge_1RB_Left	21.07	24.54	0.284	PASS
n41	30	50	DFT-QPSK	L	Inner_1RB_Left	24.63	28.1	0.646	PASS
n41	30	50	DFT-QPSK	L	Inner_1RB_Right	24.64	28.11	0.647	PASS
n41	30	50	DFT-QPSK	L	Edge_1RB_Right	21.12	24.59	0.288	PASS
n41	30	50	DFT-QPSK	L	Inner_Full	23.81	27.28	0.535	PASS
n41	30	50	DFT-QPSK	L	Outer_Full	23.31	26.78	0.476	PASS
n41	30	50	DFT-16QAM	L	Edge_1RB_Left	20.97	24.44	0.278	PASS
n41	30	50	DFT-16QAM	L	Inner_1RB_Left	23.66	27.13	0.516	PASS
n41	30	50	DFT-16QAM	L	Inner_1RB_Right	23.48	26.95	0.495	PASS
n41	30	50	DFT-16QAM	L	Edge_1RB_Right	20.86	24.33	0.271	PASS
n41	30	50	DFT-16QAM	L	Inner_Full	23.01	26.48	0.445	PASS
n41	30	50	DFT-16QAM	L	Outer_Full	22.56	26.03	0.401	PASS
n41	30	50	DFT-64QAM	L	Edge_1RB_Left	21.3	24.77	0.300	PASS
n41	30	50	DFT-64QAM	L	Inner_1RB_Left	22.19	25.66	0.368	PASS
n41	30	50	DFT-64QAM	L	Inner_1RB_Right	22.06	25.53	0.357	PASS
n41	30	50	DFT-64QAM	L	Edge_1RB_Right	21.22	24.69	0.294	PASS
n41	30	50	DFT-64QAM	L	Inner_Full	21.64	25.11	0.324	PASS
n41	30	50	DFT-64QAM	L	Outer_Full	21.96	25.43	0.349	PASS
n41	30	50	DFT-256QAM	L	Edge_1RB_Left	20.11	23.58	0.228	PASS
n41	30	50	DFT-256QAM	L	Inner_1RB_Left	20.13	23.6	0.229	PASS
n41	30	50	DFT-256QAM	L	Inner_1RB_Right	20.15	23.62	0.230	PASS
n41	30	50	DFT-256QAM	L	Edge_1RB_Right	20.08	23.55	0.226	PASS

n41	30	50	DFT-256QAM	L	Inner_Full	19.87	23.34	0.216	PASS
n41	30	50	DFT-256QAM	L	Outer_Full	20.13	23.6	0.229	PASS
n41	30	50	CP-QPSK	L	Edge_1RB_Left	21.17	24.64	0.291	PASS
n41	30	50	CP-QPSK	L	Inner_1RB_Left	23.1	26.57	0.454	PASS
n41	30	50	CP-QPSK	L	Inner_1RB_Right	22.9	26.37	0.434	PASS
n41	30	50	CP-QPSK	L	Edge_1RB_Right	20.98	24.45	0.279	PASS
n41	30	50	CP-QPSK	L	Inner_Full	22.59	26.06	0.404	PASS
n41	30	50	CP-QPSK	L	Outer_Full	21.53	25	0.316	PASS
n41	30	50	CP-16QAM	L	Edge_1RB_Left	20.74	24.21	0.264	PASS
n41	30	50	CP-16QAM	L	Inner_1RB_Left	22.34	25.81	0.381	PASS
n41	30	50	CP-16QAM	L	Inner_1RB_Right	22.3	25.77	0.378	PASS
n41	30	50	CP-16QAM	L	Edge_1RB_Right	20.84	24.31	0.270	PASS
n41	30	50	CP-16QAM	L	Inner_Full	22.23	25.7	0.372	PASS
n41	30	50	CP-16QAM	L	Outer_Full	21.55	25.02	0.318	PASS
n41	30	50	CP-64QAM	L	Edge_1RB_Left	21.18	24.65	0.292	PASS
n41	30	50	CP-64QAM	L	Inner_1RB_Left	21.2	24.67	0.293	PASS
n41	30	50	CP-64QAM	L	Inner_1RB_Right	21.19	24.66	0.292	PASS
n41	30	50	CP-64QAM	L	Edge_1RB_Right	21.12	24.59	0.288	PASS
n41	30	50	CP-64QAM	L	Inner_Full	20.87	24.34	0.272	PASS
n41	30	50	CP-64QAM	L	Outer_Full	21.11	24.58	0.287	PASS
n41	30	50	CP-256QAM	L	Edge_1RB_Left	18.25	21.72	0.149	PASS
n41	30	50	CP-256QAM	L	Inner_1RB_Left	18.22	21.69	0.148	PASS
n41	30	50	CP-256QAM	L	Inner_1RB_Right	18.22	21.69	0.148	PASS
n41	30	50	CP-256QAM	L	Edge_1RB_Right	18.24	21.71	0.148	PASS
n41	30	50	CP-256QAM	L	Inner_Full	18.14	21.61	0.145	PASS
n41	30	50	CP-256QAM	L	Outer_Full	18.36	21.83	0.152	PASS
n41	30	50	DFT-BPSK	M	Edge_1RB_Left	21.36	24.83	0.304	PASS
n41	30	50	DFT-BPSK	M	Inner_1RB_Left	24.92	28.39	0.690	PASS
n41	30	50	DFT-BPSK	M	Inner_1RB_Right	24.42	27.89	0.615	PASS

n41	30	50	DFT-BPSK	M	Edge_1RB_Right	21.24	24.71	0.296	PASS
n41	30	50	DFT-BPSK	M	Inner_Full	24.8	28.27	0.671	PASS
n41	30	50	DFT-BPSK	M	Outer_Full	24.39	27.86	0.611	PASS
n41	30	50	DFT-QPSK	M	Edge_1RB_Left	21.31	24.78	0.301	PASS
n41	30	50	DFT-QPSK	M	Inner_1RB_Left	25.28	28.75	0.750	PASS
n41	30	50	DFT-QPSK	M	Inner_1RB_Right	24.38	27.85	0.610	PASS
n41	30	50	DFT-QPSK	M	Edge_1RB_Right	21.2	24.67	0.293	PASS
n41	30	50	DFT-QPSK	M	Inner_Full	24.88	28.35	0.684	PASS
n41	30	50	DFT-QPSK	M	Outer_Full	23.96	27.43	0.553	PASS
n41	30	50	DFT-16QAM	M	Edge_1RB_Left	21.26	24.73	0.297	PASS
n41	30	50	DFT-16QAM	M	Inner_1RB_Left	23.77	27.24	0.530	PASS
n41	30	50	DFT-16QAM	M	Inner_1RB_Right	23.4	26.87	0.486	PASS
n41	30	50	DFT-16QAM	M	Edge_1RB_Right	21.15	24.62	0.290	PASS
n41	30	50	DFT-16QAM	M	Inner_Full	23.95	27.42	0.552	PASS
n41	30	50	DFT-16QAM	M	Outer_Full	23.07	26.54	0.451	PASS
n41	30	50	DFT-64QAM	M	Edge_1RB_Left	21.52	24.99	0.316	PASS
n41	30	50	DFT-64QAM	M	Inner_1RB_Left	22.45	25.92	0.391	PASS
n41	30	50	DFT-64QAM	M	Inner_1RB_Right	22.3	25.77	0.378	PASS
n41	30	50	DFT-64QAM	M	Edge_1RB_Right	21.38	24.85	0.305	PASS
n41	30	50	DFT-64QAM	M	Inner_Full	22.45	25.92	0.391	PASS
n41	30	50	DFT-64QAM	M	Outer_Full	22.47	25.94	0.393	PASS
n41	30	50	DFT-256QAM	M	Edge_1RB_Left	20.29	23.76	0.238	PASS
n41	30	50	DFT-256QAM	M	Inner_1RB_Left	20.4	23.87	0.244	PASS
n41	30	50	DFT-256QAM	M	Inner_1RB_Right	20.33	23.8	0.240	PASS
n41	30	50	DFT-256QAM	M	Edge_1RB_Right	20.38	23.85	0.243	PASS
n41	30	50	DFT-256QAM	M	Inner_Full	20.57	24.04	0.254	PASS
n41	30	50	DFT-256QAM	M	Outer_Full	20.64	24.11	0.258	PASS
n41	30	50	CP-QPSK	M	Edge_1RB_Left	21.5	24.97	0.314	PASS
n41	30	50	CP-QPSK	M	Inner_1RB_Left	23.4	26.87	0.486	PASS

n41	30	50	CP-QPSK	M	Inner_1RB_Right	23.13	26.6	0.457	PASS
n41	30	50	CP-QPSK	M	Edge_1RB_Right	21.35	24.82	0.303	PASS
n41	30	50	CP-QPSK	M	Inner_Full	23.45	26.92	0.492	PASS
n41	30	50	CP-QPSK	M	Outer_Full	21.92	25.39	0.346	PASS
n41	30	50	CP-16QAM	M	Edge_1RB_Left	21.13	24.6	0.288	PASS
n41	30	50	CP-16QAM	M	Inner_1RB_Left	22.58	26.05	0.403	PASS
n41	30	50	CP-16QAM	M	Inner_1RB_Right	22.5	25.97	0.395	PASS
n41	30	50	CP-16QAM	M	Edge_1RB_Right	21.1	24.57	0.286	PASS
n41	30	50	CP-16QAM	M	Inner_Full	23.05	26.52	0.449	PASS
n41	30	50	CP-16QAM	M	Outer_Full	21.95	25.42	0.348	PASS
n41	30	50	CP-64QAM	M	Edge_1RB_Left	21.49	24.96	0.313	PASS
n41	30	50	CP-64QAM	M	Inner_1RB_Left	21.47	24.94	0.312	PASS
n41	30	50	CP-64QAM	M	Inner_1RB_Right	21.36	24.83	0.304	PASS
n41	30	50	CP-64QAM	M	Edge_1RB_Right	21.41	24.88	0.308	PASS
n41	30	50	CP-64QAM	M	Inner_Full	21.49	24.96	0.313	PASS
n41	30	50	CP-64QAM	M	Outer_Full	21.51	24.98	0.315	PASS
n41	30	50	CP-256QAM	M	Edge_1RB_Left	18.45	21.92	0.156	PASS
n41	30	50	CP-256QAM	M	Inner_1RB_Left	18.52	21.99	0.158	PASS
n41	30	50	CP-256QAM	M	Inner_1RB_Right	18.52	21.99	0.158	PASS
n41	30	50	CP-256QAM	M	Edge_1RB_Right	18.44	21.91	0.155	PASS
n41	30	50	CP-256QAM	M	Inner_Full	18.68	22.15	0.164	PASS
n41	30	50	CP-256QAM	M	Outer_Full	18.69	22.16	0.164	PASS
n41	30	50	DFT-BPSK	H	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	50	DFT-BPSK	H	Inner_1RB_Left	24.63	28.1	0.646	PASS
n41	30	50	DFT-BPSK	H	Inner_1RB_Right	24.61	28.08	0.643	PASS
n41	30	50	DFT-BPSK	H	Edge_1RB_Right	21.48	24.95	0.313	PASS
n41	30	50	DFT-BPSK	H	Inner_Full	24.77	28.24	0.667	PASS
n41	30	50	DFT-BPSK	H	Outer_Full	20.8	24.27	0.267	PASS
n41	30	50	DFT-QPSK	H	Edge_1RB_Left	21.27	24.74	0.298	PASS

n41	30	50	DFT-QPSK	H	Inner_1RB_Left	24.7	28.17	0.656	PASS
n41	30	50	DFT-QPSK	H	Inner_1RB_Right	24.57	28.04	0.637	PASS
n41	30	50	DFT-QPSK	H	Edge_1RB_Right	21.5	24.97	0.314	PASS
n41	30	50	DFT-QPSK	H	Inner_Full	24.83	28.3	0.676	PASS
n41	30	50	DFT-QPSK	H	Outer_Full	23.86	27.33	0.541	PASS
n41	30	50	DFT-16QAM	H	Edge_1RB_Left	21.17	24.64	0.291	PASS
n41	30	50	DFT-16QAM	H	Inner_1RB_Left	23.5	26.97	0.498	PASS
n41	30	50	DFT-16QAM	H	Inner_1RB_Right	23.65	27.12	0.515	PASS
n41	30	50	DFT-16QAM	H	Edge_1RB_Right	21.37	24.84	0.305	PASS
n41	30	50	DFT-16QAM	H	Inner_Full	23.97	27.44	0.555	PASS
n41	30	50	DFT-16QAM	H	Outer_Full	23.03	26.5	0.447	PASS
n41	30	50	DFT-64QAM	H	Edge_1RB_Left	21.54	25.01	0.317	PASS
n41	30	50	DFT-64QAM	H	Inner_1RB_Left	22.43	25.9	0.389	PASS
n41	30	50	DFT-64QAM	H	Inner_1RB_Right	22.52	25.99	0.397	PASS
n41	30	50	DFT-64QAM	H	Edge_1RB_Right	21.67	25.14	0.327	PASS
n41	30	50	DFT-64QAM	H	Inner_Full	22.65	26.12	0.409	PASS
n41	30	50	DFT-64QAM	H	Outer_Full	22.55	26.02	0.400	PASS
n41	30	50	DFT-256QAM	H	Edge_1RB_Left	20.38	23.85	0.243	PASS
n41	30	50	DFT-256QAM	H	Inner_1RB_Left	20.4	23.87	0.244	PASS
n41	30	50	DFT-256QAM	H	Inner_1RB_Right	20.59	24.06	0.255	PASS
n41	30	50	DFT-256QAM	H	Edge_1RB_Right	20.59	24.06	0.255	PASS
n41	30	50	DFT-256QAM	H	Inner_Full	20.8	24.27	0.267	PASS
n41	30	50	DFT-256QAM	H	Outer_Full	20.73	24.2	0.263	PASS
n41	30	50	CP-QPSK	H	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	50	CP-QPSK	H	Inner_1RB_Left	23.2	26.67	0.465	PASS
n41	30	50	CP-QPSK	H	Inner_1RB_Right	23.23	26.7	0.468	PASS
n41	30	50	CP-QPSK	H	Edge_1RB_Right	21.48	24.95	0.313	PASS
n41	30	50	CP-QPSK	H	Inner_Full	23.46	26.93	0.493	PASS
n41	30	50	CP-QPSK	H	Outer_Full	22.07	25.54	0.358	PASS

n41	30	50	CP-16QAM	H	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	50	CP-16QAM	H	Inner_1RB_Left	22.62	26.09	0.406	PASS
n41	30	50	CP-16QAM	H	Inner_1RB_Right	22.62	26.09	0.406	PASS
n41	30	50	CP-16QAM	H	Edge_1RB_Right	21.21	24.68	0.294	PASS
n41	30	50	CP-16QAM	H	Inner_Full	23.11	26.58	0.455	PASS
n41	30	50	CP-16QAM	H	Outer_Full	22.07	25.54	0.358	PASS
n41	30	50	CP-64QAM	H	Edge_1RB_Left	21.52	24.99	0.316	PASS
n41	30	50	CP-64QAM	H	Inner_1RB_Left	21.41	24.88	0.308	PASS
n41	30	50	CP-64QAM	H	Inner_1RB_Right	21.59	25.06	0.321	PASS
n41	30	50	CP-64QAM	H	Edge_1RB_Right	21.58	25.05	0.320	PASS
n41	30	50	CP-64QAM	H	Inner_Full	21.66	25.13	0.326	PASS
n41	30	50	CP-64QAM	H	Outer_Full	21.6	25.07	0.321	PASS
n41	30	50	CP-256QAM	H	Edge_1RB_Left	18.51	21.98	0.158	PASS
n41	30	50	CP-256QAM	H	Inner_1RB_Left	18.52	21.99	0.158	PASS
n41	30	50	CP-256QAM	H	Inner_1RB_Right	18.76	22.23	0.167	PASS
n41	30	50	CP-256QAM	H	Edge_1RB_Right	18.79	22.26	0.168	PASS
n41	30	50	CP-256QAM	H	Inner_Full	18.9	22.37	0.173	PASS
n41	30	50	CP-256QAM	H	Outer_Full	18.84	22.31	0.170	PASS
n41	30	60	DFT-BPSK	L	Edge_1RB_Left	21.07	24.54	0.284	PASS
n41	30	60	DFT-BPSK	L	Inner_1RB_Left	24.31	27.78	0.600	PASS
n41	30	60	DFT-BPSK	L	Inner_1RB_Right	24.89	28.36	0.685	PASS
n41	30	60	DFT-BPSK	L	Edge_1RB_Right	21.28	24.75	0.299	PASS
n41	30	60	DFT-BPSK	L	Inner_Full	23.97	27.44	0.555	PASS
n41	30	60	DFT-BPSK	L	Outer_Full	23.84	27.31	0.538	PASS
n41	30	60	DFT-QPSK	L	Edge_1RB_Left	21.04	24.51	0.282	PASS
n41	30	60	DFT-QPSK	L	Inner_1RB_Left	24.52	27.99	0.630	PASS
n41	30	60	DFT-QPSK	L	Inner_1RB_Right	24.94	28.41	0.693	PASS
n41	30	60	DFT-QPSK	L	Edge_1RB_Right	21.29	24.76	0.299	PASS
n41	30	60	DFT-QPSK	L	Inner_Full	24.08	27.55	0.569	PASS

n41	30	60	DFT-QPSK	L	Outer_Full	23.44	26.91	0.491	PASS
n41	30	60	DFT-16QAM	L	Edge_1RB_Left	20.93	24.4	0.275	PASS
n41	30	60	DFT-16QAM	L	Inner_1RB_Left	23.37	26.84	0.483	PASS
n41	30	60	DFT-16QAM	L	Inner_1RB_Right	23.84	27.31	0.538	PASS
n41	30	60	DFT-16QAM	L	Edge_1RB_Right	21.1	24.57	0.286	PASS
n41	30	60	DFT-16QAM	L	Inner_Full	23.24	26.71	0.469	PASS
n41	30	60	DFT-16QAM	L	Outer_Full	22.55	26.02	0.400	PASS
n41	30	60	DFT-64QAM	L	Edge_1RB_Left	21.26	24.73	0.297	PASS
n41	30	60	DFT-64QAM	L	Inner_1RB_Left	22.23	25.7	0.372	PASS
n41	30	60	DFT-64QAM	L	Inner_1RB_Right	22.31	25.78	0.378	PASS
n41	30	60	DFT-64QAM	L	Edge_1RB_Right	21.39	24.86	0.306	PASS
n41	30	60	DFT-64QAM	L	Inner_Full	21.77	25.24	0.334	PASS
n41	30	60	DFT-64QAM	L	Outer_Full	21.94	25.41	0.348	PASS
n41	30	60	DFT-256QAM	L	Edge_1RB_Left	20.1	23.57	0.228	PASS
n41	30	60	DFT-256QAM	L	Inner_1RB_Left	20.11	23.58	0.228	PASS
n41	30	60	DFT-256QAM	L	Inner_1RB_Right	20.28	23.75	0.237	PASS
n41	30	60	DFT-256QAM	L	Edge_1RB_Right	20.31	23.78	0.239	PASS
n41	30	60	DFT-256QAM	L	Inner_Full	19.99	23.46	0.222	PASS
n41	30	60	DFT-256QAM	L	Outer_Full	20.1	23.57	0.228	PASS
n41	30	60	CP-QPSK	L	Edge_1RB_Left	21.09	24.56	0.286	PASS
n41	30	60	CP-QPSK	L	Inner_1RB_Left	22.75	26.22	0.419	PASS
n41	30	60	CP-QPSK	L	Inner_1RB_Right	23.02	26.49	0.446	PASS
n41	30	60	CP-QPSK	L	Edge_1RB_Right	21.47	24.94	0.312	PASS
n41	30	60	CP-QPSK	L	Inner_Full	22.72	26.19	0.416	PASS
n41	30	60	CP-QPSK	L	Outer_Full	21.51	24.98	0.315	PASS
n41	30	60	CP-16QAM	L	Edge_1RB_Left	20.76	24.23	0.265	PASS
n41	30	60	CP-16QAM	L	Inner_1RB_Left	22.54	26.01	0.399	PASS
n41	30	60	CP-16QAM	L	Inner_1RB_Right	22.42	25.89	0.388	PASS
n41	30	60	CP-16QAM	L	Edge_1RB_Right	21.04	24.51	0.282	PASS

n41	30	60	CP-16QAM	L	Inner_Full	22.33	25.8	0.380	PASS
n41	30	60	CP-16QAM	L	Outer_Full	21.52	24.99	0.316	PASS
n41	30	60	CP-64QAM	L	Edge_1RB_Left	21.21	24.68	0.294	PASS
n41	30	60	CP-64QAM	L	Inner_1RB_Left	21.21	24.68	0.294	PASS
n41	30	60	CP-64QAM	L	Inner_1RB_Right	21.36	24.83	0.304	PASS
n41	30	60	CP-64QAM	L	Edge_1RB_Right	21.33	24.8	0.302	PASS
n41	30	60	CP-64QAM	L	Inner_Full	20.93	24.4	0.275	PASS
n41	30	60	CP-64QAM	L	Outer_Full	21.03	24.5	0.282	PASS
n41	30	60	CP-256QAM	L	Edge_1RB_Left	18.14	21.61	0.145	PASS
n41	30	60	CP-256QAM	L	Inner_1RB_Left	18.43	21.9	0.155	PASS
n41	30	60	CP-256QAM	L	Inner_1RB_Right	18.32	21.79	0.151	PASS
n41	30	60	CP-256QAM	L	Edge_1RB_Right	18.31	21.78	0.151	PASS
n41	30	60	CP-256QAM	L	Inner_Full	18.19	21.66	0.147	PASS
n41	30	60	CP-256QAM	L	Outer_Full	18.32	21.79	0.151	PASS
n41	30	60	DFT-BPSK	M	Edge_1RB_Left	21.37	24.84	0.305	PASS
n41	30	60	DFT-BPSK	M	Inner_1RB_Left	25.05	28.52	0.711	PASS
n41	30	60	DFT-BPSK	M	Inner_1RB_Right	24.65	28.12	0.649	PASS
n41	30	60	DFT-BPSK	M	Edge_1RB_Right	21.47	24.94	0.312	PASS
n41	30	60	DFT-BPSK	M	Inner_Full	24.7	28.17	0.656	PASS
n41	30	60	DFT-BPSK	M	Outer_Full	24.32	27.79	0.601	PASS
n41	30	60	DFT-QPSK	M	Edge_1RB_Left	21.37	24.84	0.305	PASS
n41	30	60	DFT-QPSK	M	Inner_1RB_Left	25.07	28.54	0.714	PASS
n41	30	60	DFT-QPSK	M	Inner_1RB_Right	24.71	28.18	0.658	PASS
n41	30	60	DFT-QPSK	M	Edge_1RB_Right	21.39	24.86	0.306	PASS
n41	30	60	DFT-QPSK	M	Inner_Full	24.73	28.2	0.661	PASS
n41	30	60	DFT-QPSK	M	Outer_Full	23.91	27.38	0.547	PASS
n41	30	60	DFT-16QAM	M	Edge_1RB_Left	21.12	24.59	0.288	PASS
n41	30	60	DFT-16QAM	M	Inner_1RB_Left	23.81	27.28	0.535	PASS
n41	30	60	DFT-16QAM	M	Inner_1RB_Right	23.73	27.2	0.525	PASS

n41	30	60	DFT-16QAM	M	Edge_1RB_Right	21.43	24.9	0.309	PASS
n41	30	60	DFT-16QAM	M	Inner_Full	23.91	27.38	0.547	PASS
n41	30	60	DFT-16QAM	M	Outer_Full	23.03	26.5	0.447	PASS
n41	30	60	DFT-64QAM	M	Edge_1RB_Left	21.4	24.87	0.307	PASS
n41	30	60	DFT-64QAM	M	Inner_1RB_Left	20.76	24.23	0.265	PASS
n41	30	60	DFT-64QAM	M	Inner_1RB_Right	22.39	25.86	0.385	PASS
n41	30	60	DFT-64QAM	M	Edge_1RB_Right	21.52	24.99	0.316	PASS
n41	30	60	DFT-64QAM	M	Inner_Full	22.36	25.83	0.383	PASS
n41	30	60	DFT-64QAM	M	Outer_Full	22.39	25.86	0.385	PASS
n41	30	60	DFT-256QAM	M	Edge_1RB_Left	20.4	23.87	0.244	PASS
n41	30	60	DFT-256QAM	M	Inner_1RB_Left	20.41	23.88	0.244	PASS
n41	30	60	DFT-256QAM	M	Inner_1RB_Right	20.55	24.02	0.252	PASS
n41	30	60	DFT-256QAM	M	Edge_1RB_Right	20.59	24.06	0.255	PASS
n41	30	60	DFT-256QAM	M	Inner_Full	20.47	23.94	0.248	PASS
n41	30	60	DFT-256QAM	M	Outer_Full	20.57	24.04	0.254	PASS
n41	30	60	CP-QPSK	M	Edge_1RB_Left	21.3	24.77	0.300	PASS
n41	30	60	CP-QPSK	M	Inner_1RB_Left	23.82	27.29	0.536	PASS
n41	30	60	CP-QPSK	M	Inner_1RB_Right	23.39	26.86	0.485	PASS
n41	30	60	CP-QPSK	M	Edge_1RB_Right	21.47	24.94	0.312	PASS
n41	30	60	CP-QPSK	M	Inner_Full	23.42	26.89	0.489	PASS
n41	30	60	CP-QPSK	M	Outer_Full	21.92	25.39	0.346	PASS
n41	30	60	CP-16QAM	M	Edge_1RB_Left	20.96	24.43	0.277	PASS
n41	30	60	CP-16QAM	M	Inner_1RB_Left	22.57	26.04	0.402	PASS
n41	30	60	CP-16QAM	M	Inner_1RB_Right	22.77	26.24	0.421	PASS
n41	30	60	CP-16QAM	M	Edge_1RB_Right	21.33	24.8	0.302	PASS
n41	30	60	CP-16QAM	M	Inner_Full	23	26.47	0.444	PASS
n41	30	60	CP-16QAM	M	Outer_Full	21.93	25.4	0.347	PASS
n41	30	60	CP-64QAM	M	Edge_1RB_Left	21.41	24.88	0.308	PASS
n41	30	60	CP-64QAM	M	Inner_1RB_Left	21.46	24.93	0.311	PASS

n41	30	60	CP-64QAM	M	Inner_1RB_Right	21.5	24.97	0.314	PASS
n41	30	60	CP-64QAM	M	Edge_1RB_Right	21.66	25.13	0.326	PASS
n41	30	60	CP-64QAM	M	Inner_Full	21.4	24.87	0.307	PASS
n41	30	60	CP-64QAM	M	Outer_Full	21.48	24.95	0.313	PASS
n41	30	60	CP-256QAM	M	Edge_1RB_Left	18.43	21.9	0.155	PASS
n41	30	60	CP-256QAM	M	Inner_1RB_Left	18.49	21.96	0.157	PASS
n41	30	60	CP-256QAM	M	Inner_1RB_Right	18.72	22.19	0.166	PASS
n41	30	60	CP-256QAM	M	Edge_1RB_Right	18.73	22.2	0.166	PASS
n41	30	60	CP-256QAM	M	Inner_Full	18.61	22.08	0.161	PASS
n41	30	60	CP-256QAM	M	Outer_Full	18.58	22.05	0.160	PASS
n41	30	60	DFT-BPSK	H	Edge_1RB_Left	21.34	24.81	0.303	PASS
n41	30	60	DFT-BPSK	H	Inner_1RB_Left	24.55	28.02	0.634	PASS
n41	30	60	DFT-BPSK	H	Inner_1RB_Right	24.71	28.18	0.658	PASS
n41	30	60	DFT-BPSK	H	Edge_1RB_Right	21.62	25.09	0.323	PASS
n41	30	60	DFT-BPSK	H	Inner_Full	24.84	28.31	0.678	PASS
n41	30	60	DFT-BPSK	H	Outer_Full	24.29	27.76	0.597	PASS
n41	30	60	DFT-QPSK	H	Edge_1RB_Left	21.3	24.77	0.300	PASS
n41	30	60	DFT-QPSK	H	Inner_1RB_Left	24.62	28.09	0.644	PASS
n41	30	60	DFT-QPSK	H	Inner_1RB_Right	24.75	28.22	0.664	PASS
n41	30	60	DFT-QPSK	H	Edge_1RB_Right	21.59	25.06	0.321	PASS
n41	30	60	DFT-QPSK	H	Inner_Full	24.81	28.28	0.673	PASS
n41	30	60	DFT-QPSK	H	Outer_Full	23.95	27.42	0.552	PASS
n41	30	60	DFT-16QAM	H	Edge_1RB_Left	21.12	24.59	0.288	PASS
n41	30	60	DFT-16QAM	H	Inner_1RB_Left	23.55	27.02	0.504	PASS
n41	30	60	DFT-16QAM	H	Inner_1RB_Right	23.86	27.33	0.541	PASS
n41	30	60	DFT-16QAM	H	Edge_1RB_Right	21.43	24.9	0.309	PASS
n41	30	60	DFT-16QAM	H	Inner_Full	24	27.47	0.558	PASS
n41	30	60	DFT-16QAM	H	Outer_Full	22.98	26.45	0.442	PASS
n41	30	60	DFT-64QAM	H	Edge_1RB_Left	21.57	25.04	0.319	PASS

n41	30	60	DFT-64QAM	H	Inner_1RB_Left	22.48	25.95	0.394	PASS
n41	30	60	DFT-64QAM	H	Inner_1RB_Right	22.53	26	0.398	PASS
n41	30	60	DFT-64QAM	H	Edge_1RB_Right	21.8	25.27	0.337	PASS
n41	30	60	DFT-64QAM	H	Inner_Full	22.62	26.09	0.406	PASS
n41	30	60	DFT-64QAM	H	Outer_Full	22.53	26	0.398	PASS
n41	30	60	DFT-256QAM	H	Edge_1RB_Left	20.46	23.93	0.247	PASS
n41	30	60	DFT-256QAM	H	Inner_1RB_Left	20.47	23.94	0.248	PASS
n41	30	60	DFT-256QAM	H	Inner_1RB_Right	20.7	24.17	0.261	PASS
n41	30	60	DFT-256QAM	H	Edge_1RB_Right	20.73	24.2	0.263	PASS
n41	30	60	DFT-256QAM	H	Inner_Full	20.8	24.27	0.267	PASS
n41	30	60	DFT-256QAM	H	Outer_Full	20.75	24.22	0.264	PASS
n41	30	60	CP-QPSK	H	Edge_1RB_Left	21.28	24.75	0.299	PASS
n41	30	60	CP-QPSK	H	Inner_1RB_Left	23.3	26.77	0.475	PASS
n41	30	60	CP-QPSK	H	Inner_1RB_Right	23.34	26.81	0.480	PASS
n41	30	60	CP-QPSK	H	Edge_1RB_Right	21.53	25	0.316	PASS
n41	30	60	CP-QPSK	H	Inner_Full	23.53	27	0.501	PASS
n41	30	60	CP-QPSK	H	Outer_Full	22.08	25.55	0.359	PASS
n41	30	60	CP-16QAM	H	Edge_1RB_Left	21.15	24.62	0.290	PASS
n41	30	60	CP-16QAM	H	Inner_1RB_Left	22.73	26.2	0.417	PASS
n41	30	60	CP-16QAM	H	Inner_1RB_Right	22.78	26.25	0.422	PASS
n41	30	60	CP-16QAM	H	Edge_1RB_Right	21.35	24.82	0.303	PASS
n41	30	60	CP-16QAM	H	Inner_Full	23.14	26.61	0.458	PASS
n41	30	60	CP-16QAM	H	Outer_Full	22.03	25.5	0.355	PASS
n41	30	60	CP-64QAM	H	Edge_1RB_Left	21.52	24.99	0.316	PASS
n41	30	60	CP-64QAM	H	Inner_1RB_Left	21.58	25.05	0.320	PASS
n41	30	60	CP-64QAM	H	Inner_1RB_Right	21.81	25.28	0.337	PASS
n41	30	60	CP-64QAM	H	Edge_1RB_Right	21.8	25.27	0.337	PASS
n41	30	60	CP-64QAM	H	Inner_Full	21.67	25.14	0.327	PASS
n41	30	60	CP-64QAM	H	Outer_Full	21.61	25.08	0.322	PASS

n41	30	60	CP-256QAM	H	Edge_1RB_Left	18.57	22.04	0.160	PASS
n41	30	60	CP-256QAM	H	Inner_1RB_Left	18.6	22.07	0.161	PASS
n41	30	60	CP-256QAM	H	Inner_1RB_Right	18.9	22.37	0.173	PASS
n41	30	60	CP-256QAM	H	Edge_1RB_Right	18.96	22.43	0.175	PASS
n41	30	60	CP-256QAM	H	Inner_Full	18.89	22.36	0.172	PASS
n41	30	60	CP-256QAM	H	Outer_Full	18.82	22.29	0.169	PASS
n41	30	70	DFT-BPSK	L	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	70	DFT-BPSK	L	Inner_1RB_Left	24.58	28.05	0.638	PASS
n41	30	70	DFT-BPSK	L	Inner_1RB_Right	25.21	28.68	0.738	PASS
n41	30	70	DFT-BPSK	L	Edge_1RB_Right	21.57	25.04	0.319	PASS
n41	30	70	DFT-BPSK	L	Inner_Full	24.11	27.58	0.573	PASS
n41	30	70	DFT-BPSK	L	Outer_Full	20.72	24.19	0.262	PASS
n41	30	70	DFT-QPSK	L	Edge_1RB_Left	21.13	24.6	0.288	PASS
n41	30	70	DFT-QPSK	L	Inner_1RB_Left	24.67	28.14	0.652	PASS
n41	30	70	DFT-QPSK	L	Inner_1RB_Right	25.25	28.72	0.745	PASS
n41	30	70	DFT-QPSK	L	Edge_1RB_Right	21.53	25	0.316	PASS
n41	30	70	DFT-QPSK	L	Inner_Full	24.2	27.67	0.585	PASS
n41	30	70	DFT-QPSK	L	Outer_Full	20.65	24.12	0.258	PASS
n41	30	70	DFT-16QAM	L	Edge_1RB_Left	21.08	24.55	0.285	PASS
n41	30	70	DFT-16QAM	L	Inner_1RB_Left	23.67	27.14	0.518	PASS
n41	30	70	DFT-16QAM	L	Inner_1RB_Right	24.15	27.62	0.578	PASS
n41	30	70	DFT-16QAM	L	Edge_1RB_Right	21.4	24.87	0.307	PASS
n41	30	70	DFT-16QAM	L	Inner_Full	23.37	26.84	0.483	PASS
n41	30	70	DFT-16QAM	L	Outer_Full	22.53	26	0.398	PASS
n41	30	70	DFT-64QAM	L	Edge_1RB_Left	21.25	24.72	0.296	PASS
n41	30	70	DFT-64QAM	L	Inner_1RB_Left	22.19	25.66	0.368	PASS
n41	30	70	DFT-64QAM	L	Inner_1RB_Right	22.6	26.07	0.405	PASS
n41	30	70	DFT-64QAM	L	Edge_1RB_Right	21.76	25.23	0.333	PASS
n41	30	70	DFT-64QAM	L	Inner_Full	21.84	25.31	0.340	PASS

n41	30	70	DFT-64QAM	L	Outer_Full	22.11	25.58	0.361	PASS
n41	30	70	DFT-256QAM	L	Edge_1RB_Left	20.2	23.67	0.233	PASS
n41	30	70	DFT-256QAM	L	Inner_1RB_Left	20.21	23.68	0.233	PASS
n41	30	70	DFT-256QAM	L	Inner_1RB_Right	20.59	24.06	0.255	PASS
n41	30	70	DFT-256QAM	L	Edge_1RB_Right	20.58	24.05	0.254	PASS
n41	30	70	DFT-256QAM	L	Inner_Full	20.14	23.61	0.230	PASS
n41	30	70	DFT-256QAM	L	Outer_Full	20.25	23.72	0.236	PASS
n41	30	70	CP-QPSK	L	Edge_1RB_Left	21.19	24.66	0.292	PASS
n41	30	70	CP-QPSK	L	Inner_1RB_Left	23.12	26.59	0.456	PASS
n41	30	70	CP-QPSK	L	Inner_1RB_Right	23.72	27.19	0.524	PASS
n41	30	70	CP-QPSK	L	Edge_1RB_Right	21.71	25.18	0.330	PASS
n41	30	70	CP-QPSK	L	Inner_Full	22.98	26.45	0.442	PASS
n41	30	70	CP-QPSK	L	Outer_Full	21.72	25.19	0.330	PASS
n41	30	70	CP-16QAM	L	Edge_1RB_Left	20.95	24.42	0.277	PASS
n41	30	70	CP-16QAM	L	Inner_1RB_Left	22.12	25.59	0.362	PASS
n41	30	70	CP-16QAM	L	Inner_1RB_Right	22.91	26.38	0.435	PASS
n41	30	70	CP-16QAM	L	Edge_1RB_Right	21.35	24.82	0.303	PASS
n41	30	70	CP-16QAM	L	Inner_Full	22.49	25.96	0.394	PASS
n41	30	70	CP-16QAM	L	Outer_Full	21.71	25.18	0.330	PASS
n41	30	70	CP-64QAM	L	Edge_1RB_Left	21.28	24.75	0.299	PASS
n41	30	70	CP-64QAM	L	Inner_1RB_Left	21.31	24.78	0.301	PASS
n41	30	70	CP-64QAM	L	Inner_1RB_Right	21.74	25.21	0.332	PASS
n41	30	70	CP-64QAM	L	Edge_1RB_Right	21.64	25.11	0.324	PASS
n41	30	70	CP-64QAM	L	Inner_Full	21.09	24.56	0.286	PASS
n41	30	70	CP-64QAM	L	Outer_Full	21.25	24.72	0.296	PASS
n41	30	70	CP-256QAM	L	Edge_1RB_Left	18.34	21.81	0.152	PASS
n41	30	70	CP-256QAM	L	Inner_1RB_Left	18.32	21.79	0.151	PASS
n41	30	70	CP-256QAM	L	Inner_1RB_Right	18.74	22.21	0.166	PASS
n41	30	70	CP-256QAM	L	Edge_1RB_Right	18.71	22.18	0.165	PASS

n41	30	70	CP-256QAM	L	Inner_Full	18.32	21.79	0.151	PASS
n41	30	70	CP-256QAM	L	Outer_Full	18.43	21.9	0.155	PASS
n41	30	70	DFT-BPSK	M	Edge_1RB_Left	21.38	24.85	0.305	PASS
n41	30	70	DFT-BPSK	M	Inner_1RB_Left	25.14	28.61	0.726	PASS
n41	30	70	DFT-BPSK	M	Inner_1RB_Right	24.94	28.41	0.693	PASS
n41	30	70	DFT-BPSK	M	Edge_1RB_Right	21.7	25.17	0.329	PASS
n41	30	70	DFT-BPSK	M	Inner_Full	24.82	28.29	0.675	PASS
n41	30	70	DFT-BPSK	M	Outer_Full	24.36	27.83	0.607	PASS
n41	30	70	DFT-QPSK	M	Edge_1RB_Left	21.35	24.82	0.303	PASS
n41	30	70	DFT-QPSK	M	Inner_1RB_Left	25.34	28.81	0.760	PASS
n41	30	70	DFT-QPSK	M	Inner_1RB_Right	25.02	28.49	0.706	PASS
n41	30	70	DFT-QPSK	M	Edge_1RB_Right	21.66	25.13	0.326	PASS
n41	30	70	DFT-QPSK	M	Inner_Full	24.85	28.32	0.679	PASS
n41	30	70	DFT-QPSK	M	Outer_Full	23.95	27.42	0.552	PASS
n41	30	70	DFT-16QAM	M	Edge_1RB_Left	21.18	24.65	0.292	PASS
n41	30	70	DFT-16QAM	M	Inner_1RB_Left	24.06	27.53	0.566	PASS
n41	30	70	DFT-16QAM	M	Inner_1RB_Right	23.95	27.42	0.552	PASS
n41	30	70	DFT-16QAM	M	Edge_1RB_Right	21.65	25.12	0.325	PASS
n41	30	70	DFT-16QAM	M	Inner_Full	24	27.47	0.558	PASS
n41	30	70	DFT-16QAM	M	Outer_Full	23.01	26.48	0.445	PASS
n41	30	70	DFT-64QAM	M	Edge_1RB_Left	21.53	25	0.316	PASS
n41	30	70	DFT-64QAM	M	Inner_1RB_Left	22.41	25.88	0.387	PASS
n41	30	70	DFT-64QAM	M	Inner_1RB_Right	22.76	26.23	0.420	PASS
n41	30	70	DFT-64QAM	M	Edge_1RB_Right	21.75	25.22	0.333	PASS
n41	30	70	DFT-64QAM	M	Inner_Full	22.41	25.88	0.387	PASS
n41	30	70	DFT-64QAM	M	Outer_Full	22.52	25.99	0.397	PASS
n41	30	70	DFT-256QAM	M	Edge_1RB_Left	20.26	23.73	0.236	PASS
n41	30	70	DFT-256QAM	M	Inner_1RB_Left	20.36	23.83	0.242	PASS
n41	30	70	DFT-256QAM	M	Inner_1RB_Right	20.81	24.28	0.268	PASS

n41	30	70	DFT-256QAM	M	Edge_1RB_Right	20.8	24.27	0.267	PASS
n41	30	70	DFT-256QAM	M	Inner_Full	20.54	24.01	0.252	PASS
n41	30	70	DFT-256QAM	M	Outer_Full	20.64	24.11	0.258	PASS
n41	30	70	CP-QPSK	M	Edge_1RB_Left	21.21	24.68	0.294	PASS
n41	30	70	CP-QPSK	M	Inner_1RB_Left	23.28	26.75	0.473	PASS
n41	30	70	CP-QPSK	M	Inner_1RB_Right	23.62	27.09	0.512	PASS
n41	30	70	CP-QPSK	M	Edge_1RB_Right	21.71	25.18	0.330	PASS
n41	30	70	CP-QPSK	M	Inner_Full	23.51	26.98	0.499	PASS
n41	30	70	CP-QPSK	M	Outer_Full	22.08	25.55	0.359	PASS
n41	30	70	CP-16QAM	M	Edge_1RB_Left	21.05	24.52	0.283	PASS
n41	30	70	CP-16QAM	M	Inner_1RB_Left	22.61	26.08	0.406	PASS
n41	30	70	CP-16QAM	M	Inner_1RB_Right	23.03	26.5	0.447	PASS
n41	30	70	CP-16QAM	M	Edge_1RB_Right	21.46	24.93	0.311	PASS
n41	30	70	CP-16QAM	M	Inner_Full	22.93	26.4	0.437	PASS
n41	30	70	CP-16QAM	M	Outer_Full	22.02	25.49	0.354	PASS
n41	30	70	CP-64QAM	M	Edge_1RB_Left	21.35	24.82	0.303	PASS
n41	30	70	CP-64QAM	M	Inner_1RB_Left	21.42	24.89	0.308	PASS
n41	30	70	CP-64QAM	M	Inner_1RB_Right	21.96	25.43	0.349	PASS
n41	30	70	CP-64QAM	M	Edge_1RB_Right	21.87	25.34	0.342	PASS
n41	30	70	CP-64QAM	M	Inner_Full	21.52	24.99	0.316	PASS
n41	30	70	CP-64QAM	M	Outer_Full	21.57	25.04	0.319	PASS
n41	30	70	CP-256QAM	M	Edge_1RB_Left	18.45	21.92	0.156	PASS
n41	30	70	CP-256QAM	M	Inner_1RB_Left	18.46	21.93	0.156	PASS
n41	30	70	CP-256QAM	M	Inner_1RB_Right	18.98	22.45	0.176	PASS
n41	30	70	CP-256QAM	M	Edge_1RB_Right	18.89	22.36	0.172	PASS
n41	30	70	CP-256QAM	M	Inner_Full	18.71	22.18	0.165	PASS
n41	30	70	CP-256QAM	M	Outer_Full	18.77	22.24	0.167	PASS
n41	30	70	DFT-BPSK	H	Edge_1RB_Left	21.1	24.57	0.286	PASS
n41	30	70	DFT-BPSK	H	Inner_1RB_Left	24.4	27.87	0.612	PASS

n41	30	70	DFT-BPSK	H	Inner_1RB_Right	24.76	28.23	0.665	PASS
n41	30	70	DFT-BPSK	H	Edge_1RB_Right	21.78	25.25	0.335	PASS
n41	30	70	DFT-BPSK	H	Inner_Full	24.91	28.38	0.689	PASS
n41	30	70	DFT-BPSK	H	Outer_Full	21.32	24.79	0.301	PASS
n41	30	70	DFT-QPSK	H	Edge_1RB_Left	21.09	24.56	0.286	PASS
n41	30	70	DFT-QPSK	H	Inner_1RB_Left	24.42	27.89	0.615	PASS
n41	30	70	DFT-QPSK	H	Inner_1RB_Right	24.85	28.32	0.679	PASS
n41	30	70	DFT-QPSK	H	Edge_1RB_Right	21.75	25.22	0.333	PASS
n41	30	70	DFT-QPSK	H	Inner_Full	24.96	28.43	0.697	PASS
n41	30	70	DFT-QPSK	H	Outer_Full	23.91	27.38	0.547	PASS
n41	30	70	DFT-16QAM	H	Edge_1RB_Left	20.97	24.44	0.278	PASS
n41	30	70	DFT-16QAM	H	Inner_1RB_Left	23.34	26.81	0.480	PASS
n41	30	70	DFT-16QAM	H	Inner_1RB_Right	23.79	27.26	0.532	PASS
n41	30	70	DFT-16QAM	H	Edge_1RB_Right	21.59	25.06	0.321	PASS
n41	30	70	DFT-16QAM	H	Inner_Full	24.06	27.53	0.566	PASS
n41	30	70	DFT-16QAM	H	Outer_Full	23.06	26.53	0.450	PASS
n41	30	70	DFT-64QAM	H	Edge_1RB_Left	21.31	24.78	0.301	PASS
n41	30	70	DFT-64QAM	H	Inner_1RB_Left	21.94	25.41	0.348	PASS
n41	30	70	DFT-64QAM	H	Inner_1RB_Right	22.78	26.25	0.422	PASS
n41	30	70	DFT-64QAM	H	Edge_1RB_Right	21.95	25.42	0.348	PASS
n41	30	70	DFT-64QAM	H	Inner_Full	22.64	26.11	0.408	PASS
n41	30	70	DFT-64QAM	H	Outer_Full	22.57	26.04	0.402	PASS
n41	30	70	DFT-256QAM	H	Edge_1RB_Left	20.15	23.62	0.230	PASS
n41	30	70	DFT-256QAM	H	Inner_1RB_Left	20.25	23.72	0.236	PASS
n41	30	70	DFT-256QAM	H	Inner_1RB_Right	20.81	24.28	0.268	PASS
n41	30	70	DFT-256QAM	H	Edge_1RB_Right	20.8	24.27	0.267	PASS
n41	30	70	DFT-256QAM	H	Inner_Full	20.84	24.31	0.270	PASS
n41	30	70	DFT-256QAM	H	Outer_Full	20.79	24.26	0.267	PASS
n41	30	70	CP-QPSK	H	Edge_1RB_Left	21.09	24.56	0.286	PASS

n41	30	70	CP-QPSK	H	Inner_1RB_Left	23.15	26.62	0.459	PASS
n41	30	70	CP-QPSK	H	Inner_1RB_Right	23.51	26.98	0.499	PASS
n41	30	70	CP-QPSK	H	Edge_1RB_Right	21.75	25.22	0.333	PASS
n41	30	70	CP-QPSK	H	Inner_Full	23.56	27.03	0.505	PASS
n41	30	70	CP-QPSK	H	Outer_Full	22.14	25.61	0.364	PASS
n41	30	70	CP-16QAM	H	Edge_1RB_Left	20.95	24.42	0.277	PASS
n41	30	70	CP-16QAM	H	Inner_1RB_Left	22.28	25.75	0.376	PASS
n41	30	70	CP-16QAM	H	Inner_1RB_Right	22.92	26.39	0.436	PASS
n41	30	70	CP-16QAM	H	Edge_1RB_Right	21.7	25.17	0.329	PASS
n41	30	70	CP-16QAM	H	Inner_Full	23.18	26.65	0.462	PASS
n41	30	70	CP-16QAM	H	Outer_Full	22.11	25.58	0.361	PASS
n41	30	70	CP-64QAM	H	Edge_1RB_Left	21.31	24.78	0.301	PASS
n41	30	70	CP-64QAM	H	Inner_1RB_Left	21.19	24.66	0.292	PASS
n41	30	70	CP-64QAM	H	Inner_1RB_Right	21.97	25.44	0.350	PASS
n41	30	70	CP-64QAM	H	Edge_1RB_Right	21.91	25.38	0.345	PASS
n41	30	70	CP-64QAM	H	Inner_Full	21.81	25.28	0.337	PASS
n41	30	70	CP-64QAM	H	Outer_Full	21.67	25.14	0.327	PASS
n41	30	70	CP-256QAM	H	Edge_1RB_Left	18.36	21.83	0.152	PASS
n41	30	70	CP-256QAM	H	Inner_1RB_Left	18.46	21.93	0.156	PASS
n41	30	70	CP-256QAM	H	Inner_1RB_Right	19.12	22.59	0.182	PASS
n41	30	70	CP-256QAM	H	Edge_1RB_Right	19.04	22.51	0.178	PASS
n41	30	70	CP-256QAM	H	Inner_Full	18.94	22.41	0.174	PASS
n41	30	70	CP-256QAM	H	Outer_Full	18.89	22.36	0.172	PASS
n41	30	80	DFT-BPSK	L	Edge_1RB_Left	21.19	24.66	0.292	PASS
n41	30	80	DFT-BPSK	L	Inner_1RB_Left	24.76	28.23	0.665	PASS
n41	30	80	DFT-BPSK	L	Inner_1RB_Right	25.28	28.75	0.750	PASS
n41	30	80	DFT-BPSK	L	Edge_1RB_Right	21.59	25.06	0.321	PASS
n41	30	80	DFT-BPSK	L	Inner_Full	24.49	27.96	0.625	PASS
n41	30	80	DFT-BPSK	L	Outer_Full	20.71	24.18	0.262	PASS

n41	30	80	DFT-QPSK	L	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	80	DFT-QPSK	L	Inner_1RB_Left	24.62	28.09	0.644	PASS
n41	30	80	DFT-QPSK	L	Inner_1RB_Right	25.08	28.55	0.716	PASS
n41	30	80	DFT-QPSK	L	Edge_1RB_Right	21.56	25.03	0.318	PASS
n41	30	80	DFT-QPSK	L	Inner_Full	24.54	28.01	0.632	PASS
n41	30	80	DFT-QPSK	L	Outer_Full	23.8	27.27	0.533	PASS
n41	30	80	DFT-16QAM	L	Edge_1RB_Left	20.96	24.43	0.277	PASS
n41	30	80	DFT-16QAM	L	Inner_1RB_Left	23.7	27.17	0.521	PASS
n41	30	80	DFT-16QAM	L	Inner_1RB_Right	24.21	27.68	0.586	PASS
n41	30	80	DFT-16QAM	L	Edge_1RB_Right	21.35	24.82	0.303	PASS
n41	30	80	DFT-16QAM	L	Inner_Full	23.7	27.17	0.521	PASS
n41	30	80	DFT-16QAM	L	Outer_Full	22.69	26.16	0.413	PASS
n41	30	80	DFT-64QAM	L	Edge_1RB_Left	21.28	24.75	0.299	PASS
n41	30	80	DFT-64QAM	L	Inner_1RB_Left	22.26	25.73	0.374	PASS
n41	30	80	DFT-64QAM	L	Inner_1RB_Right	22.68	26.15	0.412	PASS
n41	30	80	DFT-64QAM	L	Edge_1RB_Right	21.76	25.23	0.333	PASS
n41	30	80	DFT-64QAM	L	Inner_Full	22.12	25.59	0.362	PASS
n41	30	80	DFT-64QAM	L	Outer_Full	22.27	25.74	0.375	PASS
n41	30	80	DFT-256QAM	L	Edge_1RB_Left	20.27	23.74	0.237	PASS
n41	30	80	DFT-256QAM	L	Inner_1RB_Left	20.28	23.75	0.237	PASS
n41	30	80	DFT-256QAM	L	Inner_1RB_Right	20.57	24.04	0.254	PASS
n41	30	80	DFT-256QAM	L	Edge_1RB_Right	20.6	24.07	0.255	PASS
n41	30	80	DFT-256QAM	L	Inner_Full	20.27	23.74	0.237	PASS
n41	30	80	DFT-256QAM	L	Outer_Full	20.41	23.88	0.244	PASS
n41	30	80	CP-QPSK	L	Edge_1RB_Left	21.21	24.68	0.294	PASS
n41	30	80	CP-QPSK	L	Inner_1RB_Left	23.38	26.85	0.484	PASS
n41	30	80	CP-QPSK	L	Inner_1RB_Right	23.65	27.12	0.515	PASS
n41	30	80	CP-QPSK	L	Edge_1RB_Right	21.6	25.07	0.321	PASS
n41	30	80	CP-QPSK	L	Inner_Full	23.16	26.63	0.460	PASS

n41	30	80	CP-QPSK	L	Outer_Full	21.79	25.26	0.336	PASS
n41	30	80	CP-16QAM	L	Edge_1RB_Left	20.86	24.33	0.271	PASS
n41	30	80	CP-16QAM	L	Inner_1RB_Left	22.24	25.71	0.372	PASS
n41	30	80	CP-16QAM	L	Inner_1RB_Right	22.6	26.07	0.405	PASS
n41	30	80	CP-16QAM	L	Edge_1RB_Right	21.23	24.7	0.295	PASS
n41	30	80	CP-16QAM	L	Inner_Full	22.65	26.12	0.409	PASS
n41	30	80	CP-16QAM	L	Outer_Full	21.8	25.27	0.337	PASS
n41	30	80	CP-64QAM	L	Edge_1RB_Left	21.36	24.83	0.304	PASS
n41	30	80	CP-64QAM	L	Inner_1RB_Left	21.44	24.91	0.310	PASS
n41	30	80	CP-64QAM	L	Inner_1RB_Right	21.67	25.14	0.327	PASS
n41	30	80	CP-64QAM	L	Edge_1RB_Right	21.66	25.13	0.326	PASS
n41	30	80	CP-64QAM	L	Inner_Full	21.22	24.69	0.294	PASS
n41	30	80	CP-64QAM	L	Outer_Full	21.31	24.78	0.301	PASS
n41	30	80	CP-256QAM	L	Edge_1RB_Left	18.43	21.9	0.155	PASS
n41	30	80	CP-256QAM	L	Inner_1RB_Left	18.41	21.88	0.154	PASS
n41	30	80	CP-256QAM	L	Inner_1RB_Right	18.65	22.12	0.163	PASS
n41	30	80	CP-256QAM	L	Edge_1RB_Right	18.72	22.19	0.166	PASS
n41	30	80	CP-256QAM	L	Inner_Full	18.16	21.63	0.146	PASS
n41	30	80	CP-256QAM	L	Outer_Full	18.55	22.02	0.159	PASS
n41	30	80	DFT-BPSK	M	Edge_1RB_Left	21.23	24.7	0.295	PASS
n41	30	80	DFT-BPSK	M	Inner_1RB_Left	25	28.47	0.703	PASS
n41	30	80	DFT-BPSK	M	Inner_1RB_Right	25.1	28.57	0.719	PASS
n41	30	80	DFT-BPSK	M	Edge_1RB_Right	21.88	25.35	0.343	PASS
n41	30	80	DFT-BPSK	M	Inner_Full	24.8	28.27	0.671	PASS
n41	30	80	DFT-BPSK	M	Outer_Full	24.46	27.93	0.621	PASS
n41	30	80	DFT-QPSK	M	Edge_1RB_Left	21.21	24.68	0.294	PASS
n41	30	80	DFT-QPSK	M	Inner_1RB_Left	25.12	28.59	0.723	PASS
n41	30	80	DFT-QPSK	M	Inner_1RB_Right	25.22	28.69	0.740	PASS
n41	30	80	DFT-QPSK	M	Edge_1RB_Right	21.84	25.31	0.340	PASS

n41	30	80	DFT-QPSK	M	Inner_Full	24.84	28.31	0.678	PASS
n41	30	80	DFT-QPSK	M	Outer_Full	24.08	27.55	0.569	PASS
n41	30	80	DFT-16QAM	M	Edge_1RB_Left	21.16	24.63	0.290	PASS
n41	30	80	DFT-16QAM	M	Inner_1RB_Left	23.88	27.35	0.543	PASS
n41	30	80	DFT-16QAM	M	Inner_1RB_Right	24.21	27.68	0.586	PASS
n41	30	80	DFT-16QAM	M	Edge_1RB_Right	21.76	25.23	0.333	PASS
n41	30	80	DFT-16QAM	M	Inner_Full	24.04	27.51	0.564	PASS
n41	30	80	DFT-16QAM	M	Outer_Full	23.07	26.54	0.451	PASS
n41	30	80	DFT-64QAM	M	Edge_1RB_Left	21.36	24.83	0.304	PASS
n41	30	80	DFT-64QAM	M	Inner_1RB_Left	22.28	25.75	0.376	PASS
n41	30	80	DFT-64QAM	M	Inner_1RB_Right	22.93	26.4	0.437	PASS
n41	30	80	DFT-64QAM	M	Edge_1RB_Right	21.92	25.39	0.346	PASS
n41	30	80	DFT-64QAM	M	Inner_Full	22.45	25.92	0.391	PASS
n41	30	80	DFT-64QAM	M	Outer_Full	22.59	26.06	0.404	PASS
n41	30	80	DFT-256QAM	M	Edge_1RB_Left	20.21	23.68	0.233	PASS
n41	30	80	DFT-256QAM	M	Inner_1RB_Left	20.28	23.75	0.237	PASS
n41	30	80	DFT-256QAM	M	Inner_1RB_Right	20.98	24.45	0.279	PASS
n41	30	80	DFT-256QAM	M	Edge_1RB_Right	20.97	24.44	0.278	PASS
n41	30	80	DFT-256QAM	M	Inner_Full	20.62	24.09	0.256	PASS
n41	30	80	DFT-256QAM	M	Outer_Full	20.7	24.17	0.261	PASS
n41	30	80	CP-QPSK	M	Edge_1RB_Left	21.23	24.7	0.295	PASS
n41	30	80	CP-QPSK	M	Inner_1RB_Left	23.18	26.65	0.462	PASS
n41	30	80	CP-QPSK	M	Inner_1RB_Right	23.89	27.36	0.545	PASS
n41	30	80	CP-QPSK	M	Edge_1RB_Right	21.88	25.35	0.343	PASS
n41	30	80	CP-QPSK	M	Inner_Full	23.54	27.01	0.502	PASS
n41	30	80	CP-QPSK	M	Outer_Full	22.11	25.58	0.361	PASS
n41	30	80	CP-16QAM	M	Edge_1RB_Left	21.07	24.54	0.284	PASS
n41	30	80	CP-16QAM	M	Inner_1RB_Left	22.34	25.81	0.381	PASS
n41	30	80	CP-16QAM	M	Inner_1RB_Right	23.05	26.52	0.449	PASS

n41	30	80	CP-16QAM	M	Edge_1RB_Right	21.61	25.08	0.322	PASS
n41	30	80	CP-16QAM	M	Inner_Full	22.95	26.42	0.439	PASS
n41	30	80	CP-16QAM	M	Outer_Full	22.11	25.58	0.361	PASS
n41	30	80	CP-64QAM	M	Edge_1RB_Left	21.3	24.77	0.300	PASS
n41	30	80	CP-64QAM	M	Inner_1RB_Left	21.35	24.82	0.303	PASS
n41	30	80	CP-64QAM	M	Inner_1RB_Right	22.1	25.57	0.361	PASS
n41	30	80	CP-64QAM	M	Edge_1RB_Right	22.07	25.54	0.358	PASS
n41	30	80	CP-64QAM	M	Inner_Full	21.55	25.02	0.318	PASS
n41	30	80	CP-64QAM	M	Outer_Full	21.62	25.09	0.323	PASS
n41	30	80	CP-256QAM	M	Edge_1RB_Left	18.33	21.8	0.151	PASS
n41	30	80	CP-256QAM	M	Inner_1RB_Left	18.4	21.87	0.154	PASS
n41	30	80	CP-256QAM	M	Inner_1RB_Right	19.17	22.64	0.184	PASS
n41	30	80	CP-256QAM	M	Edge_1RB_Right	19.16	22.63	0.183	PASS
n41	30	80	CP-256QAM	M	Inner_Full	18.68	22.15	0.164	PASS
n41	30	80	CP-256QAM	M	Outer_Full	18.78	22.25	0.168	PASS
n41	30	80	DFT-BPSK	H	Edge_1RB_Left	20.95	24.42	0.277	PASS
n41	30	80	DFT-BPSK	H	Inner_1RB_Left	24.23	27.7	0.589	PASS
n41	30	80	DFT-BPSK	H	Inner_1RB_Right	24.79	28.26	0.670	PASS
n41	30	80	DFT-BPSK	H	Edge_1RB_Right	21.78	25.25	0.335	PASS
n41	30	80	DFT-BPSK	H	Inner_Full	24.89	28.36	0.685	PASS
n41	30	80	DFT-BPSK	H	Outer_Full	20.99	24.46	0.279	PASS
n41	30	80	DFT-QPSK	H	Edge_1RB_Left	21	24.47	0.280	PASS
n41	30	80	DFT-QPSK	H	Inner_1RB_Left	24.27	27.74	0.594	PASS
n41	30	80	DFT-QPSK	H	Inner_1RB_Right	24.9	28.37	0.687	PASS
n41	30	80	DFT-QPSK	H	Edge_1RB_Right	21.74	25.21	0.332	PASS
n41	30	80	DFT-QPSK	H	Inner_Full	24.93	28.4	0.692	PASS
n41	30	80	DFT-QPSK	H	Outer_Full	23.89	27.36	0.545	PASS
n41	30	80	DFT-16QAM	H	Edge_1RB_Left	20.79	24.26	0.267	PASS
n41	30	80	DFT-16QAM	H	Inner_1RB_Left	23.43	26.9	0.490	PASS

n41	30	80	DFT-16QAM	H	Inner_1RB_Right	23.93	27.4	0.550	PASS
n41	30	80	DFT-16QAM	H	Edge_1RB_Right	21.57	25.04	0.319	PASS
n41	30	80	DFT-16QAM	H	Inner_Full	24.08	27.55	0.569	PASS
n41	30	80	DFT-16QAM	H	Outer_Full	22.94	26.41	0.438	PASS
n41	30	80	DFT-64QAM	H	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	80	DFT-64QAM	H	Inner_1RB_Left	22.05	25.52	0.356	PASS
n41	30	80	DFT-64QAM	H	Inner_1RB_Right	22.78	26.25	0.422	PASS
n41	30	80	DFT-64QAM	H	Edge_1RB_Right	22.02	25.49	0.354	PASS
n41	30	80	DFT-64QAM	H	Inner_Full	22.69	26.16	0.413	PASS
n41	30	80	DFT-64QAM	H	Outer_Full	22.47	25.94	0.393	PASS
n41	30	80	DFT-256QAM	H	Edge_1RB_Left	20.09	23.56	0.227	PASS
n41	30	80	DFT-256QAM	H	Inner_1RB_Left	20.14	23.61	0.230	PASS
n41	30	80	DFT-256QAM	H	Inner_1RB_Right	20.85	24.32	0.270	PASS
n41	30	80	DFT-256QAM	H	Edge_1RB_Right	20.84	24.31	0.270	PASS
n41	30	80	DFT-256QAM	H	Inner_Full	20.87	24.34	0.272	PASS
n41	30	80	DFT-256QAM	H	Outer_Full	20.65	24.12	0.258	PASS
n41	30	80	CP-QPSK	H	Edge_1RB_Left	20.98	24.45	0.279	PASS
n41	30	80	CP-QPSK	H	Inner_1RB_Left	23.07	26.54	0.451	PASS
n41	30	80	CP-QPSK	H	Inner_1RB_Right	23.73	27.2	0.525	PASS
n41	30	80	CP-QPSK	H	Edge_1RB_Right	21.82	25.29	0.338	PASS
n41	30	80	CP-QPSK	H	Inner_Full	23.54	27.01	0.502	PASS
n41	30	80	CP-QPSK	H	Outer_Full	22.02	25.49	0.354	PASS
n41	30	80	CP-16QAM	H	Edge_1RB_Left	20.72	24.19	0.262	PASS
n41	30	80	CP-16QAM	H	Inner_1RB_Left	22.12	25.59	0.362	PASS
n41	30	80	CP-16QAM	H	Inner_1RB_Right	22.86	26.33	0.430	PASS
n41	30	80	CP-16QAM	H	Edge_1RB_Right	21.51	24.98	0.315	PASS
n41	30	80	CP-16QAM	H	Inner_Full	23.11	26.58	0.455	PASS
n41	30	80	CP-16QAM	H	Outer_Full	22.05	25.52	0.356	PASS
n41	30	80	CP-64QAM	H	Edge_1RB_Left	21.23	24.7	0.295	PASS

n41	30	80	CP-64QAM	H	Inner_1RB_Left	21.23	24.7	0.295	PASS
n41	30	80	CP-64QAM	H	Inner_1RB_Right	21.92	25.39	0.346	PASS
n41	30	80	CP-64QAM	H	Edge_1RB_Right	22.01	25.48	0.353	PASS
n41	30	80	CP-64QAM	H	Inner_Full	21.7	25.17	0.329	PASS
n41	30	80	CP-64QAM	H	Outer_Full	21.52	24.99	0.316	PASS
n41	30	80	CP-256QAM	H	Edge_1RB_Left	18.24	21.71	0.148	PASS
n41	30	80	CP-256QAM	H	Inner_1RB_Left	18.3	21.77	0.150	PASS
n41	30	80	CP-256QAM	H	Inner_1RB_Right	19.05	22.52	0.179	PASS
n41	30	80	CP-256QAM	H	Edge_1RB_Right	19.08	22.55	0.180	PASS
n41	30	80	CP-256QAM	H	Inner_Full	18.93	22.4	0.174	PASS
n41	30	80	CP-256QAM	H	Outer_Full	18.78	22.25	0.168	PASS
n41	30	90	DFT-BPSK	L	Edge_1RB_Left	21.21	24.68	0.294	PASS
n41	30	90	DFT-BPSK	L	Inner_1RB_Left	24.76	28.23	0.665	PASS
n41	30	90	DFT-BPSK	L	Inner_1RB_Right	24.99	28.46	0.701	PASS
n41	30	90	DFT-BPSK	L	Edge_1RB_Right	21.42	24.89	0.308	PASS
n41	30	90	DFT-BPSK	L	Inner_Full	24.65	28.12	0.649	PASS
n41	30	90	DFT-BPSK	L	Outer_Full	24.2	27.67	0.585	PASS
n41	30	90	DFT-QPSK	L	Edge_1RB_Left	21.19	24.66	0.292	PASS
n41	30	90	DFT-QPSK	L	Inner_1RB_Left	24.88	28.35	0.684	PASS
n41	30	90	DFT-QPSK	L	Inner_1RB_Right	24.84	28.31	0.678	PASS
n41	30	90	DFT-QPSK	L	Edge_1RB_Right	21.42	24.89	0.308	PASS
n41	30	90	DFT-QPSK	L	Inner_Full	24.73	28.2	0.661	PASS
n41	30	90	DFT-QPSK	L	Outer_Full	23.76	27.23	0.528	PASS
n41	30	90	DFT-16QAM	L	Edge_1RB_Left	20.94	24.41	0.276	PASS
n41	30	90	DFT-16QAM	L	Inner_1RB_Left	23.6	27.07	0.509	PASS
n41	30	90	DFT-16QAM	L	Inner_1RB_Right	23.73	27.2	0.525	PASS
n41	30	90	DFT-16QAM	L	Edge_1RB_Right	21.27	24.74	0.298	PASS
n41	30	90	DFT-16QAM	L	Inner_Full	23.77	27.24	0.530	PASS
n41	30	90	DFT-16QAM	L	Outer_Full	22.68	26.15	0.412	PASS

n41	30	90	DFT-64QAM	L	Edge_1RB_Left	21.4	24.87	0.307	PASS
n41	30	90	DFT-64QAM	L	Inner_1RB_Left	22.3	25.77	0.378	PASS
n41	30	90	DFT-64QAM	L	Inner_1RB_Right	22.39	25.86	0.385	PASS
n41	30	90	DFT-64QAM	L	Edge_1RB_Right	21.66	25.13	0.326	PASS
n41	30	90	DFT-64QAM	L	Inner_Full	22.22	25.69	0.371	PASS
n41	30	90	DFT-64QAM	L	Outer_Full	22.2	25.67	0.369	PASS
n41	30	90	DFT-256QAM	L	Edge_1RB_Left	20.24	23.71	0.235	PASS
n41	30	90	DFT-256QAM	L	Inner_1RB_Left	20.29	23.76	0.238	PASS
n41	30	90	DFT-256QAM	L	Inner_1RB_Right	20.5	23.97	0.249	PASS
n41	30	90	DFT-256QAM	L	Edge_1RB_Right	20.48	23.95	0.248	PASS
n41	30	90	DFT-256QAM	L	Inner_Full	20.31	23.78	0.239	PASS
n41	30	90	DFT-256QAM	L	Outer_Full	20.37	23.84	0.242	PASS
n41	30	90	CP-QPSK	L	Edge_1RB_Left	21.17	24.64	0.291	PASS
n41	30	90	CP-QPSK	L	Inner_1RB_Left	23.25	26.72	0.470	PASS
n41	30	90	CP-QPSK	L	Inner_1RB_Right	23.44	26.91	0.491	PASS
n41	30	90	CP-QPSK	L	Edge_1RB_Right	21.43	24.9	0.309	PASS
n41	30	90	CP-QPSK	L	Inner_Full	23.3	26.77	0.475	PASS
n41	30	90	CP-QPSK	L	Outer_Full	21.75	25.22	0.333	PASS
n41	30	90	CP-16QAM	L	Edge_1RB_Left	20.97	24.44	0.278	PASS
n41	30	90	CP-16QAM	L	Inner_1RB_Left	22.32	25.79	0.379	PASS
n41	30	90	CP-16QAM	L	Inner_1RB_Right	22.43	25.9	0.389	PASS
n41	30	90	CP-16QAM	L	Edge_1RB_Right	21.26	24.73	0.297	PASS
n41	30	90	CP-16QAM	L	Inner_Full	22.76	26.23	0.420	PASS
n41	30	90	CP-16QAM	L	Outer_Full	21.74	25.21	0.332	PASS
n41	30	90	CP-64QAM	L	Edge_1RB_Left	21.36	24.83	0.304	PASS
n41	30	90	CP-64QAM	L	Inner_1RB_Left	21.29	24.76	0.299	PASS
n41	30	90	CP-64QAM	L	Inner_1RB_Right	21.64	25.11	0.324	PASS
n41	30	90	CP-64QAM	L	Edge_1RB_Right	21.58	25.05	0.320	PASS
n41	30	90	CP-64QAM	L	Inner_Full	21.3	24.77	0.300	PASS

n41	30	90	CP-64QAM	L	Outer_Full	21.29	24.76	0.299	PASS
n41	30	90	CP-256QAM	L	Edge_1RB_Left	18.38	21.85	0.153	PASS
n41	30	90	CP-256QAM	L	Inner_1RB_Left	18.4	21.87	0.154	PASS
n41	30	90	CP-256QAM	L	Inner_1RB_Right	18.65	22.12	0.163	PASS
n41	30	90	CP-256QAM	L	Edge_1RB_Right	18.63	22.1	0.162	PASS
n41	30	90	CP-256QAM	L	Inner_Full	18.51	21.98	0.158	PASS
n41	30	90	CP-256QAM	L	Outer_Full	18.46	21.93	0.156	PASS
n41	30	90	DFT-BPSK	M	Edge_1RB_Left	21.13	24.6	0.288	PASS
n41	30	90	DFT-BPSK	M	Inner_1RB_Left	21.07	24.54	0.284	PASS
n41	30	90	DFT-BPSK	M	Inner_1RB_Right	25.18	28.65	0.733	PASS
n41	30	90	DFT-BPSK	M	Edge_1RB_Right	21.92	25.39	0.346	PASS
n41	30	90	DFT-BPSK	M	Inner_Full	24.82	28.29	0.675	PASS
n41	30	90	DFT-BPSK	M	Outer_Full	24.47	27.94	0.622	PASS
n41	30	90	DFT-QPSK	M	Edge_1RB_Left	21.15	24.62	0.290	PASS
n41	30	90	DFT-QPSK	M	Inner_1RB_Left	24.92	28.39	0.690	PASS
n41	30	90	DFT-QPSK	M	Inner_1RB_Right	25.21	28.68	0.738	PASS
n41	30	90	DFT-QPSK	M	Edge_1RB_Right	21.91	25.38	0.345	PASS
n41	30	90	DFT-QPSK	M	Inner_Full	24.82	28.29	0.675	PASS
n41	30	90	DFT-QPSK	M	Outer_Full	24.09	27.56	0.570	PASS
n41	30	90	DFT-16QAM	M	Edge_1RB_Left	20.91	24.38	0.274	PASS
n41	30	90	DFT-16QAM	M	Inner_1RB_Left	23.65	27.12	0.515	PASS
n41	30	90	DFT-16QAM	M	Inner_1RB_Right	24.33	27.8	0.603	PASS
n41	30	90	DFT-16QAM	M	Edge_1RB_Right	21.64	25.11	0.324	PASS
n41	30	90	DFT-16QAM	M	Inner_Full	24.08	27.55	0.569	PASS
n41	30	90	DFT-16QAM	M	Outer_Full	23.09	26.56	0.453	PASS
n41	30	90	DFT-64QAM	M	Edge_1RB_Left	21.29	24.76	0.299	PASS
n41	30	90	DFT-64QAM	M	Inner_1RB_Left	22.17	25.64	0.366	PASS
n41	30	90	DFT-64QAM	M	Inner_1RB_Right	23.06	26.53	0.450	PASS
n41	30	90	DFT-64QAM	M	Edge_1RB_Right	22.14	25.61	0.364	PASS

n41	30	90	DFT-64QAM	M	Inner_Full	22.48	25.95	0.394	PASS
n41	30	90	DFT-64QAM	M	Outer_Full	22.6	26.07	0.405	PASS
n41	30	90	DFT-256QAM	M	Edge_1RB_Left	20.08	23.55	0.226	PASS
n41	30	90	DFT-256QAM	M	Inner_1RB_Left	20.17	23.64	0.231	PASS
n41	30	90	DFT-256QAM	M	Inner_1RB_Right	21.05	24.52	0.283	PASS
n41	30	90	DFT-256QAM	M	Edge_1RB_Right	20.97	24.44	0.278	PASS
n41	30	90	DFT-256QAM	M	Inner_Full	20.64	24.11	0.258	PASS
n41	30	90	DFT-256QAM	M	Outer_Full	20.71	24.18	0.262	PASS
n41	30	90	CP-QPSK	M	Edge_1RB_Left	21	24.47	0.280	PASS
n41	30	90	CP-QPSK	M	Inner_1RB_Left	23.07	26.54	0.451	PASS
n41	30	90	CP-QPSK	M	Inner_1RB_Right	24.19	27.66	0.583	PASS
n41	30	90	CP-QPSK	M	Edge_1RB_Right	22.02	25.49	0.354	PASS
n41	30	90	CP-QPSK	M	Inner_Full	23.58	27.05	0.507	PASS
n41	30	90	CP-QPSK	M	Outer_Full	22.12	25.59	0.362	PASS
n41	30	90	CP-16QAM	M	Edge_1RB_Left	20.87	24.34	0.272	PASS
n41	30	90	CP-16QAM	M	Inner_1RB_Left	22.04	25.51	0.356	PASS
n41	30	90	CP-16QAM	M	Inner_1RB_Right	23.08	26.55	0.452	PASS
n41	30	90	CP-16QAM	M	Edge_1RB_Right	21.82	25.29	0.338	PASS
n41	30	90	CP-16QAM	M	Inner_Full	23	26.47	0.444	PASS
n41	30	90	CP-16QAM	M	Outer_Full	22.09	25.56	0.360	PASS
n41	30	90	CP-64QAM	M	Edge_1RB_Left	21.07	24.54	0.284	PASS
n41	30	90	CP-64QAM	M	Inner_1RB_Left	21.06	24.53	0.284	PASS
n41	30	90	CP-64QAM	M	Inner_1RB_Right	22.16	25.63	0.366	PASS
n41	30	90	CP-64QAM	M	Edge_1RB_Right	22.09	25.56	0.360	PASS
n41	30	90	CP-64QAM	M	Inner_Full	21.51	24.98	0.315	PASS
n41	30	90	CP-64QAM	M	Outer_Full	21.63	25.1	0.324	PASS
n41	30	90	CP-256QAM	M	Edge_1RB_Left	18.21	21.68	0.147	PASS
n41	30	90	CP-256QAM	M	Inner_1RB_Left	18.28	21.75	0.150	PASS
n41	30	90	CP-256QAM	M	Inner_1RB_Right	19.23	22.7	0.186	PASS

n41	30	90	CP-256QAM	M	Edge_1RB_Right	19.18	22.65	0.184	PASS
n41	30	90	CP-256QAM	M	Inner_Full	18.71	22.18	0.165	PASS
n41	30	90	CP-256QAM	M	Outer_Full	18.78	22.25	0.168	PASS
n41	30	90	DFT-BPSK	H	Edge_1RB_Left	21.2	24.67	0.293	PASS
n41	30	90	DFT-BPSK	H	Inner_1RB_Left	24.46	27.93	0.621	PASS
n41	30	90	DFT-BPSK	H	Inner_1RB_Right	24.75	28.22	0.664	PASS
n41	30	90	DFT-BPSK	H	Edge_1RB_Right	21.8	25.27	0.337	PASS
n41	30	90	DFT-BPSK	H	Inner_Full	24.8	28.27	0.671	PASS
n41	30	90	DFT-BPSK	H	Outer_Full	20.55	24.02	0.252	PASS
n41	30	90	DFT-QPSK	H	Edge_1RB_Left	21.16	24.63	0.290	PASS
n41	30	90	DFT-QPSK	H	Inner_1RB_Left	24.54	28.01	0.632	PASS
n41	30	90	DFT-QPSK	H	Inner_1RB_Right	24.91	28.38	0.689	PASS
n41	30	90	DFT-QPSK	H	Edge_1RB_Right	21.75	25.22	0.333	PASS
n41	30	90	DFT-QPSK	H	Inner_Full	24.86	28.33	0.681	PASS
n41	30	90	DFT-QPSK	H	Outer_Full	23.87	27.34	0.542	PASS
n41	30	90	DFT-16QAM	H	Edge_1RB_Left	20.96	24.43	0.277	PASS
n41	30	90	DFT-16QAM	H	Inner_1RB_Left	23.5	26.97	0.498	PASS
n41	30	90	DFT-16QAM	H	Inner_1RB_Right	23.85	27.32	0.540	PASS
n41	30	90	DFT-16QAM	H	Edge_1RB_Right	21.67	25.14	0.327	PASS
n41	30	90	DFT-16QAM	H	Inner_Full	23.98	27.45	0.556	PASS
n41	30	90	DFT-16QAM	H	Outer_Full	22.9	26.37	0.434	PASS
n41	30	90	DFT-64QAM	H	Edge_1RB_Left	21.33	24.8	0.302	PASS
n41	30	90	DFT-64QAM	H	Inner_1RB_Left	22.28	25.75	0.376	PASS
n41	30	90	DFT-64QAM	H	Inner_1RB_Right	22.74	26.21	0.418	PASS
n41	30	90	DFT-64QAM	H	Edge_1RB_Right	21.93	25.4	0.347	PASS
n41	30	90	DFT-64QAM	H	Inner_Full	22.57	26.04	0.402	PASS
n41	30	90	DFT-64QAM	H	Outer_Full	22.4	25.87	0.386	PASS
n41	30	90	DFT-256QAM	H	Edge_1RB_Left	20.35	23.82	0.241	PASS
n41	30	90	DFT-256QAM	H	Inner_1RB_Left	20.32	23.79	0.239	PASS

n41	30	90	DFT-256QAM	H	Inner_1RB_Right	20.92	24.39	0.275	PASS
n41	30	90	DFT-256QAM	H	Edge_1RB_Right	20.85	24.32	0.270	PASS
n41	30	90	DFT-256QAM	H	Inner_Full	20.8	24.27	0.267	PASS
n41	30	90	DFT-256QAM	H	Outer_Full	20.64	24.11	0.258	PASS
n41	30	90	CP-QPSK	H	Edge_1RB_Left	21.2	24.67	0.293	PASS
n41	30	90	CP-QPSK	H	Inner_1RB_Left	23.4	26.87	0.486	PASS
n41	30	90	CP-QPSK	H	Inner_1RB_Right	23.62	27.09	0.512	PASS
n41	30	90	CP-QPSK	H	Edge_1RB_Right	21.75	25.22	0.333	PASS
n41	30	90	CP-QPSK	H	Inner_Full	23.6	27.07	0.509	PASS
n41	30	90	CP-QPSK	H	Outer_Full	21.99	25.46	0.352	PASS
n41	30	90	CP-16QAM	H	Edge_1RB_Left	21.09	24.56	0.286	PASS
n41	30	90	CP-16QAM	H	Inner_1RB_Left	22.34	25.81	0.381	PASS
n41	30	90	CP-16QAM	H	Inner_1RB_Right	22.86	26.33	0.430	PASS
n41	30	90	CP-16QAM	H	Edge_1RB_Right	21.5	24.97	0.314	PASS
n41	30	90	CP-16QAM	H	Inner_Full	23.03	26.5	0.447	PASS
n41	30	90	CP-16QAM	H	Outer_Full	21.99	25.46	0.352	PASS
n41	30	90	CP-64QAM	H	Edge_1RB_Left	21.37	24.84	0.305	PASS
n41	30	90	CP-64QAM	H	Inner_1RB_Left	21.39	24.86	0.306	PASS
n41	30	90	CP-64QAM	H	Inner_1RB_Right	21.9	25.37	0.344	PASS
n41	30	90	CP-64QAM	H	Edge_1RB_Right	21.97	25.44	0.350	PASS
n41	30	90	CP-64QAM	H	Inner_Full	21.66	25.13	0.326	PASS
n41	30	90	CP-64QAM	H	Outer_Full	21.49	24.96	0.313	PASS
n41	30	90	CP-256QAM	H	Edge_1RB_Left	18.54	22.01	0.159	PASS
n41	30	90	CP-256QAM	H	Inner_1RB_Left	18.45	21.92	0.156	PASS
n41	30	90	CP-256QAM	H	Inner_1RB_Right	19.09	22.56	0.180	PASS
n41	30	90	CP-256QAM	H	Edge_1RB_Right	19.02	22.49	0.177	PASS
n41	30	90	CP-256QAM	H	Inner_Full	18.87	22.34	0.171	PASS
n41	30	90	CP-256QAM	H	Outer_Full	18.76	22.23	0.167	PASS
n41	30	100	DFT-BPSK	L	Edge_1RB_Left	21.15	24.62	0.290	PASS

n41	30	100	DFT-BPSK	L	Inner_1RB_Left	24.73	28.2	0.661	PASS
n41	30	100	DFT-BPSK	L	Inner_1RB_Right	24.98	28.45	0.700	PASS
n41	30	100	DFT-BPSK	L	Edge_1RB_Right	21.53	25	0.316	PASS
n41	30	100	DFT-BPSK	L	Inner_Full	24.73	28.2	0.661	PASS
n41	30	100	DFT-BPSK	L	Outer_Full	24.09	27.56	0.570	PASS
n41	30	100	DFT-QPSK	L	Edge_1RB_Left	21.18	24.65	0.292	PASS
n41	30	100	DFT-QPSK	L	Inner_1RB_Left	24.66	28.13	0.650	PASS
n41	30	100	DFT-QPSK	L	Inner_1RB_Right	25.07	28.54	0.714	PASS
n41	30	100	DFT-QPSK	L	Edge_1RB_Right	21.57	25.04	0.319	PASS
n41	30	100	DFT-QPSK	L	Inner_Full	24.74	28.21	0.662	PASS
n41	30	100	DFT-QPSK	L	Outer_Full	23.71	27.18	0.522	PASS
n41	30	100	DFT-16QAM	L	Edge_1RB_Left	20.9	24.37	0.274	PASS
n41	30	100	DFT-16QAM	L	Inner_1RB_Left	23.79	27.26	0.532	PASS
n41	30	100	DFT-16QAM	L	Inner_1RB_Right	24.27	27.74	0.594	PASS
n41	30	100	DFT-16QAM	L	Edge_1RB_Right	21.47	24.94	0.312	PASS
n41	30	100	DFT-16QAM	L	Inner_Full	23.85	27.32	0.540	PASS
n41	30	100	DFT-16QAM	L	Outer_Full	22.61	26.08	0.406	PASS
n41	30	100	DFT-64QAM	L	Edge_1RB_Left	21.36	24.83	0.304	PASS
n41	30	100	DFT-64QAM	L	Inner_1RB_Left	22.51	25.98	0.396	PASS
n41	30	100	DFT-64QAM	L	Inner_1RB_Right	22.44	25.91	0.390	PASS
n41	30	100	DFT-64QAM	L	Edge_1RB_Right	21.67	25.14	0.327	PASS
n41	30	100	DFT-64QAM	L	Inner_Full	22.34	25.81	0.381	PASS
n41	30	100	DFT-64QAM	L	Outer_Full	22.16	25.63	0.366	PASS
n41	30	100	DFT-256QAM	L	Edge_1RB_Left	20.24	23.71	0.235	PASS
n41	30	100	DFT-256QAM	L	Inner_1RB_Left	20.26	23.73	0.236	PASS
n41	30	100	DFT-256QAM	L	Inner_1RB_Right	20.71	24.18	0.262	PASS
n41	30	100	DFT-256QAM	L	Edge_1RB_Right	20.67	24.14	0.259	PASS
n41	30	100	DFT-256QAM	L	Inner_Full	20.45	23.92	0.247	PASS
n41	30	100	DFT-256QAM	L	Outer_Full	20.25	23.72	0.236	PASS

n41	30	100	CP-QPSK	L	Edge_1RB_Left	21.14	24.61	0.289	PASS
n41	30	100	CP-QPSK	L	Inner_1RB_Left	23.33	26.8	0.479	PASS
n41	30	100	CP-QPSK	L	Inner_1RB_Right	23.83	27.3	0.537	PASS
n41	30	100	CP-QPSK	L	Edge_1RB_Right	21.57	25.04	0.319	PASS
n41	30	100	CP-QPSK	L	Inner_Full	23.34	26.81	0.480	PASS
n41	30	100	CP-QPSK	L	Outer_Full	21.7	25.17	0.329	PASS
n41	30	100	CP-16QAM	L	Edge_1RB_Left	20.99	24.46	0.279	PASS
n41	30	100	CP-16QAM	L	Inner_1RB_Left	22.24	25.71	0.372	PASS
n41	30	100	CP-16QAM	L	Inner_1RB_Right	22.85	26.32	0.429	PASS
n41	30	100	CP-16QAM	L	Edge_1RB_Right	21.43	24.9	0.309	PASS
n41	30	100	CP-16QAM	L	Inner_Full	22.86	26.33	0.430	PASS
n41	30	100	CP-16QAM	L	Outer_Full	21.65	25.12	0.325	PASS
n41	30	100	CP-64QAM	L	Edge_1RB_Left	21.37	24.84	0.305	PASS
n41	30	100	CP-64QAM	L	Inner_1RB_Left	21.29	24.76	0.299	PASS
n41	30	100	CP-64QAM	L	Inner_1RB_Right	21.6	25.07	0.321	PASS
n41	30	100	CP-64QAM	L	Edge_1RB_Right	21.74	25.21	0.332	PASS
n41	30	100	CP-64QAM	L	Inner_Full	21.36	24.83	0.304	PASS
n41	30	100	CP-64QAM	L	Outer_Full	21.21	24.68	0.294	PASS
n41	30	100	CP-256QAM	L	Edge_1RB_Left	18.32	21.79	0.151	PASS
n41	30	100	CP-256QAM	L	Inner_1RB_Left	18.49	21.96	0.157	PASS
n41	30	100	CP-256QAM	L	Inner_1RB_Right	18.88	22.35	0.172	PASS
n41	30	100	CP-256QAM	L	Edge_1RB_Right	18.84	22.31	0.170	PASS
n41	30	100	CP-256QAM	L	Inner_Full	18.57	22.04	0.160	PASS
n41	30	100	CP-256QAM	L	Outer_Full	18.37	21.84	0.153	PASS
n41	30	100	DFT-BPSK	M	Edge_1RB_Left	21.07	24.54	0.284	PASS
n41	30	100	DFT-BPSK	M	Inner_1RB_Left	24.5	27.97	0.627	PASS
n41	30	100	DFT-BPSK	M	Inner_1RB_Right	25.26	28.73	0.746	PASS
n41	30	100	DFT-BPSK	M	Edge_1RB_Right	21.9	25.37	0.344	PASS
n41	30	100	DFT-BPSK	M	Inner_Full	24.81	28.28	0.673	PASS

n41	30	100	DFT-BPSK	M	Outer_Full	24.52	27.99	0.630	PASS
n41	30	100	DFT-QPSK	M	Edge_1RB_Left	21.08	24.55	0.285	PASS
n41	30	100	DFT-QPSK	M	Inner_1RB_Left	24.84	28.31	0.678	PASS
n41	30	100	DFT-QPSK	M	Inner_1RB_Right	25.51	28.98	0.791	PASS
n41	30	100	DFT-QPSK	M	Edge_1RB_Right	21.89	25.36	0.344	PASS
n41	30	100	DFT-QPSK	M	Inner_Full	24.86	28.33	0.681	PASS
n41	30	100	DFT-QPSK	M	Outer_Full	24.06	27.53	0.566	PASS
n41	30	100	DFT-16QAM	M	Edge_1RB_Left	20.93	24.4	0.275	PASS
n41	30	100	DFT-16QAM	M	Inner_1RB_Left	23.49	26.96	0.497	PASS
n41	30	100	DFT-16QAM	M	Inner_1RB_Right	24.19	27.66	0.583	PASS
n41	30	100	DFT-16QAM	M	Edge_1RB_Right	21.79	25.26	0.336	PASS
n41	30	100	DFT-16QAM	M	Inner_Full	23.99	27.46	0.557	PASS
n41	30	100	DFT-16QAM	M	Outer_Full	23.07	26.54	0.451	PASS
n41	30	100	DFT-64QAM	M	Edge_1RB_Left	21.16	24.63	0.290	PASS
n41	30	100	DFT-64QAM	M	Inner_1RB_Left	22.01	25.48	0.353	PASS
n41	30	100	DFT-64QAM	M	Inner_1RB_Right	23.02	26.49	0.446	PASS
n41	30	100	DFT-64QAM	M	Edge_1RB_Right	22.1	25.57	0.361	PASS
n41	30	100	DFT-64QAM	M	Inner_Full	22.48	25.95	0.394	PASS
n41	30	100	DFT-64QAM	M	Outer_Full	22.61	26.08	0.406	PASS
n41	30	100	DFT-256QAM	M	Edge_1RB_Left	20.14	23.61	0.230	PASS
n41	30	100	DFT-256QAM	M	Inner_1RB_Left	20.08	23.55	0.226	PASS
n41	30	100	DFT-256QAM	M	Inner_1RB_Right	21.05	24.52	0.283	PASS
n41	30	100	DFT-256QAM	M	Edge_1RB_Right	21.03	24.5	0.282	PASS
n41	30	100	DFT-256QAM	M	Inner_Full	20.6	24.07	0.255	PASS
n41	30	100	DFT-256QAM	M	Outer_Full	20.66	24.13	0.259	PASS
n41	30	100	CP-QPSK	M	Edge_1RB_Left	20.99	24.46	0.279	PASS
n41	30	100	CP-QPSK	M	Inner_1RB_Left	23.02	26.49	0.446	PASS
n41	30	100	CP-QPSK	M	Inner_1RB_Right	24.2	27.67	0.585	PASS
n41	30	100	CP-QPSK	M	Edge_1RB_Right	21.99	25.46	0.352	PASS

n41	30	100	CP-QPSK	M	Inner_Full	23.47	26.94	0.494	PASS
n41	30	100	CP-QPSK	M	Outer_Full	22.11	25.58	0.361	PASS
n41	30	100	CP-16QAM	M	Edge_1RB_Left	20.8	24.27	0.267	PASS
n41	30	100	CP-16QAM	M	Inner_1RB_Left	22.12	25.59	0.362	PASS
n41	30	100	CP-16QAM	M	Inner_1RB_Right	23.05	26.52	0.449	PASS
n41	30	100	CP-16QAM	M	Edge_1RB_Right	21.77	25.24	0.334	PASS
n41	30	100	CP-16QAM	M	Inner_Full	22.9	26.37	0.434	PASS
n41	30	100	CP-16QAM	M	Outer_Full	22.1	25.57	0.361	PASS
n41	30	100	CP-64QAM	M	Edge_1RB_Left	21.24	24.71	0.296	PASS
n41	30	100	CP-64QAM	M	Inner_1RB_Left	21.3	24.77	0.300	PASS
n41	30	100	CP-64QAM	M	Inner_1RB_Right	22.13	25.6	0.363	PASS
n41	30	100	CP-64QAM	M	Edge_1RB_Right	22.1	25.57	0.361	PASS
n41	30	100	CP-64QAM	M	Inner_Full	21.55	25.02	0.318	PASS
n41	30	100	CP-64QAM	M	Outer_Full	21.61	25.08	0.322	PASS
n41	30	100	CP-256QAM	M	Edge_1RB_Left	18.17	21.64	0.146	PASS
n41	30	100	CP-256QAM	M	Inner_1RB_Left	18.32	21.79	0.151	PASS
n41	30	100	CP-256QAM	M	Inner_1RB_Right	19.15	22.62	0.183	PASS
n41	30	100	CP-256QAM	M	Edge_1RB_Right	19.1	22.57	0.181	PASS
n41	30	100	CP-256QAM	M	Inner_Full	18.71	22.18	0.165	PASS
n41	30	100	CP-256QAM	M	Outer_Full	18.76	22.23	0.167	PASS
n41	30	100	DFT-BPSK	H	Edge_1RB_Left	21.16	24.63	0.290	PASS
n41	30	100	DFT-BPSK	H	Inner_1RB_Left	24.62	28.09	0.644	PASS
n41	30	100	DFT-BPSK	H	Inner_1RB_Right	24.93	28.4	0.692	PASS
n41	30	100	DFT-BPSK	H	Edge_1RB_Right	21.83	25.3	0.339	PASS
n41	30	100	DFT-BPSK	H	Inner_Full	21.1	24.57	0.286	PASS
n41	30	100	DFT-BPSK	H	Outer_Full	24.54	28.01	0.632	PASS
n41	30	100	DFT-QPSK	H	Edge_1RB_Left	21.18	24.65	0.292	PASS
n41	30	100	DFT-QPSK	H	Inner_1RB_Left	24.66	28.13	0.650	PASS
n41	30	100	DFT-QPSK	H	Inner_1RB_Right	24.94	28.41	0.693	PASS

n41	30	100	DFT-QPSK	H	Edge_1RB_Right	21.8	25.27	0.337	PASS
n41	30	100	DFT-QPSK	H	Inner_Full	24.83	28.3	0.676	PASS
n41	30	100	DFT-QPSK	H	Outer_Full	23.89	27.36	0.545	PASS
n41	30	100	DFT-16QAM	H	Edge_1RB_Left	21.13	24.6	0.288	PASS
n41	30	100	DFT-16QAM	H	Inner_1RB_Left	23.65	27.12	0.515	PASS
n41	30	100	DFT-16QAM	H	Inner_1RB_Right	24.11	27.58	0.573	PASS
n41	30	100	DFT-16QAM	H	Edge_1RB_Right	21.76	25.23	0.333	PASS
n41	30	100	DFT-16QAM	H	Inner_Full	24	27.47	0.558	PASS
n41	30	100	DFT-16QAM	H	Outer_Full	22.92	26.39	0.436	PASS
n41	30	100	DFT-64QAM	H	Edge_1RB_Left	21.31	24.78	0.301	PASS
n41	30	100	DFT-64QAM	H	Inner_1RB_Left	22.3	25.77	0.378	PASS
n41	30	100	DFT-64QAM	H	Inner_1RB_Right	22.87	26.34	0.431	PASS
n41	30	100	DFT-64QAM	H	Edge_1RB_Right	22.01	25.48	0.353	PASS
n41	30	100	DFT-64QAM	H	Inner_Full	22.55	26.02	0.400	PASS
n41	30	100	DFT-64QAM	H	Outer_Full	22.45	25.92	0.391	PASS
n41	30	100	DFT-256QAM	H	Edge_1RB_Left	20.18	23.65	0.232	PASS
n41	30	100	DFT-256QAM	H	Inner_1RB_Left	20.27	23.74	0.237	PASS
n41	30	100	DFT-256QAM	H	Inner_1RB_Right	20.92	24.39	0.275	PASS
n41	30	100	DFT-256QAM	H	Edge_1RB_Right	20.9	24.37	0.274	PASS
n41	30	100	DFT-256QAM	H	Inner_Full	20.79	24.26	0.267	PASS
n41	30	100	DFT-256QAM	H	Outer_Full	20.66	24.13	0.259	PASS
n41	30	100	CP-QPSK	H	Edge_1RB_Left	21.17	24.64	0.291	PASS
n41	30	100	CP-QPSK	H	Inner_1RB_Left	23.31	26.78	0.476	PASS
n41	30	100	CP-QPSK	H	Inner_1RB_Right	23.96	27.43	0.553	PASS
n41	30	100	CP-QPSK	H	Edge_1RB_Right	21.86	25.33	0.341	PASS
n41	30	100	CP-QPSK	H	Inner_Full	23.53	27	0.501	PASS
n41	30	100	CP-QPSK	H	Outer_Full	22.06	25.53	0.357	PASS
n41	30	100	CP-16QAM	H	Edge_1RB_Left	20.89	24.36	0.273	PASS
n41	30	100	CP-16QAM	H	Inner_1RB_Left	22.16	25.63	0.366	PASS

n41	30	100	CP-16QAM	H	Inner_1RB_Right	22.79	26.26	0.423	PASS
n41	30	100	CP-16QAM	H	Edge_1RB_Right	21.55	25.02	0.318	PASS
n41	30	100	CP-16QAM	H	Inner_Full	23.04	26.51	0.448	PASS
n41	30	100	CP-16QAM	H	Outer_Full	22.01	25.48	0.353	PASS
n41	30	100	CP-64QAM	H	Edge_1RB_Left	21.22	24.69	0.294	PASS
n41	30	100	CP-64QAM	H	Inner_1RB_Left	21.42	24.89	0.308	PASS
n41	30	100	CP-64QAM	H	Inner_1RB_Right	22.01	25.48	0.353	PASS
n41	30	100	CP-64QAM	H	Edge_1RB_Right	22.02	25.49	0.354	PASS
n41	30	100	CP-64QAM	H	Inner_Full	21.67	25.14	0.327	PASS
n41	30	100	CP-64QAM	H	Outer_Full	21.55	25.02	0.318	PASS
n41	30	100	CP-256QAM	H	Edge_1RB_Left	18.42	21.89	0.155	PASS
n41	30	100	CP-256QAM	H	Inner_1RB_Left	18.42	21.89	0.155	PASS
n41	30	100	CP-256QAM	H	Inner_1RB_Right	19.12	22.59	0.182	PASS
n41	30	100	CP-256QAM	H	Edge_1RB_Right	19.11	22.58	0.181	PASS
n41	30	100	CP-256QAM	H	Inner_Full	18.85	22.32	0.171	PASS
n41	30	100	CP-256QAM	H	Outer_Full	18.79	22.26	0.168	PASS

Appendix B: Peak-to-Average Ratio for SA

Test Result

Band	SCS (kHz)	Bandwidth h (MHz)	Modulation	Channel	RB Config	Result (dB)	Limit	Verdict
N41	30	10	DFT-PI2BPSK	L	Outer_Full	-14.43	≤13	PASS
N41	30	10	DFT-QPSK	L	Outer_Full	-11.54	≤13	PASS
N41	30	10	DFT-16QAM	L	Outer_Full	-10.84	≤13	PASS
N41	30	10	DFT-64QAM	L	Outer_Full	-11.51	≤13	PASS
N41	30	10	DFT-256QAM	L	Outer_Full	-11.57	≤13	PASS
N41	30	10	CP-QPSK	L	Outer_Full	-11.54	≤13	PASS
N41	30	10	CP-16QAM	L	Outer_Full	-10.67	≤13	PASS
N41	30	10	CP-64QAM	L	Outer_Full	-3.22	≤13	PASS
N41	30	10	CP-256QAM	L	Outer_Full	-11.59	≤13	PASS
N41	30	10	DFT-PI2BPSK	M	Outer_Full	-11.39	≤13	PASS
N41	30	10	DFT-QPSK	M	Outer_Full	-11.54	≤13	PASS
N41	30	10	DFT-16QAM	M	Outer_Full	-11.28	≤13	PASS
N41	30	10	DFT-64QAM	M	Outer_Full	-4.35	≤13	PASS
N41	30	10	DFT-256QAM	M	Outer_Full	-10.09	≤13	PASS
N41	30	10	CP-QPSK	M	Outer_Full	-11.62	≤13	PASS
N41	30	10	CP-16QAM	M	Outer_Full	-11.57	≤13	PASS
N41	30	10	CP-64QAM	M	Outer_Full	0.00	≤13	PASS
N41	30	10	CP-256QAM	M	Outer_Full	-1.59	≤13	PASS
N41	30	10	DFT-PI2BPSK	H	Outer_Full	-14.52	≤13	PASS
N41	30	10	DFT-QPSK	H	Outer_Full	-11.48	≤13	PASS
N41	30	10	DFT-16QAM	H	Outer_Full	-11.62	≤13	PASS
N41	30	10	DFT-64QAM	H	Outer_Full	-11.54	≤13	PASS
N41	30	10	DFT-256QAM	H	Outer_Full	-11.59	≤13	PASS
N41	30	10	CP-QPSK	H	Outer_Full	-10.03	≤13	PASS
N41	30	10	CP-16QAM	H	Outer_Full	-11.77	≤13	PASS
N41	30	10	CP-64QAM	H	Outer_Full	-11.59	≤13	PASS
N41	30	10	CP-256QAM	H	Outer_Full	-9.94	≤13	PASS
N41	30	15	DFT-PI2BPSK	L	Outer_Full	-11.48	≤13	PASS
N41	30	15	DFT-QPSK	L	Outer_Full	-11.62	≤13	PASS
N41	30	15	DFT-16QAM	L	Outer_Full	-11.54	≤13	PASS
N41	30	15	DFT-64QAM	L	Outer_Full	-11.48	≤13	PASS
N41	30	15	DFT-256QAM	L	Outer_Full	-11.57	≤13	PASS
N41	30	15	CP-QPSK	L	Outer_Full	-11.65	≤13	PASS
N41	30	15	CP-16QAM	L	Outer_Full	-11.51	≤13	PASS
N41	30	15	CP-64QAM	L	Outer_Full	-11.59	≤13	PASS


N41	30	15	CP-256QAM	L	Outer_Full	-8.14	≤13	PASS
N41	30	15	DFT-PI2BPSK	M	Outer_Full	-11.59	≤13	PASS
N41	30	15	DFT-QPSK	M	Outer_Full	-11.51	≤13	PASS
N41	30	15	DFT-16QAM	M	Outer_Full	-11.57	≤13	PASS
N41	30	15	DFT-64QAM	M	Outer_Full	-11.51	≤13	PASS
N41	30	15	DFT-256QAM	M	Outer_Full	-11.59	≤13	PASS
N41	30	15	CP-QPSK	M	Outer_Full	-11.57	≤13	PASS
N41	30	15	CP-16QAM	M	Outer_Full	-4.03	≤13	PASS
N41	30	15	CP-64QAM	M	Outer_Full	-11.48	≤13	PASS
N41	30	15	CP-256QAM	M	Outer_Full	-11.48	≤13	PASS
N41	30	15	DFT-PI2BPSK	H	Outer_Full	-8.14	≤13	PASS
N41	30	15	DFT-QPSK	H	Outer_Full	-11.62	≤13	PASS
N41	30	15	DFT-16QAM	H	Outer_Full	-11.51	≤13	PASS
N41	30	15	DFT-64QAM	H	Outer_Full	-11.51	≤13	PASS
N41	30	15	DFT-256QAM	H	Outer_Full	-9.01	≤13	PASS
N41	30	15	CP-QPSK	H	Outer_Full	0.00	≤13	PASS
N41	30	15	CP-16QAM	H	Outer_Full	-11.57	≤13	PASS
N41	30	15	CP-64QAM	H	Outer_Full	-7.51	≤13	PASS
N41	30	15	CP-256QAM	H	Outer_Full	-11.59	≤13	PASS
N41	30	20	DFT-PI2BPSK	L	Outer_Full	-11.57	≤13	PASS
N41	30	20	DFT-QPSK	L	Outer_Full	-13.16	≤13	PASS
N41	30	20	DFT-16QAM	L	Outer_Full	-11.68	≤13	PASS
N41	30	20	DFT-64QAM	L	Outer_Full	-11.62	≤13	PASS
N41	30	20	DFT-256QAM	L	Outer_Full	-11.54	≤13	PASS
N41	30	20	CP-QPSK	L	Outer_Full	-8.84	≤13	PASS
N41	30	20	CP-16QAM	L	Outer_Full	-11.54	≤13	PASS
N41	30	20	CP-64QAM	L	Outer_Full	-1.10	≤13	PASS
N41	30	20	CP-256QAM	L	Outer_Full	-11.42	≤13	PASS
N41	30	20	DFT-PI2BPSK	M	Outer_Full	-11.59	≤13	PASS
N41	30	20	DFT-QPSK	M	Outer_Full	-11.54	≤13	PASS
N41	30	20	DFT-16QAM	M	Outer_Full	-7.45	≤13	PASS
N41	30	20	DFT-64QAM	M	Outer_Full	-11.57	≤13	PASS
N41	30	20	DFT-256QAM	M	Outer_Full	-11.42	≤13	PASS
N41	30	20	CP-QPSK	M	Outer_Full	-11.51	≤13	PASS
N41	30	20	CP-16QAM	M	Outer_Full	-10.55	≤13	PASS
N41	30	20	CP-64QAM	M	Outer_Full	-5.77	≤13	PASS
N41	30	20	CP-256QAM	M	Outer_Full	-8.93	≤13	PASS
N41	30	20	DFT-PI2BPSK	H	Outer_Full	-14.32	≤13	PASS
N41	30	20	DFT-QPSK	H	Outer_Full	-10.55	≤13	PASS
N41	30	20	DFT-16QAM	H	Outer_Full	-11.54	≤13	PASS
N41	30	20	DFT-64QAM	H	Outer_Full	-11.36	≤13	PASS
N41	30	20	DFT-256QAM	H	Outer_Full	-12.17	≤13	PASS
N41	30	20	CP-QPSK	H	Outer_Full	-11.59	≤13	PASS


N41	30	20	CP-16QAM	H	Outer_Full	-8.52	≤13	PASS
N41	30	20	CP-64QAM	H	Outer_Full	-10.35	≤13	PASS
N41	30	20	CP-256QAM	H	Outer_Full	-11.51	≤13	PASS
N41	30	30	DFT-PI2BPSK	L	Outer_Full	-11.62	≤13	PASS
N41	30	30	DFT-QPSK	L	Outer_Full	-11.51	≤13	PASS
N41	30	30	DFT-16QAM	L	Outer_Full	-5.86	≤13	PASS
N41	30	30	DFT-64QAM	L	Outer_Full	-9.10	≤13	PASS
N41	30	30	DFT-256QAM	L	Outer_Full	-11.45	≤13	PASS
N41	30	30	CP-QPSK	L	Outer_Full	-8.49	≤13	PASS
N41	30	30	CP-16QAM	L	Outer_Full	-8.29	≤13	PASS
N41	30	30	CP-64QAM	L	Outer_Full	-8.55	≤13	PASS
N41	30	30	CP-256QAM	L	Outer_Full	-11.62	≤13	PASS
N41	30	30	DFT-PI2BPSK	M	Outer_Full	-9.94	≤13	PASS
N41	30	30	DFT-QPSK	M	Outer_Full	-9.10	≤13	PASS
N41	30	30	DFT-16QAM	M	Outer_Full	-11.51	≤13	PASS
N41	30	30	DFT-64QAM	M	Outer_Full	-9.19	≤13	PASS
N41	30	30	DFT-256QAM	M	Outer_Full	-8.90	≤13	PASS
N41	30	30	CP-QPSK	M	Outer_Full	-4.17	≤13	PASS
N41	30	30	CP-16QAM	M	Outer_Full	-6.41	≤13	PASS
N41	30	30	CP-64QAM	M	Outer_Full	-6.90	≤13	PASS
N41	30	30	CP-256QAM	M	Outer_Full	-8.29	≤13	PASS
N41	30	30	DFT-PI2BPSK	H	Outer_Full	-10.46	≤13	PASS
N41	30	30	DFT-QPSK	H	Outer_Full	-11.19	≤13	PASS
N41	30	30	DFT-16QAM	H	Outer_Full	-11.59	≤13	PASS
N41	30	30	DFT-64QAM	H	Outer_Full	-7.10	≤13	PASS
N41	30	30	DFT-256QAM	H	Outer_Full	-11.48	≤13	PASS
N41	30	30	CP-QPSK	H	Outer_Full	-11.59	≤13	PASS
N41	30	30	CP-16QAM	H	Outer_Full	-11.33	≤13	PASS
N41	30	30	CP-64QAM	H	Outer_Full	-8.32	≤13	PASS
N41	30	30	CP-256QAM	H	Outer_Full	-8.14	≤13	PASS
N41	30	40	DFT-PI2BPSK	L	Outer_Full	-11.68	≤13	PASS
N41	30	40	DFT-QPSK	L	Outer_Full	-8.61	≤13	PASS
N41	30	40	DFT-16QAM	L	Outer_Full	-8.96	≤13	PASS
N41	30	40	DFT-64QAM	L	Outer_Full	-6.14	≤13	PASS
N41	30	40	DFT-256QAM	L	Outer_Full	-8.93	≤13	PASS
N41	30	40	CP-QPSK	L	Outer_Full	-11.74	≤13	PASS
N41	30	40	CP-16QAM	L	Outer_Full	-7.45	≤13	PASS
N41	30	40	CP-64QAM	L	Outer_Full	-8.29	≤13	PASS
N41	30	40	CP-256QAM	L	Outer_Full	-8.49	≤13	PASS
N41	30	40	DFT-PI2BPSK	M	Outer_Full	-9.28	≤13	PASS
N41	30	40	DFT-QPSK	M	Outer_Full	-8.84	≤13	PASS
N41	30	40	DFT-16QAM	M	Outer_Full	-7.16	≤13	PASS
N41	30	40	DFT-64QAM	M	Outer_Full	-8.99	≤13	PASS


N41	30	40	DFT-256QAM	M	Outer_Full	-8.58	≤13	PASS
N41	30	40	CP-QPSK	M	Outer_Full	-11.51	≤13	PASS
N41	30	40	CP-16QAM	M	Outer_Full	-8.43	≤13	PASS
N41	30	40	CP-64QAM	M	Outer_Full	-7.83	≤13	PASS
N41	30	40	CP-256QAM	M	Outer_Full	-11.57	≤13	PASS
N41	30	40	DFT-PI2BPSK	H	Outer_Full	-9.94	≤13	PASS
N41	30	40	DFT-QPSK	H	Outer_Full	-9.07	≤13	PASS
N41	30	40	DFT-16QAM	H	Outer_Full	-2.14	≤13	PASS
N41	30	40	DFT-64QAM	H	Outer_Full	-8.81	≤13	PASS
N41	30	40	DFT-256QAM	H	Outer_Full	-11.65	≤13	PASS
N41	30	40	CP-QPSK	H	Outer_Full	-8.26	≤13	PASS
N41	30	40	CP-16QAM	H	Outer_Full	-11.42	≤13	PASS
N41	30	40	CP-64QAM	H	Outer_Full	-11.59	≤13	PASS
N41	30	40	CP-256QAM	H	Outer_Full	-11.74	≤13	PASS
N41	30	50	DFT-PI2BPSK	L	Outer_Full	-11.48	≤13	PASS
N41	30	50	DFT-QPSK	L	Outer_Full	-11.54	≤13	PASS
N41	30	50	DFT-16QAM	L	Outer_Full	-4.52	≤13	PASS
N41	30	50	DFT-64QAM	L	Outer_Full	-8.90	≤13	PASS
N41	30	50	DFT-256QAM	L	Outer_Full	-6.09	≤13	PASS
N41	30	50	CP-QPSK	L	Outer_Full	-7.36	≤13	PASS
N41	30	50	CP-16QAM	L	Outer_Full	-8.61	≤13	PASS
N41	30	50	CP-64QAM	L	Outer_Full	0.00	≤13	PASS
N41	30	50	CP-256QAM	L	Outer_Full	-12.70	≤13	PASS
N41	30	50	DFT-PI2BPSK	M	Outer_Full	-11.57	≤13	PASS
N41	30	50	DFT-QPSK	M	Outer_Full	-6.75	≤13	PASS
N41	30	50	DFT-16QAM	M	Outer_Full	-8.70	≤13	PASS
N41	30	50	DFT-64QAM	M	Outer_Full	-11.57	≤13	PASS
N41	30	50	DFT-256QAM	M	Outer_Full	-11.54	≤13	PASS
N41	30	50	CP-QPSK	M	Outer_Full	-4.00	≤13	PASS
N41	30	50	CP-16QAM	M	Outer_Full	-3.04	≤13	PASS
N41	30	50	CP-64QAM	M	Outer_Full	-8.03	≤13	PASS
N41	30	50	CP-256QAM	M	Outer_Full	-8.14	≤13	PASS
N41	30	50	DFT-PI2BPSK	H	Outer_Full	-11.51	≤13	PASS
N41	30	50	DFT-QPSK	H	Outer_Full	-8.99	≤13	PASS
N41	30	50	DFT-16QAM	H	Outer_Full	-8.75	≤13	PASS
N41	30	50	DFT-64QAM	H	Outer_Full	-11.74	≤13	PASS
N41	30	50	DFT-256QAM	H	Outer_Full	-11.68	≤13	PASS
N41	30	50	CP-QPSK	H	Outer_Full	-4.03	≤13	PASS
N41	30	50	CP-16QAM	H	Outer_Full	-11.68	≤13	PASS
N41	30	50	CP-64QAM	H	Outer_Full	-11.71	≤13	PASS
N41	30	50	CP-256QAM	H	Outer_Full	-8.43	≤13	PASS
N41	30	60	DFT-PI2BPSK	L	Outer_Full	-7.77	≤13	PASS
N41	30	60	DFT-QPSK	L	Outer_Full	-11.77	≤13	PASS

N41	30	60	DFT-16QAM	L	Outer_Full	-8.78	≤13	PASS
N41	30	60	DFT-64QAM	L	Outer_Full	-11.57	≤13	PASS
N41	30	60	DFT-256QAM	L	Outer_Full	-11.65	≤13	PASS
N41	30	60	CP-QPSK	L	Outer_Full	-8.38	≤13	PASS
N41	30	60	CP-16QAM	L	Outer_Full	-7.28	≤13	PASS
N41	30	60	CP-64QAM	L	Outer_Full	-5.86	≤13	PASS
N41	30	60	CP-256QAM	L	Outer_Full	-11.33	≤13	PASS
N41	30	60	DFT-PI2BPSK	M	Outer_Full	-11.57	≤13	PASS
N41	30	60	DFT-QPSK	M	Outer_Full	-11.74	≤13	PASS
N41	30	60	DFT-16QAM	M	Outer_Full	-11.48	≤13	PASS
N41	30	60	DFT-64QAM	M	Outer_Full	-7.39	≤13	PASS
N41	30	60	DFT-256QAM	M	Outer_Full	-11.57	≤13	PASS
N41	30	60	CP-QPSK	M	Outer_Full	-4.23	≤13	PASS
N41	30	60	CP-16QAM	M	Outer_Full	-8.32	≤13	PASS
N41	30	60	CP-64QAM	M	Outer_Full	-11.42	≤13	PASS
N41	30	60	CP-256QAM	M	Outer_Full	-7.30	≤13	PASS
N41	30	60	DFT-PI2BPSK	H	Outer_Full	-9.16	≤13	PASS
N41	30	60	DFT-QPSK	H	Outer_Full	-11.42	≤13	PASS
N41	30	60	DFT-16QAM	H	Outer_Full	-8.81	≤13	PASS
N41	30	60	DFT-64QAM	H	Outer_Full	-8.64	≤13	PASS
N41	30	60	DFT-256QAM	H	Outer_Full	-11.54	≤13	PASS
N41	30	60	CP-QPSK	H	Outer_Full	-8.23	≤13	PASS
N41	30	60	CP-16QAM	H	Outer_Full	-8.29	≤13	PASS
N41	30	60	CP-64QAM	H	Outer_Full	-11.54	≤13	PASS
N41	30	60	CP-256QAM	H	Outer_Full	-11.77	≤13	PASS

Test Graphs







Spectrum

Ref Level 30.00 dBm Offset 13.75 dB

ATT 40 dB AQT 1.6 ms RBW 10 Hz

SGL TSG IFP

LSa Chw

CF 2.58200 GHz

Mean Pwr = 29.00 dB

Complementary Cumulative Distribution Function

Samples: 100000

Mean	Peak	Crest	10%	1%	0.1%	0.01%
22.74 dBm	29.01 dBm	8.27 dB	3.22 dB	4.94 dB	5.54 dB	6.03 dB

Trace 1

Date 13 SEP 2025 19:13:34

NTNV-N41-PC2-30-10-M-DFT-PI2BPSK-Outer_Full-PASS

Spectrum

Ref Level 30.00 dBm Offset 13.75 dB

ATT 40 dB AQT 1.6 ms RBW 10 Hz

SGL TSG IFP

LSa Chw

CF 2.58250 GHz

Mean Pwr = 29.00 dB

Complementary Cumulative Distribution Function

Samples: 100000

Mean	Peak	Crest	10%	1%	0.1%	0.01%
22.19 dBm	30.01 dBm	7.62 dB	3.71 dB	5.50 dB	6.84 dB	7.48 dB

Trace 1

Date 13 SEP 2025 19:13:54

NTNV-N41-PC2-30-10-M-DFT-QPSK-Outer_Full-PASS

Spectrum

Ref Level 30.00 dBm Offset 13.75 dB

ATT 40 dB AQT 1.6 ms RBW 10 Hz

SGL TSG IFP

LSa Chw

CF 2.58300 GHz

Mean Pwr = 29.00 dB

Complementary Cumulative Distribution Function


Samples: 100000


Mean	Peak	Crest	10%	1%	0.1%	0.01%
21.41 dBm	30.00 dBm	8.15 dB	4.09 dB	6.35 dB	7.74 dB	8.41 dB


Trace 1


Date 13 SEP 2025 19:14:03


NTNV-N41-PC2-30-10-M-DFT-16QAM-Outer_Full-PASS








































NTNV-N41-PC2-30-20-M-DFT-QPSK-Outer_Full-PASS


NTNV-N41-PC2-30-20-M-DFT-16QAM-Outer_Full-PASS




NTNV-N41-PC2-30-20-M-DFT-64QAM-Outer_Full-PASS

NTNV-N41-PC2-30-20-M-DFT-256QAM-Outer_
Full-PASS







Spectrum

Ref Level 30.00 dBm Offset 13.90 dB

ATT 40 dB AQT 1.6 ms RBW 20 MHz

SGL TSG IFP

LSa Chw

CP 2.57660 GHz Mean Pwr = 28.00 dBm

Complementary Cumulative Distribution Function

Samples: 100000

Mean	Peak	Crest	10%	1%	0.1%	0.01%
23.10 dBm	31.91 dBm	10.91 dB	4.70 dB	6.90 dB	9.54 dB	10.40 dB

Trace 1

Date 13 SEP 2025 20 16 08

NTNV-N41-PC2-30-20-H-CP-QPSK-Outer_Full-PASS

Spectrum

Ref Level 30.00 dBm Offset 13.90 dB

ATT 40 dB AQT 1.6 ms RBW 20 MHz

SGL TSG IFP

LSa Chw

CP 2.57660 GHz Mean Pwr = 28.00 dBm

Complementary Cumulative Distribution Function

Samples: 100000

Mean	Peak	Crest	10%	1%	0.1%	0.01%
23.18 dBm	31.97 dBm	10.79 dB	4.70 dB	7.94 dB	9.49 dB	10.47 dB

Trace 1

Date 13 SEP 2025 20 16 15

NTNV-N41-PC2-30-20-H-CP-16QAM-Outer_Full-PASS

Spectrum

Ref Level 30.00 dBm Offset 13.90 dB

ATT 40 dB AQT 1.6 ms RBW 20 MHz

SGL TSG IFP

LSa Chw

CP 2.57660 GHz Mean Pwr = 28.00 dBm

Complementary Cumulative Distribution Function


Samples: 100000


Mean	Peak	Crest	10%	1%	0.1%	0.01%
23.67 dBm	31.65 dBm	10.98 dB	4.67 dB	7.91 dB	9.51 dB	10.52 dB


Trace 1


Date 13 SEP 2025 20 16 24


NTNV-N41-PC2-30-20-H-CP-64QAM-Outer_Full-PASS
















































































 Spectrum Ref Level 30.00 dBm Offset 15.72 dB 40 dB AQT 2.3 ms RBW 3 MHz SQL TQZ IFP 15a CDF CP 2.65968 GHz Mean Power = 20.00 dBm Complementary Cumulative Distribution Function <table><tr><th>Mean</th><th>Peak</th><th>Crest</th><th>10%</th><th>1%</th><th>0.1%</th><th>0.01%</th></tr><tr><td>Trace 1</td><td>-4.44 dBm</td><td>18.16 dBm</td><td>12.72 dB</td><td>5.36 dB</td><td>9.45 dB</td><td>11.26 dB</td></tr></table> Date 13 SEP 2025 22:07:18	Mean	Peak	Crest	10%	1%	0.1%	0.01%	Trace 1	-4.44 dBm	18.16 dBm	12.72 dB	5.36 dB	9.45 dB	11.26 dB	 Spectrum Ref Level 30.00 dBm Offset 15.72 dB 40 dB AQT 2.3 ms RBW 3 MHz SQL TQZ IFP 15a CDF CP 2.53161 GHz Mean Power = 20.00 dBm Complementary Cumulative Distribution Function <table><tr><th>Mean</th><th>Peak</th><th>Crest</th><th>10%</th><th>1%</th><th>0.1%</th><th>0.01%</th></tr><tr><td>Trace 1</td><td>9.90 dBm</td><td>21.77 dBm</td><td>11.97 dB</td><td>5.30 dB</td><td>9.99 dB</td><td>18.72 dB</td></tr></table> Date 13 SEP 2025 22:07:38	Mean	Peak	Crest	10%	1%	0.1%	0.01%	Trace 1	9.90 dBm	21.77 dBm	11.97 dB	5.30 dB	9.99 dB	18.72 dB
Mean	Peak	Crest	10%	1%	0.1%	0.01%																							
Trace 1	-4.44 dBm	18.16 dBm	12.72 dB	5.36 dB	9.45 dB	11.26 dB																							
Mean	Peak	Crest	10%	1%	0.1%	0.01%																							
Trace 1	9.90 dBm	21.77 dBm	11.97 dB	5.30 dB	9.99 dB	18.72 dB																							
NTNV-N41-PC2-30-60-H-CP-256QAM-Outter_Fu II-PASS	NTNV-N41-PC2-30-70-L-DFT-PI2BPSK-Outter_Fu II-PASS																												
 Spectrum Ref Level 30.00 dBm Offset 15.72 dB 40 dB AQT 2.3 ms RBW 3 MHz SQL TQZ IFP 15a CDF CP 2.53161 GHz Mean Power = 20.00 dBm Complementary Cumulative Distribution Function <table><tr><th>Mean</th><th>Peak</th><th>Crest</th><th>10%</th><th>1%</th><th>0.1%</th><th>0.01%</th></tr><tr><td>Trace 1</td><td>9.33 dBm</td><td>22.38 dBm</td><td>12.04 dB</td><td>5.33 dB</td><td>9.01 dB</td><td>13.16 dB</td></tr></table> Date 13 SEP 2025 22:08:06	Mean	Peak	Crest	10%	1%	0.1%	0.01%	Trace 1	9.33 dBm	22.38 dBm	12.04 dB	5.33 dB	9.01 dB	13.16 dB	-														
Mean	Peak	Crest	10%	1%	0.1%	0.01%																							
Trace 1	9.33 dBm	22.38 dBm	12.04 dB	5.33 dB	9.01 dB	13.16 dB																							
NTNV-N41-PC2-30-70-L-DFT-QPSK-Outter_Full-P ASS	-																												