

Appendix: N66

Table of Contents

Appendix A: Effective (Isotropic) Radiated Power Output Data Test Result	3
Appendix B: Peak-to-Average Ratio for SA	31
Test Result	31
Test Graphs	34
Appendix C: 26dB Bandwidth and Occupied Bandwidth for SA	61
Test Result	61
Test Graphs	66
Appendix D: Band Edge for SA	108
Test Result	108
Test Graphs	115
Appendix E: Conducted Spurious Emission for SA	178
Test Result	178
Test Graphs	449
Appendix F: Frequency Stability for SA	1867
Test Result	1867

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	EIRP (W)	Verdict
n66	15	5	DFT-BPSK	L	Edge_1RB_Left	21.43	25.73	0.374	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	23.18	27.48	0.560	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	21.65	25.95	0.394	PASS
n66	15	5	DFT-BPSK	L	Edge_1RB_Right	21.17	25.47	0.352	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	23.51	27.81	0.604	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	19.94	24.24	0.265	PASS
n66	15	5	DFT-QPSK	L	Edge_1RB_Left	20.75	25.05	0.320	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	23.12	27.42	0.552	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	21.71	26.01	0.399	PASS
n66	15	5	DFT-QPSK	L	Edge_1RB_Right	20.7	25	0.316	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	23.56	27.86	0.611	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	22.61	26.91	0.491	PASS
n66	15	5	DFT-16QAM	L	Edge_1RB_Left	20.16	24.46	0.279	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	21.13	25.43	0.349	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	20.95	25.25	0.335	PASS
n66	15	5	DFT-16QAM	L	Edge_1RB_Right	19.85	24.15	0.260	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	20.7	25	0.316	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	19.68	23.98	0.250	PASS
n66	15	5	DFT-64QAM	L	Edge_1RB_Left	19.41	23.71	0.235	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	19.37	23.67	0.233	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	19.26	23.56	0.227	PASS
n66	15	5	DFT-64QAM	L	Edge_1RB_Right	19.24	23.54	0.226	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	19.36	23.66	0.232	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	19.44	23.74	0.237	PASS
n66	15	5	DFT-256QAM	L	Edge_1RB_Left	17.37	21.67	0.147	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	17.35	21.65	0.146	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	17.2	21.5	0.141	PASS
n66	15	5	DFT-256QAM	L	Edge_1RB_Right	17.21	21.51	0.142	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	17.66	21.96	0.157	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	17.83	22.13	0.163	PASS
n66	15	5	CP-QPSK	L	Edge_1RB_Left	19.06	23.36	0.217	PASS
n66	15	5	CP-QPSK	L	Inner_1RB_Left	20.49	24.79	0.301	PASS
n66	15	5	CP-QPSK	L	Inner_1RB_Right	20.19	24.49	0.281	PASS
n66	15	5	CP-QPSK	L	Edge_1RB_Right	18.81	23.11	0.205	PASS
n66	15	5	CP-QPSK	L	Inner_Full	20.21	24.51	0.282	PASS
n66	15	5	CP-QPSK	L	Outer_Full	18.87	23.17	0.207	PASS

n66	15	5	CP-16QAM	L	Edge_1RB_Left	19.38	23.68	0.233	PASS
n66	15	5	CP-16QAM	L	Inner_1RB_Left	20.35	24.65	0.292	PASS
n66	15	5	CP-16QAM	L	Inner_1RB_Right	19.39	23.69	0.234	PASS
n66	15	5	CP-16QAM	L	Edge_1RB_Right	19.21	23.51	0.224	PASS
n66	15	5	CP-16QAM	L	Inner_Full	19.74	24.04	0.254	PASS
n66	15	5	CP-16QAM	L	Outer_Full	18.94	23.24	0.211	PASS
n66	15	5	CP-64QAM	L	Edge_1RB_Left	18.43	22.73	0.187	PASS
n66	15	5	CP-64QAM	L	Inner_1RB_Left	18.4	22.7	0.186	PASS
n66	15	5	CP-64QAM	L	Inner_1RB_Right	18.21	22.51	0.178	PASS
n66	15	5	CP-64QAM	L	Edge_1RB_Right	18.24	22.54	0.179	PASS
n66	15	5	CP-64QAM	L	Inner_Full	18.44	22.74	0.188	PASS
n66	15	5	CP-64QAM	L	Outer_Full	18.42	22.72	0.187	PASS
n66	15	5	CP-256QAM	L	Edge_1RB_Left	15.53	19.83	0.096	PASS
n66	15	5	CP-256QAM	L	Inner_1RB_Left	15.52	19.82	0.096	PASS
n66	15	5	CP-256QAM	L	Inner_1RB_Right	15.35	19.65	0.092	PASS
n66	15	5	CP-256QAM	L	Edge_1RB_Right	17.23	21.53	0.142	PASS
n66	15	5	CP-256QAM	L	Inner_Full	14.97	19.27	0.085	PASS
n66	15	5	CP-256QAM	L	Outer_Full	15.73	20.03	0.101	PASS
n66	15	5	DFT-BPSK	M	Edge_1RB_Left	20.99	25.29	0.338	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	21.49	25.79	0.379	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	21.5	25.8	0.380	PASS
n66	15	5	DFT-BPSK	M	Edge_1RB_Right	20.93	25.23	0.333	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	21.41	25.71	0.372	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	20.9	25.2	0.331	PASS
n66	15	5	DFT-QPSK	M	Edge_1RB_Left	20.56	24.86	0.306	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	21.5	25.8	0.380	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	21.44	25.74	0.375	PASS
n66	15	5	DFT-QPSK	M	Edge_1RB_Right	21.7	26	0.398	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	21.37	25.67	0.369	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	20.42	24.72	0.296	PASS
n66	15	5	DFT-16QAM	M	Edge_1RB_Left	21.27	25.57	0.361	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	22.06	26.36	0.433	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	21.98	26.28	0.425	PASS
n66	15	5	DFT-16QAM	M	Edge_1RB_Right	21.15	25.45	0.351	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	22.23	26.53	0.450	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	21.13	25.43	0.349	PASS
n66	15	5	DFT-64QAM	M	Edge_1RB_Left	20.4	24.7	0.295	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	20.36	24.66	0.292	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	20.35	24.65	0.292	PASS
n66	15	5	DFT-64QAM	M	Edge_1RB_Right	20.33	24.63	0.290	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	20.89	25.19	0.330	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	20.89	25.19	0.330	PASS

n66	15	5	DFT-256QAM	M	Edge_1RB_Left	17.11	21.41	0.138	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Left	17.01	21.31	0.135	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Right	16.97	21.27	0.134	PASS
n66	15	5	DFT-256QAM	M	Edge_1RB_Right	17.1	21.4	0.138	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	17.09	21.39	0.138	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	16.97	21.27	0.134	PASS
n66	15	5	CP-QPSK	M	Edge_1RB_Left	18.63	22.93	0.196	PASS
n66	15	5	CP-QPSK	M	Inner_1RB_Left	20.05	24.35	0.272	PASS
n66	15	5	CP-QPSK	M	Inner_1RB_Right	19.76	24.06	0.255	PASS
n66	15	5	CP-QPSK	M	Edge_1RB_Right	18.48	22.78	0.190	PASS
n66	15	5	CP-QPSK	M	Inner_Full	19.92	24.22	0.264	PASS
n66	15	5	CP-QPSK	M	Outer_Full	18.58	22.88	0.194	PASS
n66	15	5	CP-16QAM	M	Edge_1RB_Left	19.03	23.33	0.215	PASS
n66	15	5	CP-16QAM	M	Inner_1RB_Left	19.78	24.08	0.256	PASS
n66	15	5	CP-16QAM	M	Inner_1RB_Right	19.55	23.85	0.243	PASS
n66	15	5	CP-16QAM	M	Edge_1RB_Right	18.9	23.2	0.209	PASS
n66	15	5	CP-16QAM	M	Inner_Full	19.48	23.78	0.239	PASS
n66	15	5	CP-16QAM	M	Outer_Full	18.44	22.74	0.188	PASS
n66	15	5	CP-64QAM	M	Edge_1RB_Left	18.11	22.41	0.174	PASS
n66	15	5	CP-64QAM	M	Inner_1RB_Left	18.08	22.38	0.173	PASS
n66	15	5	CP-64QAM	M	Inner_1RB_Right	17.97	22.27	0.169	PASS
n66	15	5	CP-64QAM	M	Edge_1RB_Right	17.98	22.28	0.169	PASS
n66	15	5	CP-64QAM	M	Inner_Full	18.06	22.36	0.172	PASS
n66	15	5	CP-64QAM	M	Outer_Full	18.03	22.33	0.171	PASS
n66	15	5	CP-256QAM	M	Edge_1RB_Left	17.41	21.71	0.148	PASS
n66	15	5	CP-256QAM	M	Inner_1RB_Left	17.49	21.79	0.151	PASS
n66	15	5	CP-256QAM	M	Inner_1RB_Right	16.97	21.27	0.134	PASS
n66	15	5	CP-256QAM	M	Edge_1RB_Right	17.03	21.33	0.136	PASS
n66	15	5	CP-256QAM	M	Inner_Full	14.9	19.2	0.083	PASS
n66	15	5	CP-256QAM	M	Outer_Full	14.88	19.18	0.083	PASS
n66	15	5	DFT-BPSK	H	Edge_1RB_Left	21.13	25.43	0.349	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	21.24	25.54	0.358	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	20.99	25.29	0.338	PASS
n66	15	5	DFT-BPSK	H	Edge_1RB_Right	20.64	24.94	0.312	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	21.19	25.49	0.354	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	20.77	25.07	0.321	PASS
n66	15	5	DFT-QPSK	H	Edge_1RB_Left	20.31	24.61	0.289	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	22.46	26.76	0.474	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	21.13	25.43	0.349	PASS
n66	15	5	DFT-QPSK	H	Edge_1RB_Right	20.07	24.37	0.274	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	22.96	27.26	0.532	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	21.78	26.08	0.406	PASS

n66	15	5	DFT-16QAM	H	Edge_1RB_Left	19.74	24.04	0.254	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	20.53	24.83	0.304	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	20.29	24.59	0.288	PASS
n66	15	5	DFT-16QAM	H	Edge_1RB_Right	18.83	23.13	0.206	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	20.08	24.38	0.274	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	19.08	23.38	0.218	PASS
n66	15	5	DFT-64QAM	H	Edge_1RB_Left	19.22	23.52	0.225	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	18.5	22.8	0.191	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	18.66	22.96	0.198	PASS
n66	15	5	DFT-64QAM	H	Edge_1RB_Right	18.62	22.92	0.196	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	18.91	23.21	0.209	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	18.84	23.14	0.206	PASS
n66	15	5	DFT-256QAM	H	Edge_1RB_Left	16.91	21.21	0.132	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	16.79	21.09	0.129	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	16.57	20.87	0.122	PASS
n66	15	5	DFT-256QAM	H	Edge_1RB_Right	16.61	20.91	0.123	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	16.76	21.06	0.128	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	16.62	20.92	0.124	PASS
n66	15	5	CP-QPSK	H	Edge_1RB_Left	18.25	22.55	0.180	PASS
n66	15	5	CP-QPSK	H	Inner_1RB_Left	19.57	23.87	0.244	PASS
n66	15	5	CP-QPSK	H	Inner_1RB_Right	19.48	23.78	0.239	PASS
n66	15	5	CP-QPSK	H	Edge_1RB_Right	18.18	22.48	0.177	PASS
n66	15	5	CP-QPSK	H	Inner_Full	19.53	23.83	0.242	PASS
n66	15	5	CP-QPSK	H	Outer_Full	18.23	22.53	0.179	PASS
n66	15	5	CP-16QAM	H	Edge_1RB_Left	18.7	23	0.200	PASS
n66	15	5	CP-16QAM	H	Inner_1RB_Left	19.57	23.87	0.244	PASS
n66	15	5	CP-16QAM	H	Inner_1RB_Right	18.99	23.29	0.213	PASS
n66	15	5	CP-16QAM	H	Edge_1RB_Right	18.51	22.81	0.191	PASS
n66	15	5	CP-16QAM	H	Inner_Full	19	23.3	0.214	PASS
n66	15	5	CP-16QAM	H	Outer_Full	18.16	22.46	0.176	PASS
n66	15	5	CP-64QAM	H	Edge_1RB_Left	17.85	22.15	0.164	PASS
n66	15	5	CP-64QAM	H	Inner_1RB_Left	18.03	22.33	0.171	PASS
n66	15	5	CP-64QAM	H	Inner_1RB_Right	17.64	21.94	0.156	PASS
n66	15	5	CP-64QAM	H	Edge_1RB_Right	17.66	21.96	0.157	PASS
n66	15	5	CP-64QAM	H	Inner_Full	17.71	22.01	0.159	PASS
n66	15	5	CP-64QAM	H	Outer_Full	17.68	21.98	0.158	PASS
n66	15	5	CP-256QAM	H	Edge_1RB_Left	15.02	19.32	0.086	PASS
n66	15	5	CP-256QAM	H	Inner_1RB_Left	14.86	19.16	0.082	PASS
n66	15	5	CP-256QAM	H	Inner_1RB_Right	14.93	19.23	0.084	PASS
n66	15	5	CP-256QAM	H	Edge_1RB_Right	14.78	19.08	0.081	PASS
n66	15	5	CP-256QAM	H	Inner_Full	14.61	18.91	0.078	PASS
n66	15	5	CP-256QAM	H	Outer_Full	17.61	21.91	0.155	PASS

n66	15	10	DFT-BPSK	L	Edge_1RB_Left	21.3	25.6	0.363	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	21.79	26.09	0.406	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	21.47	25.77	0.378	PASS
n66	15	10	DFT-BPSK	L	Edge_1RB_Right	20.99	25.29	0.338	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	21.54	25.84	0.384	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	20.99	25.29	0.338	PASS
n66	15	10	DFT-QPSK	L	Edge_1RB_Left	20.81	25.11	0.324	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	21.68	25.98	0.396	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	21.54	25.84	0.384	PASS
n66	15	10	DFT-QPSK	L	Edge_1RB_Right	22.18	26.48	0.445	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	21.52	25.82	0.382	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	20.47	24.77	0.300	PASS
n66	15	10	DFT-16QAM	L	Edge_1RB_Left	21.46	25.76	0.377	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	21.96	26.26	0.423	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	21.82	26.12	0.409	PASS
n66	15	10	DFT-16QAM	L	Edge_1RB_Right	21.18	25.48	0.353	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	22.21	26.51	0.448	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	21.27	25.57	0.361	PASS
n66	15	10	DFT-64QAM	L	Edge_1RB_Left	20.43	24.73	0.297	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	20.48	24.78	0.301	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	20.38	24.68	0.294	PASS
n66	15	10	DFT-64QAM	L	Edge_1RB_Right	20.36	24.66	0.292	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	20.93	25.23	0.333	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	20.91	25.21	0.332	PASS
n66	15	10	DFT-256QAM	L	Edge_1RB_Left	17.34	21.64	0.146	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	17.18	21.48	0.141	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	17	21.3	0.135	PASS
n66	15	10	DFT-256QAM	L	Edge_1RB_Right	17.03	21.33	0.136	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	16.99	21.29	0.135	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	16.96	21.26	0.134	PASS
n66	15	10	CP-QPSK	L	Edge_1RB_Left	18.84	23.14	0.206	PASS
n66	15	10	CP-QPSK	L	Inner_1RB_Left	20.28	24.58	0.287	PASS
n66	15	10	CP-QPSK	L	Inner_1RB_Right	19.87	24.17	0.261	PASS
n66	15	10	CP-QPSK	L	Edge_1RB_Right	18.59	22.89	0.195	PASS
n66	15	10	CP-QPSK	L	Inner_Full	20.02	24.32	0.270	PASS
n66	15	10	CP-QPSK	L	Outer_Full	18.58	22.88	0.194	PASS
n66	15	10	CP-16QAM	L	Edge_1RB_Left	19.21	23.51	0.224	PASS
n66	15	10	CP-16QAM	L	Inner_1RB_Left	20.33	24.63	0.290	PASS
n66	15	10	CP-16QAM	L	Inner_1RB_Right	19.87	24.17	0.261	PASS
n66	15	10	CP-16QAM	L	Edge_1RB_Right	19.03	23.33	0.215	PASS
n66	15	10	CP-16QAM	L	Inner_Full	19.56	23.86	0.243	PASS
n66	15	10	CP-16QAM	L	Outer_Full	18.53	22.83	0.192	PASS

n66	15	10	CP-64QAM	L	Edge_1RB_Left	18.23	22.53	0.179	PASS
n66	15	10	CP-64QAM	L	Inner_1RB_Left	18.51	22.81	0.191	PASS
n66	15	10	CP-64QAM	L	Inner_1RB_Right	18.13	22.43	0.175	PASS
n66	15	10	CP-64QAM	L	Edge_1RB_Right	18.08	22.38	0.173	PASS
n66	15	10	CP-64QAM	L	Inner_Full	18.11	22.41	0.174	PASS
n66	15	10	CP-64QAM	L	Outer_Full	18.08	22.38	0.173	PASS
n66	15	10	CP-256QAM	L	Edge_1RB_Left	15.27	19.57	0.091	PASS
n66	15	10	CP-256QAM	L	Inner_1RB_Left	15.26	19.56	0.090	PASS
n66	15	10	CP-256QAM	L	Inner_1RB_Right	15.3	19.6	0.091	PASS
n66	15	10	CP-256QAM	L	Edge_1RB_Right	15.31	19.61	0.091	PASS
n66	15	10	CP-256QAM	L	Inner_Full	15.09	19.39	0.087	PASS
n66	15	10	CP-256QAM	L	Outer_Full	15	19.3	0.085	PASS
n66	15	10	DFT-BPSK	M	Edge_1RB_Left	20.96	25.26	0.336	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Left	21.47	25.77	0.378	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	21.27	25.57	0.361	PASS
n66	15	10	DFT-BPSK	M	Edge_1RB_Right	20.79	25.09	0.323	PASS
n66	15	10	DFT-BPSK	M	Inner_Full	21.28	25.58	0.361	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	20.73	25.03	0.318	PASS
n66	15	10	DFT-QPSK	M	Edge_1RB_Left	20.6	24.9	0.309	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	21.52	25.82	0.382	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	21.24	25.54	0.358	PASS
n66	15	10	DFT-QPSK	M	Edge_1RB_Right	21.49	25.79	0.379	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	21.31	25.61	0.364	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	20.26	24.56	0.286	PASS
n66	15	10	DFT-16QAM	M	Edge_1RB_Left	21.27	25.57	0.361	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	22.05	26.35	0.432	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	21.89	26.19	0.416	PASS
n66	15	10	DFT-16QAM	M	Edge_1RB_Right	20.97	25.27	0.337	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	22.05	26.35	0.432	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	20.94	25.24	0.334	PASS
n66	15	10	DFT-64QAM	M	Edge_1RB_Left	20.32	24.62	0.290	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	20.32	24.62	0.290	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	20.1	24.4	0.275	PASS
n66	15	10	DFT-64QAM	M	Edge_1RB_Right	20.13	24.43	0.277	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	20.74	25.04	0.319	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	20.7	25	0.316	PASS
n66	15	10	DFT-256QAM	M	Edge_1RB_Left	17.2	21.5	0.141	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	16.29	20.59	0.115	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	16.89	21.19	0.132	PASS
n66	15	10	DFT-256QAM	M	Edge_1RB_Right	16.82	21.12	0.129	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	16.86	21.16	0.131	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	16.81	21.11	0.129	PASS

n66	15	10	CP-QPSK	M	Edge_1RB_Left	18.63	22.93	0.196	PASS
n66	15	10	CP-QPSK	M	Inner_1RB_Left	20.06	24.36	0.273	PASS
n66	15	10	CP-QPSK	M	Inner_1RB_Right	19.67	23.97	0.249	PASS
n66	15	10	CP-QPSK	M	Edge_1RB_Right	18.39	22.69	0.186	PASS
n66	15	10	CP-QPSK	M	Inner_Full	19.8	24.1	0.257	PASS
n66	15	10	CP-QPSK	M	Outer_Full	18.4	22.7	0.186	PASS
n66	15	10	CP-16QAM	M	Edge_1RB_Left	19.02	23.32	0.215	PASS
n66	15	10	CP-16QAM	M	Inner_1RB_Left	19.93	24.23	0.265	PASS
n66	15	10	CP-16QAM	M	Inner_1RB_Right	19.47	23.77	0.238	PASS
n66	15	10	CP-16QAM	M	Edge_1RB_Right	18.77	23.07	0.203	PASS
n66	15	10	CP-16QAM	M	Inner_Full	19.3	23.6	0.229	PASS
n66	15	10	CP-16QAM	M	Outer_Full	18.35	22.65	0.184	PASS
n66	15	10	CP-64QAM	M	Edge_1RB_Left	18.06	22.36	0.172	PASS
n66	15	10	CP-64QAM	M	Inner_1RB_Left	18.07	22.37	0.173	PASS
n66	15	10	CP-64QAM	M	Inner_1RB_Right	17.92	22.22	0.167	PASS
n66	15	10	CP-64QAM	M	Edge_1RB_Right	17.91	22.21	0.166	PASS
n66	15	10	CP-64QAM	M	Inner_Full	17.9	22.2	0.166	PASS
n66	15	10	CP-64QAM	M	Outer_Full	17.86	22.16	0.164	PASS
n66	15	10	CP-256QAM	M	Edge_1RB_Left	16.87	21.17	0.131	PASS
n66	15	10	CP-256QAM	M	Inner_1RB_Left	15.53	19.83	0.096	PASS
n66	15	10	CP-256QAM	M	Inner_1RB_Right	14.92	19.22	0.084	PASS
n66	15	10	CP-256QAM	M	Edge_1RB_Right	16.85	21.15	0.130	PASS
n66	15	10	CP-256QAM	M	Inner_Full	14.8	19.1	0.081	PASS
n66	15	10	CP-256QAM	M	Outer_Full	14.87	19.17	0.083	PASS
n66	15	10	DFT-BPSK	H	Edge_1RB_Left	20.79	25.09	0.323	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	21.31	25.61	0.364	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	20.9	25.2	0.331	PASS
n66	15	10	DFT-BPSK	H	Edge_1RB_Right	20.4	24.7	0.295	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	21.11	25.41	0.348	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	20.36	24.66	0.292	PASS
n66	15	10	DFT-QPSK	H	Edge_1RB_Left	20.52	24.82	0.303	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	21.28	25.58	0.361	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	20.94	25.24	0.334	PASS
n66	15	10	DFT-QPSK	H	Edge_1RB_Right	21.73	26.03	0.401	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	21.14	25.44	0.350	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	19.87	24.17	0.261	PASS
n66	15	10	DFT-16QAM	H	Edge_1RB_Left	20.91	25.21	0.332	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	21.82	26.12	0.409	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	21.35	25.65	0.367	PASS
n66	15	10	DFT-16QAM	H	Edge_1RB_Right	20.66	24.96	0.313	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	21.88	26.18	0.415	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	20.49	24.79	0.301	PASS

n66	15	10	DFT-64QAM	H	Edge_1RB_Left	20.14	24.44	0.278	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	20.1	24.4	0.275	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	19.74	24.04	0.254	PASS
n66	15	10	DFT-64QAM	H	Edge_1RB_Right	19.75	24.05	0.254	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	20.49	24.79	0.301	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	20.24	24.54	0.284	PASS
n66	15	10	DFT-256QAM	H	Edge_1RB_Left	16.81	21.11	0.129	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	18.67	22.97	0.198	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	18.29	22.59	0.182	PASS
n66	15	10	DFT-256QAM	H	Edge_1RB_Right	16.84	21.14	0.130	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	18.37	22.67	0.185	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	16.41	20.71	0.118	PASS
n66	15	10	CP-QPSK	H	Edge_1RB_Left	18.35	22.65	0.184	PASS
n66	15	10	CP-QPSK	H	Inner_1RB_Left	19.86	24.16	0.261	PASS
n66	15	10	CP-QPSK	H	Inner_1RB_Right	19.47	23.77	0.238	PASS
n66	15	10	CP-QPSK	H	Edge_1RB_Right	18.02	22.32	0.171	PASS
n66	15	10	CP-QPSK	H	Inner_Full	19.6	23.9	0.245	PASS
n66	15	10	CP-QPSK	H	Outer_Full	17.93	22.23	0.167	PASS
n66	15	10	CP-16QAM	H	Edge_1RB_Left	18.1	22.4	0.174	PASS
n66	15	10	CP-16QAM	H	Inner_1RB_Left	19.43	23.73	0.236	PASS
n66	15	10	CP-16QAM	H	Inner_1RB_Right	18.9	23.2	0.209	PASS
n66	15	10	CP-16QAM	H	Edge_1RB_Right	18.43	22.73	0.187	PASS
n66	15	10	CP-16QAM	H	Inner_Full	19.02	23.32	0.215	PASS
n66	15	10	CP-16QAM	H	Outer_Full	17.9	22.2	0.166	PASS
n66	15	10	CP-64QAM	H	Edge_1RB_Left	17.89	22.19	0.166	PASS
n66	15	10	CP-64QAM	H	Inner_1RB_Left	17.87	22.17	0.165	PASS
n66	15	10	CP-64QAM	H	Inner_1RB_Right	17.58	21.88	0.154	PASS
n66	15	10	CP-64QAM	H	Edge_1RB_Right	17.51	21.81	0.152	PASS
n66	15	10	CP-64QAM	H	Inner_Full	17.65	21.95	0.157	PASS
n66	15	10	CP-64QAM	H	Outer_Full	17.37	21.67	0.147	PASS
n66	15	10	CP-256QAM	H	Edge_1RB_Left	15.11	19.41	0.087	PASS
n66	15	10	CP-256QAM	H	Inner_1RB_Left	14.22	18.52	0.071	PASS
n66	15	10	CP-256QAM	H	Inner_1RB_Right	14.51	18.81	0.076	PASS
n66	15	10	CP-256QAM	H	Edge_1RB_Right	14.94	19.24	0.084	PASS
n66	15	10	CP-256QAM	H	Inner_Full	14.59	18.89	0.077	PASS
n66	15	10	CP-256QAM	H	Outer_Full	14.43	18.73	0.075	PASS
n66	15	15	DFT-BPSK	L	Edge_1RB_Left	21.31	25.61	0.364	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	21.88	26.18	0.415	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	21.7	26	0.398	PASS
n66	15	15	DFT-BPSK	L	Edge_1RB_Right	21.21	25.51	0.356	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	21.64	25.94	0.393	PASS

n66	15	15	DFT-BPSK	L	Outer_Full	21.24	25.54	0.358	PASS
n66	15	15	DFT-QPSK	L	Edge_1RB_Left	20.85	25.15	0.327	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Left	21.84	26.14	0.411	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	21.81	26.11	0.408	PASS
n66	15	15	DFT-QPSK	L	Edge_1RB_Right	22.39	26.69	0.467	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	21.71	26.01	0.399	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	20.58	24.88	0.308	PASS
n66	15	15	DFT-16QAM	L	Edge_1RB_Left	21.58	25.88	0.387	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	22.34	26.64	0.461	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	22.72	27.02	0.504	PASS
n66	15	15	DFT-16QAM	L	Edge_1RB_Right	21.38	25.68	0.370	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	22.34	26.64	0.461	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	21.24	25.54	0.358	PASS
n66	15	15	DFT-64QAM	L	Edge_1RB_Left	20.58	24.88	0.308	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	20.59	24.89	0.308	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	21.02	25.32	0.340	PASS
n66	15	15	DFT-64QAM	L	Edge_1RB_Right	20.55	24.85	0.305	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	21.21	25.51	0.356	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	20.9	25.2	0.331	PASS
n66	15	15	DFT-256QAM	L	Edge_1RB_Left	17.31	21.61	0.145	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	17.35	21.65	0.146	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	17.19	21.49	0.141	PASS
n66	15	15	DFT-256QAM	L	Edge_1RB_Right	17.27	21.57	0.144	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	17.31	21.61	0.145	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	17.12	21.42	0.139	PASS
n66	15	15	CP-QPSK	L	Edge_1RB_Left	18.97	23.27	0.212	PASS
n66	15	15	CP-QPSK	L	Inner_1RB_Left	20.49	24.79	0.301	PASS
n66	15	15	CP-QPSK	L	Inner_1RB_Right	20.3	24.6	0.288	PASS
n66	15	15	CP-QPSK	L	Edge_1RB_Right	18.91	23.21	0.209	PASS
n66	15	15	CP-QPSK	L	Inner_Full	20.13	24.43	0.277	PASS
n66	15	15	CP-QPSK	L	Outer_Full	18.7	23	0.200	PASS
n66	15	15	CP-16QAM	L	Edge_1RB_Left	19.33	23.63	0.231	PASS
n66	15	15	CP-16QAM	L	Inner_1RB_Left	20.14	24.44	0.278	PASS
n66	15	15	CP-16QAM	L	Inner_1RB_Right	19.96	24.26	0.267	PASS
n66	15	15	CP-16QAM	L	Edge_1RB_Right	19.22	23.52	0.225	PASS
n66	15	15	CP-16QAM	L	Inner_Full	19.66	23.96	0.249	PASS
n66	15	15	CP-16QAM	L	Outer_Full	18.77	23.07	0.203	PASS
n66	15	15	CP-64QAM	L	Edge_1RB_Left	18.37	22.67	0.185	PASS
n66	15	15	CP-64QAM	L	Inner_1RB_Left	18.4	22.7	0.186	PASS
n66	15	15	CP-64QAM	L	Inner_1RB_Right	18.3	22.6	0.182	PASS
n66	15	15	CP-64QAM	L	Edge_1RB_Right	18.35	22.65	0.184	PASS

n66	15	15	CP-64QAM	L	Inner_Full	18.42	22.72	0.187	PASS
n66	15	15	CP-64QAM	L	Outer_Full	18.23	22.53	0.179	PASS
n66	15	15	CP-256QAM	L	Edge_1RB_Left	15.61	19.91	0.098	PASS
n66	15	15	CP-256QAM	L	Inner_1RB_Left	15.37	19.67	0.093	PASS
n66	15	15	CP-256QAM	L	Inner_1RB_Right	15.46	19.76	0.095	PASS
n66	15	15	CP-256QAM	L	Edge_1RB_Right	15.68	19.98	0.100	PASS
n66	15	15	CP-256QAM	L	Inner_Full	15.28	19.58	0.091	PASS
n66	15	15	CP-256QAM	L	Outer_Full	15.09	19.39	0.087	PASS
n66	15	15	DFT-BPSK	M	Edge_1RB_Left	21.3	25.6	0.363	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	21.83	26.13	0.410	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	21.4	25.7	0.372	PASS
n66	15	15	DFT-BPSK	M	Edge_1RB_Right	20.82	25.12	0.325	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	21.5	25.8	0.380	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	21.07	25.37	0.344	PASS
n66	15	15	DFT-QPSK	M	Edge_1RB_Left	20.86	25.16	0.328	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	23.53	27.83	0.607	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	21.38	25.68	0.370	PASS
n66	15	15	DFT-QPSK	M	Edge_1RB_Right	20.44	24.74	0.298	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	23.27	27.57	0.571	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	22.28	26.58	0.455	PASS
n66	15	15	DFT-16QAM	M	Edge_1RB_Left	20.15	24.45	0.279	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	21.08	25.38	0.345	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	20.13	24.43	0.277	PASS
n66	15	15	DFT-16QAM	M	Edge_1RB_Right	19.67	23.97	0.249	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	20.48	24.78	0.301	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	19.54	23.84	0.242	PASS
n66	15	15	DFT-64QAM	M	Edge_1RB_Left	19.49	23.79	0.239	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	19.38	23.68	0.233	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	19.03	23.33	0.215	PASS
n66	15	15	DFT-64QAM	M	Edge_1RB_Right	19.05	23.35	0.216	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	19.16	23.46	0.222	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	19.16	23.46	0.222	PASS
n66	15	15	DFT-256QAM	M	Edge_1RB_Left	17.35	21.65	0.146	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	17.37	21.67	0.147	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	16.96	21.26	0.134	PASS
n66	15	15	DFT-256QAM	M	Edge_1RB_Right	17.03	21.33	0.136	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	17.17	21.47	0.140	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	17.09	21.39	0.138	PASS
n66	15	15	CP-QPSK	M	Edge_1RB_Left	20.66	24.96	0.313	PASS
n66	15	15	CP-QPSK	M	Inner_1RB_Left	20.45	24.75	0.299	PASS
n66	15	15	CP-QPSK	M	Inner_1RB_Right	19.87	24.17	0.261	PASS

n66	15	15	CP-QPSK	M	Edge_1RB_Right	20.22	24.52	0.283	PASS
n66	15	15	CP-QPSK	M	Inner_Full	20.03	24.33	0.271	PASS
n66	15	15	CP-QPSK	M	Outer_Full	18.69	22.99	0.199	PASS
n66	15	15	CP-16QAM	M	Edge_1RB_Left	19.29	23.59	0.229	PASS
n66	15	15	CP-16QAM	M	Inner_1RB_Left	20.15	24.45	0.279	PASS
n66	15	15	CP-16QAM	M	Inner_1RB_Right	19.65	23.95	0.248	PASS
n66	15	15	CP-16QAM	M	Edge_1RB_Right	18.89	23.19	0.208	PASS
n66	15	15	CP-16QAM	M	Inner_Full	19.49	23.79	0.239	PASS
n66	15	15	CP-16QAM	M	Outer_Full	20.4	24.7	0.295	PASS
n66	15	15	CP-64QAM	M	Edge_1RB_Left	20.03	24.33	0.271	PASS
n66	15	15	CP-64QAM	M	Inner_1RB_Left	19.66	23.96	0.249	PASS
n66	15	15	CP-64QAM	M	Inner_1RB_Right	19.1	23.4	0.219	PASS
n66	15	15	CP-64QAM	M	Edge_1RB_Right	19.64	23.94	0.248	PASS
n66	15	15	CP-64QAM	M	Inner_Full	19.91	24.21	0.264	PASS
n66	15	15	CP-64QAM	M	Outer_Full	19.92	24.22	0.264	PASS
n66	15	15	CP-256QAM	M	Edge_1RB_Left	15.44	19.74	0.094	PASS
n66	15	15	CP-256QAM	M	Inner_1RB_Left	14.63	18.93	0.078	PASS
n66	15	15	CP-256QAM	M	Inner_1RB_Right	15.05	19.35	0.086	PASS
n66	15	15	CP-256QAM	M	Edge_1RB_Right	15.22	19.52	0.090	PASS
n66	15	15	CP-256QAM	M	Inner_Full	15.14	19.44	0.088	PASS
n66	15	15	CP-256QAM	M	Outer_Full	15.08	19.38	0.087	PASS
n66	15	15	DFT-BPSK	H	Edge_1RB_Left	21.1	25.4	0.347	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	21.57	25.87	0.386	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	21.04	25.34	0.342	PASS
n66	15	15	DFT-BPSK	H	Edge_1RB_Right	20.54	24.84	0.305	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	21.34	25.64	0.366	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	20.8	25.1	0.324	PASS
n66	15	15	DFT-QPSK	H	Edge_1RB_Left	20.59	24.89	0.308	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	23.29	27.59	0.574	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	21.08	25.38	0.345	PASS
n66	15	15	DFT-QPSK	H	Edge_1RB_Right	20.06	24.36	0.273	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	23.02	27.32	0.540	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	22.05	26.35	0.432	PASS
n66	15	15	DFT-16QAM	H	Edge_1RB_Left	19.83	24.13	0.259	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Left	20.74	25.04	0.319	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	20.33	24.63	0.290	PASS
n66	15	15	DFT-16QAM	H	Edge_1RB_Right	19.36	23.66	0.232	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	20.44	24.74	0.298	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	19.27	23.57	0.228	PASS
n66	15	15	DFT-64QAM	H	Edge_1RB_Left	19.11	23.41	0.219	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Left	19.21	23.51	0.224	PASS

n66	15	15	DFT-64QAM	H	Inner_1RB_Right	18.71	23.01	0.200	PASS
n66	15	15	DFT-64QAM	H	Edge_1RB_Right	18.72	23.02	0.200	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	19.05	23.35	0.216	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	18.97	23.27	0.212	PASS
n66	15	15	DFT-256QAM	H	Edge_1RB_Left	17.15	21.45	0.140	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	17.16	21.46	0.140	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	16.71	21.01	0.126	PASS
n66	15	15	DFT-256QAM	H	Edge_1RB_Right	16.78	21.08	0.128	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	17.04	21.34	0.136	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	16.84	21.14	0.130	PASS
n66	15	15	CP-QPSK	H	Edge_1RB_Left	18.69	22.99	0.199	PASS
n66	15	15	CP-QPSK	H	Inner_1RB_Left	20.18	24.48	0.281	PASS
n66	15	15	CP-QPSK	H	Inner_1RB_Right	19.46	23.76	0.238	PASS
n66	15	15	CP-QPSK	H	Edge_1RB_Right	18.16	22.46	0.176	PASS
n66	15	15	CP-QPSK	H	Inner_Full	19.93	24.23	0.265	PASS
n66	15	15	CP-QPSK	H	Outer_Full	18.43	22.73	0.187	PASS
n66	15	15	CP-16QAM	H	Edge_1RB_Left	19.02	23.32	0.215	PASS
n66	15	15	CP-16QAM	H	Inner_1RB_Left	19.25	23.55	0.226	PASS
n66	15	15	CP-16QAM	H	Inner_1RB_Right	18.64	22.94	0.197	PASS
n66	15	15	CP-16QAM	H	Edge_1RB_Right	18.47	22.77	0.189	PASS
n66	15	15	CP-16QAM	H	Inner_Full	19.39	23.69	0.234	PASS
n66	15	15	CP-16QAM	H	Outer_Full	18.48	22.78	0.190	PASS
n66	15	15	CP-64QAM	H	Edge_1RB_Left	18.13	22.43	0.175	PASS
n66	15	15	CP-64QAM	H	Inner_1RB_Left	18.21	22.51	0.178	PASS
n66	15	15	CP-64QAM	H	Inner_1RB_Right	17.62	21.92	0.156	PASS
n66	15	15	CP-64QAM	H	Edge_1RB_Right	17.69	21.99	0.158	PASS
n66	15	15	CP-64QAM	H	Inner_Full	18.11	22.41	0.174	PASS
n66	15	15	CP-64QAM	H	Outer_Full	17.95	22.25	0.168	PASS
n66	15	15	CP-256QAM	H	Edge_1RB_Left	15.24	19.54	0.090	PASS
n66	15	15	CP-256QAM	H	Inner_1RB_Left	15.34	19.64	0.092	PASS
n66	15	15	CP-256QAM	H	Inner_1RB_Right	14.89	19.19	0.083	PASS
n66	15	15	CP-256QAM	H	Edge_1RB_Right	16.48	20.78	0.120	PASS
n66	15	15	CP-256QAM	H	Inner_Full	14.94	19.24	0.084	PASS
n66	15	15	CP-256QAM	H	Outer_Full	15.25	19.55	0.090	PASS
n66	15	20	DFT-BPSK	L	Edge_1RB_Left	21.51	25.81	0.381	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	21.8	26.1	0.407	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	22.05	26.35	0.432	PASS
n66	15	20	DFT-BPSK	L	Edge_1RB_Right	21.43	25.73	0.374	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	22.13	26.43	0.440	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	19.91	24.21	0.264	PASS
n66	15	20	DFT-QPSK	L	Edge_1RB_Left	20.82	25.12	0.325	PASS

n66	15	20	DFT-QPSK	L	Inner_1RB_Left	21.79	26.09	0.406	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	21.98	26.28	0.425	PASS
n66	15	20	DFT-QPSK	L	Edge_1RB_Right	22.61	26.91	0.491	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	21.77	26.07	0.405	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	20.43	24.73	0.297	PASS
n66	15	20	DFT-16QAM	L	Edge_1RB_Left	21.86	26.16	0.413	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	22.86	27.16	0.520	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	22.93	27.23	0.528	PASS
n66	15	20	DFT-16QAM	L	Edge_1RB_Right	22.13	26.43	0.440	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	22.3	26.6	0.457	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	21.07	25.37	0.344	PASS
n66	15	20	DFT-64QAM	L	Edge_1RB_Left	21.03	25.33	0.341	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	20.99	25.29	0.338	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	20.6	24.9	0.309	PASS
n66	15	20	DFT-64QAM	L	Edge_1RB_Right	21.13	25.43	0.349	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	20.81	25.11	0.324	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	20.69	24.99	0.316	PASS
n66	15	20	DFT-256QAM	L	Edge_1RB_Left	17.34	21.64	0.146	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	17.28	21.58	0.144	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	17.41	21.71	0.148	PASS
n66	15	20	DFT-256QAM	L	Edge_1RB_Right	17.44	21.74	0.149	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	17.29	21.59	0.144	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	17.02	21.32	0.136	PASS
n66	15	20	CP-QPSK	L	Edge_1RB_Left	18.97	23.27	0.212	PASS
n66	15	20	CP-QPSK	L	Inner_1RB_Left	20.42	24.72	0.296	PASS
n66	15	20	CP-QPSK	L	Inner_1RB_Right	20.61	24.91	0.310	PASS
n66	15	20	CP-QPSK	L	Edge_1RB_Right	19.18	23.48	0.223	PASS
n66	15	20	CP-QPSK	L	Inner_Full	20.19	24.49	0.281	PASS
n66	15	20	CP-QPSK	L	Outer_Full	18.45	22.75	0.188	PASS
n66	15	20	CP-16QAM	L	Edge_1RB_Left	19.28	23.58	0.228	PASS
n66	15	20	CP-16QAM	L	Inner_1RB_Left	20.16	24.46	0.279	PASS
n66	15	20	CP-16QAM	L	Inner_1RB_Right	20.23	24.53	0.284	PASS
n66	15	20	CP-16QAM	L	Edge_1RB_Right	19.47	23.77	0.238	PASS
n66	15	20	CP-16QAM	L	Inner_Full	19.7	24	0.251	PASS
n66	15	20	CP-16QAM	L	Outer_Full	18.48	22.78	0.190	PASS
n66	15	20	CP-64QAM	L	Edge_1RB_Left	18.33	22.63	0.183	PASS
n66	15	20	CP-64QAM	L	Inner_1RB_Left	18.38	22.68	0.185	PASS
n66	15	20	CP-64QAM	L	Inner_1RB_Right	18.38	22.68	0.185	PASS
n66	15	20	CP-64QAM	L	Edge_1RB_Right	18.52	22.82	0.191	PASS
n66	15	20	CP-64QAM	L	Inner_Full	18.35	22.65	0.184	PASS
n66	15	20	CP-64QAM	L	Outer_Full	17.91	22.21	0.166	PASS

n66	15	20	CP-256QAM	L	Edge_1RB_Left	15.52	19.82	0.096	PASS
n66	15	20	CP-256QAM	L	Inner_1RB_Left	15.5	19.8	0.095	PASS
n66	15	20	CP-256QAM	L	Inner_1RB_Right	15.43	19.73	0.094	PASS
n66	15	20	CP-256QAM	L	Edge_1RB_Right	17.3	21.6	0.145	PASS
n66	15	20	CP-256QAM	L	Inner_Full	15.26	19.56	0.090	PASS
n66	15	20	CP-256QAM	L	Outer_Full	14.9	19.2	0.083	PASS
n66	15	20	DFT-BPSK	M	Edge_1RB_Left	21.4	25.7	0.372	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	21.95	26.25	0.422	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	21.5	25.8	0.380	PASS
n66	15	20	DFT-BPSK	M	Edge_1RB_Right	21.08	25.38	0.345	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	21.61	25.91	0.390	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	18.66	22.96	0.198	PASS
n66	15	20	DFT-QPSK	M	Edge_1RB_Left	21.03	25.33	0.341	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	21.97	26.27	0.424	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	21.5	25.8	0.380	PASS
n66	15	20	DFT-QPSK	M	Edge_1RB_Right	20.41	24.71	0.296	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	21.64	25.94	0.393	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	20.52	24.82	0.303	PASS
n66	15	20	DFT-16QAM	M	Edge_1RB_Left	20.49	24.79	0.301	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	23.08	27.38	0.547	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	20.8	25.1	0.324	PASS
n66	15	20	DFT-16QAM	M	Edge_1RB_Right	19.46	23.76	0.238	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	22.27	26.57	0.454	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	21.27	25.57	0.361	PASS
n66	15	20	DFT-64QAM	M	Edge_1RB_Left	19.59	23.89	0.245	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Left	19.55	23.85	0.243	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	19.19	23.49	0.223	PASS
n66	15	20	DFT-64QAM	M	Edge_1RB_Right	19.17	23.47	0.222	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	19.36	23.66	0.232	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	19.14	23.44	0.221	PASS
n66	15	20	DFT-256QAM	M	Edge_1RB_Left	17.53	21.83	0.152	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	17.56	21.86	0.153	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Right	17.14	21.44	0.139	PASS
n66	15	20	DFT-256QAM	M	Edge_1RB_Right	17.18	21.48	0.141	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	17.23	21.53	0.142	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	17.19	21.49	0.141	PASS
n66	15	20	CP-QPSK	M	Edge_1RB_Left	19.21	23.51	0.224	PASS
n66	15	20	CP-QPSK	M	Inner_1RB_Left	20.56	24.86	0.306	PASS
n66	15	20	CP-QPSK	M	Inner_1RB_Right	19.93	24.23	0.265	PASS
n66	15	20	CP-QPSK	M	Edge_1RB_Right	18.65	22.95	0.197	PASS
n66	15	20	CP-QPSK	M	Inner_Full	20.11	24.41	0.276	PASS

n66	15	20	CP-QPSK	M	Outer_Full	18.63	22.93	0.196	PASS
n66	15	20	CP-16QAM	M	Edge_1RB_Left	19.52	23.82	0.241	PASS
n66	15	20	CP-16QAM	M	Inner_1RB_Left	20.15	24.45	0.279	PASS
n66	15	20	CP-16QAM	M	Inner_1RB_Right	19.71	24.01	0.252	PASS
n66	15	20	CP-16QAM	M	Edge_1RB_Right	19.03	23.33	0.215	PASS
n66	15	20	CP-16QAM	M	Inner_Full	19.58	23.88	0.244	PASS
n66	15	20	CP-16QAM	M	Outer_Full	18.64	22.94	0.197	PASS
n66	15	20	CP-64QAM	M	Edge_1RB_Left	18.52	22.82	0.191	PASS
n66	15	20	CP-64QAM	M	Inner_1RB_Left	18.48	22.78	0.190	PASS
n66	15	20	CP-64QAM	M	Inner_1RB_Right	18.07	22.37	0.173	PASS
n66	15	20	CP-64QAM	M	Edge_1RB_Right	18.47	22.77	0.189	PASS
n66	15	20	CP-64QAM	M	Inner_Full	18.22	22.52	0.179	PASS
n66	15	20	CP-64QAM	M	Outer_Full	18.09	22.39	0.173	PASS
n66	15	20	CP-256QAM	M	Edge_1RB_Left	15.62	19.92	0.098	PASS
n66	15	20	CP-256QAM	M	Inner_1RB_Left	15.62	19.92	0.098	PASS
n66	15	20	CP-256QAM	M	Inner_1RB_Right	15.26	19.56	0.090	PASS
n66	15	20	CP-256QAM	M	Edge_1RB_Right	16.89	21.19	0.132	PASS
n66	15	20	CP-256QAM	M	Inner_Full	15.18	19.48	0.089	PASS
n66	15	20	CP-256QAM	M	Outer_Full	15.04	19.34	0.086	PASS
n66	15	20	DFT-BPSK	H	Edge_1RB_Left	21.2	25.5	0.355	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	21.53	25.83	0.383	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	21.12	25.42	0.348	PASS
n66	15	20	DFT-BPSK	H	Edge_1RB_Right	20.69	24.99	0.316	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	21.57	25.87	0.386	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	21.08	25.38	0.345	PASS
n66	15	20	DFT-QPSK	H	Edge_1RB_Left	20.55	24.85	0.305	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	23.26	27.56	0.570	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	21.13	25.43	0.349	PASS
n66	15	20	DFT-QPSK	H	Edge_1RB_Right	20.16	24.46	0.279	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	23.24	27.54	0.568	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	22.23	26.53	0.450	PASS
n66	15	20	DFT-16QAM	H	Edge_1RB_Left	20.11	24.41	0.276	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	20.62	24.92	0.310	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	20.43	24.73	0.297	PASS
n66	15	20	DFT-16QAM	H	Edge_1RB_Right	19.37	23.67	0.233	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	20.56	24.86	0.306	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	19.58	23.88	0.244	PASS
n66	15	20	DFT-64QAM	H	Edge_1RB_Left	19.2	23.5	0.224	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	19.21	23.51	0.224	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	18.68	22.98	0.199	PASS
n66	15	20	DFT-64QAM	H	Edge_1RB_Right	18.76	23.06	0.202	PASS

n66	15	20	DFT-64QAM	H	Inner_Full	19.31	23.61	0.230	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	19.24	23.54	0.226	PASS
n66	15	20	DFT-256QAM	H	Edge_1RB_Left	17.21	21.51	0.142	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	17.11	21.41	0.138	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	17.04	21.34	0.136	PASS
n66	15	20	DFT-256QAM	H	Edge_1RB_Right	16.9	21.2	0.132	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	17.16	21.46	0.140	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	16.99	21.29	0.135	PASS
n66	15	20	CP-QPSK	H	Edge_1RB_Left	18.73	23.03	0.201	PASS
n66	15	20	CP-QPSK	H	Inner_1RB_Left	20.01	24.31	0.270	PASS
n66	15	20	CP-QPSK	H	Inner_1RB_Right	19.68	23.98	0.250	PASS
n66	15	20	CP-QPSK	H	Edge_1RB_Right	18.26	22.56	0.180	PASS
n66	15	20	CP-QPSK	H	Inner_Full	20.07	24.37	0.274	PASS
n66	15	20	CP-QPSK	H	Outer_Full	18.68	22.98	0.199	PASS
n66	15	20	CP-16QAM	H	Edge_1RB_Left	19.08	23.38	0.218	PASS
n66	15	20	CP-16QAM	H	Inner_1RB_Left	19.92	24.22	0.264	PASS
n66	15	20	CP-16QAM	H	Inner_1RB_Right	19.27	23.57	0.228	PASS
n66	15	20	CP-16QAM	H	Edge_1RB_Right	18.57	22.87	0.194	PASS
n66	15	20	CP-16QAM	H	Inner_Full	19.56	23.86	0.243	PASS
n66	15	20	CP-16QAM	H	Outer_Full	18.67	22.97	0.198	PASS
n66	15	20	CP-64QAM	H	Edge_1RB_Left	18.25	22.55	0.180	PASS
n66	15	20	CP-64QAM	H	Inner_1RB_Left	18.24	22.54	0.179	PASS
n66	15	20	CP-64QAM	H	Inner_1RB_Right	17.67	21.97	0.157	PASS
n66	15	20	CP-64QAM	H	Edge_1RB_Right	17.83	22.13	0.163	PASS
n66	15	20	CP-64QAM	H	Inner_Full	18.16	22.46	0.176	PASS
n66	15	20	CP-64QAM	H	Outer_Full	18.14	22.44	0.175	PASS
n66	15	20	CP-256QAM	H	Edge_1RB_Left	15.28	19.58	0.091	PASS
n66	15	20	CP-256QAM	H	Inner_1RB_Left	15.43	19.73	0.094	PASS
n66	15	20	CP-256QAM	H	Inner_1RB_Right	14.81	19.11	0.081	PASS
n66	15	20	CP-256QAM	H	Edge_1RB_Right	16.65	20.95	0.124	PASS
n66	15	20	CP-256QAM	H	Inner_Full	15.45	19.75	0.094	PASS
n66	15	20	CP-256QAM	H	Outer_Full	15.67	19.97	0.099	PASS
n66	15	25	DFT-BPSK	L	Edge_1RB_Left	21.28	25.58	0.361	PASS
n66	15	25	DFT-BPSK	L	Inner_1RB_Left	21.81	26.11	0.408	PASS
n66	15	25	DFT-BPSK	L	Inner_1RB_Right	22.01	26.31	0.428	PASS
n66	15	25	DFT-BPSK	L	Edge_1RB_Right	21.52	25.82	0.382	PASS
n66	15	25	DFT-BPSK	L	Inner_Full	21.85	26.15	0.412	PASS
n66	15	25	DFT-BPSK	L	Outer_Full	21.25	25.55	0.359	PASS
n66	15	25	DFT-QPSK	L	Edge_1RB_Left	20.79	25.09	0.323	PASS
n66	15	25	DFT-QPSK	L	Inner_1RB_Left	21.79	26.09	0.406	PASS
n66	15	25	DFT-QPSK	L	Inner_1RB_Right	22.03	26.33	0.430	PASS

n66	15	25	DFT-QPSK	L	Edge_1RB_Right	22.61	26.91	0.491	PASS
n66	15	25	DFT-QPSK	L	Inner_Full	21.83	26.13	0.410	PASS
n66	15	25	DFT-QPSK	L	Outer_Full	20.67	24.97	0.314	PASS
n66	15	25	DFT-16QAM	L	Edge_1RB_Left	21.68	25.98	0.396	PASS
n66	15	25	DFT-16QAM	L	Inner_1RB_Left	22.71	27.01	0.502	PASS
n66	15	25	DFT-16QAM	L	Inner_1RB_Right	22.81	27.11	0.514	PASS
n66	15	25	DFT-16QAM	L	Edge_1RB_Right	21.96	26.26	0.423	PASS
n66	15	25	DFT-16QAM	L	Inner_Full	22.36	26.66	0.463	PASS
n66	15	25	DFT-16QAM	L	Outer_Full	21.25	25.55	0.359	PASS
n66	15	25	DFT-64QAM	L	Edge_1RB_Left	20.93	25.23	0.333	PASS
n66	15	25	DFT-64QAM	L	Inner_1RB_Left	20.92	25.22	0.333	PASS
n66	15	25	DFT-64QAM	L	Inner_1RB_Right	21.16	25.46	0.352	PASS
n66	15	25	DFT-64QAM	L	Edge_1RB_Right	21.19	25.49	0.354	PASS
n66	15	25	DFT-64QAM	L	Inner_Full	21.22	25.52	0.356	PASS
n66	15	25	DFT-64QAM	L	Outer_Full	20.97	25.27	0.337	PASS
n66	15	25	DFT-256QAM	L	Edge_1RB_Left	17.21	21.51	0.142	PASS
n66	15	25	DFT-256QAM	L	Inner_1RB_Left	17.25	21.55	0.143	PASS
n66	15	25	DFT-256QAM	L	Inner_1RB_Right	17.45	21.75	0.150	PASS
n66	15	25	DFT-256QAM	L	Edge_1RB_Right	17.43	21.73	0.149	PASS
n66	15	25	DFT-256QAM	L	Inner_Full	17.42	21.72	0.149	PASS
n66	15	25	DFT-256QAM	L	Outer_Full	17.3	21.6	0.145	PASS
n66	15	25	CP-QPSK	L	Edge_1RB_Left	18.88	23.18	0.208	PASS
n66	15	25	CP-QPSK	L	Inner_1RB_Left	20.31	24.61	0.289	PASS
n66	15	25	CP-QPSK	L	Inner_1RB_Right	20.63	24.93	0.311	PASS
n66	15	25	CP-QPSK	L	Edge_1RB_Right	19.11	23.41	0.219	PASS
n66	15	25	CP-QPSK	L	Inner_Full	20.32	24.62	0.290	PASS
n66	15	25	CP-QPSK	L	Outer_Full	18.83	23.13	0.206	PASS
n66	15	25	CP-16QAM	L	Edge_1RB_Left	19.19	23.49	0.223	PASS
n66	15	25	CP-16QAM	L	Inner_1RB_Left	20.05	24.35	0.272	PASS
n66	15	25	CP-16QAM	L	Inner_1RB_Right	20.3	24.6	0.288	PASS
n66	15	25	CP-16QAM	L	Edge_1RB_Right	19.46	23.76	0.238	PASS
n66	15	25	CP-16QAM	L	Inner_Full	19.89	24.19	0.262	PASS
n66	15	25	CP-16QAM	L	Outer_Full	18.77	23.07	0.203	PASS
n66	15	25	CP-64QAM	L	Edge_1RB_Left	18.26	22.56	0.180	PASS
n66	15	25	CP-64QAM	L	Inner_1RB_Left	18.32	22.62	0.183	PASS
n66	15	25	CP-64QAM	L	Inner_1RB_Right	18.57	22.87	0.194	PASS
n66	15	25	CP-64QAM	L	Edge_1RB_Right	18.5	22.8	0.191	PASS
n66	15	25	CP-64QAM	L	Inner_Full	18.44	22.74	0.188	PASS
n66	15	25	CP-64QAM	L	Outer_Full	18.3	22.6	0.182	PASS
n66	15	25	CP-256QAM	L	Edge_1RB_Left	15.33	19.63	0.092	PASS
n66	15	25	CP-256QAM	L	Inner_1RB_Left	15.35	19.65	0.092	PASS

n66	15	25	CP-256QAM	L	Inner_1RB_Right	15.61	19.91	0.098	PASS
n66	15	25	CP-256QAM	L	Edge_1RB_Right	15.53	19.83	0.096	PASS
n66	15	25	CP-256QAM	L	Inner_Full	15.39	19.69	0.093	PASS
n66	15	25	CP-256QAM	L	Outer_Full	15.15	19.45	0.088	PASS
n66	15	25	DFT-BPSK	M	Edge_1RB_Left	21.49	25.79	0.379	PASS
n66	15	25	DFT-BPSK	M	Inner_1RB_Left	22.02	26.32	0.429	PASS
n66	15	25	DFT-BPSK	M	Inner_1RB_Right	21.58	25.88	0.387	PASS
n66	15	25	DFT-BPSK	M	Edge_1RB_Right	21.06	25.36	0.344	PASS
n66	15	25	DFT-BPSK	M	Inner_Full	21.66	25.96	0.394	PASS
n66	15	25	DFT-BPSK	M	Outer_Full	21.17	25.47	0.352	PASS
n66	15	25	DFT-QPSK	M	Edge_1RB_Left	22.69	26.99	0.500	PASS
n66	15	25	DFT-QPSK	M	Inner_1RB_Left	21.89	26.19	0.416	PASS
n66	15	25	DFT-QPSK	M	Inner_1RB_Right	21.62	25.92	0.391	PASS
n66	15	25	DFT-QPSK	M	Edge_1RB_Right	20.6	24.9	0.309	PASS
n66	15	25	DFT-QPSK	M	Inner_Full	21.77	26.07	0.405	PASS
n66	15	25	DFT-QPSK	M	Outer_Full	20.66	24.96	0.313	PASS
n66	15	25	DFT-16QAM	M	Edge_1RB_Left	21.86	26.16	0.413	PASS
n66	15	25	DFT-16QAM	M	Inner_1RB_Left	21.22	25.52	0.356	PASS
n66	15	25	DFT-16QAM	M	Inner_1RB_Right	20.23	24.53	0.284	PASS
n66	15	25	DFT-16QAM	M	Edge_1RB_Right	21.49	25.79	0.379	PASS
n66	15	25	DFT-16QAM	M	Inner_Full	20.7	25	0.316	PASS
n66	15	25	DFT-16QAM	M	Outer_Full	19.69	23.99	0.251	PASS
n66	15	25	DFT-64QAM	M	Edge_1RB_Left	21.1	25.4	0.347	PASS
n66	15	25	DFT-64QAM	M	Inner_1RB_Left	21.16	25.46	0.352	PASS
n66	15	25	DFT-64QAM	M	Inner_1RB_Right	20.77	25.07	0.321	PASS
n66	15	25	DFT-64QAM	M	Edge_1RB_Right	20.77	25.07	0.321	PASS
n66	15	25	DFT-64QAM	M	Inner_Full	21.03	25.33	0.341	PASS
n66	15	25	DFT-64QAM	M	Outer_Full	20.97	25.27	0.337	PASS
n66	15	25	DFT-256QAM	M	Edge_1RB_Left	17.45	21.75	0.150	PASS
n66	15	25	DFT-256QAM	M	Inner_1RB_Left	17.39	21.69	0.148	PASS
n66	15	25	DFT-256QAM	M	Inner_1RB_Right	17.13	21.43	0.139	PASS
n66	15	25	DFT-256QAM	M	Edge_1RB_Right	17.08	21.38	0.137	PASS
n66	15	25	DFT-256QAM	M	Inner_Full	17.23	21.53	0.142	PASS
n66	15	25	DFT-256QAM	M	Outer_Full	17.23	21.53	0.142	PASS
n66	15	25	CP-QPSK	M	Edge_1RB_Left	19.06	23.36	0.217	PASS
n66	15	25	CP-QPSK	M	Inner_1RB_Left	20.44	24.74	0.298	PASS
n66	15	25	CP-QPSK	M	Inner_1RB_Right	20.14	24.44	0.278	PASS
n66	15	25	CP-QPSK	M	Edge_1RB_Right	18.69	22.99	0.199	PASS
n66	15	25	CP-QPSK	M	Inner_Full	20.2	24.5	0.282	PASS
n66	15	25	CP-QPSK	M	Outer_Full	18.71	23.01	0.200	PASS
n66	15	25	CP-16QAM	M	Edge_1RB_Left	19.05	23.35	0.216	PASS

n66	15	25	CP-16QAM	M	Inner_1RB_Left	20.3	24.6	0.288	PASS
n66	15	25	CP-16QAM	M	Inner_1RB_Right	19.9	24.2	0.263	PASS
n66	15	25	CP-16QAM	M	Edge_1RB_Right	19.02	23.32	0.215	PASS
n66	15	25	CP-16QAM	M	Inner_Full	19.67	23.97	0.249	PASS
n66	15	25	CP-16QAM	M	Outer_Full	18.8	23.1	0.204	PASS
n66	15	25	CP-64QAM	M	Edge_1RB_Left	18.78	23.08	0.203	PASS
n66	15	25	CP-64QAM	M	Inner_1RB_Left	18.51	22.81	0.191	PASS
n66	15	25	CP-64QAM	M	Inner_1RB_Right	18.16	22.46	0.176	PASS
n66	15	25	CP-64QAM	M	Edge_1RB_Right	18.1	22.4	0.174	PASS
n66	15	25	CP-64QAM	M	Inner_Full	18.3	22.6	0.182	PASS
n66	15	25	CP-64QAM	M	Outer_Full	18.25	22.55	0.180	PASS
n66	15	25	CP-256QAM	M	Edge_1RB_Left	15.49	19.79	0.095	PASS
n66	15	25	CP-256QAM	M	Inner_1RB_Left	15.58	19.88	0.097	PASS
n66	15	25	CP-256QAM	M	Inner_1RB_Right	15.55	19.85	0.097	PASS
n66	15	25	CP-256QAM	M	Edge_1RB_Right	15.29	19.59	0.091	PASS
n66	15	25	CP-256QAM	M	Inner_Full	15.26	19.56	0.090	PASS
n66	15	25	CP-256QAM	M	Outer_Full	15.26	19.56	0.090	PASS
n66	15	25	DFT-BPSK	H	Edge_1RB_Left	20.88	25.18	0.330	PASS
n66	15	25	DFT-BPSK	H	Inner_1RB_Left	21.51	25.81	0.381	PASS
n66	15	25	DFT-BPSK	H	Inner_1RB_Right	21.07	25.37	0.344	PASS
n66	15	25	DFT-BPSK	H	Edge_1RB_Right	20.55	24.85	0.305	PASS
n66	15	25	DFT-BPSK	H	Inner_Full	21.74	26.04	0.402	PASS
n66	15	25	DFT-BPSK	H	Outer_Full	21.19	25.49	0.354	PASS
n66	15	25	DFT-QPSK	H	Edge_1RB_Left	20.38	24.68	0.294	PASS
n66	15	25	DFT-QPSK	H	Inner_1RB_Left	23.13	27.43	0.553	PASS
n66	15	25	DFT-QPSK	H	Inner_1RB_Right	19.59	23.89	0.245	PASS
n66	15	25	DFT-QPSK	H	Edge_1RB_Right	20.02	24.32	0.270	PASS
n66	15	25	DFT-QPSK	H	Inner_Full	23.41	27.71	0.590	PASS
n66	15	25	DFT-QPSK	H	Outer_Full	22.34	26.64	0.461	PASS
n66	15	25	DFT-16QAM	H	Edge_1RB_Left	19.69	23.99	0.251	PASS
n66	15	25	DFT-16QAM	H	Inner_1RB_Left	20.69	24.99	0.316	PASS
n66	15	25	DFT-16QAM	H	Inner_1RB_Right	20.35	24.65	0.292	PASS
n66	15	25	DFT-16QAM	H	Edge_1RB_Right	19.23	23.53	0.225	PASS
n66	15	25	DFT-16QAM	H	Inner_Full	20.76	25.06	0.321	PASS
n66	15	25	DFT-16QAM	H	Outer_Full	19.71	24.01	0.252	PASS
n66	15	25	DFT-64QAM	H	Edge_1RB_Left	19.03	23.33	0.215	PASS
n66	15	25	DFT-64QAM	H	Inner_1RB_Left	19.05	23.35	0.216	PASS
n66	15	25	DFT-64QAM	H	Inner_1RB_Right	18.64	22.94	0.197	PASS
n66	15	25	DFT-64QAM	H	Edge_1RB_Right	18.6	22.9	0.195	PASS
n66	15	25	DFT-64QAM	H	Inner_Full	19.45	23.75	0.237	PASS
n66	15	25	DFT-64QAM	H	Outer_Full	19.33	23.63	0.231	PASS

n66	15	25	DFT-256QAM	H	Edge_1RB_Left	17.08	21.38	0.137	PASS
n66	15	25	DFT-256QAM	H	Inner_1RB_Left	17	21.3	0.135	PASS
n66	15	25	DFT-256QAM	H	Inner_1RB_Right	16.69	20.99	0.126	PASS
n66	15	25	DFT-256QAM	H	Edge_1RB_Right	20.24	24.54	0.284	PASS
n66	15	25	DFT-256QAM	H	Inner_Full	17.34	21.64	0.146	PASS
n66	15	25	DFT-256QAM	H	Outer_Full	17.65	21.95	0.157	PASS
n66	15	25	CP-QPSK	H	Edge_1RB_Left	18.63	22.93	0.196	PASS
n66	15	25	CP-QPSK	H	Inner_1RB_Left	19.99	24.29	0.269	PASS
n66	15	25	CP-QPSK	H	Inner_1RB_Right	19.6	23.9	0.245	PASS
n66	15	25	CP-QPSK	H	Edge_1RB_Right	18.25	22.55	0.180	PASS
n66	15	25	CP-QPSK	H	Inner_Full	20.21	24.51	0.282	PASS
n66	15	25	CP-QPSK	H	Outer_Full	18.78	23.08	0.203	PASS
n66	15	25	CP-16QAM	H	Edge_1RB_Left	18.96	23.26	0.212	PASS
n66	15	25	CP-16QAM	H	Inner_1RB_Left	19.74	24.04	0.254	PASS
n66	15	25	CP-16QAM	H	Inner_1RB_Right	19.32	23.62	0.230	PASS
n66	15	25	CP-16QAM	H	Edge_1RB_Right	18.48	22.78	0.190	PASS
n66	15	25	CP-16QAM	H	Inner_Full	19.76	24.06	0.255	PASS
n66	15	25	CP-16QAM	H	Outer_Full	18.8	23.1	0.204	PASS
n66	15	25	CP-64QAM	H	Edge_1RB_Left	18.05	22.35	0.172	PASS
n66	15	25	CP-64QAM	H	Inner_1RB_Left	18.39	22.69	0.186	PASS
n66	15	25	CP-64QAM	H	Inner_1RB_Right	17.71	22.01	0.159	PASS
n66	15	25	CP-64QAM	H	Edge_1RB_Right	17.65	21.95	0.157	PASS
n66	15	25	CP-64QAM	H	Inner_Full	18.35	22.65	0.184	PASS
n66	15	25	CP-64QAM	H	Outer_Full	18.3	22.6	0.182	PASS
n66	15	25	CP-256QAM	H	Edge_1RB_Left	15.16	19.46	0.088	PASS
n66	15	25	CP-256QAM	H	Inner_1RB_Left	15.17	19.47	0.089	PASS
n66	15	25	CP-256QAM	H	Inner_1RB_Right	14.9	19.2	0.083	PASS
n66	15	25	CP-256QAM	H	Edge_1RB_Right	14.82	19.12	0.082	PASS
n66	15	25	CP-256QAM	H	Inner_Full	15.26	19.56	0.090	PASS
n66	15	25	CP-256QAM	H	Outer_Full	15.12	19.42	0.087	PASS
n66	15	30	DFT-BPSK	L	Edge_1RB_Left	21.23	25.53	0.357	PASS
n66	15	30	DFT-BPSK	L	Inner_1RB_Left	21.71	26.01	0.399	PASS
n66	15	30	DFT-BPSK	L	Inner_1RB_Right	21.23	25.53	0.357	PASS
n66	15	30	DFT-BPSK	L	Edge_1RB_Right	21.23	25.53	0.357	PASS
n66	15	30	DFT-BPSK	L	Inner_Full	21.84	26.14	0.411	PASS
n66	15	30	DFT-BPSK	L	Outer_Full	21.18	25.48	0.353	PASS
n66	15	30	DFT-QPSK	L	Edge_1RB_Left	22.31	26.61	0.458	PASS
n66	15	30	DFT-QPSK	L	Inner_1RB_Left	23.34	27.64	0.581	PASS
n66	15	30	DFT-QPSK	L	Inner_1RB_Right	23.31	27.61	0.577	PASS
n66	15	30	DFT-QPSK	L	Edge_1RB_Right	22.28	26.58	0.455	PASS
n66	15	30	DFT-QPSK	L	Inner_Full	23.5	27.8	0.603	PASS

n66	15	30	DFT-QPSK	L	Outer_Full	22.25	26.55	0.452	PASS
n66	15	30	DFT-16QAM	L	Edge_1RB_Left	21.28	25.58	0.361	PASS
n66	15	30	DFT-16QAM	L	Inner_1RB_Left	22.6	26.9	0.490	PASS
n66	15	30	DFT-16QAM	L	Inner_1RB_Right	21.79	26.09	0.406	PASS
n66	15	30	DFT-16QAM	L	Edge_1RB_Right	21.24	25.54	0.358	PASS
n66	15	30	DFT-16QAM	L	Inner_Full	22.54	26.84	0.483	PASS
n66	15	30	DFT-16QAM	L	Outer_Full	21.31	25.61	0.364	PASS
n66	15	30	DFT-64QAM	L	Edge_1RB_Left	20.38	24.68	0.294	PASS
n66	15	30	DFT-64QAM	L	Inner_1RB_Left	20.89	25.19	0.330	PASS
n66	15	30	DFT-64QAM	L	Inner_1RB_Right	20.92	25.22	0.333	PASS
n66	15	30	DFT-64QAM	L	Edge_1RB_Right	20.36	24.66	0.292	PASS
n66	15	30	DFT-64QAM	L	Inner_Full	21.2	25.5	0.355	PASS
n66	15	30	DFT-64QAM	L	Outer_Full	20.96	25.26	0.336	PASS
n66	15	30	DFT-256QAM	L	Edge_1RB_Left	17.18	21.48	0.141	PASS
n66	15	30	DFT-256QAM	L	Inner_1RB_Left	17.39	21.69	0.148	PASS
n66	15	30	DFT-256QAM	L	Inner_1RB_Right	17.41	21.71	0.148	PASS
n66	15	30	DFT-256QAM	L	Edge_1RB_Right	17.21	21.51	0.142	PASS
n66	15	30	DFT-256QAM	L	Inner_Full	17.51	21.81	0.152	PASS
n66	15	30	DFT-256QAM	L	Outer_Full	17.32	21.62	0.145	PASS
n66	15	30	CP-QPSK	L	Edge_1RB_Left	18.85	23.15	0.207	PASS
n66	15	30	CP-QPSK	L	Inner_1RB_Left	20.32	24.62	0.290	PASS
n66	15	30	CP-QPSK	L	Inner_1RB_Right	20.25	24.55	0.285	PASS
n66	15	30	CP-QPSK	L	Edge_1RB_Right	18.87	23.17	0.207	PASS
n66	15	30	CP-QPSK	L	Inner_Full	20.42	24.72	0.296	PASS
n66	15	30	CP-QPSK	L	Outer_Full	18.83	23.13	0.206	PASS
n66	15	30	CP-16QAM	L	Edge_1RB_Left	19.15	23.45	0.221	PASS
n66	15	30	CP-16QAM	L	Inner_1RB_Left	20.05	24.35	0.272	PASS
n66	15	30	CP-16QAM	L	Inner_1RB_Right	19.96	24.26	0.267	PASS
n66	15	30	CP-16QAM	L	Edge_1RB_Right	19.2	23.5	0.224	PASS
n66	15	30	CP-16QAM	L	Inner_Full	19.85	24.15	0.260	PASS
n66	15	30	CP-16QAM	L	Outer_Full	18.85	23.15	0.207	PASS
n66	15	30	CP-64QAM	L	Edge_1RB_Left	18.5	22.8	0.191	PASS
n66	15	30	CP-64QAM	L	Inner_1RB_Left	18.29	22.59	0.182	PASS
n66	15	30	CP-64QAM	L	Inner_1RB_Right	18.26	22.56	0.180	PASS
n66	15	30	CP-64QAM	L	Edge_1RB_Right	18.57	22.87	0.194	PASS
n66	15	30	CP-64QAM	L	Inner_Full	18.57	22.87	0.194	PASS
n66	15	30	CP-64QAM	L	Outer_Full	18.32	22.62	0.183	PASS
n66	15	30	CP-256QAM	L	Edge_1RB_Left	15.24	19.54	0.090	PASS
n66	15	30	CP-256QAM	L	Inner_1RB_Left	15.33	19.63	0.092	PASS
n66	15	30	CP-256QAM	L	Inner_1RB_Right	15.37	19.67	0.093	PASS
n66	15	30	CP-256QAM	L	Edge_1RB_Right	15.33	19.63	0.092	PASS

n66	15	30	CP-256QAM	L	Inner_Full	15.54	19.84	0.096	PASS
n66	15	30	CP-256QAM	L	Outer_Full	15.31	19.61	0.091	PASS
n66	15	30	DFT-BPSK	M	Edge_1RB_Left	21.25	25.55	0.359	PASS
n66	15	30	DFT-BPSK	M	Inner_1RB_Left	21.84	26.14	0.411	PASS
n66	15	30	DFT-BPSK	M	Inner_1RB_Right	21.55	25.85	0.385	PASS
n66	15	30	DFT-BPSK	M	Edge_1RB_Right	21.1	25.4	0.347	PASS
n66	15	30	DFT-BPSK	M	Inner_Full	21.78	26.08	0.406	PASS
n66	15	30	DFT-BPSK	M	Outer_Full	21.11	25.41	0.348	PASS
n66	15	30	DFT-QPSK	M	Edge_1RB_Left	20.81	25.11	0.324	PASS
n66	15	30	DFT-QPSK	M	Inner_1RB_Left	21.8	26.1	0.407	PASS
n66	15	30	DFT-QPSK	M	Inner_1RB_Right	21.62	25.92	0.391	PASS
n66	15	30	DFT-QPSK	M	Edge_1RB_Right	20.62	24.92	0.310	PASS
n66	15	30	DFT-QPSK	M	Inner_Full	21.75	26.05	0.403	PASS
n66	15	30	DFT-QPSK	M	Outer_Full	20.64	24.94	0.312	PASS
n66	15	30	DFT-16QAM	M	Edge_1RB_Left	19.98	24.28	0.268	PASS
n66	15	30	DFT-16QAM	M	Inner_1RB_Left	21.1	25.4	0.347	PASS
n66	15	30	DFT-16QAM	M	Inner_1RB_Right	20.86	25.16	0.328	PASS
n66	15	30	DFT-16QAM	M	Edge_1RB_Right	19.73	24.03	0.253	PASS
n66	15	30	DFT-16QAM	M	Inner_Full	20.72	25.02	0.318	PASS
n66	15	30	DFT-16QAM	M	Outer_Full	10.68	14.98	0.031	PASS
n66	15	30	DFT-64QAM	M	Edge_1RB_Left	20.92	25.22	0.333	PASS
n66	15	30	DFT-64QAM	M	Inner_1RB_Left	20.91	25.21	0.332	PASS
n66	15	30	DFT-64QAM	M	Inner_1RB_Right	20.72	25.02	0.318	PASS
n66	15	30	DFT-64QAM	M	Edge_1RB_Right	20.74	25.04	0.319	PASS
n66	15	30	DFT-64QAM	M	Inner_Full	20.91	25.21	0.332	PASS
n66	15	30	DFT-64QAM	M	Outer_Full	20.87	25.17	0.329	PASS
n66	15	30	DFT-256QAM	M	Edge_1RB_Left	17.5	21.8	0.151	PASS
n66	15	30	DFT-256QAM	M	Inner_1RB_Left	16.54	20.84	0.121	PASS
n66	15	30	DFT-256QAM	M	Inner_1RB_Right	17.08	21.38	0.137	PASS
n66	15	30	DFT-256QAM	M	Edge_1RB_Right	17.12	21.42	0.139	PASS
n66	15	30	DFT-256QAM	M	Inner_Full	17.31	21.61	0.145	PASS
n66	15	30	DFT-256QAM	M	Outer_Full	17.24	21.54	0.143	PASS
n66	15	30	CP-QPSK	M	Edge_1RB_Left	18.93	23.23	0.210	PASS
n66	15	30	CP-QPSK	M	Inner_1RB_Left	20.35	24.65	0.292	PASS
n66	15	30	CP-QPSK	M	Inner_1RB_Right	20.07	24.37	0.274	PASS
n66	15	30	CP-QPSK	M	Edge_1RB_Right	18.77	23.07	0.203	PASS
n66	15	30	CP-QPSK	M	Inner_Full	20.23	24.53	0.284	PASS
n66	15	30	CP-QPSK	M	Outer_Full	18.72	23.02	0.200	PASS
n66	15	30	CP-16QAM	M	Edge_1RB_Left	19.29	23.59	0.229	PASS
n66	15	30	CP-16QAM	M	Inner_1RB_Left	20.22	24.52	0.283	PASS
n66	15	30	CP-16QAM	M	Inner_1RB_Right	19.97	24.27	0.267	PASS

n66	15	30	CP-16QAM	M	Edge_1RB_Right	19.16	23.46	0.222	PASS
n66	15	30	CP-16QAM	M	Inner_Full	19.7	24	0.251	PASS
n66	15	30	CP-16QAM	M	Outer_Full	18.73	23.03	0.201	PASS
n66	15	30	CP-64QAM	M	Edge_1RB_Left	18.3	22.6	0.182	PASS
n66	15	30	CP-64QAM	M	Inner_1RB_Left	18.37	22.67	0.185	PASS
n66	15	30	CP-64QAM	M	Inner_1RB_Right	18.2	22.5	0.178	PASS
n66	15	30	CP-64QAM	M	Edge_1RB_Right	18.18	22.48	0.177	PASS
n66	15	30	CP-64QAM	M	Inner_Full	18.32	22.62	0.183	PASS
n66	15	30	CP-64QAM	M	Outer_Full	18.3	22.6	0.182	PASS
n66	15	30	CP-256QAM	M	Edge_1RB_Left	14.81	19.11	0.081	PASS
n66	15	30	CP-256QAM	M	Inner_1RB_Left	14.66	18.96	0.079	PASS
n66	15	30	CP-256QAM	M	Inner_1RB_Right	15.26	19.56	0.090	PASS
n66	15	30	CP-256QAM	M	Edge_1RB_Right	15.41	19.71	0.094	PASS
n66	15	30	CP-256QAM	M	Inner_Full	15.23	19.53	0.090	PASS
n66	15	30	CP-256QAM	M	Outer_Full	15.18	19.48	0.089	PASS
n66	15	30	DFT-BPSK	H	Edge_1RB_Left	20.71	25.01	0.317	PASS
n66	15	30	DFT-BPSK	H	Inner_1RB_Left	20.77	25.07	0.321	PASS
n66	15	30	DFT-BPSK	H	Inner_1RB_Right	21.01	25.31	0.340	PASS
n66	15	30	DFT-BPSK	H	Edge_1RB_Right	20.49	24.79	0.301	PASS
n66	15	30	DFT-BPSK	H	Inner_Full	21.79	26.09	0.406	PASS
n66	15	30	DFT-BPSK	H	Outer_Full	21.34	25.64	0.366	PASS
n66	15	30	DFT-QPSK	H	Edge_1RB_Left	19.77	24.07	0.255	PASS
n66	15	30	DFT-QPSK	H	Inner_1RB_Left	21.28	25.58	0.361	PASS
n66	15	30	DFT-QPSK	H	Inner_1RB_Right	21.05	25.35	0.343	PASS
n66	15	30	DFT-QPSK	H	Edge_1RB_Right	21.62	25.92	0.391	PASS
n66	15	30	DFT-QPSK	H	Inner_Full	21.8	26.1	0.407	PASS
n66	15	30	DFT-QPSK	H	Outer_Full	20.89	25.19	0.330	PASS
n66	15	30	DFT-16QAM	H	Edge_1RB_Left	21.68	25.98	0.396	PASS
n66	15	30	DFT-16QAM	H	Inner_1RB_Left	22.13	26.43	0.440	PASS
n66	15	30	DFT-16QAM	H	Inner_1RB_Right	21.91	26.21	0.418	PASS
n66	15	30	DFT-16QAM	H	Edge_1RB_Right	20.93	25.23	0.333	PASS
n66	15	30	DFT-16QAM	H	Inner_Full	22.42	26.72	0.470	PASS
n66	15	30	DFT-16QAM	H	Outer_Full	21.51	25.81	0.381	PASS
n66	15	30	DFT-64QAM	H	Edge_1RB_Left	20.5	24.8	0.302	PASS
n66	15	30	DFT-64QAM	H	Inner_1RB_Left	21.3	25.6	0.363	PASS
n66	15	30	DFT-64QAM	H	Inner_1RB_Right	20.24	24.54	0.284	PASS
n66	15	30	DFT-64QAM	H	Edge_1RB_Right	20.21	24.51	0.282	PASS
n66	15	30	DFT-64QAM	H	Inner_Full	21.06	25.36	0.344	PASS
n66	15	30	DFT-64QAM	H	Outer_Full	21.12	25.42	0.348	PASS
n66	15	30	DFT-256QAM	H	Edge_1RB_Left	16.99	21.29	0.135	PASS
n66	15	30	DFT-256QAM	H	Inner_1RB_Left	16.99	21.29	0.135	PASS

n66	15	30	DFT-256QAM	H	Inner_1RB_Right	16.6	20.9	0.123	PASS
n66	15	30	DFT-256QAM	H	Edge_1RB_Right	16.53	20.83	0.121	PASS
n66	15	30	DFT-256QAM	H	Inner_Full	17.37	21.67	0.147	PASS
n66	15	30	DFT-256QAM	H	Outer_Full	17.36	21.66	0.147	PASS
n66	15	30	CP-QPSK	H	Edge_1RB_Left	18.4	22.7	0.186	PASS
n66	15	30	CP-QPSK	H	Inner_1RB_Left	19.7	24	0.251	PASS
n66	15	30	CP-QPSK	H	Inner_1RB_Right	19.52	23.82	0.241	PASS
n66	15	30	CP-QPSK	H	Edge_1RB_Right	18.2	22.5	0.178	PASS
n66	15	30	CP-QPSK	H	Inner_Full	20.28	24.58	0.287	PASS
n66	15	30	CP-QPSK	H	Outer_Full	19.01	23.31	0.214	PASS
n66	15	30	CP-16QAM	H	Edge_1RB_Left	18.78	23.08	0.203	PASS
n66	15	30	CP-16QAM	H	Inner_1RB_Left	19.61	23.91	0.246	PASS
n66	15	30	CP-16QAM	H	Inner_1RB_Right	19.31	23.61	0.230	PASS
n66	15	30	CP-16QAM	H	Edge_1RB_Right	18.16	22.46	0.176	PASS
n66	15	30	CP-16QAM	H	Inner_Full	19.84	24.14	0.259	PASS
n66	15	30	CP-16QAM	H	Outer_Full	18.97	23.27	0.212	PASS
n66	15	30	CP-64QAM	H	Edge_1RB_Left	18.08	22.38	0.173	PASS
n66	15	30	CP-64QAM	H	Inner_1RB_Left	17.93	22.23	0.167	PASS
n66	15	30	CP-64QAM	H	Inner_1RB_Right	17.67	21.97	0.157	PASS
n66	15	30	CP-64QAM	H	Edge_1RB_Right	17.67	21.97	0.157	PASS
n66	15	30	CP-64QAM	H	Inner_Full	18.39	22.69	0.186	PASS
n66	15	30	CP-64QAM	H	Outer_Full	18.43	22.73	0.187	PASS
n66	15	30	CP-256QAM	H	Edge_1RB_Left	14.83	19.13	0.082	PASS
n66	15	30	CP-256QAM	H	Inner_1RB_Left	15.17	19.47	0.089	PASS
n66	15	30	CP-256QAM	H	Inner_1RB_Right	14.9	19.2	0.083	PASS
n66	15	30	CP-256QAM	H	Edge_1RB_Right	14.84	19.14	0.082	PASS
n66	15	30	CP-256QAM	H	Inner_Full	15.35	19.65	0.092	PASS
n66	15	30	CP-256QAM	H	Outer_Full	15.46	19.76	0.095	PASS
n66	15	40	DFT-BPSK	L	Edge_1RB_Left	21.03	25.33	0.341	PASS
n66	15	40	DFT-BPSK	L	Inner_1RB_Left	21.55	25.85	0.385	PASS
n66	15	40	DFT-BPSK	L	Inner_1RB_Right	21.16	25.46	0.352	PASS
n66	15	40	DFT-BPSK	L	Edge_1RB_Right	20.75	25.05	0.320	PASS
n66	15	40	DFT-BPSK	L	Inner_Full	22.13	26.43	0.440	PASS
n66	15	40	DFT-BPSK	L	Outer_Full	21.47	25.77	0.378	PASS
n66	15	40	DFT-QPSK	L	Edge_1RB_Left	20.52	24.82	0.303	PASS
n66	15	40	DFT-QPSK	L	Inner_1RB_Left	21.47	25.77	0.378	PASS
n66	15	40	DFT-QPSK	L	Inner_1RB_Right	21.15	25.45	0.351	PASS
n66	15	40	DFT-QPSK	L	Edge_1RB_Right	21.77	26.07	0.405	PASS
n66	15	40	DFT-QPSK	L	Inner_Full	22.2	26.5	0.447	PASS
n66	15	40	DFT-QPSK	L	Outer_Full	20.93	25.23	0.333	PASS
n66	15	40	DFT-16QAM	L	Edge_1RB_Left	21.51	25.81	0.381	PASS

n66	15	40	DFT-16QAM	L	Inner_1RB_Left	22.38	26.68	0.466	PASS
n66	15	40	DFT-16QAM	L	Inner_1RB_Right	22.06	26.36	0.433	PASS
n66	15	40	DFT-16QAM	L	Edge_1RB_Right	21.13	25.43	0.349	PASS
n66	15	40	DFT-16QAM	L	Inner_Full	22.66	26.96	0.497	PASS
n66	15	40	DFT-16QAM	L	Outer_Full	21.58	25.88	0.387	PASS
n66	15	40	DFT-64QAM	L	Edge_1RB_Left	20.63	24.93	0.311	PASS
n66	15	40	DFT-64QAM	L	Inner_1RB_Left	20.63	24.93	0.311	PASS
n66	15	40	DFT-64QAM	L	Inner_1RB_Right	20.37	24.67	0.293	PASS
n66	15	40	DFT-64QAM	L	Edge_1RB_Right	19.92	24.22	0.264	PASS
n66	15	40	DFT-64QAM	L	Inner_Full	21.31	25.61	0.364	PASS
n66	15	40	DFT-64QAM	L	Outer_Full	21.15	25.45	0.351	PASS
n66	15	40	DFT-256QAM	L	Edge_1RB_Left	17.03	21.33	0.136	PASS
n66	15	40	DFT-256QAM	L	Inner_1RB_Left	16.96	21.26	0.134	PASS
n66	15	40	DFT-256QAM	L	Inner_1RB_Right	16.75	21.05	0.127	PASS
n66	15	40	DFT-256QAM	L	Edge_1RB_Right	16.82	21.12	0.129	PASS
n66	15	40	DFT-256QAM	L	Inner_Full	17.63	21.93	0.156	PASS
n66	15	40	DFT-256QAM	L	Outer_Full	17.57	21.87	0.154	PASS
n66	15	40	CP-QPSK	L	Edge_1RB_Left	18.66	22.96	0.198	PASS
n66	15	40	CP-QPSK	L	Inner_1RB_Left	20.1	24.4	0.275	PASS
n66	15	40	CP-QPSK	L	Inner_1RB_Right	19.62	23.92	0.247	PASS
n66	15	40	CP-QPSK	L	Edge_1RB_Right	18.33	22.63	0.183	PASS
n66	15	40	CP-QPSK	L	Inner_Full	20.64	24.94	0.312	PASS
n66	15	40	CP-QPSK	L	Outer_Full	19.11	23.41	0.219	PASS
n66	15	40	CP-16QAM	L	Edge_1RB_Left	18.98	23.28	0.213	PASS
n66	15	40	CP-16QAM	L	Inner_1RB_Left	19.32	23.62	0.230	PASS
n66	15	40	CP-16QAM	L	Inner_1RB_Right	19.43	23.73	0.236	PASS
n66	15	40	CP-16QAM	L	Edge_1RB_Right	18.67	22.97	0.198	PASS
n66	15	40	CP-16QAM	L	Inner_Full	20.09	24.39	0.275	PASS
n66	15	40	CP-16QAM	L	Outer_Full	19.08	23.38	0.218	PASS
n66	15	40	CP-64QAM	L	Edge_1RB_Left	18.1	22.4	0.174	PASS
n66	15	40	CP-64QAM	L	Inner_1RB_Left	18.12	22.42	0.175	PASS
n66	15	40	CP-64QAM	L	Inner_1RB_Right	17.74	22.04	0.160	PASS
n66	15	40	CP-64QAM	L	Edge_1RB_Right	18.02	22.32	0.171	PASS
n66	15	40	CP-64QAM	L	Inner_Full	18.74	23.04	0.201	PASS
n66	15	40	CP-64QAM	L	Outer_Full	18.62	22.92	0.196	PASS
n66	15	40	CP-256QAM	L	Edge_1RB_Left	15.3	19.6	0.091	PASS
n66	15	40	CP-256QAM	L	Inner_1RB_Left	15.23	19.53	0.090	PASS
n66	15	40	CP-256QAM	L	Inner_1RB_Right	14.94	19.24	0.084	PASS
n66	15	40	CP-256QAM	L	Edge_1RB_Right	14.9	19.2	0.083	PASS
n66	15	40	CP-256QAM	L	Inner_Full	15.7	20	0.100	PASS
n66	15	40	CP-256QAM	L	Outer_Full	15.58	19.88	0.097	PASS

n66	15	40	DFT-BPSK	M	Edge_1RB_Left	20.96	25.26	0.336	PASS
n66	15	40	DFT-BPSK	M	Inner_1RB_Left	21.41	25.71	0.372	PASS
n66	15	40	DFT-BPSK	M	Inner_1RB_Right	21.46	25.76	0.377	PASS
n66	15	40	DFT-BPSK	M	Edge_1RB_Right	20.93	25.23	0.333	PASS
n66	15	40	DFT-BPSK	M	Inner_Full	21.81	26.11	0.408	PASS
n66	15	40	DFT-BPSK	M	Outer_Full	21.04	25.34	0.342	PASS
n66	15	40	DFT-QPSK	M	Edge_1RB_Left	20.48	24.78	0.301	PASS
n66	15	40	DFT-QPSK	M	Inner_1RB_Left	23.1	27.4	0.550	PASS
n66	15	40	DFT-QPSK	M	Inner_1RB_Right	21.55	25.85	0.385	PASS
n66	15	40	DFT-QPSK	M	Edge_1RB_Right	20.42	24.72	0.296	PASS
n66	15	40	DFT-QPSK	M	Inner_Full	23.4	27.7	0.589	PASS
n66	15	40	DFT-QPSK	M	Outer_Full	22.16	26.46	0.443	PASS
n66	15	40	DFT-16QAM	M	Edge_1RB_Left	19.68	23.98	0.250	PASS
n66	15	40	DFT-16QAM	M	Inner_1RB_Left	20.7	25	0.316	PASS
n66	15	40	DFT-16QAM	M	Inner_1RB_Right	20.37	24.67	0.293	PASS
n66	15	40	DFT-16QAM	M	Edge_1RB_Right	19.94	24.24	0.265	PASS
n66	15	40	DFT-16QAM	M	Inner_Full	20.82	25.12	0.325	PASS
n66	15	40	DFT-16QAM	M	Outer_Full	19.47	23.77	0.238	PASS
n66	15	40	DFT-64QAM	M	Edge_1RB_Left	19	23.3	0.214	PASS
n66	15	40	DFT-64QAM	M	Inner_1RB_Left	19.14	23.44	0.221	PASS
n66	15	40	DFT-64QAM	M	Inner_1RB_Right	19.08	23.38	0.218	PASS
n66	15	40	DFT-64QAM	M	Edge_1RB_Right	18.93	23.23	0.210	PASS
n66	15	40	DFT-64QAM	M	Inner_Full	19.38	23.68	0.233	PASS
n66	15	40	DFT-64QAM	M	Outer_Full	19.15	23.45	0.221	PASS
n66	15	40	DFT-256QAM	M	Edge_1RB_Left	17.02	21.32	0.136	PASS
n66	15	40	DFT-256QAM	M	Inner_1RB_Left	16.96	21.26	0.134	PASS
n66	15	40	DFT-256QAM	M	Inner_1RB_Right	17.04	21.34	0.136	PASS
n66	15	40	DFT-256QAM	M	Edge_1RB_Right	17.1	21.4	0.138	PASS
n66	15	40	DFT-256QAM	M	Inner_Full	17.41	21.71	0.148	PASS
n66	15	40	DFT-256QAM	M	Outer_Full	17.1	21.4	0.138	PASS
n66	15	40	CP-QPSK	M	Edge_1RB_Left	18.57	22.87	0.194	PASS
n66	15	40	CP-QPSK	M	Inner_1RB_Left	20.21	24.51	0.282	PASS
n66	15	40	CP-QPSK	M	Inner_1RB_Right	20.21	24.51	0.282	PASS
n66	15	40	CP-QPSK	M	Edge_1RB_Right	18.65	22.95	0.197	PASS
n66	15	40	CP-QPSK	M	Inner_Full	20.3	24.6	0.288	PASS
n66	15	40	CP-QPSK	M	Outer_Full	18.58	22.88	0.194	PASS
n66	15	40	CP-16QAM	M	Edge_1RB_Left	18.95	23.25	0.211	PASS
n66	15	40	CP-16QAM	M	Inner_1RB_Left	19.81	24.11	0.258	PASS
n66	15	40	CP-16QAM	M	Inner_1RB_Right	19.81	24.11	0.258	PASS
n66	15	40	CP-16QAM	M	Edge_1RB_Right	18.92	23.22	0.210	PASS
n66	15	40	CP-16QAM	M	Inner_Full	19.79	24.09	0.256	PASS

n66	15	40	CP-16QAM	M	Outer_Full	18.59	22.89	0.195	PASS
n66	15	40	CP-64QAM	M	Edge_1RB_Left	18.07	22.37	0.173	PASS
n66	15	40	CP-64QAM	M	Inner_1RB_Left	18.48	22.78	0.190	PASS
n66	15	40	CP-64QAM	M	Inner_1RB_Right	18.03	22.33	0.171	PASS
n66	15	40	CP-64QAM	M	Edge_1RB_Right	18.04	22.34	0.171	PASS
n66	15	40	CP-64QAM	M	Inner_Full	18.4	22.7	0.186	PASS
n66	15	40	CP-64QAM	M	Outer_Full	18.06	22.36	0.172	PASS
n66	15	40	CP-256QAM	M	Edge_1RB_Left	15.31	19.61	0.091	PASS
n66	15	40	CP-256QAM	M	Inner_1RB_Left	15.16	19.46	0.088	PASS
n66	15	40	CP-256QAM	M	Inner_1RB_Right	15.25	19.55	0.090	PASS
n66	15	40	CP-256QAM	M	Edge_1RB_Right	16.73	21.03	0.127	PASS
n66	15	40	CP-256QAM	M	Inner_Full	15.34	19.64	0.092	PASS
n66	15	40	CP-256QAM	M	Outer_Full	15.03	19.33	0.086	PASS
n66	15	40	DFT-BPSK	H	Edge_1RB_Left	20.86	25.16	0.328	PASS
n66	15	40	DFT-BPSK	H	Inner_1RB_Left	21.39	25.69	0.371	PASS
n66	15	40	DFT-BPSK	H	Inner_1RB_Right	20.84	25.14	0.327	PASS
n66	15	40	DFT-BPSK	H	Edge_1RB_Right	20.27	24.57	0.286	PASS
n66	15	40	DFT-BPSK	H	Inner_Full	21.85	26.15	0.412	PASS
n66	15	40	DFT-BPSK	H	Outer_Full	21.28	25.58	0.361	PASS
n66	15	40	DFT-QPSK	H	Edge_1RB_Left	20.27	24.57	0.286	PASS
n66	15	40	DFT-QPSK	H	Inner_1RB_Left	21.37	25.67	0.369	PASS
n66	15	40	DFT-QPSK	H	Inner_1RB_Right	20.88	25.18	0.330	PASS
n66	15	40	DFT-QPSK	H	Edge_1RB_Right	22.01	26.31	0.428	PASS
n66	15	40	DFT-QPSK	H	Inner_Full	21.89	26.19	0.416	PASS
n66	15	40	DFT-QPSK	H	Outer_Full	20.8	25.1	0.324	PASS
n66	15	40	DFT-16QAM	H	Edge_1RB_Left	21.25	25.55	0.359	PASS
n66	15	40	DFT-16QAM	H	Inner_1RB_Left	22.19	26.49	0.446	PASS
n66	15	40	DFT-16QAM	H	Inner_1RB_Right	21.65	25.95	0.394	PASS
n66	15	40	DFT-16QAM	H	Edge_1RB_Right	20.76	25.06	0.321	PASS
n66	15	40	DFT-16QAM	H	Inner_Full	22.4	26.7	0.468	PASS
n66	15	40	DFT-16QAM	H	Outer_Full	21.4	25.7	0.372	PASS
n66	15	40	DFT-64QAM	H	Edge_1RB_Left	20.41	24.71	0.296	PASS
n66	15	40	DFT-64QAM	H	Inner_1RB_Left	20.45	24.75	0.299	PASS
n66	15	40	DFT-64QAM	H	Inner_1RB_Right	19.98	24.28	0.268	PASS
n66	15	40	DFT-64QAM	H	Edge_1RB_Right	20.03	24.33	0.271	PASS
n66	15	40	DFT-64QAM	H	Inner_Full	21.06	25.36	0.344	PASS
n66	15	40	DFT-64QAM	H	Outer_Full	20.97	25.27	0.337	PASS
n66	15	40	DFT-256QAM	H	Edge_1RB_Left	19.07	23.37	0.217	PASS
n66	15	40	DFT-256QAM	H	Inner_1RB_Left	19.2	23.5	0.224	PASS
n66	15	40	DFT-256QAM	H	Inner_1RB_Right	18.06	22.36	0.172	PASS
n66	15	40	DFT-256QAM	H	Edge_1RB_Right	18.05	22.35	0.172	PASS

n66	15	40	DFT-256QAM	H	Inner_Full	17.13	21.43	0.139	PASS
n66	15	40	DFT-256QAM	H	Outer_Full	17.43	21.73	0.149	PASS
n66	15	40	CP-QPSK	H	Edge_1RB_Left	18.44	22.74	0.188	PASS
n66	15	40	CP-QPSK	H	Inner_1RB_Left	19.84	24.14	0.259	PASS
n66	15	40	CP-QPSK	H	Inner_1RB_Right	19.37	23.67	0.233	PASS
n66	15	40	CP-QPSK	H	Edge_1RB_Right	17.94	22.24	0.167	PASS
n66	15	40	CP-QPSK	H	Inner_Full	20.33	24.63	0.290	PASS
n66	15	40	CP-QPSK	H	Outer_Full	18.89	23.19	0.208	PASS
n66	15	40	CP-16QAM	H	Edge_1RB_Left	18.73	23.03	0.201	PASS
n66	15	40	CP-16QAM	H	Inner_1RB_Left	19.65	23.95	0.248	PASS
n66	15	40	CP-16QAM	H	Inner_1RB_Right	18.87	23.17	0.207	PASS
n66	15	40	CP-16QAM	H	Edge_1RB_Right	18.35	22.65	0.184	PASS
n66	15	40	CP-16QAM	H	Inner_Full	19.83	24.13	0.259	PASS
n66	15	40	CP-16QAM	H	Outer_Full	18.88	23.18	0.208	PASS
n66	15	40	CP-64QAM	H	Edge_1RB_Left	17.93	22.23	0.167	PASS
n66	15	40	CP-64QAM	H	Inner_1RB_Left	17.93	22.23	0.167	PASS
n66	15	40	CP-64QAM	H	Inner_1RB_Right	17.48	21.78	0.151	PASS
n66	15	40	CP-64QAM	H	Edge_1RB_Right	17.46	21.76	0.150	PASS
n66	15	40	CP-64QAM	H	Inner_Full	18.42	22.72	0.187	PASS
n66	15	40	CP-64QAM	H	Outer_Full	18.41	22.71	0.187	PASS
n66	15	40	CP-256QAM	H	Edge_1RB_Left	14.93	19.23	0.084	PASS
n66	15	40	CP-256QAM	H	Inner_1RB_Left	14.82	19.12	0.082	PASS
n66	15	40	CP-256QAM	H	Inner_1RB_Right	14.58	18.88	0.077	PASS
n66	15	40	CP-256QAM	H	Edge_1RB_Right	14.56	18.86	0.077	PASS
n66	15	40	CP-256QAM	H	Inner_Full	15.27	19.57	0.091	PASS
n66	15	40	CP-256QAM	H	Outer_Full	15.4	19.7	0.093	PASS

Appendix B: Peak-to-Average Ratio for SA


Test Result


Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dB)	Limit	Verdict
N66	15	5	DFT-PI2BPSK	L	Outer_Full	-16.03	≤13	PASS
N66	15	5	DFT-QPSK	L	Outer_Full	-14.78	≤13	PASS
N66	15	5	DFT-16QAM	L	Outer_Full	-13.51	≤13	PASS
N66	15	5	DFT-64QAM	L	Outer_Full	-13.48	≤13	PASS
N66	15	5	DFT-256QAM	L	Outer_Full	-13.33	≤13	PASS
N66	15	5	CP-QPSK	L	Outer_Full	-11.36	≤13	PASS
N66	15	5	CP-16QAM	L	Outer_Full	-11.10	≤13	PASS
N66	15	5	CP-64QAM	L	Outer_Full	-11.62	≤13	PASS
N66	15	5	CP-256QAM	L	Outer_Full	-11.22	≤13	PASS
N66	15	5	DFT-PI2BPSK	M	Outer_Full	-16.26	≤13	PASS
N66	15	5	DFT-QPSK	M	Outer_Full	-14.78	≤13	PASS
N66	15	5	DFT-16QAM	M	Outer_Full	-13.71	≤13	PASS
N66	15	5	DFT-64QAM	M	Outer_Full	-13.77	≤13	PASS
N66	15	5	DFT-256QAM	M	Outer_Full	-13.57	≤13	PASS
N66	15	5	CP-QPSK	M	Outer_Full	-11.71	≤13	PASS
N66	15	5	CP-16QAM	M	Outer_Full	-11.77	≤13	PASS
N66	15	5	CP-64QAM	M	Outer_Full	-11.88	≤13	PASS
N66	15	5	CP-256QAM	M	Outer_Full	-12.06	≤13	PASS
N66	15	5	DFT-PI2BPSK	H	Outer_Full	-16.29	≤13	PASS
N66	15	5	DFT-QPSK	H	Outer_Full	-14.93	≤13	PASS
N66	15	5	DFT-16QAM	H	Outer_Full	-13.97	≤13	PASS
N66	15	5	DFT-64QAM	H	Outer_Full	-14.06	≤13	PASS
N66	15	5	DFT-256QAM	H	Outer_Full	-13.97	≤13	PASS
N66	15	5	CP-QPSK	H	Outer_Full	-12.32	≤13	PASS
N66	15	5	CP-16QAM	H	Outer_Full	-11.97	≤13	PASS
N66	15	5	CP-64QAM	H	Outer_Full	-11.71	≤13	PASS
N66	15	5	CP-256QAM	H	Outer_Full	-12.20	≤13	PASS
N66	15	10	DFT-PI2BPSK	L	Outer_Full	-15.94	≤13	PASS
N66	15	10	DFT-QPSK	L	Outer_Full	-14.81	≤13	PASS
N66	15	10	DFT-16QAM	L	Outer_Full	-13.88	≤13	PASS
N66	15	10	DFT-64QAM	L	Outer_Full	-13.57	≤13	PASS
N66	15	10	DFT-256QAM	L	Outer_Full	-13.62	≤13	PASS
N66	15	10	CP-QPSK	L	Outer_Full	-11.68	≤13	PASS


N66	15	10	CP-16QAM	L	Outer_Full	-11.39	≤13	PASS
N66	15	10	CP-64QAM	L	Outer_Full	-11.39	≤13	PASS
N66	15	10	CP-256QAM	L	Outer_Full	-11.22	≤13	PASS
N66	15	10	DFT-PI2BPSK	M	Outer_Full	-16.26	≤13	PASS
N66	15	10	DFT-QPSK	M	Outer_Full	-14.78	≤13	PASS
N66	15	10	DFT-16QAM	M	Outer_Full	-14.14	≤13	PASS
N66	15	10	DFT-64QAM	M	Outer_Full	-13.68	≤13	PASS
N66	15	10	DFT-256QAM	M	Outer_Full	-13.74	≤13	PASS
N66	15	10	CP-QPSK	M	Outer_Full	-11.59	≤13	PASS
N66	15	10	CP-16QAM	M	Outer_Full	-11.91	≤13	PASS
N66	15	10	CP-64QAM	M	Outer_Full	-11.71	≤13	PASS
N66	15	10	CP-256QAM	M	Outer_Full	-11.68	≤13	PASS
N66	15	10	DFT-PI2BPSK	H	Outer_Full	-16.52	≤13	PASS
N66	15	10	DFT-QPSK	H	Outer_Full	-15.16	≤13	PASS
N66	15	10	DFT-16QAM	H	Outer_Full	-14.32	≤13	PASS
N66	15	10	DFT-64QAM	H	Outer_Full	-14.26	≤13	PASS
N66	15	10	DFT-256QAM	H	Outer_Full	-14.12	≤13	PASS
N66	15	10	CP-QPSK	H	Outer_Full	-11.91	≤13	PASS
N66	15	10	CP-16QAM	H	Outer_Full	-11.86	≤13	PASS
N66	15	10	CP-64QAM	H	Outer_Full	-12.17	≤13	PASS
N66	15	10	CP-256QAM	H	Outer_Full	-11.83	≤13	PASS
N66	15	15	DFT-PI2BPSK	L	Outer_Full	-16.09	≤13	PASS
N66	15	15	DFT-QPSK	L	Outer_Full	-14.67	≤13	PASS
N66	15	15	DFT-16QAM	L	Outer_Full	-13.83	≤13	PASS
N66	15	15	DFT-64QAM	L	Outer_Full	-13.59	≤13	PASS
N66	15	15	DFT-256QAM	L	Outer_Full	-13.54	≤13	PASS
N66	15	15	CP-QPSK	L	Outer_Full	-11.91	≤13	PASS
N66	15	15	CP-16QAM	L	Outer_Full	-11.59	≤13	PASS
N66	15	15	CP-64QAM	L	Outer_Full	-11.71	≤13	PASS
N66	15	15	CP-256QAM	L	Outer_Full	-11.80	≤13	PASS
N66	15	15	DFT-PI2BPSK	M	Outer_Full	-15.83	≤13	PASS
N66	15	15	DFT-QPSK	M	Outer_Full	-14.64	≤13	PASS
N66	15	15	DFT-16QAM	M	Outer_Full	-14.03	≤13	PASS
N66	15	15	DFT-64QAM	M	Outer_Full	-13.80	≤13	PASS
N66	15	15	DFT-256QAM	M	Outer_Full	-13.88	≤13	PASS
N66	15	15	CP-QPSK	M	Outer_Full	-11.86	≤13	PASS
N66	15	15	CP-16QAM	M	Outer_Full	-11.80	≤13	PASS
N66	15	15	CP-64QAM	M	Outer_Full	-11.83	≤13	PASS
N66	15	15	CP-256QAM	M	Outer_Full	-12.03	≤13	PASS
N66	15	15	DFT-PI2BPSK	H	Outer_Full	-15.74	≤13	PASS
N66	15	15	DFT-QPSK	H	Outer_Full	-14.72	≤13	PASS


N66	15	15	DFT-16QAM	H	Outer_Full	-13.91	≤13	PASS
N66	15	15	DFT-64QAM	H	Outer_Full	-13.68	≤13	PASS
N66	15	15	DFT-256QAM	H	Outer_Full	-13.97	≤13	PASS
N66	15	15	CP-QPSK	H	Outer_Full	-11.88	≤13	PASS
N66	15	15	CP-16QAM	H	Outer_Full	-11.91	≤13	PASS
N66	15	15	CP-64QAM	H	Outer_Full	-11.88	≤13	PASS
N66	15	15	CP-256QAM	H	Outer_Full	-12.09	≤13	PASS
N66	15	20	DFT-PI2BPSK	L	Outer_Full	-16.41	≤13	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	-15.07	≤13	PASS
N66	15	20	DFT-16QAM	L	Outer_Full	-14.03	≤13	PASS
N66	15	20	DFT-64QAM	L	Outer_Full	-13.74	≤13	PASS
N66	15	20	DFT-256QAM	L	Outer_Full	-13.71	≤13	PASS
N66	15	20	CP-QPSK	L	Outer_Full	-11.39	≤13	PASS
N66	15	20	CP-16QAM	L	Outer_Full	-11.59	≤13	PASS
N66	15	20	CP-64QAM	L	Outer_Full	-11.65	≤13	PASS
N66	15	20	CP-256QAM	L	Outer_Full	-11.62	≤13	PASS
N66	15	20	DFT-PI2BPSK	M	Outer_Full	-16.12	≤13	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	-14.87	≤13	PASS
N66	15	20	DFT-16QAM	M	Outer_Full	-13.91	≤13	PASS
N66	15	20	DFT-64QAM	M	Outer_Full	-13.71	≤13	PASS
N66	15	20	DFT-256QAM	M	Outer_Full	-13.86	≤13	PASS
N66	15	20	CP-QPSK	M	Outer_Full	-11.74	≤13	PASS
N66	15	20	CP-16QAM	M	Outer_Full	-11.94	≤13	PASS
N66	15	20	CP-64QAM	M	Outer_Full	-11.80	≤13	PASS
N66	15	20	CP-256QAM	M	Outer_Full	-12.03	≤13	PASS
N66	15	20	DFT-PI2BPSK	H	Outer_Full	-15.65	≤13	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	-14.58	≤13	PASS
N66	15	20	DFT-16QAM	H	Outer_Full	-13.77	≤13	PASS
N66	15	20	DFT-64QAM	H	Outer_Full	-13.68	≤13	PASS
N66	15	20	DFT-256QAM	H	Outer_Full	-13.74	≤13	PASS
N66	15	20	CP-QPSK	H	Outer_Full	-11.80	≤13	PASS
N66	15	20	CP-16QAM	H	Outer_Full	-11.68	≤13	PASS
N66	15	20	CP-64QAM	H	Outer_Full	-11.91	≤13	PASS
N66	15	20	CP-256QAM	H	Outer_Full	-12.06	≤13	PASS
N66	15	25	DFT-PI2BPSK	L	Outer_Full	-15.42	≤13	PASS


Test Graphs













































































Appendix C: 26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
N66	15	5	DFT-PI2BPSK	L	Outer_Full	4.466	4.770	PASS
N66	15	5	DFT-QPSK	L	Outer_Full	4.476	4.830	PASS
N66	15	5	DFT-16QAM	L	Outer_Full	4.496	4.830	PASS
N66	15	5	DFT-64QAM	L	Outer_Full	4.456	4.820	PASS
N66	15	5	CP-QPSK	L	Outer_Full	4.466	4.950	PASS
N66	15	5	CP-16QAM	L	Outer_Full	4.466	4.920	PASS
N66	15	5	CP-64QAM	L	Outer_Full	4.476	4.930	PASS
N66	15	5	CP-256QAM	L	Outer_Full	4.486	6.030	PASS
N66	15	5	DFT-PI2BPSK	M	Outer_Full	4.466	4.860	PASS
N66	15	5	DFT-QPSK	M	Outer_Full	4.476	4.870	PASS
N66	15	5	DFT-16QAM	M	Outer_Full	4.496	4.810	PASS
N66	15	5	DFT-64QAM	M	Outer_Full	4.456	4.820	PASS
N66	15	5	CP-QPSK	M	Outer_Full	4.466	4.910	PASS
N66	15	5	CP-16QAM	M	Outer_Full	4.466	4.850	PASS
N66	15	5	CP-64QAM	M	Outer_Full	4.476	4.940	PASS
N66	15	5	CP-256QAM	M	Outer_Full	4.476	4.930	PASS
N66	15	5	DFT-PI2BPSK	H	Outer_Full	4.466	5.390	PASS
N66	15	5	DFT-QPSK	H	Outer_Full	4.486	4.850	PASS
N66	15	5	DFT-16QAM	H	Outer_Full	4.486	4.820	PASS
N66	15	5	DFT-64QAM	H	Outer_Full	4.456	4.840	PASS
N66	15	5	CP-QPSK	H	Outer_Full	4.466	4.890	PASS
N66	15	5	CP-16QAM	H	Outer_Full	4.466	4.830	PASS
N66	15	5	CP-64QAM	H	Outer_Full	4.466	4.840	PASS
N66	15	5	CP-256QAM	H	Outer_Full	4.466	4.930	PASS
N66	15	10	DFT-PI2BPSK	L	Outer_Full	8.891	9.540	PASS
N66	15	10	DFT-QPSK	L	Outer_Full	8.911	9.580	PASS
N66	15	10	DFT-16QAM	L	Outer_Full	8.931	9.600	PASS
N66	15	10	DFT-64QAM	L	Outer_Full	8.931	9.640	PASS
N66	15	10	CP-QPSK	L	Outer_Full	9.251	9.900	PASS
N66	15	10	CP-16QAM	L	Outer_Full	9.231	9.980	PASS
N66	15	10	CP-64QAM	L	Outer_Full	9.251	10.000	PASS
N66	15	10	CP-256QAM	L	Outer_Full	9.271	9.940	PASS
N66	15	10	DFT-PI2BPSK	M	Outer_Full	8.891	9.640	PASS
N66	15	10	DFT-QPSK	M	Outer_Full	8.931	9.720	PASS


N66	15	10	DFT-16QAM	M	Outer_Full	8.951	9.640	PASS
N66	15	10	DFT-64QAM	M	Outer_Full	8.911	9.620	PASS
N66	15	10	CP-QPSK	M	Outer_Full	9.291	10.040	PASS
N66	15	10	CP-16QAM	M	Outer_Full	9.271	10.020	PASS
N66	15	10	CP-64QAM	M	Outer_Full	9.271	10.020	PASS
N66	15	10	CP-256QAM	M	Outer_Full	9.271	10.000	PASS
N66	15	10	DFT-PI2BPSK	H	Outer_Full	8.871	9.580	PASS
N66	15	10	DFT-QPSK	H	Outer_Full	8.891	9.480	PASS
N66	15	10	DFT-16QAM	H	Outer_Full	8.911	9.540	PASS
N66	15	10	DFT-64QAM	H	Outer_Full	8.891	9.520	PASS
N66	15	10	CP-QPSK	H	Outer_Full	9.251	9.900	PASS
N66	15	10	CP-16QAM	H	Outer_Full	9.231	9.860	PASS
N66	15	10	CP-64QAM	H	Outer_Full	9.231	9.940	PASS
N66	15	10	CP-256QAM	H	Outer_Full	9.231	9.900	PASS
N66	15	15	DFT-PI2BPSK	L	Outer_Full	13.427	14.940	PASS
N66	15	15	DFT-QPSK	L	Outer_Full	13.337	14.310	PASS
N66	15	15	DFT-16QAM	L	Outer_Full	13.337	14.490	PASS
N66	15	15	DFT-64QAM	L	Outer_Full	13.337	14.250	PASS
N66	15	15	CP-QPSK	L	Outer_Full	14.026	14.940	PASS
N66	15	15	CP-16QAM	L	Outer_Full	14.056	14.850	PASS
N66	15	15	CP-64QAM	L	Outer_Full	14.056	14.940	PASS
N66	15	15	CP-256QAM	L	Outer_Full	14.026	14.910	PASS
N66	15	15	DFT-PI2BPSK	M	Outer_Full	13.427	14.340	PASS
N66	15	15	DFT-QPSK	M	Outer_Full	13.397	14.310	PASS
N66	15	15	DFT-16QAM	M	Outer_Full	13.397	14.280	PASS
N66	15	15	DFT-64QAM	M	Outer_Full	13.427	14.310	PASS
N66	15	15	CP-QPSK	M	Outer_Full	14.116	15.030	PASS
N66	15	15	CP-16QAM	M	Outer_Full	14.116	14.880	PASS
N66	15	15	CP-64QAM	M	Outer_Full	14.116	15.000	PASS
N66	15	15	CP-256QAM	M	Outer_Full	14.086	14.940	PASS
N66	15	15	DFT-PI2BPSK	H	Outer_Full	13.427	14.280	PASS
N66	15	15	DFT-QPSK	H	Outer_Full	13.397	14.370	PASS
N66	15	15	DFT-16QAM	H	Outer_Full	13.397	14.250	PASS
N66	15	15	DFT-64QAM	H	Outer_Full	13.397	14.250	PASS
N66	15	15	CP-QPSK	H	Outer_Full	14.086	14.970	PASS
N66	15	15	CP-16QAM	H	Outer_Full	14.086	14.940	PASS
N66	15	15	CP-64QAM	H	Outer_Full	14.116	14.940	PASS
N66	15	15	CP-256QAM	H	Outer_Full	14.086	14.940	PASS
N66	15	20	DFT-PI2BPSK	L	Outer_Full	17.742	19.160	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	17.782	18.920	PASS
N66	15	20	DFT-16QAM	L	Outer_Full	17.702	19.320	PASS


N66	15	20	DFT-64QAM	L	Outer_Full	17.742	19.400	PASS
N66	15	20	CP-QPSK	L	Outer_Full	18.781	19.960	PASS
N66	15	20	CP-16QAM	L	Outer_Full	18.821	19.880	PASS
N66	15	20	CP-64QAM	L	Outer_Full	18.821	19.880	PASS
N66	15	20	CP-256QAM	L	Outer_Full	18.781	19.800	PASS
N66	15	20	DFT-PI2BPSK	M	Outer_Full	17.862	18.960	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	17.822	18.960	PASS
N66	15	20	DFT-16QAM	M	Outer_Full	17.822	19.080	PASS
N66	15	20	DFT-64QAM	M	Outer_Full	17.822	19.120	PASS
N66	15	20	CP-QPSK	M	Outer_Full	18.901	20.160	PASS
N66	15	20	CP-16QAM	M	Outer_Full	18.861	20.040	PASS
N66	15	20	CP-64QAM	M	Outer_Full	18.861	20.120	PASS
N66	15	20	CP-256QAM	M	Outer_Full	18.901	19.960	PASS
N66	15	20	DFT-PI2BPSK	H	Outer_Full	17.902	19.000	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	17.862	19.080	PASS
N66	15	20	DFT-16QAM	H	Outer_Full	17.902	19.160	PASS
N66	15	20	DFT-64QAM	H	Outer_Full	17.902	19.280	PASS
N66	15	20	CP-QPSK	H	Outer_Full	18.941	20.160	PASS
N66	15	20	CP-16QAM	H	Outer_Full	18.941	20.120	PASS
N66	15	20	CP-64QAM	H	Outer_Full	18.941	20.040	PASS
N66	15	20	CP-256QAM	H	Outer_Full	18.941	19.960	PASS
N66	15	25	DFT-PI2BPSK	L	Outer_Full	22.727	24.000	PASS
N66	15	25	DFT-QPSK	L	Outer_Full	22.677	24.200	PASS
N66	15	25	DFT-16QAM	L	Outer_Full	22.777	24.200	PASS
N66	15	25	DFT-64QAM	L	Outer_Full	22.777	24.150	PASS
N66	15	25	CP-QPSK	L	Outer_Full	23.576	25.000	PASS
N66	15	25	CP-16QAM	L	Outer_Full	23.626	24.900	PASS
N66	15	25	CP-64QAM	L	Outer_Full	23.626	25.000	PASS
N66	15	25	CP-256QAM	L	Outer_Full	23.676	25.000	PASS
N66	15	25	DFT-PI2BPSK	M	Outer_Full	22.777	24.200	PASS
N66	15	25	DFT-QPSK	M	Outer_Full	22.827	24.200	PASS
N66	15	25	DFT-16QAM	M	Outer_Full	22.827	24.200	PASS
N66	15	25	DFT-64QAM	M	Outer_Full	22.827	24.200	PASS
N66	15	25	CP-QPSK	M	Outer_Full	23.676	25.050	PASS
N66	15	25	CP-16QAM	M	Outer_Full	23.676	25.100	PASS
N66	15	25	CP-64QAM	M	Outer_Full	23.726	25.100	PASS
N66	15	25	CP-256QAM	M	Outer_Full	23.726	25.000	PASS
N66	15	25	DFT-PI2BPSK	H	Outer_Full	22.927	24.250	PASS
N66	15	25	DFT-QPSK	H	Outer_Full	22.977	24.300	PASS
N66	15	25	DFT-16QAM	H	Outer_Full	22.977	24.350	PASS
N66	15	25	DFT-64QAM	H	Outer_Full	22.977	27.650	PASS


N66	15	25	CP-QPSK	H	Outer_Full	23.776	25.100	PASS
N66	15	25	CP-16QAM	H	Outer_Full	23.826	25.200	PASS
N66	15	25	CP-64QAM	H	Outer_Full	23.826	25.200	PASS
N66	15	25	CP-256QAM	H	Outer_Full	23.826	27.150	PASS
N66	15	30	DFT-PI2BPSK	L	Outer_Full	28.352	29.700	PASS
N66	15	30	DFT-QPSK	L	Outer_Full	28.531	29.760	PASS
N66	15	30	DFT-16QAM	L	Outer_Full	28.472	29.760	PASS
N66	15	30	DFT-64QAM	L	Outer_Full	28.531	29.820	PASS
N66	15	30	CP-QPSK	L	Outer_Full	28.412	29.760	PASS
N66	15	30	CP-16QAM	L	Outer_Full	28.412	29.760	PASS
N66	15	30	CP-64QAM	L	Outer_Full	28.412	29.880	PASS
N66	15	30	CP-256QAM	L	Outer_Full	28.412	29.820	PASS
N66	15	30	DFT-PI2BPSK	M	Outer_Full	28.412	29.820	PASS
N66	15	30	DFT-QPSK	M	Outer_Full	28.531	29.760	PASS
N66	15	30	DFT-16QAM	M	Outer_Full	28.531	29.880	PASS
N66	15	30	DFT-64QAM	M	Outer_Full	28.472	29.940	PASS
N66	15	30	CP-QPSK	M	Outer_Full	28.472	29.880	PASS
N66	15	30	CP-16QAM	M	Outer_Full	28.472	29.880	PASS
N66	15	30	CP-64QAM	M	Outer_Full	28.472	29.880	PASS
N66	15	30	CP-256QAM	M	Outer_Full	28.531	29.820	PASS
N66	15	30	DFT-PI2BPSK	H	Outer_Full	28.531	29.820	PASS
N66	15	30	DFT-QPSK	H	Outer_Full	28.651	29.880	PASS
N66	15	30	DFT-16QAM	H	Outer_Full	28.651	29.940	PASS
N66	15	30	DFT-64QAM	H	Outer_Full	28.591	31.140	PASS
N66	15	30	CP-QPSK	H	Outer_Full	28.591	29.880	PASS
N66	15	30	CP-16QAM	H	Outer_Full	28.591	29.940	PASS
N66	15	30	CP-64QAM	H	Outer_Full	28.651	30.000	PASS
N66	15	30	CP-256QAM	H	Outer_Full	28.591	31.260	PASS
N66	15	40	DFT-PI2BPSK	L	Outer_Full	38.521	40.480	PASS
N66	15	40	DFT-QPSK	L	Outer_Full	38.521	40.400	PASS
N66	15	40	DFT-16QAM	L	Outer_Full	38.521	40.320	PASS
N66	15	40	DFT-64QAM	L	Outer_Full	38.442	40.400	PASS
N66	15	40	CP-QPSK	L	Outer_Full	38.521	40.320	PASS
N66	15	40	CP-16QAM	L	Outer_Full	38.521	40.480	PASS
N66	15	40	CP-64QAM	L	Outer_Full	38.601	40.480	PASS
N66	15	40	CP-256QAM	L	Outer_Full	38.521	40.400	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	38.442	40.400	PASS
N66	15	40	DFT-QPSK	M	Outer_Full	38.521	40.320	PASS
N66	15	40	DFT-16QAM	M	Outer_Full	38.521	40.560	PASS
N66	15	40	DFT-64QAM	M	Outer_Full	38.362	40.320	PASS
N66	15	40	CP-QPSK	M	Outer_Full	38.442	40.480	PASS


N66	15	40	CP-16QAM	M	Outer_Full	38.442	40.560	PASS
N66	15	40	CP-64QAM	M	Outer_Full	38.521	40.480	PASS
N66	15	40	CP-256QAM	M	Outer_Full	38.442	40.400	PASS
N66	15	40	DFT-PI2BPSK	H	Outer_Full	38.521	40.480	PASS
N66	15	40	DFT-QPSK	H	Outer_Full	38.521	40.480	PASS
N66	15	40	DFT-16QAM	H	Outer_Full	38.601	40.560	PASS
N66	15	40	DFT-64QAM	H	Outer_Full	38.521	40.320	PASS
N66	15	40	CP-QPSK	H	Outer_Full	38.601	40.400	PASS
N66	15	40	CP-16QAM	H	Outer_Full	38.601	40.400	PASS
N66	15	40	CP-64QAM	H	Outer_Full	38.601	40.560	PASS
N66	15	40	CP-256QAM	H	Outer_Full	38.521	40.400	PASS


Test Graphs





























































































NTNV-N66-PC3-15-30-L-CP-QPSK-Outer_Full-An
t1-PASSNTNV-N66-PC3-15-30-L-CP-16QAM-Outer_Full-A
nt1-PASSNTNV-N66-PC3-15-30-L-CP-64QAM-Outer_Full-A
nt1-PASS


NTNV-N66-PC3-15-30-L-CP-256QAM-Outer_Full-Ant1-PASS


























Appendix D: Band Edge for SA

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dBm)	Verdict
N66	15	5	DFT-PI2BPSK	L	Outer_Full	-27.01	PASS
N66	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	-18.45	PASS
N66	15	5	DFT-QPSK	L	Outer_Full	-26.43	PASS
N66	15	5	DFT-QPSK	L	Edge_1RB_Left	-18.26	PASS
N66	15	5	DFT-16QAM	L	Outer_Full	-26.11	PASS
N66	15	5	DFT-16QAM	L	Edge_1RB_Left	-19.83	PASS
N66	15	5	DFT-64QAM	L	Outer_Full	-27.13	PASS
N66	15	5	DFT-64QAM	L	Edge_1RB_Left	-20.05	PASS
N66	15	5	DFT-256QAM	L	Outer_Full	-28.50	PASS
N66	15	5	DFT-256QAM	L	Edge_1RB_Left	-21.95	PASS
N66	15	5	CP-QPSK	L	Outer_Full	-27.02	PASS
N66	15	5	CP-QPSK	L	Edge_1RB_Left	-19.92	PASS
N66	15	5	CP-16QAM	L	Outer_Full	-25.92	PASS
N66	15	5	CP-16QAM	L	Edge_1RB_Left	-21.37	PASS
N66	15	5	CP-64QAM	L	Outer_Full	-27.66	PASS
N66	15	5	CP-64QAM	L	Edge_1RB_Left	-20.74	PASS
N66	15	5	CP-256QAM	L	Outer_Full	-30.60	PASS
N66	15	5	CP-256QAM	L	Edge_1RB_Left	-21.95	PASS
N66	15	5	DFT-PI2BPSK	H	Outer_Full	-24.80	PASS
N66	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	-17.68	PASS
N66	15	5	DFT-QPSK	H	Outer_Full	-25.80	PASS
N66	15	5	DFT-QPSK	H	Edge_1RB_Right	-19.42	PASS
N66	15	5	DFT-16QAM	H	Outer_Full	-25.63	PASS
N66	15	5	DFT-16QAM	H	Edge_1RB_Right	-19.25	PASS
N66	15	5	DFT-64QAM	H	Outer_Full	-26.78	PASS
N66	15	5	DFT-64QAM	H	Edge_1RB_Right	-20.56	PASS
N66	15	5	DFT-256QAM	H	Outer_Full	-29.04	PASS
N66	15	5	DFT-256QAM	H	Edge_1RB_Right	-19.74	PASS
N66	15	5	CP-QPSK	H	Outer_Full	-26.04	PASS
N66	15	5	CP-QPSK	H	Edge_1RB_Right	-19.92	PASS
N66	15	5	CP-16QAM	H	Outer_Full	-24.88	PASS
N66	15	5	CP-16QAM	H	Edge_1RB_Right	-19.48	PASS
N66	15	5	CP-64QAM	H	Outer_Full	-27.08	PASS
N66	15	5	CP-64QAM	H	Edge_1RB_Right	-21.30	PASS

N66	15	5	CP-256QAM	H	Outer_Full	-30.84	PASS
N66	15	5	CP-256QAM	H	Edge_1RB_Right	-23.51	PASS
N66	15	10	DFT-PI2BPSK	L	Outer_Full	-27.83	PASS
N66	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	-16.22	PASS
N66	15	10	DFT-QPSK	L	Outer_Full	-28.87	PASS
N66	15	10	DFT-QPSK	L	Edge_1RB_Left	-15.58	PASS
N66	15	10	DFT-16QAM	L	Outer_Full	-29.69	PASS
N66	15	10	DFT-16QAM	L	Edge_1RB_Left	-16.90	PASS
N66	15	10	DFT-64QAM	L	Outer_Full	-29.92	PASS
N66	15	10	DFT-64QAM	L	Edge_1RB_Left	-17.08	PASS
N66	15	10	DFT-256QAM	L	Outer_Full	-31.63	PASS
N66	15	10	DFT-256QAM	L	Edge_1RB_Left	-19.57	PASS
N66	15	10	CP-QPSK	L	Outer_Full	-28.11	PASS
N66	15	10	CP-QPSK	L	Edge_1RB_Left	-17.04	PASS
N66	15	10	CP-16QAM	L	Outer_Full	-28.50	PASS
N66	15	10	CP-16QAM	L	Edge_1RB_Left	-18.55	PASS
N66	15	10	CP-64QAM	L	Outer_Full	-29.09	PASS
N66	15	10	CP-64QAM	L	Edge_1RB_Left	-19.37	PASS
N66	15	10	CP-256QAM	L	Outer_Full	-32.66	PASS
N66	15	10	CP-256QAM	L	Edge_1RB_Left	-21.20	PASS
N66	15	10	DFT-PI2BPSK	H	Outer_Full	-27.91	PASS
N66	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	-15.21	PASS
N66	15	10	DFT-QPSK	H	Outer_Full	-27.32	PASS
N66	15	10	DFT-QPSK	H	Edge_1RB_Right	-16.01	PASS
N66	15	10	DFT-16QAM	H	Outer_Full	-27.84	PASS
N66	15	10	DFT-16QAM	H	Edge_1RB_Right	-17.30	PASS
N66	15	10	DFT-64QAM	H	Outer_Full	-28.25	PASS
N66	15	10	DFT-64QAM	H	Edge_1RB_Right	-18.23	PASS
N66	15	10	DFT-256QAM	H	Outer_Full	-30.40	PASS
N66	15	10	DFT-256QAM	H	Edge_1RB_Right	-18.48	PASS
N66	15	10	CP-QPSK	H	Outer_Full	-26.04	PASS
N66	15	10	CP-QPSK	H	Edge_1RB_Right	-17.71	PASS
N66	15	10	CP-16QAM	H	Outer_Full	-26.18	PASS
N66	15	10	CP-16QAM	H	Edge_1RB_Right	-17.93	PASS
N66	15	10	CP-64QAM	H	Outer_Full	-27.03	PASS
N66	15	10	CP-64QAM	H	Edge_1RB_Right	-19.16	PASS
N66	15	10	CP-256QAM	H	Outer_Full	-30.51	PASS
N66	15	10	CP-256QAM	H	Edge_1RB_Right	-20.80	PASS
N66	15	15	DFT-PI2BPSK	L	Outer_Full	-27.82	PASS
N66	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	-17.44	PASS
N66	15	15	DFT-QPSK	L	Outer_Full	-28.72	PASS

N66	15	15	DFT-QPSK	L	Edge_1RB_Left	-17.09	PASS
N66	15	15	DFT-16QAM	L	Outer_Full	-29.15	PASS
N66	15	15	DFT-16QAM	L	Edge_1RB_Left	-20.09	PASS
N66	15	15	DFT-64QAM	L	Outer_Full	-29.14	PASS
N66	15	15	DFT-64QAM	L	Edge_1RB_Left	-19.74	PASS
N66	15	15	DFT-256QAM	L	Outer_Full	-31.68	PASS
N66	15	15	DFT-256QAM	L	Edge_1RB_Left	-22.53	PASS
N66	15	15	CP-QPSK	L	Outer_Full	-29.34	PASS
N66	15	15	CP-QPSK	L	Edge_1RB_Left	-19.75	PASS
N66	15	15	CP-16QAM	L	Outer_Full	-28.88	PASS
N66	15	15	CP-16QAM	L	Edge_1RB_Left	-20.33	PASS
N66	15	15	CP-64QAM	L	Outer_Full	-29.50	PASS
N66	15	15	CP-64QAM	L	Edge_1RB_Left	-21.24	PASS
N66	15	15	CP-256QAM	L	Outer_Full	-33.25	PASS
N66	15	15	CP-256QAM	L	Edge_1RB_Left	-22.16	PASS
N66	15	15	DFT-PI2BPSK	H	Outer_Full	-26.78	PASS
N66	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	-17.41	PASS
N66	15	15	DFT-QPSK	H	Outer_Full	-25.79	PASS
N66	15	15	DFT-QPSK	H	Edge_1RB_Right	-19.34	PASS
N66	15	15	DFT-16QAM	H	Outer_Full	-25.89	PASS
N66	15	15	DFT-16QAM	H	Edge_1RB_Right	-18.83	PASS
N66	15	15	DFT-64QAM	H	Outer_Full	-26.41	PASS
N66	15	15	DFT-64QAM	H	Edge_1RB_Right	-19.79	PASS
N66	15	15	DFT-256QAM	H	Outer_Full	-27.72	PASS
N66	15	15	DFT-256QAM	H	Edge_1RB_Right	-22.62	PASS
N66	15	15	CP-QPSK	H	Outer_Full	-25.05	PASS
N66	15	15	CP-QPSK	H	Edge_1RB_Right	-19.93	PASS
N66	15	15	CP-16QAM	H	Outer_Full	-24.95	PASS
N66	15	15	CP-16QAM	H	Edge_1RB_Right	-20.26	PASS
N66	15	15	CP-64QAM	H	Outer_Full	-25.50	PASS
N66	15	15	CP-64QAM	H	Edge_1RB_Right	-22.48	PASS
N66	15	15	CP-256QAM	H	Outer_Full	-29.02	PASS
N66	15	15	CP-256QAM	H	Edge_1RB_Right	-23.60	PASS
N66	15	20	DFT-PI2BPSK	L	Outer_Full	-27.30	PASS
N66	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	-13.87	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	-28.86	PASS
N66	15	20	DFT-QPSK	L	Edge_1RB_Left	-13.75	PASS
N66	15	20	DFT-16QAM	L	Outer_Full	-29.22	PASS
N66	15	20	DFT-16QAM	L	Edge_1RB_Left	-15.16	PASS
N66	15	20	DFT-64QAM	L	Outer_Full	-28.73	PASS
N66	15	20	DFT-64QAM	L	Edge_1RB_Left	-15.18	PASS


N66	15	20	DFT-256QAM	L	Outer_Full	-31.62	PASS
N66	15	20	DFT-256QAM	L	Edge_1RB_Left	-18.17	PASS
N66	15	20	CP-QPSK	L	Outer_Full	-28.65	PASS
N66	15	20	CP-QPSK	L	Edge_1RB_Left	-15.14	PASS
N66	15	20	CP-16QAM	L	Outer_Full	-29.16	PASS
N66	15	20	CP-16QAM	L	Edge_1RB_Left	-17.27	PASS
N66	15	20	CP-64QAM	L	Outer_Full	-29.29	PASS
N66	15	20	CP-64QAM	L	Edge_1RB_Left	-17.98	PASS
N66	15	20	CP-256QAM	L	Outer_Full	-32.97	PASS
N66	15	20	CP-256QAM	L	Edge_1RB_Left	-18.34	PASS
N66	15	20	DFT-PI2BPSK	H	Outer_Full	-25.10	PASS
N66	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	-13.84	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	-24.25	PASS
N66	15	20	DFT-QPSK	H	Edge_1RB_Right	-14.32	PASS
N66	15	20	DFT-16QAM	H	Outer_Full	-25.08	PASS
N66	15	20	DFT-16QAM	H	Edge_1RB_Right	-15.64	PASS
N66	15	20	DFT-64QAM	H	Outer_Full	-24.82	PASS
N66	15	20	DFT-64QAM	H	Edge_1RB_Right	-16.30	PASS
N66	15	20	DFT-256QAM	H	Outer_Full	-27.18	PASS
N66	15	20	DFT-256QAM	H	Edge_1RB_Right	-16.61	PASS
N66	15	20	CP-QPSK	H	Outer_Full	-24.38	PASS
N66	15	20	CP-QPSK	H	Edge_1RB_Right	-15.62	PASS
N66	15	20	CP-16QAM	H	Outer_Full	-25.13	PASS
N66	15	20	CP-16QAM	H	Edge_1RB_Right	-14.88	PASS
N66	15	20	CP-64QAM	H	Outer_Full	-24.99	PASS
N66	15	20	CP-64QAM	H	Edge_1RB_Right	-17.78	PASS
N66	15	20	CP-256QAM	H	Outer_Full	-28.41	PASS
N66	15	20	CP-256QAM	H	Edge_1RB_Right	-18.83	PASS
N66	15	25	DFT-PI2BPSK	L	Outer_Full	-28.21	PASS
N66	15	25	DFT-PI2BPSK	L	Edge_1RB_Left	-13.51	PASS
N66	15	25	DFT-QPSK	L	Outer_Full	-28.36	PASS
N66	15	25	DFT-QPSK	L	Edge_1RB_Left	-13.62	PASS
N66	15	25	DFT-16QAM	L	Outer_Full	-28.63	PASS
N66	15	25	DFT-16QAM	L	Edge_1RB_Left	-15.46	PASS
N66	15	25	DFT-64QAM	L	Outer_Full	-28.51	PASS
N66	15	25	DFT-64QAM	L	Edge_1RB_Left	-15.80	PASS
N66	15	25	DFT-256QAM	L	Outer_Full	-31.42	PASS
N66	15	25	DFT-256QAM	L	Edge_1RB_Left	-17.78	PASS
N66	15	25	CP-QPSK	L	Outer_Full	-27.92	PASS
N66	15	25	CP-QPSK	L	Edge_1RB_Left	-15.63	PASS
N66	15	25	CP-16QAM	L	Outer_Full	-27.20	PASS

N66	15	25	CP-16QAM	L	Edge_1RB_Left	-17.49	PASS
N66	15	25	CP-64QAM	L	Outer_Full	-28.37	PASS
N66	15	25	CP-64QAM	L	Edge_1RB_Left	-15.74	PASS
N66	15	25	CP-256QAM	L	Outer_Full	-31.49	PASS
N66	15	25	CP-256QAM	L	Edge_1RB_Left	-17.63	PASS
N66	15	25	DFT-PI2BPSK	H	Outer_Full	-23.10	PASS
N66	15	25	DFT-PI2BPSK	H	Edge_1RB_Right	-13.89	PASS
N66	15	25	DFT-QPSK	H	Outer_Full	-23.10	PASS
N66	15	25	DFT-QPSK	H	Edge_1RB_Right	-14.25	PASS
N66	15	25	DFT-16QAM	H	Outer_Full	-23.90	PASS
N66	15	25	DFT-16QAM	H	Edge_1RB_Right	-15.73	PASS
N66	15	25	DFT-64QAM	H	Outer_Full	-24.25	PASS
N66	15	25	DFT-64QAM	H	Edge_1RB_Right	-16.78	PASS
N66	15	25	DFT-256QAM	H	Outer_Full	-26.36	PASS
N66	15	25	DFT-256QAM	H	Edge_1RB_Right	-16.34	PASS
N66	15	25	CP-QPSK	H	Outer_Full	-23.85	PASS
N66	15	25	CP-QPSK	H	Edge_1RB_Right	-16.68	PASS
N66	15	25	CP-16QAM	H	Outer_Full	-23.94	PASS
N66	15	25	CP-16QAM	H	Edge_1RB_Right	-16.02	PASS
N66	15	25	CP-64QAM	H	Outer_Full	-24.10	PASS
N66	15	25	CP-64QAM	H	Edge_1RB_Right	-17.58	PASS
N66	15	25	CP-256QAM	H	Outer_Full	-27.74	PASS
N66	15	25	CP-256QAM	H	Edge_1RB_Right	-19.33	PASS
N66	15	30	DFT-PI2BPSK	L	Outer_Full	-28.57	PASS
N66	15	30	DFT-PI2BPSK	L	Edge_1RB_Left	-17.61	PASS
N66	15	30	DFT-QPSK	L	Outer_Full	-28.17	PASS
N66	15	30	DFT-QPSK	L	Edge_1RB_Left	-17.84	PASS
N66	15	30	DFT-16QAM	L	Outer_Full	-29.07	PASS
N66	15	30	DFT-16QAM	L	Edge_1RB_Left	-20.56	PASS
N66	15	30	DFT-64QAM	L	Outer_Full	-29.12	PASS
N66	15	30	DFT-64QAM	L	Edge_1RB_Left	-20.95	PASS
N66	15	30	DFT-256QAM	L	Outer_Full	-30.95	PASS
N66	15	30	DFT-256QAM	L	Edge_1RB_Left	-18.00	PASS
N66	15	30	CP-QPSK	L	Outer_Full	-28.71	PASS
N66	15	30	CP-QPSK	L	Edge_1RB_Left	-21.13	PASS
N66	15	30	CP-16QAM	L	Outer_Full	-28.72	PASS
N66	15	30	CP-16QAM	L	Edge_1RB_Left	-21.53	PASS
N66	15	30	CP-64QAM	L	Outer_Full	-29.51	PASS
N66	15	30	CP-64QAM	L	Edge_1RB_Left	-22.75	PASS
N66	15	30	CP-256QAM	L	Outer_Full	-32.09	PASS
N66	15	30	CP-256QAM	L	Edge_1RB_Left	-20.72	PASS

N66	15	30	DFT-PI2BPSK	H	Outer_Full	-24.45	PASS
N66	15	30	DFT-PI2BPSK	H	Edge_1RB_Right	-18.01	PASS
N66	15	30	DFT-QPSK	H	Outer_Full	-24.43	PASS
N66	15	30	DFT-QPSK	H	Edge_1RB_Right	-18.61	PASS
N66	15	30	DFT-16QAM	H	Outer_Full	-25.67	PASS
N66	15	30	DFT-16QAM	H	Edge_1RB_Right	-19.72	PASS
N66	15	30	DFT-64QAM	H	Outer_Full	-25.85	PASS
N66	15	30	DFT-64QAM	H	Edge_1RB_Right	-20.00	PASS
N66	15	30	DFT-256QAM	H	Outer_Full	-28.04	PASS
N66	15	30	DFT-256QAM	H	Edge_1RB_Right	-20.60	PASS
N66	15	30	CP-QPSK	H	Outer_Full	-25.13	PASS
N66	15	30	CP-QPSK	H	Edge_1RB_Right	-20.91	PASS
N66	15	30	CP-16QAM	H	Outer_Full	-24.95	PASS
N66	15	30	CP-16QAM	H	Edge_1RB_Right	-21.29	PASS
N66	15	30	CP-64QAM	H	Outer_Full	-25.24	PASS
N66	15	30	CP-64QAM	H	Edge_1RB_Right	-22.54	PASS
N66	15	30	CP-256QAM	H	Outer_Full	-28.86	PASS
N66	15	30	CP-256QAM	H	Edge_1RB_Right	-23.83	PASS
N66	15	40	DFT-PI2BPSK	L	Outer_Full	-27.07	PASS
N66	15	40	DFT-PI2BPSK	L	Edge_1RB_Left	-14.75	PASS
N66	15	40	DFT-QPSK	L	Outer_Full	-26.80	PASS
N66	15	40	DFT-QPSK	L	Edge_1RB_Left	-16.50	PASS
N66	15	40	DFT-16QAM	L	Outer_Full	-28.30	PASS
N66	15	40	DFT-16QAM	L	Edge_1RB_Left	-13.15	PASS
N66	15	40	DFT-64QAM	L	Outer_Full	-28.50	PASS
N66	15	40	DFT-64QAM	L	Edge_1RB_Left	-13.28	PASS
N66	15	40	DFT-256QAM	L	Outer_Full	-30.17	PASS
N66	15	40	DFT-256QAM	L	Edge_1RB_Left	-13.26	PASS
N66	15	40	CP-QPSK	L	Outer_Full	-27.31	PASS
N66	15	40	CP-QPSK	L	Edge_1RB_Left	-16.79	PASS
N66	15	40	CP-16QAM	L	Outer_Full	-27.17	PASS
N66	15	40	CP-16QAM	L	Edge_1RB_Left	-13.31	PASS
N66	15	40	CP-64QAM	L	Outer_Full	-27.53	PASS
N66	15	40	CP-64QAM	L	Edge_1RB_Left	-15.54	PASS
N66	15	40	CP-256QAM	L	Outer_Full	-30.88	PASS
N66	15	40	CP-256QAM	L	Edge_1RB_Left	-14.55	PASS
N66	15	40	DFT-PI2BPSK	H	Outer_Full	-23.71	PASS
N66	15	40	DFT-PI2BPSK	H	Edge_1RB_Right	-15.48	PASS
N66	15	40	DFT-QPSK	H	Outer_Full	-24.19	PASS
N66	15	40	DFT-QPSK	H	Edge_1RB_Right	-14.78	PASS
N66	15	40	DFT-16QAM	H	Outer_Full	-24.76	PASS

N66	15	40	DFT-16QAM	H	Edge_1RB_Right	-16.00	PASS
N66	15	40	DFT-64QAM	H	Outer_Full	-25.26	PASS
N66	15	40	DFT-64QAM	H	Edge_1RB_Right	-16.29	PASS
N66	15	40	DFT-256QAM	H	Outer_Full	-27.53	PASS
N66	15	40	DFT-256QAM	H	Edge_1RB_Right	-13.43	PASS
N66	15	40	CP-QPSK	H	Outer_Full	-23.68	PASS
N66	15	40	CP-QPSK	H	Edge_1RB_Right	-16.80	PASS
N66	15	40	CP-16QAM	H	Outer_Full	-24.16	PASS
N66	15	40	CP-16QAM	H	Edge_1RB_Right	-13.05	PASS
N66	15	40	CP-64QAM	H	Outer_Full	-24.67	PASS
N66	15	40	CP-64QAM	H	Edge_1RB_Right	-15.72	PASS
N66	15	40	CP-256QAM	H	Outer_Full	-28.46	PASS
N66	15	40	CP-256QAM	H	Edge_1RB_Right	-15.53	PASS

Test Graphs



Spectrum

Ref Level 25.00 dBm Offset 9.69 dB Mode Sweep

SQL Count 5/5

1 AvgLog

Limit Check

Line SPURIOUS LINE_ABS

PASS

PASS

SPURIOUS_LINE_ABS

Start 1.709 GHz 2002 pts Stop 1.715 GHz

Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.709 GHz	1.710 GHz	50.000 kHz	1.70999 GHz	-18.45 dBm	-5.45 dB
1.710 GHz	1.715 GHz	200.000 kHz	1.71033 GHz	24.38 dBm	-5.62 dB

Date: 6 SEP 2025 11:28:52

NTNV-N66-PC3-15-5-L-DFT-PI2BPSK-Edge_1RB_Left-Ant1-PASS

Spectrum

Ref Level 25.00 dBm Offset 9.69 dB Mode Sweep

SQL Count 5/5

1 AvgLog

Limit Check

Line SPURIOUS LINE_ABS

PASS

PASS

SPURIOUS_LINE_ABS

Start 1.709 GHz 2002 pts Stop 1.715 GHz

Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.709 GHz	1.710 GHz	50.000 kHz	1.70994 GHz	-26.43 dBm	-13.43 dB
1.710 GHz	1.715 GHz	200.000 kHz	1.71435 GHz	11.45 dBm	-18.55 dB

Date: 6 SEP 2025 11:28:10

NTNV-N66-PC3-15-5-L-DFT-QPSK-Outer_Full-An t1-PASS

Spectrum

Ref Level 25.00 dBm Offset 9.69 dB Mode Sweep

SQL Count 5/5

1 AvgLog

Limit Check

Line SPURIOUS LINE_ABS

PASS

PASS

SPURIOUS_LINE_ABS

Start 1.709 GHz 2002 pts Stop 1.715 GHz

Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
1.709 GHz	1.710 GHz	50.000 kHz	1.71000 GHz	-18.26 dBm	-5.26 dB
1.710 GHz	1.715 GHz	200.000 kHz	1.71033 GHz	23.90 dBm	-6.10 dB

Date: 6 SEP 2025 11:28:21

NTNV-N66-PC3-15-5-L-DFT-QPSK-Edge_1RB_L eft-Ant1-PASS

