

Appendix Test Data

Report No:	1812C60448212503-04	Test Sample NO:	1-2-2
Start Test Date:	2026-09-02	Finish Test Date:	2026-09-30
Test Engineer:	Alex Peng	Auditor:	Justin Feng
Temperature:	24.0°C	Relative Humidity:	64.0%
Pressure:	100.6kPa		



Appendix A: Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	10.88	PASS
Band7	5MHz	QPSK	20775	1RB#12	10.67	PASS
Band7	5MHz	QPSK	20775	1RB#24	10.54	PASS
Band7	5MHz	QPSK	20775	12RB#0	10.45	PASS
Band7	5MHz	QPSK	20775	12RB#6	10.37	PASS
Band7	5MHz	QPSK	20775	12RB#13	10.30	PASS
Band7	5MHz	QPSK	20775	25RB#0	10.25	PASS
Band7	5MHz	16QAM	20775	1RB#0	10.75	PASS
Band7	5MHz	16QAM	20775	1RB#12	10.60	PASS
Band7	5MHz	16QAM	20775	1RB#24	10.49	PASS
Band7	5MHz	16QAM	20775	12RB#0	10.41	PASS
Band7	5MHz	16QAM	20775	12RB#6	10.33	PASS
Band7	5MHz	16QAM	20775	12RB#13	10.28	PASS
Band7	5MHz	16QAM	20775	25RB#0	10.23	PASS
Band7	5MHz	QPSK	21100	1RB#0	11.87	PASS
Band7	5MHz	QPSK	21100	1RB#12	12.10	PASS
Band7	5MHz	QPSK	21100	1RB#24	12.43	PASS
Band7	5MHz	QPSK	21100	12RB#0	11.99	PASS
Band7	5MHz	QPSK	21100	12RB#6	12.92	PASS
Band7	5MHz	QPSK	21100	12RB#13	12.87	PASS
Band7	5MHz	QPSK	21100	25RB#0	12.56	PASS
Band7	5MHz	16QAM	21100	1RB#0	11.88	PASS
Band7	5MHz	16QAM	21100	1RB#12	12.21	PASS

Band7	5MHz	16QAM	21100	1RB#24	12.49	PASS
Band7	5MHz	16QAM	21100	12RB#0	12.03	PASS
Band7	5MHz	16QAM	21100	12RB#6	12.78	PASS
Band7	5MHz	16QAM	21100	12RB#13	12.86	PASS
Band7	5MHz	16QAM	21100	25RB#0	12.50	PASS
Band7	5MHz	QPSK	21425	1RB#0	10.31	PASS
Band7	5MHz	QPSK	21425	1RB#12	9.78	PASS
Band7	5MHz	QPSK	21425	1RB#24	9.95	PASS
Band7	5MHz	QPSK	21425	12RB#0	9.42	PASS
Band7	5MHz	QPSK	21425	12RB#6	9.38	PASS
Band7	5MHz	QPSK	21425	12RB#13	9.48	PASS
Band7	5MHz	QPSK	21425	25RB#0	9.28	PASS
Band7	5MHz	16QAM	21425	1RB#0	9.92	PASS
Band7	5MHz	16QAM	21425	1RB#12	9.60	PASS
Band7	5MHz	16QAM	21425	1RB#24	9.83	PASS
Band7	5MHz	16QAM	21425	12RB#0	9.35	PASS
Band7	5MHz	16QAM	21425	12RB#6	9.38	PASS
Band7	5MHz	16QAM	21425	12RB#13	9.46	PASS
Band7	5MHz	16QAM	21425	25RB#0	9.29	PASS
Band7	10MHz	QPSK	20800	1RB#0	12.05	PASS
Band7	10MHz	QPSK	20800	1RB#24	11.10	PASS
Band7	10MHz	QPSK	20800	1RB#49	10.15	PASS
Band7	10MHz	QPSK	20800	25RB#0	10.65	PASS
Band7	10MHz	QPSK	20800	25RB#12	10.19	PASS
Band7	10MHz	QPSK	20800	25RB#25	9.73	PASS
Band7	10MHz	QPSK	20800	50RB#0	10.57	PASS
Band7	10MHz	16QAM	20800	1RB#0	11.64	PASS
Band7	10MHz	16QAM	20800	1RB#24	10.96	PASS
Band7	10MHz	16QAM	20800	1RB#49	9.86	PASS
Band7	10MHz	16QAM	20800	27RB#0	10.58	PASS
Band7	10MHz	16QAM	20800	27RB#12	10.10	PASS
Band7	10MHz	16QAM	20800	27RB#25	9.69	PASS
Band7	10MHz	QPSK	21100	1RB#0	11.95	PASS
Band7	10MHz	QPSK	21100	1RB#24	12.60	PASS
Band7	10MHz	QPSK	21100	1RB#49	12.97	PASS
Band7	10MHz	QPSK	21100	25RB#0	12.03	PASS
Band7	10MHz	QPSK	21100	25RB#12	12.37	PASS
Band7	10MHz	QPSK	21100	25RB#25	12.62	PASS
Band7	10MHz	QPSK	21100	50RB#0	10.74	PASS
Band7	10MHz	16QAM	21100	1RB#0	11.53	PASS
Band7	10MHz	16QAM	21100	1RB#24	12.49	PASS

Band7	10MHz	16QAM	21100	1RB#49	12.73	PASS
Band7	10MHz	16QAM	21100	27RB#0	12.01	PASS
Band7	10MHz	16QAM	21100	27RB#12	12.35	PASS
Band7	10MHz	16QAM	21100	27RB#25	12.64	PASS
Band7	10MHz	QPSK	21400	1RB#0	10.88	PASS
Band7	10MHz	QPSK	21400	1RB#24	10.51	PASS
Band7	10MHz	QPSK	21400	1RB#49	10.17	PASS
Band7	10MHz	QPSK	21400	25RB#0	9.83	PASS
Band7	10MHz	QPSK	21400	25RB#12	9.56	PASS
Band7	10MHz	QPSK	21400	25RB#25	9.52	PASS
Band7	10MHz	QPSK	21400	50RB#0	9.96	PASS
Band7	10MHz	16QAM	21400	1RB#0	10.26	PASS
Band7	10MHz	16QAM	21400	1RB#24	10.12	PASS
Band7	10MHz	16QAM	21400	1RB#49	9.88	PASS
Band7	10MHz	16QAM	21400	27RB#0	9.74	PASS
Band7	10MHz	16QAM	21400	27RB#12	9.49	PASS
Band7	10MHz	16QAM	21400	27RB#25	9.51	PASS
Band7	15MHz	QPSK	20825	1RB#0	12.06	PASS
Band7	15MHz	QPSK	20825	1RB#38	10.80	PASS
Band7	15MHz	QPSK	20825	1RB#74	9.76	PASS
Band7	15MHz	QPSK	20825	36RB#0	9.78	PASS
Band7	15MHz	QPSK	20825	36RB#18	9.50	PASS
Band7	15MHz	QPSK	20825	36RB#39	9.14	PASS
Band7	15MHz	QPSK	20825	75RB#0	9.36	PASS
Band7	15MHz	16QAM	20825	1RB#0	11.52	PASS
Band7	15MHz	16QAM	20825	1RB#38	10.54	PASS
Band7	15MHz	16QAM	20825	1RB#74	9.37	PASS
Band7	15MHz	QPSK	21100	1RB#0	11.11	PASS
Band7	15MHz	QPSK	21100	1RB#38	12.48	PASS
Band7	15MHz	QPSK	21100	1RB#74	12.71	PASS
Band7	15MHz	QPSK	21100	36RB#0	11.50	PASS
Band7	15MHz	QPSK	21100	36RB#18	12.01	PASS
Band7	15MHz	QPSK	21100	36RB#39	12.33	PASS
Band7	15MHz	QPSK	21100	75RB#0	11.91	PASS
Band7	15MHz	16QAM	21100	1RB#0	10.98	PASS
Band7	15MHz	16QAM	21100	1RB#38	12.42	PASS
Band7	15MHz	16QAM	21100	1RB#74	12.66	PASS
Band7	15MHz	QPSK	21375	1RB#0	10.04	PASS
Band7	15MHz	QPSK	21375	1RB#38	9.33	PASS
Band7	15MHz	QPSK	21375	1RB#74	9.31	PASS
Band7	15MHz	QPSK	21375	36RB#0	9.48	PASS

Band7	15MHz	QPSK	21375	36RB#18	10.43	PASS
Band7	15MHz	QPSK	21375	36RB#39	9.92	PASS
Band7	15MHz	QPSK	21375	75RB#0	10.00	PASS
Band7	15MHz	16QAM	21375	1RB#0	9.96	PASS
Band7	15MHz	16QAM	21375	1RB#38	9.29	PASS
Band7	15MHz	16QAM	21375	1RB#74	9.46	PASS
Band7	20MHz	QPSK	20850	1RB#0	11.63	PASS
Band7	20MHz	QPSK	20850	1RB#49	10.41	PASS
Band7	20MHz	QPSK	20850	1RB#99	9.65	PASS
Band7	20MHz	QPSK	20850	50RB#0	10.86	PASS
Band7	20MHz	QPSK	20850	50RB#25	10.52	PASS
Band7	20MHz	QPSK	20850	50RB#50	10.29	PASS
Band7	20MHz	QPSK	20850	100RB#0	10.11	PASS
Band7	20MHz	16QAM	20850	1RB#0	11.16	PASS
Band7	20MHz	16QAM	20850	1RB#49	10.09	PASS
Band7	20MHz	16QAM	20850	1RB#99	9.40	PASS
Band7	20MHz	QPSK	21100	1RB#0	10.54	PASS
Band7	20MHz	QPSK	21100	1RB#49	12.79	PASS
Band7	20MHz	QPSK	21100	1RB#99	13.33	PASS
Band7	20MHz	QPSK	21100	50RB#0	11.73	PASS
Band7	20MHz	QPSK	21100	50RB#25	12.51	PASS
Band7	20MHz	QPSK	21100	50RB#50	12.86	PASS
Band7	20MHz	QPSK	21100	100RB#0	12.20	PASS
Band7	20MHz	16QAM	21100	1RB#0	10.63	PASS
Band7	20MHz	16QAM	21100	1RB#49	13.02	PASS
Band7	20MHz	16QAM	21100	1RB#99	13.04	PASS
Band7	20MHz	QPSK	21350	1RB#0	12.36	PASS
Band7	20MHz	QPSK	21350	1RB#49	10.42	PASS
Band7	20MHz	QPSK	21350	1RB#99	9.53	PASS
Band7	20MHz	QPSK	21350	50RB#0	10.48	PASS
Band7	20MHz	QPSK	21350	50RB#25	9.76	PASS
Band7	20MHz	QPSK	21350	50RB#50	9.33	PASS
Band7	20MHz	QPSK	21350	100RB#0	9.66	PASS
Band7	20MHz	16QAM	21350	1RB#0	11.79	PASS
Band7	20MHz	16QAM	21350	1RB#49	10.21	PASS
Band7	20MHz	16QAM	21350	1RB#99	9.39	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.


Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	4.55	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	5.23	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	5.54	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	6.07	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	4.48	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	5.22	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	5.38	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	6.06	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	4.24	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	5.00	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	4.93	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	5.81	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	4.48	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	5.13	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	5.30	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	4.40	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	5.23	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	5.49	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	4.14	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.00	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	4.98	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	4.45	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.29	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	5.32	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	4.36	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.31	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	5.35	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	4.28	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.15	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	5.21	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	4.41	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.10	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	4.35	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.14	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	8.39	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	8.40	13	PASS


Test Graphs















Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.4954	4.997	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5134	4.984	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5033	4.979	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5188	5.009	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5021	5.021	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5034	4.933	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.9680	9.882	PASS
Band7	10MHz	16QAM	20800	27RB#0	4.9926	5.810	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9619	9.922	PASS
Band7	10MHz	16QAM	21100	27RB#0	5.0073	5.879	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9543	9.873	PASS
Band7	10MHz	16QAM	21400	27RB#0	4.9820	5.822	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.464	14.88	PASS
Band7	15MHz	16QAM	20825	27RB#0	5.0739	6.081	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.456	14.72	PASS
Band7	15MHz	16QAM	21100	27RB#0	5.0909	5.971	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.408	14.64	PASS
Band7	15MHz	16QAM	21375	27RB#0	5.1074	6.158	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.929	19.51	PASS
Band7	20MHz	16QAM	20850	27RB#0	5.2589	6.990	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.886	19.39	PASS
Band7	20MHz	16QAM	21100	27RB#0	5.2605	6.765	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.877	19.37	PASS
Band7	20MHz	16QAM	21350	27RB#0	5.2918	6.513	PASS

Test Graphs





Band7-10MHz-QPSK-20800-50RB#0-PASS



Band7-10MHz-16QAM-20800-27RB#0-PASS



Band7-10MHz-QPSK-21100-50RB#0-PASS




Band7-10MHz-16QAM-21100-27RB#0-PASS



Band7-10MHz-QPSK-21400-50RB#0-PASS



Band7-10MHz-16QAM-21400-27RB#0-PASS



Band7-15MHz-QPSK-20825-75RB#0-PASS



Band7-15MHz-16QAM-20825-27RB#0-PASS



Band7-15MHz-QPSK-21100-75RB#0-PASS



Band7-15MHz-16QAM-21100-27RB#0-PASS



Band7-15MHz-QPSK-21375-75RB#0-PASS



Band7-15MHz-16QAM-21375-27RB#0-PASS



Band7-20MHz-QPSK-20850-100RB#0-PASS



Band7-20MHz-16QAM-20850-27RB#0-PASS



Band7-20MHz-QPSK-21100-100RB#0-PASS



Band7-20MHz-16QAM-21100-27RB#0-PASS



Band7-20MHz-QPSK-21350-100RB#0-PASS



Band7-20MHz-16QAM-21350-27RB#0-PASS


Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	-45.58	20.58	PASS
Band7	5MHz	QPSK	20775	1RB#24	-45.58	20.58	PASS
Band7	5MHz	QPSK	20775	25RB#0	-45.52	20.52	PASS
Band7	5MHz	16QAM	20775	1RB#0	-45.59	20.59	PASS
Band7	5MHz	16QAM	20775	1RB#24	-45.59	20.59	PASS
Band7	5MHz	16QAM	20775	25RB#0	-45.54	20.54	PASS
Band7	5MHz	QPSK	21425	1RB#0	-45.19	20.19	PASS
Band7	5MHz	QPSK	21425	1RB#24	-44.08	19.08	PASS
Band7	5MHz	QPSK	21425	25RB#0	-45.07	20.07	PASS
Band7	5MHz	16QAM	21425	1RB#0	-45.23	20.23	PASS
Band7	5MHz	16QAM	21425	1RB#24	-44.47	19.47	PASS
Band7	5MHz	16QAM	21425	25RB#0	-45.07	20.07	PASS
Band7	10MHz	QPSK	20800	1RB#0	-45.60	20.60	PASS
Band7	10MHz	QPSK	20800	1RB#49	-45.60	20.60	PASS
Band7	10MHz	QPSK	20800	50RB#0	-45.31	20.31	PASS
Band7	10MHz	16QAM	20800	1RB#0	-45.59	20.59	PASS
Band7	10MHz	16QAM	20800	1RB#49	-45.61	20.61	PASS
Band7	10MHz	QPSK	21400	1RB#0	-45.28	20.28	PASS
Band7	10MHz	QPSK	21400	1RB#49	-45.30	20.30	PASS
Band7	10MHz	QPSK	21400	50RB#0	-45.17	20.17	PASS
Band7	10MHz	16QAM	21400	1RB#0	-45.29	20.29	PASS
Band7	10MHz	16QAM	21400	1RB#49	-45.27	20.27	PASS
Band7	15MHz	QPSK	20825	1RB#0	-45.32	20.32	PASS
Band7	15MHz	QPSK	20825	1RB#74	-42.84	17.84	PASS
Band7	15MHz	QPSK	20825	75RB#0	-45.34	20.34	PASS
Band7	15MHz	16QAM	20825	1RB#0	-45.32	20.32	PASS
Band7	15MHz	QPSK	21375	1RB#74	-45.35	20.35	PASS
Band7	15MHz	QPSK	21375	75RB#0	-45.33	20.33	PASS
Band7	15MHz	16QAM	21375	1RB#0	-45.35	20.35	PASS
Band7	15MHz	16QAM	21375	1RB#74	-45.36	20.36	PASS
Band7	20MHz	QPSK	20850	1RB#0	-45.64	20.64	PASS
Band7	20MHz	QPSK	20850	1RB#99	-45.66	20.66	PASS
Band7	20MHz	QPSK	20850	100RB#0	-44.26	19.26	PASS
Band7	20MHz	16QAM	20850	1RB#0	-45.64	20.64	PASS
Band7	20MHz	QPSK	21350	1RB#99	-45.39	20.39	PASS


Band7	20MHz	QPSK	21350	100RB#0	-45.37	20.37	PASS
Band7	20MHz	16QAM	21350	1RB#0	-45.39	20.39	PASS
Band7	20MHz	16QAM	21350	1RB#99	-45.38	20.38	PASS


Test Graphs

















Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	0.009~0.15	-73.94	-55.0	PASS
Band7	5MHz	QPSK	20775	1RB#0	0.15~30	-66.07	-45.0	PASS
Band7	5MHz	QPSK	20775	1RB#0	30~1000	-56.81	-35.0	PASS
Band7	5MHz	QPSK	20775	1RB#0	1000~3000	-47.01	-25.0	PASS
Band7	5MHz	QPSK	20775	1RB#0	3000~18000	-39.48	-25.0	PASS
Band7	5MHz	QPSK	20775	1RB#0	18000~27000	-29.52	-25.0	PASS
Band7	5MHz	QPSK	20775	1RB#24	0.009~0.15	-71.87	-55.0	PASS
Band7	5MHz	QPSK	20775	1RB#24	0.15~30	-66.71	-45.0	PASS
Band7	5MHz	QPSK	20775	1RB#24	30~1000	-56.45	-35.0	PASS
Band7	5MHz	QPSK	20775	1RB#24	1000~3000	-47.24	-25.0	PASS
Band7	5MHz	QPSK	20775	1RB#24	3000~18000	-39.01	-25.0	PASS
Band7	5MHz	QPSK	20775	1RB#24	18000~27000	-29.52	-25.0	PASS
Band7	5MHz	QPSK	20775	25RB#0	0.009~0.15	-72.06	-55.0	PASS
Band7	5MHz	QPSK	20775	25RB#0	0.15~30	-64.88	-45.0	PASS
Band7	5MHz	QPSK	20775	25RB#0	30~1000	-56.31	-35.0	PASS
Band7	5MHz	QPSK	20775	25RB#0	1000~3000	-47.06	-25.0	PASS
Band7	5MHz	QPSK	20775	25RB#0	3000~18000	-39.44	-25.0	PASS
Band7	5MHz	QPSK	20775	25RB#0	18000~27000	-29.69	-25.0	PASS
Band7	5MHz	16QAM	20775	1RB#0	0.009~0.15	-73.10	-55.0	PASS
Band7	5MHz	16QAM	20775	1RB#0	0.15~30	-65.56	-45.0	PASS
Band7	5MHz	16QAM	20775	1RB#0	30~1000	-55.87	-35.0	PASS
Band7	5MHz	16QAM	20775	1RB#0	1000~3000	-47.02	-25.0	PASS
Band7	5MHz	16QAM	20775	1RB#0	3000~18000	-39.35	-25.0	PASS
Band7	5MHz	16QAM	20775	1RB#0	18000~27000	-29.59	-25.0	PASS
Band7	5MHz	16QAM	20775	1RB#24	0.009~0.15	-72.62	-55.0	PASS
Band7	5MHz	16QAM	20775	1RB#24	0.15~30	-64.03	-45.0	PASS
Band7	5MHz	16QAM	20775	1RB#24	30~1000	-56.16	-35.0	PASS
Band7	5MHz	16QAM	20775	1RB#24	1000~3000	-47.17	-25.0	PASS
Band7	5MHz	16QAM	20775	1RB#24	3000~18000	-39.10	-25.0	PASS
Band7	5MHz	16QAM	20775	1RB#24	18000~27000	-30.01	-25.0	PASS
Band7	5MHz	16QAM	20775	25RB#0	0.009~0.15	-73.92	-55.0	PASS
Band7	5MHz	16QAM	20775	25RB#0	0.15~30	-63.55	-45.0	PASS
Band7	5MHz	16QAM	20775	25RB#0	30~1000	-56.41	-35.0	PASS
Band7	5MHz	16QAM	20775	25RB#0	1000~3000	-46.83	-25.0	PASS
Band7	5MHz	16QAM	20775	25RB#0	3000~18000	-39.53	-25.0	PASS

Band7	5MHz	16QAM	20775	25RB#0	18000~27000	-29.57	-25.0	PASS
Band7	5MHz	QPSK	21100	1RB#0	0.009~0.15	-72.35	-55.0	PASS
Band7	5MHz	QPSK	21100	1RB#0	0.15~30	-65.72	-45.0	PASS
Band7	5MHz	QPSK	21100	1RB#0	30~1000	-56.04	-35.0	PASS
Band7	5MHz	QPSK	21100	1RB#0	1000~3000	-46.98	-25.0	PASS
Band7	5MHz	QPSK	21100	1RB#0	3000~18000	-39.22	-25.0	PASS
Band7	5MHz	QPSK	21100	1RB#0	18000~27000	-29.66	-25.0	PASS
Band7	5MHz	QPSK	21100	1RB#24	0.009~0.15	-72.54	-55.0	PASS
Band7	5MHz	QPSK	21100	1RB#24	0.15~30	-62.70	-45.0	PASS
Band7	5MHz	QPSK	21100	1RB#24	30~1000	-56.38	-35.0	PASS
Band7	5MHz	QPSK	21100	1RB#24	1000~3000	-47.15	-25.0	PASS
Band7	5MHz	QPSK	21100	1RB#24	3000~18000	-39.45	-25.0	PASS
Band7	5MHz	QPSK	21100	1RB#24	18000~27000	-29.87	-25.0	PASS
Band7	5MHz	QPSK	21100	25RB#0	0.009~0.15	-73.39	-55.0	PASS
Band7	5MHz	QPSK	21100	25RB#0	0.15~30	-65.03	-45.0	PASS
Band7	5MHz	QPSK	21100	25RB#0	30~1000	-56.53	-35.0	PASS
Band7	5MHz	QPSK	21100	25RB#0	1000~3000	-47.07	-25.0	PASS
Band7	5MHz	QPSK	21100	25RB#0	3000~18000	-39.19	-25.0	PASS
Band7	5MHz	QPSK	21100	25RB#0	18000~27000	-29.96	-25.0	PASS
Band7	5MHz	16QAM	21100	1RB#0	0.009~0.15	-72.86	-55.0	PASS
Band7	5MHz	16QAM	21100	1RB#0	0.15~30	-64.19	-45.0	PASS
Band7	5MHz	16QAM	21100	1RB#0	30~1000	-56.12	-35.0	PASS
Band7	5MHz	16QAM	21100	1RB#0	1000~3000	-47.12	-25.0	PASS
Band7	5MHz	16QAM	21100	1RB#0	3000~18000	-39.02	-25.0	PASS
Band7	5MHz	16QAM	21100	1RB#0	18000~27000	-30.03	-25.0	PASS
Band7	5MHz	16QAM	21100	1RB#24	0.009~0.15	-73.58	-55.0	PASS
Band7	5MHz	16QAM	21100	1RB#24	0.15~30	-65.13	-45.0	PASS
Band7	5MHz	16QAM	21100	1RB#24	30~1000	-56.88	-35.0	PASS
Band7	5MHz	16QAM	21100	1RB#24	1000~3000	-46.88	-25.0	PASS
Band7	5MHz	16QAM	21100	1RB#24	3000~18000	-39.44	-25.0	PASS
Band7	5MHz	16QAM	21100	1RB#24	18000~27000	-29.78	-25.0	PASS
Band7	5MHz	16QAM	21100	25RB#0	0.009~0.15	-74.01	-55.0	PASS
Band7	5MHz	16QAM	21100	25RB#0	0.15~30	-64.56	-45.0	PASS
Band7	5MHz	16QAM	21100	25RB#0	30~1000	-55.96	-35.0	PASS
Band7	5MHz	16QAM	21100	25RB#0	1000~3000	-46.97	-25.0	PASS
Band7	5MHz	16QAM	21100	25RB#0	3000~18000	-39.10	-25.0	PASS
Band7	5MHz	16QAM	21100	25RB#0	18000~27000	-29.93	-25.0	PASS
Band7	5MHz	QPSK	21425	1RB#0	0.009~0.15	-73.67	-55.0	PASS
Band7	5MHz	QPSK	21425	1RB#0	0.15~30	-63.50	-45.0	PASS
Band7	5MHz	QPSK	21425	1RB#0	30~1000	-57.05	-35.0	PASS
Band7	5MHz	QPSK	21425	1RB#0	1000~3000	-47.12	-25.0	PASS

Band7	5MHz	QPSK	21425	1RB#0	3000~18000	-39.36	-25.0	PASS
Band7	5MHz	QPSK	21425	1RB#0	18000~27000	-29.79	-25.0	PASS
Band7	5MHz	QPSK	21425	1RB#24	0.009~0.15	-72.60	-55.0	PASS
Band7	5MHz	QPSK	21425	1RB#24	0.15~30	-66.94	-45.0	PASS
Band7	5MHz	QPSK	21425	1RB#24	30~1000	-55.99	-35.0	PASS
Band7	5MHz	QPSK	21425	1RB#24	1000~3000	-46.87	-25.0	PASS
Band7	5MHz	QPSK	21425	1RB#24	3000~18000	-39.26	-25.0	PASS
Band7	5MHz	QPSK	21425	1RB#24	18000~27000	-29.43	-25.0	PASS
Band7	5MHz	QPSK	21425	25RB#0	0.009~0.15	-73.75	-55.0	PASS
Band7	5MHz	QPSK	21425	25RB#0	0.15~30	-66.15	-45.0	PASS
Band7	5MHz	QPSK	21425	25RB#0	30~1000	-57.20	-35.0	PASS
Band7	5MHz	QPSK	21425	25RB#0	1000~3000	-47.17	-25.0	PASS
Band7	5MHz	QPSK	21425	25RB#0	3000~18000	-39.48	-25.0	PASS
Band7	5MHz	QPSK	21425	25RB#0	18000~27000	-29.63	-25.0	PASS
Band7	5MHz	16QAM	21425	1RB#0	0.009~0.15	-73.80	-55.0	PASS
Band7	5MHz	16QAM	21425	1RB#0	0.15~30	-64.60	-45.0	PASS
Band7	5MHz	16QAM	21425	1RB#0	30~1000	-56.88	-35.0	PASS
Band7	5MHz	16QAM	21425	1RB#0	1000~3000	-47.04	-25.0	PASS
Band7	5MHz	16QAM	21425	1RB#0	3000~18000	-39.01	-25.0	PASS
Band7	5MHz	16QAM	21425	1RB#0	18000~27000	-29.81	-25.0	PASS
Band7	5MHz	16QAM	21425	1RB#24	0.009~0.15	-73.58	-55.0	PASS
Band7	5MHz	16QAM	21425	1RB#24	0.15~30	-63.71	-45.0	PASS
Band7	5MHz	16QAM	21425	1RB#24	30~1000	-56.46	-35.0	PASS
Band7	5MHz	16QAM	21425	1RB#24	1000~3000	-47.03	-25.0	PASS
Band7	5MHz	16QAM	21425	1RB#24	3000~18000	-39.30	-25.0	PASS
Band7	5MHz	16QAM	21425	1RB#24	18000~27000	-29.72	-25.0	PASS
Band7	5MHz	16QAM	21425	25RB#0	0.009~0.15	-74.69	-55.0	PASS
Band7	5MHz	16QAM	21425	25RB#0	0.15~30	-64.67	-45.0	PASS
Band7	5MHz	16QAM	21425	25RB#0	30~1000	-56.21	-35.0	PASS
Band7	5MHz	16QAM	21425	25RB#0	1000~3000	-46.77	-25.0	PASS
Band7	5MHz	16QAM	21425	25RB#0	3000~18000	-39.49	-25.0	PASS
Band7	5MHz	16QAM	21425	25RB#0	18000~27000	-29.85	-25.0	PASS
Band7	10MHz	QPSK	20800	1RB#0	0.009~0.15	-71.69	-55.0	PASS
Band7	10MHz	QPSK	20800	1RB#0	0.15~30	-63.98	-45.0	PASS
Band7	10MHz	QPSK	20800	1RB#0	30~1000	-55.81	-35.0	PASS
Band7	10MHz	QPSK	20800	1RB#0	1000~3000	-46.56	-25.0	PASS
Band7	10MHz	QPSK	20800	1RB#0	3000~18000	-39.49	-25.0	PASS
Band7	10MHz	QPSK	20800	1RB#0	18000~27000	-29.56	-25.0	PASS
Band7	10MHz	QPSK	20800	1RB#49	0.009~0.15	-74.48	-55.0	PASS
Band7	10MHz	QPSK	20800	1RB#49	0.15~30	-65.05	-45.0	PASS
Band7	10MHz	QPSK	20800	1RB#49	30~1000	-56.62	-35.0	PASS

Band7	10MHz	QPSK	20800	1RB#49	1000~3000	-46.70	-25.0	PASS
Band7	10MHz	QPSK	20800	1RB#49	3000~18000	-39.09	-25.0	PASS
Band7	10MHz	QPSK	20800	1RB#49	18000~27000	-29.93	-25.0	PASS
Band7	10MHz	QPSK	20800	50RB#0	0.009~0.15	-73.35	-55.0	PASS
Band7	10MHz	QPSK	20800	50RB#0	0.15~30	-64.21	-45.0	PASS
Band7	10MHz	QPSK	20800	50RB#0	30~1000	-56.88	-35.0	PASS
Band7	10MHz	QPSK	20800	50RB#0	1000~3000	-46.41	-25.0	PASS
Band7	10MHz	QPSK	20800	50RB#0	3000~18000	-38.95	-25.0	PASS
Band7	10MHz	QPSK	20800	50RB#0	18000~27000	-29.59	-25.0	PASS
Band7	10MHz	16QAM	20800	1RB#0	0.009~0.15	-73.75	-55.0	PASS
Band7	10MHz	16QAM	20800	1RB#0	0.15~30	-64.11	-45.0	PASS
Band7	10MHz	16QAM	20800	1RB#0	30~1000	-57.06	-35.0	PASS
Band7	10MHz	16QAM	20800	1RB#0	1000~3000	-42.92	-25.0	PASS
Band7	10MHz	16QAM	20800	1RB#0	3000~18000	-39.23	-25.0	PASS
Band7	10MHz	16QAM	20800	1RB#0	18000~27000	-29.90	-25.0	PASS
Band7	10MHz	16QAM	20800	1RB#49	0.009~0.15	-72.12	-55.0	PASS
Band7	10MHz	16QAM	20800	1RB#49	0.15~30	-63.18	-45.0	PASS
Band7	10MHz	16QAM	20800	1RB#49	30~1000	-55.84	-35.0	PASS
Band7	10MHz	16QAM	20800	1RB#49	1000~3000	-46.68	-25.0	PASS
Band7	10MHz	16QAM	20800	1RB#49	3000~18000	-39.40	-25.0	PASS
Band7	10MHz	16QAM	20800	1RB#49	18000~27000	-30.07	-25.0	PASS
Band7	10MHz	QPSK	21100	1RB#0	0.009~0.15	-73.86	-55.0	PASS
Band7	10MHz	QPSK	21100	1RB#0	0.15~30	-64.83	-45.0	PASS
Band7	10MHz	QPSK	21100	1RB#0	30~1000	-56.69	-35.0	PASS
Band7	10MHz	QPSK	21100	1RB#0	1000~3000	-44.91	-25.0	PASS
Band7	10MHz	QPSK	21100	1RB#0	3000~18000	-39.17	-25.0	PASS
Band7	10MHz	QPSK	21100	1RB#0	18000~27000	-29.80	-25.0	PASS
Band7	10MHz	QPSK	21100	1RB#49	0.009~0.15	-73.07	-55.0	PASS
Band7	10MHz	QPSK	21100	1RB#49	0.15~30	-66.16	-45.0	PASS
Band7	10MHz	QPSK	21100	1RB#49	30~1000	-55.91	-35.0	PASS
Band7	10MHz	QPSK	21100	1RB#49	1000~3000	-46.75	-25.0	PASS
Band7	10MHz	QPSK	21100	1RB#49	3000~18000	-39.20	-25.0	PASS
Band7	10MHz	QPSK	21100	1RB#49	18000~27000	-29.83	-25.0	PASS
Band7	10MHz	QPSK	21100	50RB#0	0.009~0.15	-73.79	-55.0	PASS
Band7	10MHz	QPSK	21100	50RB#0	0.15~30	-64.36	-45.0	PASS
Band7	10MHz	QPSK	21100	50RB#0	30~1000	-55.73	-35.0	PASS
Band7	10MHz	QPSK	21100	50RB#0	1000~3000	-46.70	-25.0	PASS
Band7	10MHz	QPSK	21100	50RB#0	3000~18000	-39.25	-25.0	PASS
Band7	10MHz	QPSK	21100	50RB#0	18000~27000	-29.58	-25.0	PASS
Band7	10MHz	16QAM	21100	1RB#0	0.009~0.15	-74.20	-55.0	PASS
Band7	10MHz	16QAM	21100	1RB#0	0.15~30	-64.44	-45.0	PASS

Band7	10MHz	16QAM	21100	1RB#0	30~1000	-56.03	-35.0	PASS
Band7	10MHz	16QAM	21100	1RB#0	1000~3000	-46.51	-25.0	PASS
Band7	10MHz	16QAM	21100	1RB#0	3000~18000	-39.37	-25.0	PASS
Band7	10MHz	16QAM	21100	1RB#0	18000~27000	-29.80	-25.0	PASS
Band7	10MHz	16QAM	21100	1RB#49	0.009~0.15	-73.29	-55.0	PASS
Band7	10MHz	16QAM	21100	1RB#49	0.15~30	-65.14	-45.0	PASS
Band7	10MHz	16QAM	21100	1RB#49	30~1000	-56.10	-35.0	PASS
Band7	10MHz	16QAM	21100	1RB#49	1000~3000	-46.58	-25.0	PASS
Band7	10MHz	16QAM	21100	1RB#49	3000~18000	-39.27	-25.0	PASS
Band7	10MHz	16QAM	21100	1RB#49	18000~27000	-29.88	-25.0	PASS
Band7	10MHz	QPSK	21400	1RB#0	0.009~0.15	-74.11	-55.0	PASS
Band7	10MHz	QPSK	21400	1RB#0	0.15~30	-64.09	-45.0	PASS
Band7	10MHz	QPSK	21400	1RB#0	30~1000	-56.87	-35.0	PASS
Band7	10MHz	QPSK	21400	1RB#0	1000~3000	-46.56	-25.0	PASS
Band7	10MHz	QPSK	21400	1RB#0	3000~18000	-39.26	-25.0	PASS
Band7	10MHz	QPSK	21400	1RB#0	18000~27000	-29.90	-25.0	PASS
Band7	10MHz	QPSK	21400	1RB#49	0.009~0.15	-72.49	-55.0	PASS
Band7	10MHz	QPSK	21400	1RB#49	0.15~30	-63.73	-45.0	PASS
Band7	10MHz	QPSK	21400	1RB#49	30~1000	-56.48	-35.0	PASS
Band7	10MHz	QPSK	21400	1RB#49	1000~3000	-46.81	-25.0	PASS
Band7	10MHz	QPSK	21400	1RB#49	3000~18000	-39.28	-25.0	PASS
Band7	10MHz	QPSK	21400	1RB#49	18000~27000	-30.04	-25.0	PASS
Band7	10MHz	QPSK	21400	50RB#0	0.009~0.15	-73.91	-55.0	PASS
Band7	10MHz	QPSK	21400	50RB#0	0.15~30	-62.59	-45.0	PASS
Band7	10MHz	QPSK	21400	50RB#0	30~1000	-56.46	-35.0	PASS
Band7	10MHz	QPSK	21400	50RB#0	1000~3000	-46.90	-25.0	PASS
Band7	10MHz	QPSK	21400	50RB#0	3000~18000	-38.81	-25.0	PASS
Band7	10MHz	QPSK	21400	50RB#0	18000~27000	-29.81	-25.0	PASS
Band7	10MHz	16QAM	21400	1RB#0	0.009~0.15	-73.54	-55.0	PASS
Band7	10MHz	16QAM	21400	1RB#0	0.15~30	-64.96	-45.0	PASS
Band7	10MHz	16QAM	21400	1RB#0	30~1000	-56.33	-35.0	PASS
Band7	10MHz	16QAM	21400	1RB#0	1000~3000	-46.59	-25.0	PASS
Band7	10MHz	16QAM	21400	1RB#0	3000~18000	-39.18	-25.0	PASS
Band7	10MHz	16QAM	21400	1RB#0	18000~27000	-30.01	-25.0	PASS
Band7	10MHz	16QAM	21400	1RB#49	0.009~0.15	-74.12	-55.0	PASS
Band7	10MHz	16QAM	21400	1RB#49	0.15~30	-64.67	-45.0	PASS
Band7	10MHz	16QAM	21400	1RB#49	30~1000	-56.67	-35.0	PASS
Band7	10MHz	16QAM	21400	1RB#49	1000~3000	-46.66	-25.0	PASS
Band7	10MHz	16QAM	21400	1RB#49	3000~18000	-39.37	-25.0	PASS
Band7	10MHz	16QAM	21400	1RB#49	18000~27000	-29.99	-25.0	PASS
Band7	15MHz	QPSK	20825	1RB#0	0.009~0.15	-73.26	-55.0	PASS

Band7	15MHz	QPSK	20825	1RB#0	0.15~30	-64.26	-45.0	PASS
Band7	15MHz	QPSK	20825	1RB#0	30~1000	-56.54	-35.0	PASS
Band7	15MHz	QPSK	20825	1RB#0	1000~3000	-47.13	-25.0	PASS
Band7	15MHz	QPSK	20825	1RB#0	3000~18000	-39.47	-25.0	PASS
Band7	15MHz	QPSK	20825	1RB#0	18000~27000	-29.74	-25.0	PASS
Band7	15MHz	QPSK	20825	1RB#74	0.009~0.15	-73.29	-55.0	PASS
Band7	15MHz	QPSK	20825	1RB#74	0.15~30	-64.09	-45.0	PASS
Band7	15MHz	QPSK	20825	1RB#74	30~1000	-56.23	-35.0	PASS
Band7	15MHz	QPSK	20825	1RB#74	1000~3000	-47.01	-25.0	PASS
Band7	15MHz	QPSK	20825	1RB#74	3000~18000	-39.17	-25.0	PASS
Band7	15MHz	QPSK	20825	1RB#74	18000~27000	-29.83	-25.0	PASS
Band7	15MHz	QPSK	20825	75RB#0	0.009~0.15	-74.00	-55.0	PASS
Band7	15MHz	QPSK	20825	75RB#0	0.15~30	-65.11	-45.0	PASS
Band7	15MHz	QPSK	20825	75RB#0	30~1000	-55.88	-35.0	PASS
Band7	15MHz	QPSK	20825	75RB#0	1000~3000	-47.11	-25.0	PASS
Band7	15MHz	QPSK	20825	75RB#0	3000~18000	-39.43	-25.0	PASS
Band7	15MHz	QPSK	20825	75RB#0	18000~27000	-29.87	-25.0	PASS
Band7	15MHz	16QAM	20825	1RB#0	0.009~0.15	-72.97	-55.0	PASS
Band7	15MHz	16QAM	20825	1RB#0	0.15~30	-65.53	-45.0	PASS
Band7	15MHz	16QAM	20825	1RB#0	30~1000	-56.56	-35.0	PASS
Band7	15MHz	16QAM	20825	1RB#0	1000~3000	-47.09	-25.0	PASS
Band7	15MHz	16QAM	20825	1RB#0	3000~18000	-38.95	-25.0	PASS
Band7	15MHz	16QAM	20825	1RB#0	18000~27000	-30.07	-25.0	PASS
Band7	15MHz	16QAM	20825	1RB#74	0.009~0.15	-73.59	-55.0	PASS
Band7	15MHz	16QAM	20825	1RB#74	0.15~30	-65.22	-45.0	PASS
Band7	15MHz	16QAM	20825	1RB#74	30~1000	-57.16	-35.0	PASS
Band7	15MHz	16QAM	20825	1RB#74	1000~3000	-47.03	-25.0	PASS
Band7	15MHz	16QAM	20825	1RB#74	3000~18000	-39.43	-25.0	PASS
Band7	15MHz	16QAM	20825	1RB#74	18000~27000	-29.63	-25.0	PASS
Band7	15MHz	QPSK	21100	1RB#0	0.009~0.15	-72.61	-55.0	PASS
Band7	15MHz	QPSK	21100	1RB#0	0.15~30	-64.78	-45.0	PASS
Band7	15MHz	QPSK	21100	1RB#0	30~1000	-56.45	-35.0	PASS
Band7	15MHz	QPSK	21100	1RB#0	1000~3000	-47.11	-25.0	PASS
Band7	15MHz	QPSK	21100	1RB#0	3000~18000	-39.02	-25.0	PASS
Band7	15MHz	QPSK	21100	1RB#0	18000~27000	-29.49	-25.0	PASS
Band7	15MHz	QPSK	21100	1RB#74	0.009~0.15	-72.90	-55.0	PASS
Band7	15MHz	QPSK	21100	1RB#74	0.15~30	-66.27	-45.0	PASS
Band7	15MHz	QPSK	21100	1RB#74	30~1000	-56.55	-35.0	PASS
Band7	15MHz	QPSK	21100	1RB#74	1000~3000	-47.11	-25.0	PASS
Band7	15MHz	QPSK	21100	1RB#74	3000~18000	-39.26	-25.0	PASS
Band7	15MHz	QPSK	21100	1RB#74	18000~27000	-30.02	-25.0	PASS

Band7	15MHz	QPSK	21100	75RB#0	0.009~0.15	-73.83	-55.0	PASS
Band7	15MHz	QPSK	21100	75RB#0	0.15~30	-64.54	-45.0	PASS
Band7	15MHz	QPSK	21100	75RB#0	30~1000	-56.73	-35.0	PASS
Band7	15MHz	QPSK	21100	75RB#0	1000~3000	-47.23	-25.0	PASS
Band7	15MHz	QPSK	21100	75RB#0	3000~18000	-38.80	-25.0	PASS
Band7	15MHz	QPSK	21100	75RB#0	18000~27000	-29.83	-25.0	PASS
Band7	15MHz	16QAM	21100	1RB#0	0.009~0.15	-75.27	-55.0	PASS
Band7	15MHz	16QAM	21100	1RB#0	0.15~30	-64.79	-45.0	PASS
Band7	15MHz	16QAM	21100	1RB#0	30~1000	-56.31	-35.0	PASS
Band7	15MHz	16QAM	21100	1RB#0	1000~3000	-47.01	-25.0	PASS
Band7	15MHz	16QAM	21100	1RB#0	3000~18000	-39.10	-25.0	PASS
Band7	15MHz	16QAM	21100	1RB#0	18000~27000	-29.74	-25.0	PASS
Band7	15MHz	16QAM	21100	1RB#74	0.009~0.15	-73.17	-55.0	PASS
Band7	15MHz	16QAM	21100	1RB#74	0.15~30	-63.67	-45.0	PASS
Band7	15MHz	16QAM	21100	1RB#74	30~1000	-56.58	-35.0	PASS
Band7	15MHz	16QAM	21100	1RB#74	1000~3000	-46.78	-25.0	PASS
Band7	15MHz	16QAM	21100	1RB#74	3000~18000	-39.42	-25.0	PASS
Band7	15MHz	16QAM	21100	1RB#74	18000~27000	-29.86	-25.0	PASS
Band7	15MHz	QPSK	21375	1RB#0	0.009~0.15	-73.70	-55.0	PASS
Band7	15MHz	QPSK	21375	1RB#0	0.15~30	-63.54	-45.0	PASS
Band7	15MHz	QPSK	21375	1RB#0	30~1000	-56.69	-35.0	PASS
Band7	15MHz	QPSK	21375	1RB#0	1000~3000	-39.51	-25.0	PASS
Band7	15MHz	QPSK	21375	1RB#0	3000~18000	-39.07	-25.0	PASS
Band7	15MHz	QPSK	21375	1RB#0	18000~27000	-29.78	-25.0	PASS
Band7	15MHz	QPSK	21375	1RB#74	0.009~0.15	-73.40	-55.0	PASS
Band7	15MHz	QPSK	21375	1RB#74	0.15~30	-63.47	-45.0	PASS
Band7	15MHz	QPSK	21375	1RB#74	30~1000	-56.84	-35.0	PASS
Band7	15MHz	QPSK	21375	1RB#74	1000~3000	-44.85	-25.0	PASS
Band7	15MHz	QPSK	21375	1RB#74	3000~18000	-39.29	-25.0	PASS
Band7	15MHz	QPSK	21375	1RB#74	18000~27000	-30.06	-25.0	PASS
Band7	15MHz	QPSK	21375	75RB#0	0.009~0.15	-73.04	-55.0	PASS
Band7	15MHz	QPSK	21375	75RB#0	0.15~30	-64.76	-45.0	PASS
Band7	15MHz	QPSK	21375	75RB#0	30~1000	-56.37	-35.0	PASS
Band7	15MHz	QPSK	21375	75RB#0	1000~3000	-47.00	-25.0	PASS
Band7	15MHz	QPSK	21375	75RB#0	3000~18000	-39.57	-25.0	PASS
Band7	15MHz	QPSK	21375	75RB#0	18000~27000	-29.98	-25.0	PASS
Band7	15MHz	16QAM	21375	1RB#0	0.009~0.15	-73.10	-55.0	PASS
Band7	15MHz	16QAM	21375	1RB#0	0.15~30	-62.99	-45.0	PASS
Band7	15MHz	16QAM	21375	1RB#0	30~1000	-56.62	-35.0	PASS
Band7	15MHz	16QAM	21375	1RB#0	1000~3000	-43.26	-25.0	PASS
Band7	15MHz	16QAM	21375	1RB#0	3000~18000	-39.27	-25.0	PASS

Band7	15MHz	16QAM	21375	1RB#0	18000~27000	-29.83	-25.0	PASS
Band7	15MHz	16QAM	21375	1RB#74	0.009~0.15	-74.39	-55.0	PASS
Band7	15MHz	16QAM	21375	1RB#74	0.15~30	-65.62	-45.0	PASS
Band7	15MHz	16QAM	21375	1RB#74	30~1000	-56.66	-35.0	PASS
Band7	15MHz	16QAM	21375	1RB#74	1000~3000	-44.40	-25.0	PASS
Band7	15MHz	16QAM	21375	1RB#74	3000~18000	-39.23	-25.0	PASS
Band7	15MHz	16QAM	21375	1RB#74	18000~27000	-30.00	-25.0	PASS
Band7	20MHz	QPSK	20850	1RB#0	0.009~0.15	-74.08	-55.0	PASS
Band7	20MHz	QPSK	20850	1RB#0	0.15~30	-63.43	-45.0	PASS
Band7	20MHz	QPSK	20850	1RB#0	30~1000	-56.62	-35.0	PASS
Band7	20MHz	QPSK	20850	1RB#0	1000~3000	-47.03	-25.0	PASS
Band7	20MHz	QPSK	20850	1RB#0	3000~18000	-39.32	-25.0	PASS
Band7	20MHz	QPSK	20850	1RB#0	18000~27000	-29.98	-25.0	PASS
Band7	20MHz	QPSK	20850	1RB#99	0.009~0.15	-72.92	-55.0	PASS
Band7	20MHz	QPSK	20850	1RB#99	0.15~30	-64.51	-45.0	PASS
Band7	20MHz	QPSK	20850	1RB#99	30~1000	-56.77	-35.0	PASS
Band7	20MHz	QPSK	20850	1RB#99	1000~3000	-46.93	-25.0	PASS
Band7	20MHz	QPSK	20850	1RB#99	3000~18000	-39.50	-25.0	PASS
Band7	20MHz	QPSK	20850	1RB#99	18000~27000	-29.90	-25.0	PASS
Band7	20MHz	QPSK	20850	100RB#0	0.009~0.15	-74.83	-55.0	PASS
Band7	20MHz	QPSK	20850	100RB#0	0.15~30	-64.62	-45.0	PASS
Band7	20MHz	QPSK	20850	100RB#0	30~1000	-56.70	-35.0	PASS
Band7	20MHz	QPSK	20850	100RB#0	1000~3000	-47.12	-25.0	PASS
Band7	20MHz	QPSK	20850	100RB#0	3000~18000	-39.20	-25.0	PASS
Band7	20MHz	QPSK	20850	100RB#0	18000~27000	-29.88	-25.0	PASS
Band7	20MHz	16QAM	20850	1RB#0	0.009~0.15	-71.47	-55.0	PASS
Band7	20MHz	16QAM	20850	1RB#0	0.15~30	-64.67	-45.0	PASS
Band7	20MHz	16QAM	20850	1RB#0	30~1000	-56.46	-35.0	PASS
Band7	20MHz	16QAM	20850	1RB#0	1000~3000	-47.27	-25.0	PASS
Band7	20MHz	16QAM	20850	1RB#0	3000~18000	-39.51	-25.0	PASS
Band7	20MHz	16QAM	20850	1RB#0	18000~27000	-29.81	-25.0	PASS
Band7	20MHz	16QAM	20850	1RB#99	0.009~0.15	-70.16	-55.0	PASS
Band7	20MHz	16QAM	20850	1RB#99	0.15~30	-64.30	-45.0	PASS
Band7	20MHz	16QAM	20850	1RB#99	30~1000	-55.45	-35.0	PASS
Band7	20MHz	16QAM	20850	1RB#99	1000~3000	-46.98	-25.0	PASS
Band7	20MHz	16QAM	20850	1RB#99	3000~18000	-39.41	-25.0	PASS
Band7	20MHz	16QAM	20850	1RB#99	18000~27000	-30.10	-25.0	PASS
Band7	20MHz	QPSK	21100	1RB#0	0.009~0.15	-73.38	-55.0	PASS
Band7	20MHz	QPSK	21100	1RB#0	0.15~30	-64.08	-45.0	PASS
Band7	20MHz	QPSK	21100	1RB#0	30~1000	-56.28	-35.0	PASS
Band7	20MHz	QPSK	21100	1RB#0	1000~3000	-47.01	-25.0	PASS

Band7	20MHz	QPSK	21100	1RB#0	3000~18000	-39.02	-25.0	PASS
Band7	20MHz	QPSK	21100	1RB#0	18000~27000	-29.80	-25.0	PASS
Band7	20MHz	QPSK	21100	1RB#99	0.009~0.15	-73.84	-55.0	PASS
Band7	20MHz	QPSK	21100	1RB#99	0.15~30	-67.03	-45.0	PASS
Band7	20MHz	QPSK	21100	1RB#99	30~1000	-56.28	-35.0	PASS
Band7	20MHz	QPSK	21100	1RB#99	1000~3000	-46.41	-25.0	PASS
Band7	20MHz	QPSK	21100	1RB#99	3000~18000	-39.30	-25.0	PASS
Band7	20MHz	QPSK	21100	1RB#99	18000~27000	-30.21	-25.0	PASS
Band7	20MHz	QPSK	21100	100RB#0	0.009~0.15	-73.36	-55.0	PASS
Band7	20MHz	QPSK	21100	100RB#0	0.15~30	-64.77	-45.0	PASS
Band7	20MHz	QPSK	21100	100RB#0	30~1000	-57.13	-35.0	PASS
Band7	20MHz	QPSK	21100	100RB#0	1000~3000	-46.97	-25.0	PASS
Band7	20MHz	QPSK	21100	100RB#0	3000~18000	-39.23	-25.0	PASS
Band7	20MHz	QPSK	21100	100RB#0	18000~27000	-29.54	-25.0	PASS
Band7	20MHz	16QAM	21100	1RB#0	0.009~0.15	-73.07	-55.0	PASS
Band7	20MHz	16QAM	21100	1RB#0	0.15~30	-63.53	-45.0	PASS
Band7	20MHz	16QAM	21100	1RB#0	30~1000	-56.15	-35.0	PASS
Band7	20MHz	16QAM	21100	1RB#0	1000~3000	-47.27	-25.0	PASS
Band7	20MHz	16QAM	21100	1RB#0	3000~18000	-39.04	-25.0	PASS
Band7	20MHz	16QAM	21100	1RB#0	18000~27000	-29.89	-25.0	PASS
Band7	20MHz	16QAM	21100	1RB#99	0.009~0.15	-74.79	-55.0	PASS
Band7	20MHz	16QAM	21100	1RB#99	0.15~30	-62.83	-45.0	PASS
Band7	20MHz	16QAM	21100	1RB#99	30~1000	-56.68	-35.0	PASS
Band7	20MHz	16QAM	21100	1RB#99	1000~3000	-47.10	-25.0	PASS
Band7	20MHz	16QAM	21100	1RB#99	3000~18000	-39.06	-25.0	PASS
Band7	20MHz	16QAM	21100	1RB#99	18000~27000	-29.99	-25.0	PASS
Band7	20MHz	QPSK	21350	1RB#0	0.009~0.15	-74.71	-55.0	PASS
Band7	20MHz	QPSK	21350	1RB#0	0.15~30	-63.40	-45.0	PASS
Band7	20MHz	QPSK	21350	1RB#0	30~1000	-56.11	-35.0	PASS
Band7	20MHz	QPSK	21350	1RB#0	1000~3000	-46.80	-25.0	PASS
Band7	20MHz	QPSK	21350	1RB#0	3000~18000	-39.24	-25.0	PASS
Band7	20MHz	QPSK	21350	1RB#0	18000~27000	-29.91	-25.0	PASS
Band7	20MHz	QPSK	21350	1RB#99	0.009~0.15	-73.52	-55.0	PASS
Band7	20MHz	QPSK	21350	1RB#99	0.15~30	-66.22	-45.0	PASS
Band7	20MHz	QPSK	21350	1RB#99	30~1000	-56.44	-35.0	PASS
Band7	20MHz	QPSK	21350	1RB#99	1000~3000	-46.19	-25.0	PASS
Band7	20MHz	QPSK	21350	1RB#99	3000~18000	-39.05	-25.0	PASS
Band7	20MHz	QPSK	21350	1RB#99	18000~27000	-29.75	-25.0	PASS
Band7	20MHz	QPSK	21350	100RB#0	0.009~0.15	-73.86	-55.0	PASS
Band7	20MHz	QPSK	21350	100RB#0	0.15~30	-65.30	-45.0	PASS
Band7	20MHz	QPSK	21350	100RB#0	30~1000	-56.75	-35.0	PASS

Band7	20MHz	QPSK	21350	100RB#0	1000~3000	-46.09	-25.0	PASS
Band7	20MHz	QPSK	21350	100RB#0	3000~18000	-39.39	-25.0	PASS
Band7	20MHz	QPSK	21350	100RB#0	18000~27000	-29.90	-25.0	PASS
Band7	20MHz	16QAM	21350	1RB#0	0.009~0.15	-74.66	-55.0	PASS
Band7	20MHz	16QAM	21350	1RB#0	0.15~30	-66.21	-45.0	PASS
Band7	20MHz	16QAM	21350	1RB#0	30~1000	-56.27	-35.0	PASS
Band7	20MHz	16QAM	21350	1RB#0	1000~3000	-34.53	-25.0	PASS
Band7	20MHz	16QAM	21350	1RB#0	3000~18000	-39.17	-25.0	PASS
Band7	20MHz	16QAM	21350	1RB#0	18000~27000	-29.82	-25.0	PASS
Band7	20MHz	16QAM	21350	1RB#99	0.009~0.15	-73.48	-55.0	PASS
Band7	20MHz	16QAM	21350	1RB#99	0.15~30	-66.02	-45.0	PASS
Band7	20MHz	16QAM	21350	1RB#99	30~1000	-57.12	-35.0	PASS
Band7	20MHz	16QAM	21350	1RB#99	1000~3000	-46.38	-25.0	PASS
Band7	20MHz	16QAM	21350	1RB#99	3000~18000	-39.15	-25.0	PASS
Band7	20MHz	16QAM	21350	1RB#99	18000~27000	-30.03	-25.0	PASS


Note:


9kHz-150kHz Limit: $-55 = -25 - 10 \cdot \log(1000/1)$


150kHz-30MHz Limit: $-45 = -25 - 10 \cdot \log(1000/10)$

30MHz-1GHz Limit: $-35 = -25 - 10 \cdot \log(1000/100)$

Test Graphs









Band7-5MHz-QPSK-20775-25RB#0-0.009~0.15-PASS




Band7-5MHz-QPSK-20775-25RB#0-0.15~30-PASS



Band7-5MHz-QPSK-20775-25RB#0-30~1000-PASS




Band7-5MHz-QPSK-20775-25RB#0-1000~3000-PASS




Band7-5MHz-QPSK-20775-25RB#0-3000~18000-PAS

S




Band7-5MHz-QPSK-20775-25RB#0-18000~27000-PAS

S




Band7-5MHz-16QAM-20775-1RB#0-0.009~0.15-PAS


S




Band7-5MHz-16QAM-20775-1RB#0-0.15~30-PASS



Band7-5MHz-16QAM-20775-1RB#0-30~1000-PASS




Band7-5MHz-16QAM-20775-1RB#0-1000~3000-PASS







Band7-5MHz-16QAM-20775-1RB#0-3000~18000-PAS


S



Band7-5MHz-16QAM-20775-1RB#0-18000~27000-PAS


S

	
Band7-5MHz-16QAM-20775-1RB#24-0.009~0.15-PAS S	Band7-5MHz-16QAM-20775-1RB#24-0.15~30-PASS
	
Band7-5MHz-16QAM-20775-1RB#24-30~1000-PASS	Band7-5MHz-16QAM-20775-1RB#24-1000~3000-PAS S
	
Band7-5MHz-16QAM-20775-1RB#24-3000~18000-PA SS	Band7-5MHz-16QAM-20775-1RB#24-18000~27000-PA SS




Band7-5MHz-16QAM-20775-25RB#0-0.009~0.15-PAS


S



Band7-5MHz-16QAM-20775-25RB#0-0.15~30-PASS




Band7-5MHz-16QAM-20775-25RB#0-30~1000-PASS




Band7-5MHz-16QAM-20775-25RB#0-1000~3000-PAS

S




Band7-5MHz-16QAM-20775-25RB#0-3000~18000-PA

SS




Band7-5MHz-16QAM-20775-25RB#0-18000~27000-PA


SS




Band7-5MHz-QPSK-21100-1RB#0-0.009~0.15-PASS




Band7-5MHz-QPSK-21100-1RB#0-0.15~30-PASS




Band7-5MHz-QPSK-21100-1RB#0-30~1000-PASS




Band7-5MHz-QPSK-21100-1RB#0-1000~3000-PASS





Band7-5MHz-QPSK-21100-1RB#0-3000~18000-PASS





Band7-5MHz-QPSK-21100-1RB#0-18000~27000-PASS














Band7-5MHz-16QAM-21100-25RB#0-0.009~0.15-PAS
S




Band7-5MHz-16QAM-21100-25RB#0-0.15~30-PASS




Band7-5MHz-16QAM-21100-25RB#0-30~1000-PASS




Band7-5MHz-16QAM-21100-25RB#0-1000~3000-PASS



Band7-5MHz-16QAM-21100-25RB#0-3000~18000-PA
SS




Band7-5MHz-16QAM-21100-25RB#0-18000~27000-PA
SS




Band7-5MHz-QPSK-21425-1RB#0-0.009~0.15-PASS




Band7-5MHz-QPSK-21425-1RB#0-0.15~30-PASS




Band7-5MHz-QPSK-21425-1RB#0-30~1000-PASS




Band7-5MHz-QPSK-21425-1RB#0-1000~3000-PASS




Band7-5MHz-QPSK-21425-1RB#0-3000~18000-PASS




Band7-5MHz-QPSK-21425-1RB#0-18000~27000-PASS







Band7-5MHz-QPSK-21425-25RB#0-0.009~0.15-PASS




Band7-5MHz-QPSK-21425-25RB#0-0.15~30-PASS



Band7-5MHz-QPSK-21425-25RB#0-30~1000-PASS




Band7-5MHz-QPSK-21425-25RB#0-1000~3000-PASS




Band7-5MHz-QPSK-21425-25RB#0-3000~18000-PAS






S








Band7-5MHz-QPSK-21425-25RB#0-18000~27000-PAS

S




	
Band7-5MHz-16QAM-21425-1RB#24-0.009~0.15-PAS S	Band7-5MHz-16QAM-21425-1RB#24-0.15~30-PASS
	
Band7-5MHz-16QAM-21425-1RB#24-30~1000-PASS	Band7-5MHz-16QAM-21425-1RB#24-1000~3000-PAS S
	
Band7-5MHz-16QAM-21425-1RB#24-3000~18000-PA SS	Band7-5MHz-16QAM-21425-1RB#24-18000~27000-PA SS

	
Band7-5MHz-16QAM-21425-25RB#0-0.009~0.15-PAS S	Band7-5MHz-16QAM-21425-25RB#0-0.15~30-PASS
	
Band7-5MHz-16QAM-21425-25RB#0-30~1000-PASS	Band7-5MHz-16QAM-21425-25RB#0-1000~3000-PAS S
	
Band7-5MHz-16QAM-21425-25RB#0-3000~18000-PA SS	Band7-5MHz-16QAM-21425-25RB#0-18000~27000-PA SS




S


S




Band7-10MHz-QPSK-20800-50RB#0-0.009~0.15-PAS S	Band7-10MHz-QPSK-20800-50RB#0-0.15~30-PASS
Band7-10MHz-QPSK-20800-50RB#0-30~1000-PASS	Band7-10MHz-QPSK-20800-50RB#0-1000~3000-PASS
Band7-10MHz-QPSK-20800-50RB#0-3000~18000-PA SS	Band7-10MHz-QPSK-20800-50RB#0-18000~27000-PA SS




Band7-10MHz-16QAM-20800-1RB#0-0.009~0.15-PAS
S




Band7-10MHz-16QAM-20800-1RB#0-0.15~30-PASS




Band7-10MHz-16QAM-20800-1RB#0-30~1000-PASS



Band7-10MHz-16QAM-20800-1RB#0-1000~3000-PAS
S



Band7-10MHz-16QAM-20800-1RB#0-3000~18000-PA
SS



Band7-10MHz-16QAM-20800-1RB#0-18000~27000-PA
SS