

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2537.5	1	0	23.22	3.78	27.00	<=33.01	Pass
			13	23.03	3.78	26.81	<=33.01	Pass
			24	23.22	3.78	27.00	<=33.01	Pass
		12	0	21.82	3.78	25.60	<=33.01	Pass
			6	21.83	3.78	25.61	<=33.01	Pass
			13	21.81	3.78	25.59	<=33.01	Pass
		25	0	21.83	3.78	25.61	<=33.01	Pass
	2605	1	0	22.61	3.78	26.39	<=33.01	Pass
			13	22.30	3.78	26.08	<=33.01	Pass
			24	22.40	3.78	26.18	<=33.01	Pass
		12	0	21.18	3.78	24.96	<=33.01	Pass
			6	21.17	3.78	24.95	<=33.01	Pass
			13	21.15	3.78	24.93	<=33.01	Pass
	25	0	21.16	3.78	24.94	<=33.01	Pass	
	2672.5	1	0	23.03	3.78	26.81	<=33.01	Pass
			13	22.73	3.78	26.51	<=33.01	Pass
			24	22.96	3.78	26.74	<=33.01	Pass
		12	0	21.81	3.78	25.59	<=33.01	Pass
			6	21.88	3.78	25.66	<=33.01	Pass
			13	21.85	3.78	25.63	<=33.01	Pass
		25	0	21.86	3.78	25.64	<=33.01	Pass
16QAM	2537.5	1	0	22.39	3.78	26.17	<=33.01	Pass
			13	22.10	3.78	25.88	<=33.01	Pass
			24	22.36	3.78	26.14	<=33.01	Pass
		12	0	20.96	3.78	24.74	<=33.01	Pass
			6	20.98	3.78	24.76	<=33.01	Pass
			13	20.95	3.78	24.73	<=33.01	Pass
		25	0	20.97	3.78	24.75	<=33.01	Pass
	2605	1	0	21.75	3.78	25.53	<=33.01	Pass
			13	21.40	3.78	25.18	<=33.01	Pass
			24	21.65	3.78	25.43	<=33.01	Pass
		12	0	20.31	3.78	24.09	<=33.01	Pass
			6	20.30	3.78	24.08	<=33.01	Pass
			13	20.25	3.78	24.03	<=33.01	Pass
	25	0	20.29	3.78	24.07	<=33.01	Pass	
	2672.5	1	0	22.28	3.78	26.06	<=33.01	Pass
			13	22.10	3.78	25.88	<=33.01	Pass
			24	22.26	3.78	26.04	<=33.01	Pass
		12	0	20.92	3.78	24.70	<=33.01	Pass
6			20.95	3.78	24.73	<=33.01	Pass	
13			20.93	3.78	24.71	<=33.01	Pass	
25		0	20.94	3.78	24.72	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	2540	1	0	23.42	3.78	27.20	<=33.01	Pass	
			25	22.89	3.78	26.67	<=33.01	Pass	
			49	23.21	3.78	26.99	<=33.01	Pass	
		25	0	21.72	3.78	25.50	<=33.01	Pass	
			13	21.72	3.78	25.50	<=33.01	Pass	
			25	21.67	3.78	25.45	<=33.01	Pass	
		50	0	21.71	3.78	25.49	<=33.01	Pass	
		2605	1	0	22.82	3.78	26.60	<=33.01	Pass
				25	22.24	3.78	26.02	<=33.01	Pass
	49			22.50	3.78	26.28	<=33.01	Pass	
	25		0	21.13	3.78	24.91	<=33.01	Pass	
			13	21.08	3.78	24.86	<=33.01	Pass	
			25	21.03	3.78	24.81	<=33.01	Pass	
	2670	50	0	21.07	3.78	24.85	<=33.01	Pass	
			1	0	23.16	3.78	26.94	<=33.01	Pass
				25	22.71	3.78	26.49	<=33.01	Pass
		49		23.14	3.78	26.92	<=33.01	Pass	
		25	0	21.68	3.78	25.46	<=33.01	Pass	
			13	21.80	3.78	25.58	<=33.01	Pass	
	25		21.81	3.78	25.59	<=33.01	Pass		
	16QAM	2540	50	0	21.77	3.78	25.55	<=33.01	Pass
1				0	22.68	3.78	26.46	<=33.01	Pass
				25	22.02	3.78	25.80	<=33.01	Pass
			49	22.50	3.78	26.28	<=33.01	Pass	
12			0	22.10	3.78	25.88	<=33.01	Pass	
			19	21.79	3.78	25.57	<=33.01	Pass	
			38	22.03	3.78	25.81	<=33.01	Pass	
27			0	20.87	3.78	24.65	<=33.01	Pass	
2605			1	0	22.09	3.78	25.87	<=33.01	Pass
		25		21.37	3.78	25.15	<=33.01	Pass	
		49		21.84	3.78	25.62	<=33.01	Pass	
		12	0	21.57	3.78	25.35	<=33.01	Pass	
			19	21.14	3.78	24.92	<=33.01	Pass	
			38	21.35	3.78	25.13	<=33.01	Pass	
27		0	20.28	3.78	24.06	<=33.01	Pass		
2670		1	0	22.54	3.78	26.32	<=33.01	Pass	
			25	22.11	3.78	25.89	<=33.01	Pass	
			49	22.51	3.78	26.29	<=33.01	Pass	
		12	0	22.02	3.78	25.80	<=33.01	Pass	
			19	21.89	3.78	25.67	<=33.01	Pass	
			38	22.12	3.78	25.90	<=33.01	Pass	
	27	23	20.91	3.78	24.69	<=33.01	Pass		
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2542.5	1	0	22.87	3.78	26.65	<=33.01	Pass
			38	22.88	3.78	26.66	<=33.01	Pass
			74	22.75	3.78	26.53	<=33.01	Pass
		36	0	21.70	3.78	25.48	<=33.01	Pass
			18	21.73	3.78	25.51	<=33.01	Pass
			39	21.60	3.78	25.38	<=33.01	Pass

		75	0	21.64	3.78	25.42	<=33.01	Pass	
	2605	1	0	22.44	3.78	26.22	<=33.01	Pass	
			38	22.21	3.78	25.99	<=33.01	Pass	
			74	22.03	3.78	25.81	<=33.01	Pass	
			0	21.14	3.78	24.92	<=33.01	Pass	
		36	18	21.11	3.78	24.89	<=33.01	Pass	
			39	20.94	3.78	24.72	<=33.01	Pass	
			75	0	21.01	3.78	24.79	<=33.01	Pass
	2667.5	1	0	22.70	3.78	26.48	<=33.01	Pass	
			38	22.71	3.78	26.49	<=33.01	Pass	
			74	22.73	3.78	26.51	<=33.01	Pass	
		36	0	21.63	3.78	25.41	<=33.01	Pass	
			18	21.79	3.78	25.57	<=33.01	Pass	
			39	21.74	3.78	25.52	<=33.01	Pass	
		75	0	21.69	3.78	25.47	<=33.01	Pass	
	16QAM	2542.5	1	0	22.10	3.78	25.88	<=33.01	Pass
				38	22.02	3.78	25.80	<=33.01	Pass
				74	22.02	3.78	25.80	<=33.01	Pass
			12	0	21.69	3.78	25.47	<=33.01	Pass
				31	21.80	3.78	25.58	<=33.01	Pass
				63	21.55	3.78	25.33	<=33.01	Pass
			27	0	20.84	3.78	24.62	<=33.01	Pass
		2605	1	0	21.61	3.78	25.39	<=33.01	Pass
38				21.37	3.78	25.15	<=33.01	Pass	
74				21.24	3.78	25.02	<=33.01	Pass	
12			0	21.14	3.78	24.92	<=33.01	Pass	
			31	21.16	3.78	24.94	<=33.01	Pass	
			63	20.89	3.78	24.67	<=33.01	Pass	
27			0	20.25	3.78	24.03	<=33.01	Pass	
2667.5		1	0	21.93	3.78	25.71	<=33.01	Pass	
			38	22.05	3.78	25.83	<=33.01	Pass	
			74	22.12	3.78	25.90	<=33.01	Pass	
		12	0	21.56	3.78	25.34	<=33.01	Pass	
			31	21.85	3.78	25.63	<=33.01	Pass	
			63	21.71	3.78	25.49	<=33.01	Pass	
		27	48	20.83	3.78	24.61	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2545	1	0	22.79	3.78	26.57	<=33.01	Pass
			50	22.80	3.78	26.58	<=33.01	Pass
			99	22.54	3.78	26.32	<=33.01	Pass
		50	0	21.55	3.78	25.33	<=33.01	Pass
			25	21.63	3.78	25.41	<=33.01	Pass
			50	21.47	3.78	25.25	<=33.01	Pass
		100	0	21.50	3.78	25.28	<=33.01	Pass
	2605	1	0	22.39	3.78	26.17	<=33.01	Pass
			50	22.22	3.78	26.00	<=33.01	Pass
			99	21.81	3.78	25.59	<=33.01	Pass
		50	0	21.01	3.78	24.79	<=33.01	Pass
			25	21.06	3.78	24.84	<=33.01	Pass
			50	20.80	3.78	24.58	<=33.01	Pass
		100	0	20.93	3.78	24.71	<=33.01	Pass

	2665	1	0	22.47	3.78	26.25	<=33.01	Pass		
			50	22.66	3.78	26.44	<=33.01	Pass		
			99	22.58	3.78	26.36	<=33.01	Pass		
		50	0	21.51	3.78	25.29	<=33.01	Pass		
			25	21.76	3.78	25.54	<=33.01	Pass		
			50	21.65	3.78	25.43	<=33.01	Pass		
		100	0	21.63	3.78	25.41	<=33.01	Pass		
		16QAM	2545	1	0	21.98	3.78	25.76	<=33.01	Pass
					50	21.94	3.78	25.72	<=33.01	Pass
99	21.82				3.78	25.60	<=33.01	Pass		
12	0			21.52	3.78	25.30	<=33.01	Pass		
	44			21.72	3.78	25.50	<=33.01	Pass		
	88			21.41	3.78	25.19	<=33.01	Pass		
27	0			20.62	3.78	24.40	<=33.01	Pass		
2605	1			0	21.54	3.78	25.32	<=33.01	Pass	
				50	21.36	3.78	25.14	<=33.01	Pass	
			99	21.14	3.78	24.92	<=33.01	Pass		
	12		0	21.15	3.78	24.93	<=33.01	Pass		
			44	21.14	3.78	24.92	<=33.01	Pass		
			88	20.76	3.78	24.54	<=33.01	Pass		
	27		0	20.14	3.78	23.92	<=33.01	Pass		
	2665		1	0	21.74	3.78	25.52	<=33.01	Pass	
				50	22.06	3.78	25.84	<=33.01	Pass	
99				21.98	3.78	25.76	<=33.01	Pass		
12			0	21.39	3.78	25.17	<=33.01	Pass		
		44	21.85	3.78	25.63	<=33.01	Pass			
		88	21.62	3.78	25.40	<=33.01	Pass			
27		73	20.65	3.78	24.43	<=33.01	Pass			
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2605	50	0	20	3.27	22.300	0.0086	-2.5 to 2.5	Pass
					3.85	-5.100	-0.0020	-2.5 to 2.5	Pass
					4.43	-3.300	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	2.700	0.0010	-2.5 to 2.5	Pass
				-20	3.85	3.900	0.0015	-2.5 to 2.5	Pass
				-10	3.85	5.600	0.0021	-2.5 to 2.5	Pass
				0	3.85	6.800	0.0026	-2.5 to 2.5	Pass
				10	3.85	7.900	0.0030	-2.5 to 2.5	Pass
				30	3.85	8.800	0.0034	-2.5 to 2.5	Pass
				40	3.85	3.800	0.0015	-2.5 to 2.5	Pass
				50	3.85	0.000	0.0000	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band41_OBW


Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2605	25	0	4.506	/	Pass
	16QAM	2605	25	0	4.501	/	Pass
10	QPSK	2605	50	0	8.963	/	Pass
	16QAM	2605	27	0	4.945	/	Pass
15	QPSK	2605	75	0	13.401	/	Pass
	16QAM	2605	27	0	4.948	/	Pass
20	QPSK	2605	100	0	17.995	/	Pass
	16QAM	2605	27	0	4.980	/	Pass

3.1.2 Band41_XDB


Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2605	25	0	4.979	/	Pass
	16QAM	2605	25	0	5.128	/	Pass
10	QPSK	2605	50	0	9.677	/	Pass
	16QAM	2605	27	0	5.566	/	Pass
15	QPSK	2605	75	0	14.342	/	Pass
	16QAM	2605	27	0	5.490	/	Pass
20	QPSK	2605	100	0	19.170	/	Pass
	16QAM	2605	27	0	5.546	/	Pass

3.2 Test Graph


3.2.1 Band41_OBW




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2605MHz_RB_27_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2605MHz_RB_27_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_MCH_2605MHz_RB_27_0_NTNV




3.2.2 Band41_XDB




Band41_10MHz_QPSK_MCH_2605MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2605MHz_RB_27_0_NTNV






Band41_20MHz_QPSK_MCH_2605MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2605MHz_RB_27_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2605	100	0	9.30	<=13	Pass
16QAM	2605	27	0	10.00	<=13	Pass

4.2 Test Graph

4.2.1 B41_20MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2537.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2605	1	0	Refer To Test Graph		Pass
	2672.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2540	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2605	1	0	Refer To Test Graph		Pass
	2670	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2542.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2605	1	0	Refer To Test Graph		Pass
	2667.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2545	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2605	1	0	Refer To Test Graph		Pass
	2665	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B41_5MHz




Band41_5MHz_QPSK_LCH_2537.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_LCH_2537.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2537.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.700	-45.40	-25	Pass
2490.5	2496	1	CHP	2	2492.050	-45.25	-13	Pass
2496	2529	1	CHP	3	2529.000	-37.37	-25	Pass
2529	2530	1	CHP	4	2529.900	-36.40	-13	Pass
2530	2534	1	CHP	5	2533.500	-29.84	-10	Pass
2534	2535	0.1	/	6	2534.950	-31.69	-10	Pass
2535	2540	0.1	/	/	/	/	/	/


Band41_5MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2672.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2672.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2672.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_HCH_2672.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2675	0.02	CHP	/	/	/	/	/
2675	2676	0.02	CHP	1	2675.005	-24.24	-10	Pass
2676	2680	1	CHP	2	2676.500	-29.50	-10	Pass
2680	2681	1	CHP	3	2680.005	-35.24	-13	Pass
2681	2685	1	CHP	4	2683.125	-35.78	-25	Pass




5.2.2 B41_10MHz


Band41_10MHz_QPSK_LCH_2540MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2540MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2540MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_LCH_2540MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2540MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2485.800	-45.38	-25	Pass
2490.5	2496	1	CHP	2	2493.650	-45.16	-13	Pass
2496	2525.323	1	CHP	3	2520.550	-40.70	-25	Pass
2525.323	2530	1	CHP	4	2530.000	-32.73	-13	Pass
2530	2534	1	CHP	5	2533.500	-29.59	-10	Pass
2534	2535	0.194	CHP	6	2534.950	-35.21	-10	Pass
2535	2545	0.194	CHP	/	/	/	/	/


Band41_10MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2670MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2670MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_HCH_2670MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2670MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665	2675	0.02	CHP	/	/	/	/	/
2675	2676	0.02	CHP	1	2675.005	-28.65	-10	Pass
2676	2680	1	CHP	2	2676.500	-29.74	-10	Pass
2680	2684.677	1	CHP	3	2683.165	-31.66	-13	Pass
2684.677	2690	1	CHP	4	2684.680	-41.17	-25	Pass


Band41_10MHz_QPSK_HCH_2670MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2665	2675	0.194	CHP	/	/	/	/	/
2675	2676	0.194	CHP	1	2675.025	-32.29	-10	Pass
2676	2680	1	CHP	2	2676.525	-27.47	-10	Pass
2680	2684.677	1	CHP	3	2680.775	-30.06	-13	Pass
2684.677	2690	1	CHP	4	2684.850	-37.05	-25	Pass


5.2.3 B41_15MHz

Band41_15MHz_QPSK_LCH_2542.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.445	-45.15	-25	Pass
2490.5	2496	1	CHP	2	2492.390	-45.28	-13	Pass
2496	2520.554	1	CHP	3	2509.425	-38.46	-25	Pass
2520.554	2530	1	CHP	4	2530.000	-36.61	-13	Pass
2530	2534	1	CHP	5	2533.500	-33.02	-10	Pass
2534	2535	0.02	CHP	6	2534.995	-38.22	-10	Pass
2535	2550	0.02	CHP	/	/	/	/	/


Band41_15MHz_QPSK_LCH_2542.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2542.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_LCH_2542.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2542.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-44.85	-25	Pass
2490.5	2496	1	CHP	2	2495.550	-44.75	-13	Pass
2496	2520.554	1	CHP	3	2513.100	-41.85	-25	Pass
2520.554	2530	1	CHP	4	2530.000	-33.56	-13	Pass
2530	2534	1	CHP	5	2533.500	-31.25	-10	Pass
2534	2535	0.289	CHP	6	2534.950	-35.63	-10	Pass
2535	2550	0.289	CHP	/	/	/	/	/


Band41_15MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2667.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2667.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_HCH_2667.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2667.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660	2675	0.02	CHP	/	/	/	/	/
2675	2676	0.02	CHP	1	2675.085	-35.32	-10	Pass
2676	2680	1	CHP	2	2676.500	-30.84	-10	Pass
2680	2689.446	1	CHP	3	2687.455	-34.70	-13	Pass
2689.446	2695	1	CHP	4	2689.450	-45.89	-25	Pass


Band41_15MHz_QPSK_HCH_2667.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2660	2675	0.289	CHP	/	/	/	/	/
2675	2676	0.289	CHP	1	2675.015	-32.61	-10	Pass
2676	2680	1	CHP	2	2677.500	-28.08	-10	Pass
2680	2689.446	1	CHP	3	2680.090	-29.95	-13	Pass
2689.446	2695	1	CHP	4	2689.575	-38.93	-25	Pass


5.2.4 B41_20MHz

Band41_20MHz_QPSK_LCH_2545MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.430	-45.17	-25	Pass
2490.5	2496	1	CHP	2	2492.385	-45.34	-13	Pass
2496	2515.787	1	CHP	3	2500.320	-39.28	-25	Pass
2515.787	2530	1	CHP	4	2530.000	-37.12	-13	Pass
2530	2534	1	CHP	5	2533.500	-33.27	-10	Pass
2534	2535	0.02	CHP	6	2534.755	-45.76	-10	Pass
2535	2555	0.02	CHP	/	/	/	/	/


Band41_20MHz_QPSK_LCH_2545MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2545MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_LCH_2545MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2545MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.390	-46.05	-25	Pass
2490.5	2496	1	CHP	2	2490.740	-45.93	-13	Pass
2496	2515.787	1	CHP	3	2505.720	-44.21	-25	Pass
2515.787	2530	1	CHP	4	2529.940	-36.37	-13	Pass
2530	2534	1	CHP	5	2532.880	-33.72	-10	Pass
2534	2535	0.384	CHP	6	2534.980	-36.70	-10	Pass
2535	2555	0.384	CHP	/	/	/	/	/


Band41_20MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2605MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2665MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2665MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2665MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_HCH_2665MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2655	2675	0.02	CHP	/	/	/	/	/
2675	2676	0.02	CHP	1	2675.050	-40.48	-10	Pass
2676	2680	1	CHP	2	2676.500	-31.16	-10	Pass
2680	2694.213	1	CHP	3	2691.700	-35.07	-13	Pass
2694.213	2700	1	CHP	4	2699.500	-43.84	-25	Pass



---End of Report---