







11AC80MIMO_Ant5_5210




11AC80MIMO_Ant6_5210




11AC80MIMO_Ant3_5775




11AC80MIMO_Ant4_5775




11AC80MIMO_Ant5_5775




11AC80MIMO_Ant6_5775




11AX20MIMO_Ant3_5180




11AX20MIMO_Ant4_5180




11AX20MIMO_Ant5_5180




11AX20MIMO_Ant6_5180




11AX20MIMO_Ant3_5200




11AX20MIMO_Ant4_5200




11AX20MIMO_Ant5_5200




11AX20MIMO_Ant6_5200




11AX20MIMO_Ant3_5240




11AX20MIMO_Ant4_5240




11AX20MIMO_Ant5_5240




11AX20MIMO_Ant6_5240




11AX20MIMO_Ant3_5745




11AX20MIMO_Ant4_5745




11AX20MIMO_Ant5_5745




11AX20MIMO_Ant6_5745




11AX20MIMO_Ant3_5785




11AX20MIMO_Ant4_5785




11AX20MIMO_Ant5_5785




11AX20MIMO_Ant6_5785




11AX20MIMO_Ant3_5825




11AX20MIMO_Ant4 5825




11AX20MIMO_Ant5 5825




11AX20MIMO_Ant6 5825




11AX40MIMO_Ant3_5190




11AX40MIMO_Ant4_5190




11AX40MIMO_Ant5_5190




11AX40MIMO_Ant6_5190




11AX40MIMO_Ant3_5230




11AX40MIMO_Ant4_5230




11AX40MIMO_Ant5_5230




11AX40MIMO_Ant6_5230




11AX40MIMO_Ant3_5755




11AX40MIMO_Ant4 5755




11AX40MIMO_Ant5 5755




11AX40MIMO_Ant6 5755




11AX40MIMO_Ant3_5795




11AX40MIMO_Ant4_5795




11AX40MIMO_Ant5_5795




11AX40MIMO_Ant6 5795




11AX80MIMO_Ant3 5210




11AX80MIMO_Ant4 5210




11AX80MIMO_Ant5_5210




11AX80MIMO_Ant6_5210




11AX80MIMO_Ant3_5775



11AX80MIMO_Ant4 5775




11AX80MIMO_Ant5 5775





11AX80MIMO_Ant6_5775



**Appendix D: Maximum conducted output power****Test Result**

Test Mode	Antenna	Freq (MHz)	AVG Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant3	5180	1.33	94.76	0.23	1.56	≤7.73	PASS
	Ant4	5180	4.37	93.87	0.27	4.64	≤7.73	PASS
	Ant5	5180	3.56	94.26	0.26	3.82	≤7.73	PASS
	Ant6	5180	3.67	92.06	0.36	4.03	≤7.73	PASS
	Ant3	5200	1.67	93.36	0.30	1.97	≤7.73	PASS
	Ant4	5200	4.04	92.49	0.34	4.38	≤7.73	PASS
	Ant5	5200	3.05	91.63	0.38	3.43	≤7.73	PASS
	Ant6	5200	3.17	94.26	0.26	3.43	≤7.73	PASS
	Ant3	5240	1.64	92.96	0.32	1.96	≤7.73	PASS
	Ant4	5240	3.83	93.36	0.30	4.13	≤7.73	PASS
	Ant5	5240	3.16	92.92	0.32	3.48	≤7.73	PASS
	Ant6	5240	3.15	92.06	0.36	3.51	≤7.73	PASS
	Ant3	5745	11.88	93.81	0.28	12.16	≤7.73	PASS
	Ant4	5745	10.48	91.63	0.38	10.86	≤13.75	PASS
	Ant5	5745	10.97	91.63	0.38	11.35	≤13.75	PASS
	Ant6	5745	12.97	91.20	0.40	13.37	≤13.75	PASS
	Ant3	5785	11.40	95.19	0.21	11.61	≤13.75	PASS
	Ant4	5785	11.68	93.84	0.28	11.96	≤13.75	PASS
	Ant5	5785	12.35	92.13	0.36	12.71	≤13.75	PASS
	Ant6	5785	11.82	91.67	0.38	12.20	≤13.75	PASS
	Ant3	5825	10.50	97.06	0.13	10.63	≤13.75	PASS
	Ant4	5825	11.19	91.63	0.38	11.57	≤13.75	PASS
	Ant5	5825	11.66	91.67	0.38	12.04	≤13.75	PASS
	Ant6	5825	9.97	96.59	0.15	10.12	≤13.75	PASS
11N20MI MO	Ant3	5180	0.29	44.07	3.56	3.85	≤7.73	PASS
	Ant4	5180	-2.05	46.55	3.32	1.27	≤7.73	PASS
	Ant5	5180	-2.70	48.21	3.17	0.47	≤7.73	PASS
	Ant6	5180	-6.70	45.76	3.40	-3.30	≤7.73	PASS
	total	5180	---	---	---	7.28	≤7.73	PASS
	Ant3	5200	-5.87	46.55	3.32	-2.55	≤7.73	PASS
	Ant4	5200	-4.12	42.86	3.68	-0.44	≤7.73	PASS
	Ant5	5200	-5.01	44.83	3.48	-1.53	≤7.73	PASS
	Ant6	5200	-4.94	46.55	3.32	-1.62	≤7.73	PASS
	total	5200	---	---	---	4.55	≤7.73	PASS
	Ant3	5240	-5.55	40.91	3.88	-1.67	≤7.73	PASS
	Ant4	5240	-4.41	45.76	3.40	-1.01	≤7.73	PASS
	Ant5	5240	-5.03	47.37	3.24	-1.79	≤7.73	PASS
	Ant6	5240	-4.93	46.55	3.32	-1.61	≤7.73	PASS
	total	5240	---	---	---	4.51	≤7.73	PASS
	Ant3	5745	3.03	48.21	3.17	6.20	≤13.75	PASS
	Ant4	5745	1.09	48.21	3.17	4.26	≤13.75	PASS
	Ant5	5745	1.86	48.21	3.17	5.03	≤13.75	PASS
	Ant6	5745	3.75	48.21	3.17	6.92	≤13.75	PASS
	total	5745	---	---	---	11.74	≤13.75	PASS
	Ant3	5785	4.56	85.09	0.51	5.07	≤13.75	PASS
	Ant4	5785	5.59	85.09	0.51	6.10	≤13.75	PASS
	Ant5	5785	4.74	85.09	0.51	5.25	≤13.75	PASS
	Ant6	5785	5.67	85.09	0.51	6.18	≤13.75	PASS
	total	5785	---	---	---	11.7	≤13.75	PASS
	Ant3	5825	4.3	84.29	0.74	5.04	≤13.75	PASS
	Ant4	5825	4.12	85.49	0.68	4.80	≤13.75	PASS
	Ant5	5825	4.96	85.87	0.66	5.62	≤13.75	PASS
	Ant6	5825	5.65	85.80	0.67	6.32	≤13.75	PASS
	total	5825	---	---	---	11.51	≤13.75	PASS
11N40MI MO	Ant3	5190	-1.28	85.24	0.69	-0.59	≤7.73	PASS
	Ant4	5190	-0.38	85.90	0.66	0.28	≤7.73	PASS
	Ant5	5190	0.32	85.76	0.67	0.99	≤7.73	PASS
	Ant6	5190	0.33	86.05	0.65	0.98	≤7.73	PASS



	total	5190	---	---	---	6.48	≤7.73	PASS
	Ant3	5230	-1.29	85.76	0.67	-0.62	≤7.73	PASS
	Ant4	5230	-0.63	85.78	0.67	0.04	≤7.73	PASS
	Ant5	5230	-0.57	85.49	0.68	0.11	≤7.73	PASS
	Ant6	5230	-1.06	84.95	0.71	-0.35	≤7.73	PASS
	total	5230	---	---	---	5.83	≤7.73	PASS
	Ant3	5755	5.75	84.66	0.72	6.47	≤13.73	PASS
	Ant4	5755	5.67	84.82	0.72	6.39	≤13.73	PASS
	Ant5	5755	4.8	85.35	0.69	5.49	≤13.73	PASS
	Ant6	5755	5.33	84.87	0.71	6.04	≤13.73	PASS
	total	5755	---	---	---	12.13	≤13.73	PASS
	Ant3	5795	4.78	76.92	1.14	5.92	≤13.73	PASS
	Ant4	5795	5.67	75.36	1.23	6.90	≤13.73	PASS
	Ant5	5795	4.36	75.36	1.23	5.59	≤13.73	PASS
	Ant6	5795	6.15	88.10	0.55	6.70	≤13.73	PASS
	total	5795	---	---	---	12.33	≤13.73	PASS
11AC20 MIMO	Ant3	5180	-1.77	85.35	0.69	-1.08	≤7.73	PASS
	Ant4	5180	-0.40	85.76	0.67	0.27	≤7.73	PASS
	Ant5	5180	-0.91	84.16	0.75	-0.16	≤7.73	PASS
	Ant6	5180	-0.63	85.47	0.68	0.05	≤7.73	PASS
	total	5180	---	---	---	5.82	≤7.73	PASS
	Ant3	5200	-2.39	85.76	0.67	-1.72	≤7.73	PASS
	Ant4	5200	-0.58	85.53	0.68	0.10	≤7.73	PASS
	Ant5	5200	-1.00	85.40	0.69	-0.31	≤7.73	PASS
	Ant6	5200	-0.84	84.66	0.72	-0.12	≤7.73	PASS
	total	5200	---	---	---	5.56	≤7.73	PASS
	Ant3	5240	-1.90	85.22	0.69	-1.21	≤7.73	PASS
	Ant4	5240	-0.73	85.76	0.67	-0.06	≤7.73	PASS
	Ant5	5240	-1.01	85.49	0.68	-0.33	≤7.73	PASS
	Ant6	5240	-1.13	85.49	0.68	-0.45	≤7.73	PASS
	total	5240	---	---	---	5.53	≤7.73	PASS
	Ant3	5745	5.63	85.80	0.67	6.30	≤13.73	PASS
	Ant4	5745	5.00	85.80	0.67	5.67	≤13.73	PASS
	Ant5	5745	5.14	85.51	0.68	5.82	≤13.73	PASS
	Ant6	5745	5.49	85.49	0.68	6.17	≤13.73	PASS
	total	5745	---	---	---	12.02	≤13.73	PASS
	Ant3	5785	6.38	85.80	0.67	7.05	≤13.73	PASS
	Ant4	5785	6.56	85.80	0.67	7.23	≤13.73	PASS
	Ant5	5785	5.55	85.51	0.68	6.23	≤13.73	PASS
	Ant6	5785	6.24	85.49	0.68	6.92	≤13.73	PASS
	total	5785	---	---	---	12.89	≤13.73	PASS
	Ant3	5825	6.65	85.51	0.68	7.33	≤13.73	PASS
	Ant4	5825	7.33	85.35	0.69	8.02	≤13.73	PASS
	Ant5	5825	6.59	85.53	0.68	7.27	≤13.73	PASS
	Ant6	5825	6.66	84.03	0.76	7.42	≤13.73	PASS
	total	5825	---	---	---	13.54	≤13.73	PASS
11AC40 MIMO	Ant3	5190	4.81	85.78	0.67	5.48	≤7.73	PASS
	Ant4	5190	3.49	85.13	0.70	4.19	≤7.73	PASS
	Ant5	5190	3.84	85.76	0.67	4.51	≤7.73	PASS
	Ant6	5190	3.65	85.80	0.67	4.32	≤7.73	PASS
	total	5190	---	---	---	10.68	≤7.73	PASS



	Ant3	5230	5.64	85.76	0.67	6.31	≤7.73	PASS
	Ant4	5230	5.26	85.78	0.67	5.93	≤7.73	PASS
	Ant5	5230	4.43	85.74	0.67	5.10	≤7.73	PASS
	Ant6	5230	5.36	85.51	0.68	6.04	≤7.73	PASS
	total	5230	---	---	---	11.89	≤7.73	PASS
	Ant3	5755	4.91	85.13	0.70	5.61	≤13.73	PASS
	Ant4	5755	4.86	85.78	0.67	5.53	≤13.73	PASS
	Ant5	5755	5.65	86.03	0.65	6.30	≤13.73	PASS
	Ant6	5755	5.96	85.78	0.67	6.63	≤13.73	PASS
	total	5755	---	---	---	12.06	≤13.73	PASS
	Ant3	5795	6.89	85.74	0.67	7.56	≤13.73	PASS
	Ant4	5795	7.4	85.40	0.69	8.09	≤13.73	PASS
	Ant5	5795	6.51	85.09	0.70	7.21	≤13.73	PASS
	Ant6	5795	7.1	84.16	0.75	7.85	≤13.73	PASS
	total	5795	---	---	---	13.71	≤13.73	PASS
11AC80 MIMO	Ant3	5210	-2.72	85.35	0.69	-2.03	≤7.73	PASS
	Ant4	5210	-0.88	85.62	0.67	-0.21	≤7.73	PASS
	Ant5	5210	-1.67	85.76	0.67	-1.00	≤7.73	PASS
	Ant6	5210	-1.36	84.27	0.74	-0.62	≤7.73	PASS
	total	5210	---	---	---	5.11	≤7.73	PASS
	Ant3	5775	5.24	85.76	0.67	5.91	≤13.73	PASS
	Ant4	5775	5.02	85.24	0.69	5.71	≤13.73	PASS
	Ant5	5775	5.93	85.76	0.67	6.60	≤13.73	PASS
	Ant6	5775	6.47	85.49	0.68	7.15	≤13.73	PASS
	total	5775	---	---	---	12.40	≤13.73	PASS
11AX20 MIMO	Ant3	5180	-1.87	85.18	0.70	-1.17	≤7.73	PASS
	Ant4	5180	-0.63	85.51	0.68	0.05	≤7.73	PASS
	Ant5	5180	-0.99	85.51	0.68	-0.31	≤7.73	PASS
	Ant6	5180	-0.57	85.53	0.68	0.11	≤7.73	PASS
	total	5180	---	---	---	5.72	≤7.73	PASS
	Ant3	5200	-1.97	85.67	0.67	-1.30	≤7.73	PASS
	Ant4	5200	-1.28	86.08	0.65	-0.63	≤7.73	PASS
	Ant5	5200	-1.50	85.92	0.66	-0.84	≤7.73	PASS
	Ant6	5200	-1.35	85.27	0.69	-0.66	≤7.73	PASS
	total	5200	---	---	---	5.17	≤7.73	PASS
	Ant3	5240	-2.28	85.80	0.67	-1.61	≤7.73	PASS
	Ant4	5240	-1.12	84.84	0.71	-0.41	≤7.73	PASS
	Ant5	5240	-1.29	84.71	0.72	-0.57	≤7.73	PASS
	Ant6	5240	-1.28	85.80	0.67	-0.61	≤7.73	PASS
	total	5240	---	---	---	5.25	≤7.73	PASS
	Ant3	5745	5.13	86.12	0.65	5.78	≤13.73	PASS
	Ant4	5745	4.41	85.45	0.68	5.09	≤13.73	PASS
	Ant5	5745	4.18	85.51	0.68	4.86	≤13.73	PASS
	Ant6	5745	4.96	86.12	0.65	5.61	≤13.73	PASS
	total	5745	---	---	---	11.37	≤13.73	PASS
	Ant3	5785	5.64	85.53	0.68	6.32	≤13.73	PASS
	Ant4	5785	6.04	85.92	0.66	6.70	≤13.73	PASS
	Ant5	5785	6.29	85.51	0.68	6.97	≤13.73	PASS
	Ant6	5785	7.25	84.63	0.72	7.97	≤13.73	PASS
	total	5785	---	---	---	13.05	≤13.73	PASS
	Ant3	5825	4.46	85.85	0.66	5.12	≤13.73	PASS
	Ant4	5825	7.37	86.10	0.65	8.02	≤13.73	PASS
	Ant5	5825	6.89	86.08	0.65	7.54	≤13.73	PASS
	Ant6	5825	7.17	84.91	0.71	7.88	≤13.73	PASS
	total	5825	---	---	---	13.30	≤13.73	PASS
11AX40 MIMO	Ant3	5190	-2.04	86.12	0.65	-1.39	≤7.73	PASS
	Ant4	5190	-0.95	85.96	0.66	-0.29	≤7.73	PASS
	Ant5	5190	-1.11	86.08	0.65	-0.46	≤7.73	PASS



	Ant6	5190	-1.28	85.71	0.67	-0.61	≤ 7.73	PASS
	total	5190	---	---	---	5.35	≤ 7.73	PASS
	Ant3	5230	-2.14	85.51	0.68	-1.46	≤ 7.73	PASS
	Ant4	5230	-1.23	85.56	0.68	-0.55	≤ 7.73	PASS
	Ant5	5230	-1.75	86.08	0.65	-1.10	≤ 7.73	PASS
	Ant6	5230	-1.51	85.24	0.69	-0.82	≤ 7.73	PASS
	total	5230	---	---	---	5.05	≤ 7.73	PASS
	Ant3	5755	5.02	86.08	0.65	5.67	≤ 13.73	PASS
	Ant4	5755	6.02	85.83	0.66	6.68	≤ 13.73	PASS
	Ant5	5755	4.48	84.47	0.73	5.21	≤ 13.73	PASS
	Ant6	5755	3.81	85.83	0.66	4.47	≤ 13.73	PASS
	total	5755	---	---	---	11.60	≤ 13.73	PASS
	Ant3	5795	7.11	86.08	0.65	7.76	≤ 13.73	PASS
	Ant4	5795	4.73	86.08	0.65	5.38	≤ 13.73	PASS
	Ant5	5795	7.01	85.85	0.66	7.67	≤ 13.73	PASS
	Ant6	5795	7.43	85.51	0.68	8.11	≤ 13.73	PASS
	total	5795	---	---	---	13.37	≤ 13.73	PASS
11AX80 MIMO	Ant3	5210	6.64	86.12	0.65	7.29	≤ 7.73	PASS
	Ant4	5210	5.87	85.78	0.67	6.54	≤ 7.73	PASS
	Ant5	5210	6.04	86.12	0.65	6.69	≤ 7.73	PASS
	Ant6	5210	5.08	85.53	0.68	5.76	≤ 7.73	PASS
	total	5210	---	---	---	12.62	≤ 7.73	PASS
	Ant3	5775	7.27	85.83	0.66	7.93	≤ 13.73	PASS
	Ant4	5775	6.46	84.37	0.74	7.20	≤ 13.73	PASS
	Ant5	5775	7.38	85.80	0.67	8.05	≤ 13.73	PASS
	Ant6	5775	6.93	85.85	0.66	7.59	≤ 13.73	PASS
	total	5775	---	---	---	13.73	≤ 13.73	PASS



Appendix E: Maximum power spectral density

Test Result

TestMode	Antenna	Freq (MHz)	Raw Data [dBm/MHz]	DC Factor	RBW Factor	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant3	5180	-9.35	0.23	0.00	-9.12	≤-5.25	PASS
	Ant4	5180	-6.42	0.27	0.00	-6.15	≤-5.25	PASS
	Ant5	5180	-7.11	0.26	0.00	-6.85	≤-5.25	PASS
	Ant6	5180	-6.9	0.36	0.00	-6.54	≤-5.25	PASS
	Ant3	5200	-9.3	0.30	0.00	-9.00	≤-5.25	PASS
	Ant4	5200	-6.77	0.34	0.00	-6.43	≤-5.25	PASS
	Ant5	5200	-7.44	0.38	0.00	-7.06	≤-5.25	PASS
	Ant6	5200	-7.54	0.26	0.00	-7.28	≤-5.25	PASS
	Ant3	5240	-8.83	0.32	0.00	-8.51	≤-5.25	PASS
	Ant4	5240	-7.03	0.30	0.00	-6.73	≤-5.25	PASS
	Ant5	5240	-7.25	0.32	0.00	-6.93	≤-5.25	PASS
	Ant6	5240	-7.6	0.36	0.00	-7.24	≤-5.25	PASS
	Ant3	5745	-13.89	0.28	2.22	-11.39	≤13.73	PASS
	Ant4	5745	-12.12	0.38	2.22	-9.52	≤13.73	PASS
	Ant5	5745	-13.03	0.38	2.22	-10.43	≤13.73	PASS
	Ant6	5745	-12.52	0.40	2.22	-9.90	≤13.73	PASS
	Ant3	5785	-14.03	0.21	2.22	-11.60	≤13.73	PASS
	Ant4	5785	-13.95	0.28	2.22	-11.45	≤13.73	PASS
	Ant5	5785	-13.38	0.36	2.22	-10.80	≤13.73	PASS
	Ant6	5785	-14.08	0.38	2.22	-11.48	≤13.73	PASS
	Ant3	5825	-15.36	0.13	2.22	-13.01	≤13.73	PASS
	Ant4	5825	-14.84	0.38	2.22	-12.24	≤13.73	PASS
	Ant5	5825	-14.24	0.38	2.22	-11.64	≤13.73	PASS
	Ant6	5825	-16.2	0.15	2.22	-13.83	≤13.73	PASS
11N20MIMO	Ant3	5180	-19.56	3.56	0.00	-16.00	≤-5.25	PASS
	Ant4	5180	-12.09	3.32	0.00	-8.77	≤-5.25	PASS
	Ant5	5180	-15.25	3.17	0.00	-12.08	≤-5.25	PASS
	Ant6	5180	-19.16	3.40	0.00	-15.76	≤-5.25	PASS
	total	5180	---	---	---	-6.08	≤-5.25	PASS
	Ant3	5200	-16.37	3.32	0.00	-13.05	≤-5.25	PASS
	Ant4	5200	-13.99	3.68	0.00	-10.31	≤-5.25	PASS
	Ant5	5200	-15.56	3.48	0.00	-12.08	≤-5.25	PASS
	Ant6	5200	-15.54	3.32	0.00	-12.22	≤-5.25	PASS
	total	5200	---	---	---	-5.77	≤-5.25	PASS
	Ant3	5240	-16.4	3.88	0.00	-12.52	≤-5.25	PASS
	Ant4	5240	-15.1	3.40	0.00	-11.70	≤-5.25	PASS
	Ant5	5240	-16.21	3.24	0.00	-12.97	≤-5.25	PASS
	Ant6	5240	-15.54	3.32	0.00	-12.22	≤-5.25	PASS
	total	5240	---	---	---	-6.31	≤-5.25	PASS
	Ant3	5745	-23.53	3.17	2.22	-21.31	≤13.73	PASS
	Ant4	5745	-22.89	3.17	2.22	-17.50	≤13.73	PASS
	Ant5	5745	-23.12	3.17	2.22	-17.73	≤13.73	PASS
	Ant6	5745	-23.55	3.17	2.22	-18.16	≤13.73	PASS
	total	5745	---	---	---	-12.65	≤13.73	PASS
	Ant3	5785	-24.99	0.51	2.22	-22.26	≤13.73	PASS
	Ant4	5785	-22.94	0.51	2.22	-20.21	≤13.73	PASS
	Ant5	5785	-24.89	0.51	2.22	-22.16	≤13.73	PASS
	Ant6	5785	-22.91	0.51	2.22	-20.18	≤13.73	PASS
	total	5785	---	---	---	-15.07	≤13.73	PASS
	Ant3	5825	-24.04	3.61	2.22	-18.21	≤13.73	PASS
	Ant4	5825	-24.18	3.61	2.22	-18.35	≤13.73	PASS
	Ant5	5825	-25.37	3.61	2.22	-19.54	≤13.73	PASS
	Ant6	5825	-24.28	3.61	2.22	-18.45	≤13.73	PASS



11N40MIMO	total	5825	---	---	---	-12.59	≤13.73	PASS
	Ant3	5190	-15.68	0.69	0.00	-14.99	≤-5.25	PASS
	Ant4	5190	-14.35	0.66	0.00	-13.69	≤-5.25	PASS
	Ant5	5190	-14.1	0.67	0.00	-13.43	≤-5.25	PASS
	Ant6	5190	-14.33	0.65	0.00	-13.68	≤-5.25	PASS
	total	5190	---	---	---	-7.89	≤-5.25	PASS
	Ant3	5230	-15.68	0.67	0.00	-15.01	≤-5.25	PASS
	Ant4	5230	-14.9	0.67	0.00	-14.23	≤-5.25	PASS
	Ant5	5230	-15.05	0.68	0.00	-14.37	≤-5.25	PASS
	Ant6	5230	-14.75	0.71	0.00	-14.04	≤-5.25	PASS
	total	5230	---	---	---	-8.38	≤-5.25	PASS
	Ant3	5755	-24.01	0.72	2.22	-21.07	≤13.73	PASS
	Ant4	5755	-23.28	0.72	2.22	-20.34	≤13.73	PASS
	Ant5	5755	-23.21	0.69	2.22	-20.3	≤13.73	PASS
	Ant6	5755	-23.85	0.71	2.22	-20.92	≤13.73	PASS
	total	5755	---	---	---	-14.62	≤13.73	PASS
	Ant3	5795	-27.59	1.14	2.22	-24.23	≤13.73	PASS
	Ant4	5795	-24.99	1.23	2.22	-21.54	≤13.73	PASS
	Ant5	5795	-26.75	1.23	2.22	-23.30	≤13.73	PASS
	Ant6	5795	-27.73	0.55	2.22	-24.96	≤13.73	PASS
	total	5795	---	---	---	-17.29	≤13.73	PASS
11AC20MIMO	Ant3	5180	-12.55	0.69	0.00	-11.86	≤-5.25	PASS
	Ant4	5180	-15.25	0.67	0.00	-14.58	≤-5.25	PASS
	Ant5	5180	-11.68	0.75	0.00	-10.93	≤-5.25	PASS
	Ant6	5180	-11.52	0.68	0.00	-10.84	≤-5.25	PASS
	total	5180	---	---	---	-5.80	≤-5.25	PASS
	Ant3	5200	-13.53	0.67	0.00	-12.86	≤-5.25	PASS
	Ant4	5200	-11.56	0.68	0.00	-10.88	≤-5.25	PASS
	Ant5	5200	-12.22	0.69	0.00	-11.53	≤-5.25	PASS
	Ant6	5200	-11.77	0.72	0.00	-11.05	≤-5.25	PASS
	total	5200	---	---	---	-5.49	≤-5.25	PASS
	Ant3	5240	-12.31	0.69	0.00	-11.62	≤-5.25	PASS
	Ant4	5240	-12.18	0.67	0.00	-11.51	≤-5.25	PASS
	Ant5	5240	-12.34	0.68	0.00	-11.66	≤-5.25	PASS
	Ant6	5240	-12.1	0.68	0.00	-11.42	≤-5.25	PASS
	total	5240	---	---	---	-5.53	≤-5.25	PASS
	Ant3	5745	-20.56	0.67	2.22	-17.67	≤13.73	PASS
	Ant4	5745	-20.05	0.67	2.22	-17.16	≤13.73	PASS
	Ant5	5745	-19.93	0.68	2.22	-17.03	≤13.73	PASS
	Ant6	5745	-20.4	0.68	2.22	-17.5	≤13.73	PASS
	total	5745	---	---	---	-11.31	≤13.73	PASS
	Ant3	5785	-21.08	0.67	2.22	-18.19	≤13.73	PASS
	Ant4	5785	-23.63	0.67	2.22	-20.74	≤13.73	PASS
	Ant5	5785	-22.98	0.68	2.22	-20.08	≤13.73	PASS
	Ant6	5785	-23.69	0.68	2.22	-20.79	≤13.73	PASS
	total	5785	---	---	---	-13.79	≤13.73	PASS
	Ant3	5825	-24.49	0.68	2.22	-21.59	≤13.73	PASS
	Ant4	5825	-24.44	0.69	2.22	-21.53	≤13.73	PASS
	Ant5	5825	-23.78	0.68	2.22	-20.88	≤13.73	PASS
	Ant6	5825	-25.26	0.76	2.22	-22.28	≤13.73	PASS
	total	5825	---	---	---	-15.52	≤13.73	PASS
11AC40MIMO	Ant3	5190	-20.23	0.67	0.00	-19.56	≤-5.25	PASS
	Ant4	5190	-19.22	0.70	0.00	-18.52	≤-5.25	PASS
	Ant5	5190	-19	0.67	0.00	-18.33	≤-5.25	PASS
	Ant6	5190	-19.05	0.67	0.00	-18.38	≤-5.25	PASS
	total	5190	---	---	---	-12.65	≤-5.25	PASS
	Ant3	5230	-16.45	0.67	0.00	-15.78	≤-5.25	PASS
	Ant4	5230	-15.47	0.67	0.00	-14.80	≤-5.25	PASS



	Ant5	5230	-14.85	0.67	0.00	-14.18	≤ -5.25	PASS
	Ant6	5230	-14.87	0.68	0.00	-14.19	≤ -5.25	PASS
	total	5230	---	---	---	-8.67	≤ -5.25	PASS
	Ant3	5755	-25.27	0.70	2.22	-22.35	≤ 13.73	PASS
	Ant4	5755	-25.59	0.67	2.22	-22.70	≤ 13.73	PASS
	Ant5	5755	-26.05	0.65	2.22	-23.18	≤ 13.73	PASS
	Ant6	5755	-26.85	0.67	2.22	-23.96	≤ 13.73	PASS
	total	5755	---	---	---	-16.99	≤ 13.73	PASS
	Ant3	5795	-27.45	0.67	2.22	-24.56	≤ 13.73	PASS
	Ant4	5795	-27.95	0.69	2.22	-25.04	≤ 13.73	PASS
	Ant5	5795	-27.26	0.70	2.22	-24.34	≤ 13.73	PASS
	Ant6	5795	-27.78	0.75	2.22	-24.81	≤ 13.73	PASS
	total	5795	---	---	---	-18.66	≤ 13.73	PASS
11AC80MIMO	Ant3	5210	-19.62	0.69	0.00	-18.93	≤ -5.25	PASS
	Ant4	5210	-18.47	0.67	0.00	-17.80	≤ -5.25	PASS
	Ant5	5210	-18.74	0.67	0.00	-18.07	≤ -5.25	PASS
	Ant6	5210	-18.64	0.74	0.00	-17.90	≤ -5.25	PASS
	total	5210	---	---	---	-12.13	≤ -5.25	PASS
	Ant3	5775	-29.07	0.67	2.22	-26.18	≤ 13.73	PASS
	Ant4	5775	-28.6	0.69	2.22	-25.69	≤ 13.73	PASS
	Ant5	5775	-29.62	0.67	2.22	-26.73	≤ 13.73	PASS
	Ant6	5775	-29.99	0.68	2.22	-27.09	≤ 13.73	PASS
	total	5775	---	---	---	-20.37	≤ 13.73	PASS
11AX20MIMO	Ant3	5180	-13.21	0.70	0.00	-12.51	≤ -5.25	PASS
	Ant4	5180	-12.11	0.68	0.00	-11.43	≤ -5.25	PASS
	Ant5	5180	-12	0.68	0.00	-11.32	≤ -5.25	PASS
	Ant6	5180	-11.72	0.68	0.00	-11.04	≤ -5.25	PASS
	total	5180	---	---	---	-5.52	≤ -5.25	PASS
	Ant3	5200	-13.38	0.67	0.00	-12.71	≤ -5.25	PASS
	Ant4	5200	-12.18	0.65	0.00	-11.53	≤ -5.25	PASS
	Ant5	5200	-12.63	0.66	0.00	-11.97	≤ -5.25	PASS
	Ant6	5200	-12.58	0.69	0.00	-11.89	≤ -5.25	PASS
	total	5200	---	---	---	-5.98	≤ -5.25	PASS
	Ant3	5240	-13.02	0.67	0.00	-12.35	≤ -5.25	PASS
	Ant4	5240	-12.13	0.71	0.00	-11.42	≤ -5.25	PASS
	Ant5	5240	-12.52	0.72	0.00	-11.80	≤ -5.25	PASS
	Ant6	5240	-11.98	0.67	0.00	-11.31	≤ -5.25	PASS
	total	5240	---	---	---	-5.68	≤ -5.25	PASS
	Ant3	5745	-22.81	0.65	2.22	-19.94	≤ 13.73	PASS
	Ant4	5745	-21.92	0.68	2.22	-19.02	≤ 13.73	PASS
	Ant5	5745	-21.93	0.68	2.22	-19.03	≤ 13.73	PASS
	Ant6	5745	-22.14	0.65	2.22	-19.27	≤ 13.73	PASS
	total	5745	---	---	---	-13.28	≤ 13.73	PASS
	Ant3	5785	-23.22	0.68	2.22	-20.32	≤ 13.73	PASS
	Ant4	5785	-23.1	0.66	2.22	-20.22	≤ 13.73	PASS
	Ant5	5785	-23.36	0.68	2.22	-20.46	≤ 13.73	PASS
	Ant6	5785	-24.52	0.72	2.22	-21.58	≤ 13.73	PASS
	total	5785	---	---	---	-14.59	≤ 13.73	PASS
	Ant3	5825	-25.14	0.66	2.22	-22.26	≤ 13.73	PASS
	Ant4	5825	-25.01	0.65	2.22	-22.14	≤ 13.73	PASS
	Ant5	5825	-24.33	0.65	2.22	-21.46	≤ 13.73	PASS
	Ant6	5825	-24.9	0.71	2.22	-21.97	≤ 13.73	PASS
	total	5825	---	---	---	-15.93	≤ 13.73	PASS
11AX40MIMO	Ant3	5190	-16.25	0.65	0.00	-15.60	≤ -5.25	PASS
	Ant4	5190	-14.94	0.66	0.00	-14.28	≤ -5.25	PASS
	Ant5	5190	-14.78	0.65	0.00	-14.13	≤ -5.25	PASS
	Ant6	5190	-15.07	0.67	0.00	-14.40	≤ -5.25	PASS
	total	5190	---	---	---	-8.54	≤ -5.25	PASS



	Ant3	5230	-16.66	0.68	0.00	-15.98	≤ -5.25	PASS
	Ant4	5230	-15.37	0.68	0.00	-14.69	≤ -5.25	PASS
	Ant5	5230	-16.15	0.65	0.00	-15.50	≤ -5.25	PASS
	Ant6	5230	-15.51	0.69	0.00	-14.82	≤ -5.25	PASS
	total	5230	---	---	---	-9.20	≤ -5.25	PASS
	Ant3	5755	-21.59	0.65	2.22	-18.72	≤ 13.73	PASS
	Ant4	5755	-20.74	0.66	2.22	-17.86	≤ 13.73	PASS
	Ant5	5755	-21.09	0.73	2.22	-18.14	≤ 13.73	PASS
	Ant6	5755	-21.4	0.66	2.22	-18.52	≤ 13.73	PASS
	total	5755	---	---	---	-12.28	≤ 13.73	PASS
	Ant3	5795	-22.35	0.65	2.22	-19.48	≤ 13.73	PASS
	Ant4	5795	-22.4	0.65	2.22	-19.53	≤ 13.73	PASS
	Ant5	5795	-22.1	0.66	2.22	-19.22	≤ 13.73	PASS
	Ant6	5795	-22.8	0.68	2.22	-19.90	≤ 13.73	PASS
	total	5795	---	---	---	-13.51	≤ 13.73	PASS
11AX80MIMO	Ant3	5210	-19.16	0.65	0.00	-18.51	≤ -5.25	PASS
	Ant4	5210	-18.35	0.67	0.00	-17.68	≤ -5.25	PASS
	Ant5	5210	-18.63	0.65	0.00	-17.98	≤ -5.25	PASS
	Ant6	5210	-18.45	0.68	0.00	-17.77	≤ -5.25	PASS
	total	5210	---	---	---	-11.95	≤ -5.25	PASS
	Ant3	5775	-28.7	0.66	2.22	-25.82	≤ 13.73	PASS
	Ant4	5775	-28.41	0.74	2.22	-25.45	≤ 13.73	PASS
	Ant5	5775	-28.18	0.67	2.22	-25.29	≤ 13.73	PASS
	Ant6	5775	-29.26	0.66	2.22	-26.38	≤ 13.73	PASS
	total	5775	---	---	---	-22.54	≤ 13.73	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Test Graphs


11A Ant3 5180




11A Ant4 5180




11A Ant5 5180




11A Ant6 5180




11A Ant3 5200




11A Ant4 5200




11A Ant5 5200




11A Ant6 5200




11A Ant3 5240




11A Ant4 5240



11A Ant5 5240



11A Ant6 5240



11A Ant3 5745