

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B12_1.4MHz_ERP

Band: 12 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	22.19	0.00	20.04	<=34.77	Pass
			2	22.05	0.00	19.90	<=34.77	Pass
			5	22.11	0.00	19.96	<=34.77	Pass
		3	0	22.08	0.00	19.93	<=34.77	Pass
			2	21.96	0.00	19.81	<=34.77	Pass
			3	22.07	0.00	19.92	<=34.77	Pass
		6	0	21.12	0.00	18.97	<=34.77	Pass
	707.5	1	0	22.28	0.00	20.13	<=34.77	Pass
			2	22.23	0.00	20.08	<=34.77	Pass
			5	22.08	0.00	19.93	<=34.77	Pass
		3	0	22.23	0.00	20.08	<=34.77	Pass
			2	22.12	0.00	19.97	<=34.77	Pass
			3	22.00	0.00	19.85	<=34.77	Pass
		6	0	21.02	0.00	18.87	<=34.77	Pass
	715.3	1	0	21.72	0.00	19.57	<=34.77	Pass
			2	21.35	0.00	19.20	<=34.77	Pass
			5	20.89	0.00	18.74	<=34.77	Pass
		3	0	21.40	0.00	19.25	<=34.77	Pass
			2	21.57	0.00	19.42	<=34.77	Pass
			3	21.34	0.00	19.19	<=34.77	Pass
		6	0	20.23	0.00	18.08	<=34.77	Pass
16QAM	699.7	1	0	20.89	0.00	18.74	<=34.77	Pass
			2	20.97	0.00	18.82	<=34.77	Pass
			5	21.05	0.00	18.90	<=34.77	Pass
		3	0	21.17	0.00	19.02	<=34.77	Pass
			2	21.13	0.00	18.98	<=34.77	Pass
			3	21.07	0.00	18.92	<=34.77	Pass
		6	0	20.22	0.00	18.07	<=34.77	Pass
	707.5	1	0	21.09	0.00	18.94	<=34.77	Pass
			2	21.17	0.00	19.02	<=34.77	Pass
			5	20.97	0.00	18.82	<=34.77	Pass
		3	0	21.13	0.00	18.98	<=34.77	Pass
			2	21.00	0.00	18.85	<=34.77	Pass
			3	20.92	0.00	18.77	<=34.77	Pass
		6	0	20.09	0.00	17.94	<=34.77	Pass
	715.3	1	0	20.60	0.00	18.45	<=34.77	Pass
			2	20.27	0.00	18.12	<=34.77	Pass
			5	19.85	0.00	17.70	<=34.77	Pass
		3	0	20.36	0.00	18.21	<=34.77	Pass
			2	20.14	0.00	17.99	<=34.77	Pass
			3	19.95	0.00	17.80	<=34.77	Pass
		6	0	19.34	0.00	17.19	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B12_3MHz_ERP

Band: 12 / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	700.5	1	0	21.78	0.00	19.63	<=34.77	Pass
			7	22.11	0.00	19.96	<=34.77	Pass
			14	21.97	0.00	19.82	<=34.77	Pass
		8	0	20.92	0.00	18.77	<=34.77	Pass
			4	20.98	0.00	18.83	<=34.77	Pass
			7	21.15	0.00	19.00	<=34.77	Pass
		15	0	21.04	0.00	18.89	<=34.77	Pass
	707.5	1	0	22.23	0.00	20.08	<=34.77	Pass
			7	22.13	0.00	19.98	<=34.77	Pass
			14	21.67	0.00	19.52	<=34.77	Pass
		8	0	21.15	0.00	19.00	<=34.77	Pass
			4	21.03	0.00	18.88	<=34.77	Pass
			7	20.84	0.00	18.69	<=34.77	Pass
		15	0	20.99	0.00	18.84	<=34.77	Pass
	714.5	1	0	21.93	0.00	19.78	<=34.77	Pass
			7	22.03	0.00	19.88	<=34.77	Pass
			14	20.79	0.00	18.64	<=34.77	Pass
		8	0	20.79	0.00	18.64	<=34.77	Pass
			4	20.67	0.00	18.52	<=34.77	Pass
			7	20.31	0.00	18.16	<=34.77	Pass
		15	0	20.55	0.00	18.40	<=34.77	Pass
16QAM	700.5	1	0	20.65	0.00	18.50	<=34.77	Pass
			7	20.96	0.00	18.81	<=34.77	Pass
			14	21.01	0.00	18.86	<=34.77	Pass
		8	0	20.10	0.00	17.95	<=34.77	Pass
			4	20.21	0.00	18.06	<=34.77	Pass
			7	20.23	0.00	18.08	<=34.77	Pass
		15	0	20.16	0.00	18.01	<=34.77	Pass
	707.5	1	0	21.14	0.00	18.99	<=34.77	Pass
			7	21.06	0.00	18.91	<=34.77	Pass
			14	20.58	0.00	18.43	<=34.77	Pass
		8	0	20.17	0.00	18.02	<=34.77	Pass
			4	20.04	0.00	17.89	<=34.77	Pass
			7	19.88	0.00	17.73	<=34.77	Pass
		15	0	19.99	0.00	17.84	<=34.77	Pass
	714.5	1	0	20.79	0.00	18.64	<=34.77	Pass
			7	21.04	0.00	18.89	<=34.77	Pass
			14	19.76	0.00	17.61	<=34.77	Pass
		8	0	19.76	0.00	17.61	<=34.77	Pass
			4	19.67	0.00	17.52	<=34.77	Pass
			7	19.33	0.00	17.18	<=34.77	Pass
		15	0	19.47	0.00	17.32	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B12_5MHz_ERP

Band: 12 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	701.5	1	0	21.52	0.00	19.37	<=34.77	Pass
			13	22.04	0.00	19.89	<=34.77	Pass
			24	21.65	0.00	19.50	<=34.77	Pass
		12	0	20.87	0.00	18.72	<=34.77	Pass
			6	21.11	0.00	18.96	<=34.77	Pass
			13	21.05	0.00	18.90	<=34.77	Pass

16QAM	707.5	25	0	20.94	0.00	18.79	<=34.77	Pass
		1	0	21.90	0.00	19.75	<=34.77	Pass
			13	21.90	0.00	19.75	<=34.77	Pass
			24	21.17	0.00	19.02	<=34.77	Pass
		12	0	20.95	0.00	18.80	<=34.77	Pass
			6	20.90	0.00	18.75	<=34.77	Pass
			13	20.51	0.00	18.36	<=34.77	Pass
		25	0	20.78	0.00	18.63	<=34.77	Pass
	713.5	1	0	20.91	0.00	18.76	<=34.77	Pass
			13	21.57	0.00	19.42	<=34.77	Pass
			24	20.30	0.00	18.15	<=34.77	Pass
		12	0	20.39	0.00	18.24	<=34.77	Pass
			6	20.69	0.00	18.54	<=34.77	Pass
			13	20.38	0.00	18.23	<=34.77	Pass
		25	0	20.39	0.00	18.24	<=34.77	Pass
	701.5	1	0	20.68	0.00	18.53	<=34.77	Pass
			13	21.28	0.00	19.13	<=34.77	Pass
			24	20.96	0.00	18.81	<=34.77	Pass
		12	0	19.86	0.00	17.71	<=34.77	Pass
			6	20.25	0.00	18.10	<=34.77	Pass
			13	20.22	0.00	18.07	<=34.77	Pass
		25	0	20.15	0.00	18.00	<=34.77	Pass
	707.5	1	0	20.91	0.00	18.76	<=34.77	Pass
			13	20.96	0.00	18.81	<=34.77	Pass
			24	20.23	0.00	18.08	<=34.77	Pass
		12	0	19.94	0.00	17.79	<=34.77	Pass
			6	19.91	0.00	17.76	<=34.77	Pass
			13	19.54	0.00	17.39	<=34.77	Pass
		25	0	19.82	0.00	17.67	<=34.77	Pass
	713.5	1	0	20.16	0.00	18.01	<=34.77	Pass
			13	20.87	0.00	18.72	<=34.77	Pass
			24	19.51	0.00	17.36	<=34.77	Pass
		12	0	19.41	0.00	17.26	<=34.77	Pass
			6	19.72	0.00	17.57	<=34.77	Pass
			13	19.43	0.00	17.28	<=34.77	Pass
		25	0	19.47	0.00	17.32	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B12_10MHz_ERP

Band: 12 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	21.71	0.00	19.56	<=34.77	Pass
			25	22.13	0.00	19.98	<=34.77	Pass
			49	21.40	0.00	19.25	<=34.77	Pass
		25	0	21.06	0.00	18.91	<=34.77	Pass
			13	21.14	0.00	18.99	<=34.77	Pass
			25	20.95	0.00	18.80	<=34.77	Pass
		50	0	21.00	0.00	18.85	<=34.77	Pass
	707.5	1	0	21.89	0.00	19.74	<=34.77	Pass
			25	21.89	0.00	19.74	<=34.77	Pass
			49	21.16	0.00	19.01	<=34.77	Pass
		25	0	21.00	0.00	18.85	<=34.77	Pass
			13	20.92	0.00	18.77	<=34.77	Pass
			25	20.59	0.00	18.44	<=34.77	Pass
		50	0	20.91	0.00	18.76	<=34.77	Pass

16QAM	711	1	0	21.57	0.00	19.42	<=34.77	Pass
			25	21.51	0.00	19.36	<=34.77	Pass
			49	20.70	0.00	18.55	<=34.77	Pass
		25	0	20.58	0.00	18.43	<=34.77	Pass
			13	20.51	0.00	18.36	<=34.77	Pass
			25	20.62	0.00	18.47	<=34.77	Pass
		50	0	20.56	0.00	18.41	<=34.77	Pass
			0	20.24	0.00	18.09	<=34.77	Pass
			25	20.83	0.00	18.68	<=34.77	Pass
	704	1	49	20.10	0.00	17.95	<=34.77	Pass
			0	20.81	0.00	18.66	<=34.77	Pass
			19	21.07	0.00	18.92	<=34.77	Pass
		12	38	20.74	0.00	18.59	<=34.77	Pass
			0	20.07	0.00	17.92	<=34.77	Pass
			0	20.84	0.00	18.69	<=34.77	Pass
		27	25	20.85	0.00	18.70	<=34.77	Pass
			49	20.15	0.00	18.00	<=34.77	Pass
			0	20.86	0.00	18.71	<=34.77	Pass
	707.5	1	19	20.82	0.00	18.67	<=34.77	Pass
			38	20.34	0.00	18.19	<=34.77	Pass
			0	19.95	0.00	17.80	<=34.77	Pass
		12	0	20.80	0.00	18.65	<=34.77	Pass
			25	20.79	0.00	18.64	<=34.77	Pass
			49	19.99	0.00	17.84	<=34.77	Pass
		27	0	20.58	0.00	18.43	<=34.77	Pass
			19	20.49	0.00	18.34	<=34.77	Pass
			38	20.58	0.00	18.43	<=34.77	Pass
	711	1	23	19.69	0.00	17.54	<=34.77	Pass
			0	20.80	0.00	18.65	<=34.77	Pass
			25	20.79	0.00	18.64	<=34.77	Pass
		12	49	19.99	0.00	17.84	<=34.77	Pass
			0	20.58	0.00	18.43	<=34.77	Pass
			19	20.49	0.00	18.34	<=34.77	Pass
		27	38	20.58	0.00	18.43	<=34.77	Pass
			0	20.58	0.00	18.43	<=34.77	Pass
			23	19.69	0.00	17.54	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	699.7	6	0	20	3.27	-1.059	-0.0015	-2.5 to 2.5	Pass
					3.85	-2.146	-0.0031	-2.5 to 2.5	Pass
					4.43	-1.917	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-1.531	-0.0022	-2.5 to 2.5	Pass
				-20	3.85	-1.402	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-1.044	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-1.588	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-1.087	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-0.844	-0.0012	-2.5 to 2.5	Pass
				40	3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.672	-0.0010	-2.5 to 2.5	Pass
	707.5	6	0	20	3.27	-1.588	-0.0022	-2.5 to 2.5	Pass
					3.85	-1.974	-0.0028	-2.5 to 2.5	Pass
					4.43	-1.574	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-1.316	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-1.473	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-1.287	-0.0018	-2.5 to 2.5	Pass

				0	3.85	-1.259	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-1.001	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-1.187	-0.0017	-2.5 to 2.5	Pass
				40	3.85	-0.644	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.744	-0.0011	-2.5 to 2.5	Pass
	715.3	6	0	20	3.27	0.172	0.0002	-2.5 to 2.5	Pass
					3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.343	0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.401	-0.0006	-2.5 to 2.5	Pass
				10	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				40	3.85	0.629	0.0009	-2.5 to 2.5	Pass
				50	3.85	-0.143	-0.0002	-2.5 to 2.5	Pass
16QAM	699.7	6	0	20	3.27	-0.272	-0.0004	-2.5 to 2.5	Pass
					3.85	0.329	0.0005	-2.5 to 2.5	Pass
					4.43	-0.501	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.358	0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.687	0.0010	-2.5 to 2.5	Pass
	707.5	6	0	20	3.27	-0.315	-0.0004	-2.5 to 2.5	Pass
					3.85	0.472	0.0007	-2.5 to 2.5	Pass
					4.43	-0.114	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.544	0.0008	-2.5 to 2.5	Pass
				0	3.85	0.901	0.0013	-2.5 to 2.5	Pass
				10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.587	0.0008	-2.5 to 2.5	Pass
				40	3.85	0.658	0.0009	-2.5 to 2.5	Pass
				50	3.85	1.330	0.0019	-2.5 to 2.5	Pass
	715.3	6	0	20	3.27	0.000	0.0000	-2.5 to 2.5	Pass
					3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
					4.43	0.100	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.486	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				50	3.85	0.014	0.0000	-2.5 to 2.5	Pass

2.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	700.5	15	0	20	3.27	1.459	0.0021	-2.5 to 2.5	Pass
					3.85	1.287	0.0018	-2.5 to 2.5	Pass

16QAM					4.43	0.858	0.0012	-2.5 to 2.5	Pass
				-30	3.85	1.130	0.0016	-2.5 to 2.5	Pass
				-20	3.85	1.230	0.0018	-2.5 to 2.5	Pass
				-10	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				0	3.85	0.730	0.0010	-2.5 to 2.5	Pass
				10	3.85	0.515	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.787	0.0011	-2.5 to 2.5	Pass
				40	3.85	0.672	0.0010	-2.5 to 2.5	Pass
				50	3.85	0.458	0.0007	-2.5 to 2.5	Pass
	707.5	15	0	20	3.27	0.186	0.0003	-2.5 to 2.5	Pass
					3.85	0.114	0.0002	-2.5 to 2.5	Pass
					4.43	0.129	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.758	0.0011	-2.5 to 2.5	Pass
				-20	3.85	0.558	0.0008	-2.5 to 2.5	Pass
				-10	3.85	0.772	0.0011	-2.5 to 2.5	Pass
				0	3.85	0.587	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.486	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				50	3.85	0.601	0.0008	-2.5 to 2.5	Pass
	714.5	15	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass
					3.85	1.488	0.0021	-2.5 to 2.5	Pass
					4.43	1.202	0.0017	-2.5 to 2.5	Pass
				-30	3.85	0.601	0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.257	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.572	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.401	0.0006	-2.5 to 2.5	Pass
	700.5	15	0	20	3.27	0.930	0.0013	-2.5 to 2.5	Pass
					3.85	0.858	0.0012	-2.5 to 2.5	Pass
					4.43	0.501	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.587	0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				-10	3.85	0.744	0.0011	-2.5 to 2.5	Pass
				0	3.85	0.558	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.672	0.0010	-2.5 to 2.5	Pass
	707.5	15	0	20	3.27	0.072	0.0001	-2.5 to 2.5	Pass
					3.85	0.186	0.0003	-2.5 to 2.5	Pass
					4.43	0.372	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.286	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
	714.5	15	0	20	3.27	0.343	0.0005	-2.5 to 2.5	Pass
					3.85	0.286	0.0004	-2.5 to 2.5	Pass
					4.43	-0.329	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.100	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.343	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass

				0	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				10	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.272	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.286	-0.0004	-2.5 to 2.5	Pass

2.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	701.5	25	0	20	3.27	1.159	0.0017	-2.5 to 2.5	Pass
					3.85	0.858	0.0012	-2.5 to 2.5	Pass
					4.43	0.701	0.0010	-2.5 to 2.5	Pass
				-30	3.85	1.173	0.0017	-2.5 to 2.5	Pass
				-20	3.85	0.544	0.0008	-2.5 to 2.5	Pass
				-10	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.572	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.858	0.0012	-2.5 to 2.5	Pass
				40	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				50	3.85	0.100	0.0001	-2.5 to 2.5	Pass
	707.5	25	0	20	3.27	-0.472	-0.0007	-2.5 to 2.5	Pass
					3.85	0.629	0.0009	-2.5 to 2.5	Pass
					4.43	0.644	0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.830	0.0012	-2.5 to 2.5	Pass
				-20	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				-10	3.85	0.415	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.401	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				40	3.85	0.544	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.315	0.0004	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	1.230	0.0017	-2.5 to 2.5	Pass
					3.85	1.702	0.0024	-2.5 to 2.5	Pass
					4.43	1.287	0.0018	-2.5 to 2.5	Pass
				-30	3.85	1.273	0.0018	-2.5 to 2.5	Pass
				-20	3.85	1.402	0.0020	-2.5 to 2.5	Pass
				-10	3.85	1.273	0.0018	-2.5 to 2.5	Pass
				0	3.85	1.073	0.0015	-2.5 to 2.5	Pass
				10	3.85	1.073	0.0015	-2.5 to 2.5	Pass
				30	3.85	0.401	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.730	0.0010	-2.5 to 2.5	Pass
				50	3.85	0.701	0.0010	-2.5 to 2.5	Pass
16QAM	701.5	25	0	20	3.27	-0.029	0.0000	-2.5 to 2.5	Pass
					3.85	0.815	0.0012	-2.5 to 2.5	Pass
					4.43	0.615	0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.057	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.529	0.0008	-2.5 to 2.5	Pass
				10	3.85	0.272	0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				40	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				50	3.85	0.000	0.0000	-2.5 to 2.5	Pass
	707.5	25	0	20	3.27	-0.200	-0.0003	-2.5 to 2.5	Pass
					3.85	-0.358	-0.0005	-2.5 to 2.5	Pass

					4.43	-0.501	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.358	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass
				30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.257	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.629	-0.0009	-2.5 to 2.5	Pass
	713.5	25	0	20	3.27	0.701	0.0010	-2.5 to 2.5	Pass
					3.85	0.830	0.0012	-2.5 to 2.5	Pass
					4.43	0.358	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.443	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.272	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.701	0.0010	-2.5 to 2.5	Pass
				30	3.85	0.429	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.257	0.0004	-2.5 to 2.5	Pass

2.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	704	50	0	20	3.27	0.429	0.0006	-2.5 to 2.5	Pass
					3.85	0.873	0.0012	-2.5 to 2.5	Pass
					4.43	0.601	0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.672	0.0010	-2.5 to 2.5	Pass
				0	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				10	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.272	0.0004	-2.5 to 2.5	Pass
				50	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
	707.5	50	0	20	3.27	0.343	0.0005	-2.5 to 2.5	Pass
					3.85	0.644	0.0009	-2.5 to 2.5	Pass
					4.43	0.257	0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.658	0.0009	-2.5 to 2.5	Pass
				0	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				10	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.801	0.0011	-2.5 to 2.5	Pass
	711	50	0	20	3.27	1.259	0.0018	-2.5 to 2.5	Pass
					3.85	1.144	0.0016	-2.5 to 2.5	Pass
					4.43	0.772	0.0011	-2.5 to 2.5	Pass
				-30	3.85	1.101	0.0015	-2.5 to 2.5	Pass
				-20	3.85	0.286	0.0004	-2.5 to 2.5	Pass
				-10	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.844	0.0012	-2.5 to 2.5	Pass
				10	3.85	0.200	0.0003	-2.5 to 2.5	Pass
				30	3.85	0.272	0.0004	-2.5 to 2.5	Pass

16QAM	704	27	0	40	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				50	3.85	0.486	0.0007	-2.5 to 2.5	Pass
				20	3.27	0.129	0.0002	-2.5 to 2.5	Pass
					3.85	0.343	0.0005	-2.5 to 2.5	Pass
					4.43	0.215	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.558	0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.501	-0.0007	-2.5 to 2.5	Pass
	707.5	27	0	30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				50	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				20	3.27	-0.715	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.029	0.0000	-2.5 to 2.5	Pass
					4.43	-0.644	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-0.687	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.830	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-0.744	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.515	-0.0007	-2.5 to 2.5	Pass
	711	27	23	10	3.85	-0.472	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-0.544	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.415	-0.0006	-2.5 to 2.5	Pass
				20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	0.572	0.0008	-2.5 to 2.5	Pass
					4.43	0.329	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.443	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.114	0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.501	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.329	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.515	0.0007	-2.5 to 2.5	Pass
				30	3.85	0.157	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.257	-0.0004	-2.5 to 2.5	Pass
				50	3.85	0.329	0.0005	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	6	0	Refer To Test Graph		Pass
16QAM	707.5	6	0	Refer To Test Graph		Pass

3.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	15	0	Refer To Test Graph		Pass
16QAM	707.5	15	0	Refer To Test Graph		Pass

3.1.3 B12_5MHz


Band: 12 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	25	0	Refer To Test Graph		Pass
16QAM	707.5	25	0	Refer To Test Graph		Pass

3.1.4 B12_10MHz


Band: 12 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	707.5	50	0	Refer To Test Graph		Pass
16QAM	707.5	27	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B12_1.4MHz




3.2.2 B12_3MHz



3.2.3 B12_5MHz



3.2.4 B12_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band12_OBW

Band: 12 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	699.7	6	0	1.110	/	Pass
		707.5	6	0	1.108	/	Pass
		715.3	6	0	1.111	/	Pass
	16QAM	699.7	6	0	1.122	/	Pass
		707.5	6	0	1.110	/	Pass
		715.3	6	0	1.107	/	Pass
3	QPSK	700.5	15	0	2.745	/	Pass
		707.5	15	0	2.735	/	Pass
		714.5	15	0	2.734	/	Pass
	16QAM	700.5	15	0	2.723	/	Pass
		707.5	15	0	2.725	/	Pass
		714.5	15	0	2.738	/	Pass
5	QPSK	701.5	25	0	4.549	/	Pass
		707.5	25	0	4.547	/	Pass
		713.5	25	0	4.558	/	Pass
	16QAM	701.5	25	0	4.545	/	Pass
		707.5	25	0	4.532	/	Pass
		713.5	25	0	4.542	/	Pass
10	QPSK	704	50	0	9.029	/	Pass
		707.5	50	0	9.015	/	Pass
		711	50	0	9.111	/	Pass
	16QAM	704	27	0	5.183	/	Pass
		707.5	27	0	5.076	/	Pass
		711	27	23	5.147	/	Pass


4.1.2 Band12_XDB

Band: 12 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	699.7	6	0	1.320	/	Pass
		707.5	6	0	1.325	/	Pass
		715.3	6	0	1.328	/	Pass
	16QAM	699.7	6	0	1.333	/	Pass
		707.5	6	0	1.340	/	Pass
		715.3	6	0	1.302	/	Pass
3	QPSK	700.5	15	0	3.035	/	Pass
		707.5	15	0	3.035	/	Pass
		714.5	15	0	3.039	/	Pass
	16QAM	700.5	15	0	3.034	/	Pass
		707.5	15	0	3.023	/	Pass
		714.5	15	0	3.076	/	Pass
5	QPSK	701.5	25	0	5.088	/	Pass
		707.5	25	0	5.096	/	Pass
		713.5	25	0	5.142	/	Pass


	16QAM	701.5	25	0	5.110	/	Pass
		707.5	25	0	5.049	/	Pass
		713.5	25	0	5.097	/	Pass
10	QPSK	704	50	0	10.140	/	Pass
		707.5	50	0	10.184	/	Pass
		711	50	0	10.356	/	Pass
	16QAM	704	27	0	7.312	/	Pass
		707.5	27	0	6.198	/	Pass
		711	27	23	6.282	/	Pass

4.2 Test Graph


4.2.1 Band12_OBW




Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_6_0_NTNV




Band12_3MHz_QPSK_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV




Band12_5MHz_QPSK_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV




Band12_10MHz_QPSK_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_MCH_707.5MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV




Band12_10MHz_16QAM_LCH_704MHz_RB_27_0_NTNV




Band12_10MHz_16QAM_MCH_707.5MHz_RB_27_0_NTNV




Band12_10MHz_16QAM_HCH_711MHz_RB_27_23_NTNV




4.2.2 Band12_XDB




Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_6_0_NTNV




Band12_3MHz_QPSK_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV




Band12_5MHz_QPSK_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV




Band12_10MHz_QPSK_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_MCH_707.5MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV




Band12_10MHz_16QAM_LCH_704MHz_RB_27_0_NTNV



Band12_10MHz_16QAM_MCH_707.5MHz_RB_27_0_NTNV



Band12_10MHz_16QAM_HCH_711MHz_RB_27_23_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	699.7	6	0	5.65	<=13	Pass
	707.5	6	0	5.26	<=13	Pass
	715.3	6	0	4.99	<=13	Pass
16QAM	699.7	6	0	6.43	<=13	Pass
	707.5	6	0	6.04	<=13	Pass
	715.3	6	0	5.66	<=13	Pass

5.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	700.5	15	0	5.69	<=13	Pass
	707.5	15	0	5.27	<=13	Pass
	714.5	15	0	5.04	<=13	Pass
16QAM	700.5	15	0	6.40	<=13	Pass
	707.5	15	0	6.04	<=13	Pass
	714.5	15	0	5.80	<=13	Pass

5.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	701.5	25	0	5.53	<=13	Pass
	707.5	25	0	5.38	<=13	Pass
	713.5	25	0	5.40	<=13	Pass
16QAM	701.5	25	0	6.15	<=13	Pass
	707.5	25	0	6.12	<=13	Pass
	713.5	25	0	6.00	<=13	Pass


5.1.4 B12_10MHz

Band: 12 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	704	50	0	5.24	<=13	Pass
	707.5	50	0	5.23	<=13	Pass
	711	50	0	5.63	<=13	Pass
16QAM	704	27	0	6.16	<=13	Pass
	707.5	27	0	5.91	<=13	Pass


	711	27	23	5.97	<=13	Pass
--	-----	----	----	------	------	------

5.2 Test Graph


5.2.1 B12_1.4MHz




Band12_1.4MHz_QPSK_HCH_715.3MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_LCH_699.7MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_MCH_707.5MHz_RB_6_0_NTNV




Band12_1.4MHz_16QAM_HCH_715.3MHz_RB_6_0_NTNV




5.2.2 B12_3MHz




Band12_3MHz_QPSK_HCH_714.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_LCH_700.5MHz_RB_15_0_NTNV



Band12_3MHz_16QAM_MCH_707.5MHz_RB_15_0_NTNV




Band12_3MHz_16QAM_HCH_714.5MHz_RB_15_0_NTNV




5.2.3 B12_5MHz


Band12_5MHz_QPSK_LCH_701.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_QPSK_HCH_713.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_LCH_701.5MHz_RB_25_0_NTNV



Band12_5MHz_16QAM_MCH_707.5MHz_RB_25_0_NTNV




Band12_5MHz_16QAM_HCH_713.5MHz_RB_25_0_NTNV




5.2.4 B12_10MHz


Band12_10MHz_QPSK_LCH_704MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_MCH_707.5MHz_RB_50_0_NTNV




Band12_10MHz_QPSK_HCH_711MHz_RB_50_0_NTNV




Band12_10MHz_16QAM_LCH_704MHz_RB_27_0_NTNV



Band12_10MHz_16QAM_MCH_707.5MHz_RB_27_0_NTNV



Band12_10MHz_16QAM_HCH_711MHz_RB_27_23_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B12_1.4MHz

Band: 12 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	699.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	715.3	1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	699.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	715.3	1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B12_3MHz

Band: 12 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	700.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	714.5	1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	700.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	714.5	1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B12_5MHz

Band: 12 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	701.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	713.5	1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	701.5	1	0	Refer To Test Graph		Pass


	707.5	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	713.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B12_10MHz


Band: 12 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	704	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	704	1	0	Refer To Test Graph		Pass
	707.5	1	0	Refer To Test Graph		Pass
	711	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B12_1.4MHz




Band12_1.4MHz_QPSK_LCH_699.7MHz_RB_1_0_NTNV




Band12_1.4MHz_QPSK_LCH_699.7MHz_RB_1_0_NTNV



Band12_1.4MHz_QPSK_LCH_699.7MHz_RB_1_0_NTNV




Band12_1.4MHz_QPSK_LCH_699.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
696	698.9	0.1	CHP	1	698.394	-31.36	-13	Pass
698.9	699	0.03	/	2	698.994	-30.89	-13	Pass
699	702	0.03	/	/	/	/	/	/

Band12_1.4MHz_QPSK_MCH_707.5MHz_RB_1_0_NTNV



Band12_1.4MHz_QPSK_MCH_707.5MHz_RB_1_0_NTNV

