

Band: 7 / Bandwidth: 10MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	20.03	0.00	20.03	<=33.01	Pass
			25	20.41	0.00	20.41	<=33.01	Pass
			49	19.61	0.00	19.61	<=33.01	Pass
		25	0	19.23	0.00	19.23	<=33.01	Pass
			13	19.19	0.00	19.19	<=33.01	Pass
			25	18.97	0.00	18.97	<=33.01	Pass
		50	0	19.03	0.00	19.03	<=33.01	Pass
	2535	1	0	18.51	0.00	18.51	<=33.01	Pass
			25	19.23	0.00	19.23	<=33.01	Pass
			49	19.07	0.00	19.07	<=33.01	Pass
		25	0	18.09	0.00	18.09	<=33.01	Pass
			13	18.40	0.00	18.40	<=33.01	Pass
			25	18.52	0.00	18.52	<=33.01	Pass
		50	0	18.29	0.00	18.29	<=33.01	Pass
	2565	1	0	20.05	0.00	20.05	<=33.01	Pass
			25	20.36	0.00	20.36	<=33.01	Pass
			49	19.91	0.00	19.91	<=33.01	Pass
		25	0	18.81	0.00	18.81	<=33.01	Pass
			13	18.78	0.00	18.78	<=33.01	Pass
			25	18.82	0.00	18.82	<=33.01	Pass
16QAM	2505	1	0	18.76	0.00	18.76	<=33.01	Pass
			25	19.14	0.00	19.14	<=33.01	Pass
			49	18.35	0.00	18.35	<=33.01	Pass
		12	0	19.81	0.00	19.81	<=33.01	Pass
			19	19.98	0.00	19.98	<=33.01	Pass
			38	19.94	0.00	19.94	<=33.01	Pass
		27	0	18.86	0.00	18.86	<=33.01	Pass
	2535	1	0	17.59	0.00	17.59	<=33.01	Pass
			25	18.39	0.00	18.39	<=33.01	Pass
			49	18.36	0.00	18.36	<=33.01	Pass
		12	0	19.32	0.00	19.32	<=33.01	Pass
			19	19.41	0.00	19.41	<=33.01	Pass
			38	19.12	0.00	19.12	<=33.01	Pass
		27	0	18.24	0.00	18.24	<=33.01	Pass
	2565	1	0	18.31	0.00	18.31	<=33.01	Pass
			25	18.65	0.00	18.65	<=33.01	Pass
			49	18.34	0.00	18.34	<=33.01	Pass
		12	0	19.13	0.00	19.13	<=33.01	Pass
			19	19.50	0.00	19.50	<=33.01	Pass
			38	19.61	0.00	19.61	<=33.01	Pass
		27	23	18.52	0.00	18.52	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	20.84	0.00	20.84	<=33.01	Pass
			38	20.65	0.00	20.65	<=33.01	Pass
			74	20.18	0.00	20.18	<=33.01	Pass
		36	0	19.61	0.00	19.61	<=33.01	Pass
			18	19.80	0.00	19.80	<=33.01	Pass
			39	19.30	0.00	19.30	<=33.01	Pass

16QAM	2535	75	0	20.28	0.00	20.28	<=33.01	Pass
		1	0	20.57	0.00	20.57	<=33.01	Pass
			38	20.76	0.00	20.76	<=33.01	Pass
			74	21.22	0.00	21.22	<=33.01	Pass
		36	0	19.46	0.00	19.46	<=33.01	Pass
			18	19.53	0.00	19.53	<=33.01	Pass
			39	19.73	0.00	19.73	<=33.01	Pass
		75	0	19.40	0.00	19.40	<=33.01	Pass
	2562.5	1	0	20.50	0.00	20.50	<=33.01	Pass
			38	20.22	0.00	20.22	<=33.01	Pass
			74	20.96	0.00	20.96	<=33.01	Pass
		36	0	19.69	0.00	19.69	<=33.01	Pass
			18	19.88	0.00	19.88	<=33.01	Pass
			39	19.71	0.00	19.71	<=33.01	Pass
		75	0	22.83	0.00	22.83	<=33.01	Pass
	2507.5	1	0	20.30	0.00	20.30	<=33.01	Pass
			38	20.28	0.00	20.28	<=33.01	Pass
			74	20.09	0.00	20.09	<=33.01	Pass
		12	0	20.60	0.00	20.60	<=33.01	Pass
			31	20.72	0.00	20.72	<=33.01	Pass
			63	20.24	0.00	20.24	<=33.01	Pass
		27	0	19.45	0.00	19.45	<=33.01	Pass
	2535	1	0	19.03	0.00	19.03	<=33.01	Pass
			38	19.39	0.00	19.39	<=33.01	Pass
			74	19.70	0.00	19.70	<=33.01	Pass
		12	0	18.75	0.00	18.75	<=33.01	Pass
			31	19.13	0.00	19.13	<=33.01	Pass
			63	19.38	0.00	19.38	<=33.01	Pass
		27	0	17.72	0.00	17.72	<=33.01	Pass
	2562.5	1	0	23.28	0.00	23.28	<=33.01	Pass
			38	20.38	0.00	20.38	<=33.01	Pass
			74	20.42	0.00	20.42	<=33.01	Pass
		12	0	20.59	0.00	20.59	<=33.01	Pass
			31	20.57	0.00	20.57	<=33.01	Pass
			63	20.49	0.00	20.49	<=33.01	Pass
		27	48	19.19	0.00	19.19	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	21.14	0.00	21.14	<=33.01	Pass
			50	21.25	0.00	21.25	<=33.01	Pass
			99	20.31	0.00	20.31	<=33.01	Pass
		50	0	20.23	0.00	20.23	<=33.01	Pass
			25	20.12	0.00	20.12	<=33.01	Pass
			50	19.70	0.00	19.70	<=33.01	Pass
		100	0	20.03	0.00	20.03	<=33.01	Pass
	2535	1	0	20.01	0.00	20.01	<=33.01	Pass
			50	20.60	0.00	20.60	<=33.01	Pass
			99	20.70	0.00	20.70	<=33.01	Pass
		50	0	19.12	0.00	19.12	<=33.01	Pass
			25	19.37	0.00	19.37	<=33.01	Pass
			50	19.67	0.00	19.67	<=33.01	Pass
		100	0	19.25	0.00	19.25	<=33.01	Pass

	2560	1	0	20.16	0.00	20.16	<=33.01	Pass	
			50	20.20	0.00	20.20	<=33.01	Pass	
			99	20.33	0.00	20.33	<=33.01	Pass	
		50	0	19.51	0.00	19.51	<=33.01	Pass	
			25	19.70	0.00	19.70	<=33.01	Pass	
			50	19.51	0.00	19.51	<=33.01	Pass	
		100	0	19.89	0.00	19.89	<=33.01	Pass	
		16QAM	2510	1	0	20.04	0.00	20.04	<=33.01
50	20.18				0.00	20.18	<=33.01	Pass	
99	19.42				0.00	19.42	<=33.01	Pass	
12	0			20.25	0.00	20.25	<=33.01	Pass	
	44			20.23	0.00	20.23	<=33.01	Pass	
	88			19.48	0.00	19.48	<=33.01	Pass	
	27			0	19.33	0.00	19.33	<=33.01	Pass
2535	1			0	18.81	0.00	18.81	<=33.01	Pass
			50	19.61	0.00	19.61	<=33.01	Pass	
			99	19.86	0.00	19.86	<=33.01	Pass	
	12		0	18.59	0.00	18.59	<=33.01	Pass	
			44	19.08	0.00	19.08	<=33.01	Pass	
			88	19.63	0.00	19.63	<=33.01	Pass	
	27		0	17.50	0.00	17.50	<=33.01	Pass	
	2560		1	0	19.81	0.00	19.81	<=33.01	Pass
50				19.93	0.00	19.93	<=33.01	Pass	
99				19.83	0.00	19.83	<=33.01	Pass	
12			0	20.08	0.00	20.08	<=33.01	Pass	
			44	20.13	0.00	20.13	<=33.01	Pass	
			88	19.91	0.00	19.91	<=33.01	Pass	
27			73	18.81	0.00	18.81	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	3.27	3.977	0.0016	-2.5 to 2.5	Pass
					3.85	2.789	0.0011	-2.5 to 2.5	Pass
					4.43	2.460	0.0010	-2.5 to 2.5	Pass
				-30	3.85	3.991	0.0016	-2.5 to 2.5	Pass
				-20	3.85	3.819	0.0015	-2.5 to 2.5	Pass
				-10	3.85	2.561	0.0010	-2.5 to 2.5	Pass
				0	3.85	2.460	0.0010	-2.5 to 2.5	Pass
				10	3.85	0.629	0.0003	-2.5 to 2.5	Pass
				30	3.85	1.059	0.0004	-2.5 to 2.5	Pass
				40	3.85	1.473	0.0006	-2.5 to 2.5	Pass
	50	3.85	1.774	0.0007	-2.5 to 2.5	Pass			
	2535	25	0	20	3.27	7.424	0.0029	-2.5 to 2.5	Pass
					3.85	2.661	0.0010	-2.5 to 2.5	Pass
					4.43	4.492	0.0018	-2.5 to 2.5	Pass
				-30	3.85	4.249	0.0017	-2.5 to 2.5	Pass
				-20	3.85	3.719	0.0015	-2.5 to 2.5	Pass
				-10	3.85	4.334	0.0017	-2.5 to 2.5	Pass

				0	3.85	3.977	0.0016	-2.5 to 2.5	Pass
				10	3.85	4.206	0.0017	-2.5 to 2.5	Pass
				30	3.85	3.633	0.0014	-2.5 to 2.5	Pass
				40	3.85	3.076	0.0012	-2.5 to 2.5	Pass
				50	3.85	2.618	0.0010	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-0.300	-0.0001	-2.5 to 2.5	Pass
					3.85	0.558	0.0002	-2.5 to 2.5	Pass
					4.43	-0.472	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.887	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.658	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.200	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.230	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.386	0.0002	-2.5 to 2.5	Pass
				50	3.85	-1.130	-0.0004	-2.5 to 2.5	Pass
16QAM	2502.5	25	0	20	3.27	-0.515	-0.0002	-2.5 to 2.5	Pass
					3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
					4.43	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.85	0.973	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				0	3.85	0.172	0.0001	-2.5 to 2.5	Pass
				10	3.85	0.587	0.0002	-2.5 to 2.5	Pass
				30	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.272	-0.0001	-2.5 to 2.5	Pass
				50	3.85	0.043	0.0000	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-0.229	-0.0001	-2.5 to 2.5	Pass
					3.85	1.473	0.0006	-2.5 to 2.5	Pass
					4.43	1.216	0.0005	-2.5 to 2.5	Pass
				-30	3.85	1.445	0.0006	-2.5 to 2.5	Pass
				-20	3.85	1.760	0.0007	-2.5 to 2.5	Pass
				-10	3.85	1.273	0.0005	-2.5 to 2.5	Pass
				0	3.85	1.445	0.0006	-2.5 to 2.5	Pass
				10	3.85	2.561	0.0010	-2.5 to 2.5	Pass
				30	3.85	0.715	0.0003	-2.5 to 2.5	Pass
				40	3.85	1.888	0.0007	-2.5 to 2.5	Pass
				50	3.85	1.273	0.0005	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-2.933	-0.0011	-2.5 to 2.5	Pass
					3.85	-1.845	-0.0007	-2.5 to 2.5	Pass
					4.43	-3.419	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-2.546	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-2.947	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-1.502	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-2.031	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-1.645	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-2.847	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-2.761	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-0.687	-0.0003	-2.5 to 2.5	Pass

2.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	3.27	4.077	0.0016	-2.5 to 2.5	Pass
					3.85	4.649	0.0019	-2.5 to 2.5	Pass

16QAM					4.43	4.363	0.0017	-2.5 to 2.5	Pass
				-30	3.85	4.463	0.0018	-2.5 to 2.5	Pass
				-20	3.85	3.905	0.0016	-2.5 to 2.5	Pass
				-10	3.85	3.262	0.0013	-2.5 to 2.5	Pass
				0	3.85	2.146	0.0009	-2.5 to 2.5	Pass
				10	3.85	2.575	0.0010	-2.5 to 2.5	Pass
				30	3.85	2.174	0.0009	-2.5 to 2.5	Pass
				40	3.85	3.433	0.0014	-2.5 to 2.5	Pass
				50	3.85	3.676	0.0015	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	7.353	0.0029	-2.5 to 2.5	Pass
					3.85	4.063	0.0016	-2.5 to 2.5	Pass
					4.43	4.492	0.0018	-2.5 to 2.5	Pass
				-30	3.85	3.819	0.0015	-2.5 to 2.5	Pass
				-20	3.85	3.905	0.0015	-2.5 to 2.5	Pass
				-10	3.85	3.762	0.0015	-2.5 to 2.5	Pass
				0	3.85	2.103	0.0008	-2.5 to 2.5	Pass
				10	3.85	2.761	0.0011	-2.5 to 2.5	Pass
				30	3.85	3.505	0.0014	-2.5 to 2.5	Pass
				40	3.85	1.988	0.0008	-2.5 to 2.5	Pass
				50	3.85	2.875	0.0011	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	-0.286	-0.0001	-2.5 to 2.5	Pass
					3.85	-2.017	-0.0008	-2.5 to 2.5	Pass
					4.43	-0.958	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.515	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.730	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.658	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-1.702	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-2.046	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.086	0.0000	-2.5 to 2.5	Pass
				40	3.85	-0.372	-0.0001	-2.5 to 2.5	Pass
				50	3.85	0.272	0.0001	-2.5 to 2.5	Pass
	2505	27	0	20	3.27	2.418	0.0010	-2.5 to 2.5	Pass
					3.85	2.460	0.0010	-2.5 to 2.5	Pass
					4.43	1.917	0.0008	-2.5 to 2.5	Pass
				-30	3.85	1.945	0.0008	-2.5 to 2.5	Pass
				-20	3.85	1.659	0.0007	-2.5 to 2.5	Pass
				-10	3.85	3.090	0.0012	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0003	-2.5 to 2.5	Pass
				10	3.85	2.861	0.0011	-2.5 to 2.5	Pass
				30	3.85	3.948	0.0016	-2.5 to 2.5	Pass
	2535	27	0	20	3.27	-2.618	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.558	-0.0002	-2.5 to 2.5	Pass
					4.43	-0.401	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.715	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				-10	3.85	0.315	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.243	0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.086	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.587	0.0002	-2.5 to 2.5	Pass
	2565	27	23	20	3.27	-2.933	-0.0011	-2.5 to 2.5	Pass
					3.85	-2.375	-0.0009	-2.5 to 2.5	Pass
					4.43	-3.276	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-2.747	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	-3.719	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass
				20	3.27	-2.933	-0.0011	-2.5 to 2.5	Pass
					3.85	-2.375	-0.0009	-2.5 to 2.5	Pass
					4.43	-3.276	-0.0013	-2.5 to 2.5	Pass

				0	3.85	-2.303	-0.0009	-2.5 to 2.5	Pass
				10	3.85	-1.302	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-1.330	-0.0005	-2.5 to 2.5	Pass
				40	3.85	-2.089	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.114	0.0000	-2.5 to 2.5	Pass

2.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	3.27	-7.839	-0.0031	-2.5 to 2.5	Pass
					3.85	-7.939	-0.0032	-2.5 to 2.5	Pass
					4.43	-4.663	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-1.860	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.772	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.901	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-1.445	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-2.546	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-6.194	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-5.307	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-5.064	-0.0020	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	-10.157	-0.0040	-2.5 to 2.5	Pass
					3.85	-10.643	-0.0042	-2.5 to 2.5	Pass
					4.43	-9.227	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-6.866	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-5.593	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-5.722	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-4.206	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-3.519	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-3.304	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-11.573	-0.0045	-2.5 to 2.5	Pass
					3.85	-9.141	-0.0036	-2.5 to 2.5	Pass
					4.43	-7.095	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-6.309	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	-5.922	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-7.124	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-6.638	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-3.834	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-5.651	-0.0022	-2.5 to 2.5	Pass
				50	3.85	-5.407	-0.0021	-2.5 to 2.5	Pass
16QAM	2507.5	27	0	20	3.27	-1.087	-0.0004	-2.5 to 2.5	Pass
					3.85	-3.119	-0.0012	-2.5 to 2.5	Pass
					4.43	-3.963	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-2.561	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-1.202	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-2.747	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-1.760	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-1.388	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-1.903	-0.0008	-2.5 to 2.5	Pass
				40	3.85	-1.516	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-0.901	-0.0004	-2.5 to 2.5	Pass
	2535	27	0	20	3.27	-0.100	0.0000	-2.5 to 2.5	Pass
					3.85	1.073	0.0004	-2.5 to 2.5	Pass

					4.43	1.159	0.0005	-2.5 to 2.5	Pass
				-30	3.85	0.873	0.0003	-2.5 to 2.5	Pass
				-20	3.85	1.516	0.0006	-2.5 to 2.5	Pass
				-10	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				0	3.85	1.330	0.0005	-2.5 to 2.5	Pass
				10	3.85	1.645	0.0006	-2.5 to 2.5	Pass
				30	3.85	2.160	0.0009	-2.5 to 2.5	Pass
				40	3.85	2.918	0.0012	-2.5 to 2.5	Pass
				50	3.85	2.961	0.0012	-2.5 to 2.5	Pass
	2562.5	27	48	20	3.27	-2.975	-0.0012	-2.5 to 2.5	Pass
					3.85	-3.762	-0.0015	-2.5 to 2.5	Pass
					4.43	-3.090	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	-2.375	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-1.574	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-1.631	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-4.478	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-4.578	-0.0018	-2.5 to 2.5	Pass
				30	3.85	-2.632	-0.0010	-2.5 to 2.5	Pass
				40	3.85	0.215	0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.286	-0.0001	-2.5 to 2.5	Pass

2.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	3.27	2.046	0.0008	-2.5 to 2.5	Pass
					3.85	2.003	0.0008	-2.5 to 2.5	Pass
					4.43	-0.114	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-1.116	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-1.001	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-3.834	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-0.615	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-0.601	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-1.431	-0.0006	-2.5 to 2.5	Pass
				40	3.85	1.545	0.0006	-2.5 to 2.5	Pass
				50	3.85	-2.303	-0.0009	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	-1.602	-0.0006	-2.5 to 2.5	Pass
					3.85	-3.419	-0.0013	-2.5 to 2.5	Pass
					4.43	-3.562	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	-2.418	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-10	3.85	-2.460	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-1.917	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-3.748	-0.0015	-2.5 to 2.5	Pass
				30	3.85	-3.147	-0.0012	-2.5 to 2.5	Pass
				40	3.85	-5.479	-0.0022	-2.5 to 2.5	Pass
				50	3.85	-4.292	-0.0017	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	-3.133	-0.0012	-2.5 to 2.5	Pass
					3.85	-5.407	-0.0021	-2.5 to 2.5	Pass
					4.43	-5.465	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	-3.190	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-3.033	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-4.535	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-5.150	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-1.945	-0.0008	-2.5 to 2.5	Pass

16QAM	2510	27	0	40	3.85	-0.343	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-3.834	-0.0015	-2.5 to 2.5	Pass
				20	3.27	-1.373	-0.0005	-2.5 to 2.5	Pass
					3.85	-2.246	-0.0009	-2.5 to 2.5	Pass
				-30	4.43	0.114	0.0000	-2.5 to 2.5	Pass
					3.85	1.702	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-2.618	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-3.119	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-2.103	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-1.931	-0.0008	-2.5 to 2.5	Pass
	2535	27	0	30	3.85	0.973	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.358	0.0001	-2.5 to 2.5	Pass
				50	3.85	3.047	0.0012	-2.5 to 2.5	Pass
				20	3.27	-5.064	-0.0020	-2.5 to 2.5	Pass
					3.85	-2.646	-0.0010	-2.5 to 2.5	Pass
				-30	4.43	-1.960	-0.0008	-2.5 to 2.5	Pass
					3.85	-2.632	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-3.963	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-2.346	-0.0009	-2.5 to 2.5	Pass
				0	3.85	-3.419	-0.0013	-2.5 to 2.5	Pass
	2560	27	73	10	3.85	-5.665	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-3.419	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-4.349	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-4.420	-0.0017	-2.5 to 2.5	Pass
				20	3.27	-7.153	-0.0028	-2.5 to 2.5	Pass
					3.85	-4.420	-0.0017	-2.5 to 2.5	Pass
				-30	4.43	-2.933	-0.0011	-2.5 to 2.5	Pass
					3.85	-1.302	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-2.475	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-2.804	-0.0011	-2.5 to 2.5	Pass
				0	3.85	1.674	0.0007	-2.5 to 2.5	Pass
				10	3.85	-2.017	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-3.905	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-0.830	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-1.574	-0.0006	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	25	0	Refer To Test Graph		Pass
16QAM	2535	25	0	Refer To Test Graph		Pass

3.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	50	0	Refer To Test Graph		Pass
16QAM	2535	27	0	Refer To Test Graph		Pass

3.1.3 B7_15MHz


Band: 7 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	75	0	Refer To Test Graph		Pass
16QAM	2535	27	0	Refer To Test Graph		Pass

3.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	Refer To Test Graph		Pass
16QAM	2535	27	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B7_5MHz




3.2.2 B7_10MHz



3.2.3 B7_15MHz



3.2.4 B7_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band7_OBW

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	4.549	/	Pass
		2535	25	0	4.567	/	Pass
		2567.5	25	0	4.550	/	Pass
	16QAM	2502.5	25	0	4.568	/	Pass
		2535	25	0	4.550	/	Pass
		2567.5	25	0	4.552	/	Pass
10	QPSK	2505	50	0	9.059	/	Pass
		2535	50	0	9.083	/	Pass
		2565	50	0	9.063	/	Pass
	16QAM	2505	27	0	5.120	/	Pass
		2535	27	0	5.133	/	Pass
		2565	27	23	5.138	/	Pass
15	QPSK	2507.5	75	0	13.622	/	Pass
		2535	75	0	13.657	/	Pass
		2562.5	75	0	44.594	/	Pass
	16QAM	2507.5	27	0	5.407	/	Pass
		2535	27	0	5.379	/	Pass
		2562.5	27	48	44.594	/	Pass
20	QPSK	2510	100	0	18.062	/	Pass
		2535	100	0	18.217	/	Pass
		2560	100	0	18.141	/	Pass
	16QAM	2510	27	0	5.690	/	Pass
		2535	27	0	5.738	/	Pass
		2560	27	73	5.731	/	Pass


4.1.2 Band7_XDB

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	5.076	/	Pass
		2535	25	0	5.137	/	Pass
		2567.5	25	0	5.096	/	Pass
	16QAM	2502.5	25	0	5.112	/	Pass
		2535	25	0	5.094	/	Pass
		2567.5	25	0	5.070	/	Pass
10	QPSK	2505	50	0	10.375	/	Pass
		2535	50	0	10.305	/	Pass
		2565	50	0	10.272	/	Pass
	16QAM	2505	27	0	6.326	/	Pass
		2535	27	0	6.587	/	Pass
		2565	27	23	6.551	/	Pass
15	QPSK	2507.5	75	0	15.600	/	Pass
		2535	75	0	15.572	/	Pass
		2562.5	75	0	44.904	/	Pass


20	16QAM	2507.5	27	0	6.902	/	Pass
		2535	27	0	7.091	/	Pass
		2562.5	27	48	44.905	/	Pass
	QPSK	2510	100	0	20.284	/	Pass
		2535	100	0	20.319	/	Pass
		2560	100	0	20.317	/	Pass
	16QAM	2510	27	0	7.757	/	Pass
		2535	27	0	7.676	/	Pass
		2560	27	73	8.215	/	Pass

4.2 Test Graph


4.2.1 Band7_OBW




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_27_23_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_27_48_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_27_0_NTNV




Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_20MHz_16QAM_HCH_2560MHz_RB_27_73_NTNV




4.2.2 Band7_XDB




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_27_23_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_27_48_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_27_73_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	5.46	<=13	Pass
	2535	25	0	5.74	<=13	Pass
	2567.5	25	0	5.71	<=13	Pass
16QAM	2502.5	25	0	6.28	<=13	Pass
	2535	25	0	6.39	<=13	Pass
	2567.5	25	0	6.42	<=13	Pass

5.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	5.43	<=13	Pass
	2535	50	0	5.59	<=13	Pass
	2565	50	0	5.81	<=13	Pass
16QAM	2505	27	0	6.15	<=13	Pass
	2535	27	0	6.42	<=13	Pass
	2565	27	23	6.47	<=13	Pass

5.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	5.78	<=13	Pass
	2535	75	0	5.89	<=13	Pass
	2562.5	75	0	5.95	<=13	Pass
16QAM	2507.5	27	0	10.20	<=13	Pass
	2535	27	0	6.39	<=13	Pass
	2562.5	27	48	10.89	<=13	Pass


5.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	5.59	<=13	Pass
	2535	100	0	5.72	<=13	Pass
	2560	100	0	5.60	<=13	Pass
16QAM	2510	27	0	6.07	<=13	Pass
	2535	27	0	10.32	<=13	Pass


	2560	27	73	6.40	<=13	Pass
--	------	----	----	------	------	------

5.2 Test Graph


5.2.1 B7_5MHz




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




5.2.2 B7_10MHz




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_27_23_NTNV




5.2.3 B7_15MHz




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_27_48_NTNV




5.2.4 B7_20MHz




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_27_0_NTNV



Band7_20MHz_16QAM_HCH_2560MHz_RB_27_73_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2505	1	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

6.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	2507.5	1	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2562.5	1	0	Refer To Test Graph		Pass


			74	Refer To Test Graph	Pass
--	--	--	----	---------------------	------

6.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2510	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2560	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
16QAM	2510	1	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2560	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B7_5MHz




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-49.35	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-32.93	-13	Pass
2496	2499	1	CHP	3	2498.500	-27.62	-10	Pass
2499	2500	0.102	CHP	4	2499.920	-29.73	-10	Pass
2500	2505	0.102	CHP	/	/	/	/	/


Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2565	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.005	-25.30	-10	Pass
2571	2575	1	CHP	2	2571.500	-32.52	-10	Pass
2575	2576	1	CHP	3	2575.975	-46.57	-13	Pass
2576	2580	1	CHP	4	2576.005	-46.57	-25	Pass

Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2565	2570	0.102	CHP	/	/	/	/	/
2570	2571	0.102	CHP	1	2570.010	-28.44	-10	Pass
2571	2575	1	CHP	2	2571.510	-25.54	-10	Pass
2575	2576	1	CHP	3	2575.005	-39.90	-13	Pass
2576	2580	1	CHP	4	2576.010	-42.89	-25	Pass

Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.170	-53.17	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-47.12	-13	Pass
2496	2499	1	CHP	3	2498.485	-33.21	-10	Pass
2499	2500	0.02	CHP	4	2499.995	-24.15	-10	Pass
2500	2505	0.02	CHP	/	/	/	/	/


Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_16QAM_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-49.07	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-35.21	-13	Pass
2496	2499	1	CHP	3	2498.500	-28.55	-10	Pass
2499	2500	0.102	CHP	4	2499.980	-30.36	-10	Pass
2500	2505	0.102	CHP	/	/	/	/	/