

Band Edge

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
				RB75#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
				RB75#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB75#High	Pass
			16-QAM	RB1#High	Pass
				RB75#High	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
				RB100#Low	Pass
			16-QAM	RB1#Low	Pass
				RB100#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB100#High	Pass
			16-QAM	RB1#High	Pass
				RB100#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
				RB6#Low	Pass
			16-QAM	RB1#Low	Pass
				RB6#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB6#High	Pass
			16-QAM	RB1#High	Pass
				RB6#High	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
				RB15#Low	Pass
			16-QAM	RB1#Low	Pass
				RB15#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB15#High	Pass
			16-QAM	RB1#High	Pass
				RB15#High	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
			16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
			16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
			16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
			16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 13	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
		LCH	16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
		LCH	16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB50#High	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#Low	Pass
				RB25#Low	Pass
		LCH	16-QAM	RB1#Low	Pass
				RB25#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB25#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB25#High	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
				RB50#Low	Pass
		LCH	16-QAM	RB1#Low	Pass
				RB50#Low	Pass
		HCH	QPSK	RB1#High	Pass
				RB50#High	Pass
		HCH	16-QAM	RB1#High	Pass
				RB50#High	Pass


Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26(Part 22)	1.4 MHz	LCH	QPSK	RB1#LOW	Pass
				RB6#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB6#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB6#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB6#HIGH	Pass
	3 MHz	LCH	QPSK	RB1#LOW	Pass
				RB15#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB15#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB15#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB15#HIGH	Pass
	5 MHz	LCH	QPSK	RB1#LOW	Pass
				RB25#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB25#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB25#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB25#HIGH	Pass
	10 MHz	LCH	QPSK	RB1#LOW	Pass
				RB50#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB50#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB50#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB50#HIGH	Pass
	15 MHz	LCH	QPSK	RB1#LOW	Pass
				RB75#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB75#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB75#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB75#HIGH	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26(Part 90)	1.4 MHz	LCH	QPSK	RB1#LOW	Pass
				RB6#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB6#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB6#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB6#HIGH	Pass
	3 MHz	LCH	QPSK	RB1#LOW	Pass
				RB15#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB15#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB15#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB15#HIGH	Pass
	5 MHz	LCH	QPSK	RB1#LOW	Pass
				RB25#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB25#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB25#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB25#HIGH	Pass
	10 MHz	LCH	QPSK	RB1#LOW	Pass
				RB50#LOW	Pass
			16-QAM	RB1#LOW	Pass
				RB50#LOW	Pass
		HCH	QPSK	RB1#HIGH	Pass
				RB50#HIGH	Pass
			16-QAM	RB1#HIGH	Pass
				RB50#HIGH	Pass

1. LTE_Band4


1.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.08	-13	27.08	Pass	401
1708	1709	1	RMS	1709	-29.06	-13	16.06	Pass	2
1709	1710	0.02	RMS	1710	-24.64	-13	11.64	Pass	401
1710	1712	0.1	RMS	1710.25	17.61	30	12.39	Pass	401




1.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.95	-13	21.95	Pass	401
1708	1709	1	RMS	1709	-22.56	-13	9.56	Pass	2
1709	1710	0.02	RMS	1710	-31.34	-13	18.34	Pass	401
1710	1712	0.1	RMS	1711.13	8.76	30	21.24	Pass	401




1.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.83	-13	27.83	Pass	401
1708	1709	1	RMS	1709	-31.04	-13	18.04	Pass	2
1709	1710	0.02	RMS	1710	-25.76	-13	12.76	Pass	401
1710	1712	0.1	RMS	1710.25	16.53	30	13.47	Pass	401




1.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.94	-13	23.94	Pass	401
1708	1709	1	RMS	1709	-24.95	-13	11.95	Pass	2
1709	1710	0.02	RMS	1710	-32.12	-13	19.12	Pass	401
1710	1712	0.1	RMS	1711.09	7.75	30	22.25	Pass	401




1.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	17.42	30	12.58	Pass	401
1755	1756	0.02	RMS	1755	-22.82	-13	9.82	Pass	401
1756	1757	1	RMS	1756	-31.49	-13	18.49	Pass	2
1757	1765	1	RMS	1757	-38.41	-13	25.41	Pass	401




1.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.45	8.97	30	21.03	Pass	401
1755	1756	0.02	RMS	1755	-28.72	-13	15.72	Pass	401
1756	1757	1	RMS	1756	-20.57	-13	7.57	Pass	2
1757	1765	1	RMS	1757	-33.58	-13	20.58	Pass	401




1.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	16.97	30	13.03	Pass	401
1755	1756	0.02	RMS	1755	-23.74	-13	10.74	Pass	401
1756	1757	1	RMS	1756	-31.6	-13	18.6	Pass	2
1757	1765	1	RMS	1757	-38.73	-13	25.73	Pass	401




1.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.975	8.39	30	21.61	Pass	401
1755	1756	0.02	RMS	1755	-29.88	-13	16.88	Pass	401
1756	1757	1	RMS	1756	-22.71	-13	9.71	Pass	2
1757	1765	1	RMS	1757	-35.09	-13	22.09	Pass	401




1.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-31.98	-13	18.98	Pass	401
1708	1709	1	RMS	1708	-32.06	-13	19.06	Pass	2
1709	1710	0.002	RMS	1710	-33.48	-13	20.48	Pass	501
1710	1713	0.1	RMS	1710.24	17.37	30	12.63	Pass	401




1.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.09	-13	12.09	Pass	401
1708	1709	1	RMS	1709	-24.27	-13	11.27	Pass	2
1709	1710	0.03	RMS	1709.998	-30.31	-13	17.31	Pass	401
1710	1713	0.1	RMS	1711.44	5.1	30	24.9	Pass	401




1.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.78	-33.93	-13	20.93	Pass	401
1708	1709	1	RMS	1708	-33.99	-13	20.99	Pass	2
1709	1710	0.002	RMS	1710	-35.27	-13	22.27	Pass	501
1710	1713	0.1	RMS	1710.255	16.28	30	13.72	Pass	401




1.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.14	-13	14.14	Pass	401
1708	1709	1	RMS	1709	-25.02	-13	12.02	Pass	2
1709	1710	0.03	RMS	1710	-32.08	-13	19.08	Pass	401
1710	1713	0.1	RMS	1712.408	3.9	30	26.1	Pass	401




1.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	17.36	30	12.64	Pass	401
1755	1756	0.002	RMS	1755.008	-32.41	-13	19.41	Pass	501
1756	1757	1	RMS	1757	-33.64	-13	20.64	Pass	2
1757	1765	1	RMS	1757.28	-33.59	-13	20.59	Pass	401




1.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)




1.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	16.69	30	13.31	Pass	401
1755	1756	0.002	RMS	1755.002	-32.49	-13	19.49	Pass	501
1756	1757	1	RMS	1757	-34.54	-13	21.54	Pass	2
1757	1765	1	RMS	1757.28	-34.45	-13	21.45	Pass	401




1.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.228	4.44	30	25.56	Pass	401
1755	1756	0.03	RMS	1755	-29.9	-13	16.9	Pass	401
1756	1757	1	RMS	1756	-21.02	-13	8.02	Pass	2
1757	1765	1	RMS	1757.02	-24.07	-13	11.07	Pass	401




1.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.02	-33.1	-13	20.1	Pass	401
1708	1709	1	RMS	1709	-34.33	-13	21.33	Pass	2
1709	1710	0.05	RMS	1710	-26.19	-13	13.19	Pass	21
1710	1715	0.1	RMS	1710.338	16.97	30	13.03	Pass	401




1.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-26.57	-13	13.57	Pass	401
1708	1709	1	RMS	1709	-25.27	-13	12.27	Pass	2
1709	1710	0.051	RMS	1710	-31.55	-13	18.55	Pass	401
1710	1715	0.1	RMS	1711.7	3.09	30	26.91	Pass	401




1.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706	-35.1	-13	22.1	Pass	401
1708	1709	1	RMS	1709	-38.33	-13	25.33	Pass	2
1709	1710	0.051	RMS	1710	-24.51	-13	11.51	Pass	401
1710	1715	0.1	RMS	1710.35	16.28	30	13.72	Pass	401




1.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.17	-13	14.17	Pass	401
1708	1709	1	RMS	1709	-25.83	-13	12.83	Pass	2
1709	1710	0.051	RMS	1710	-32.55	-13	19.55	Pass	401
1710	1715	0.1	RMS	1712.838	2.13	30	27.87	Pass	401




1.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	17.36	30	12.64	Pass	401
1755	1756	0.051	RMS	1755	-23.76	-13	10.76	Pass	401
1756	1757	1	RMS	1756	-35.75	-13	22.75	Pass	2
1757	1765	1	RMS	1758.92	-30.12	-13	17.12	Pass	401




1.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)




1.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	16.72	30	13.28	Pass	401
1755	1756	0.05	RMS	1755	-25.5	-13	12.5	Pass	21
1756	1757	1	RMS	1756	-38.05	-13	25.05	Pass	2
1757	1765	1	RMS	1758.94	-30.88	-13	17.88	Pass	401




1.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)




1.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1701.88	-34.42	-13	21.42	Pass	401
1708	1709	1	RMS	1709	-39.02	-13	26.02	Pass	2
1709	1710	0.1	RMS	1710	-34.77	-13	21.77	Pass	401
1710	1720	0.1	RMS	1710.575	17.41	30	12.59	Pass	401




1.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.97	-13	15.97	Pass	401
1708	1709	1	RMS	1709	-28.61	-13	15.61	Pass	2
1709	1710	0.1	RMS	1709.995	-35.06	-13	22.06	Pass	401
1710	1720	0.1	RMS	1714.25	0.22	30	29.78	Pass	401




1.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1701.78	-35.07	-13	22.07	Pass	401
1708	1709	1	RMS	1709	-39.91	-13	26.91	Pass	2
1709	1710	0.1	RMS	1710	-34.79	-13	21.79	Pass	401
1710	1720	0.1	RMS	1710.6	16.49	30	13.51	Pass	401




1.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-28.71	-13	15.71	Pass	401
1708	1709	1	RMS	1709	-28.25	-13	15.25	Pass	2
1709	1710	0.1	RMS	1709.993	-35.42	-13	22.42	Pass	401
1710	1720	0.1	RMS	1715	-0.84	30	30.84	Pass	401



1.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	17.52	30	12.48	Pass	401
1755	1756	0.1	RMS	1755	-33.83	-13	20.83	Pass	401
1756	1757	1	RMS	1756	-38.15	-13	25.15	Pass	2
1757	1765	1	RMS	1763.22	-28.72	-13	15.72	Pass	401




1.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.325	0.37	30	29.63	Pass	401
1755	1756	0.1	RMS	1755	-32.04	-13	19.04	Pass	401
1756	1757	1	RMS	1756	-23.96	-13	10.96	Pass	2
1757	1765	1	RMS	1757	-24.23	-13	11.23	Pass	401



1.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	17.14	30	12.86	Pass	401
1755	1756	0.1	RMS	1755	-33.28	-13	20.28	Pass	401
1756	1757	1	RMS	1756	-38.61	-13	25.61	Pass	2
1757	1765	1	RMS	1763.26	-28.12	-13	15.12	Pass	401




1.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.675	-0.76	30	30.76	Pass	401
1755	1756	0.1	RMS	1755	-33.04	-13	20.04	Pass	401
1756	1757	1	RMS	1756	-25.09	-13	12.09	Pass	2
1757	1765	1	RMS	1757.06	-25.54	-13	12.54	Pass	401




1.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.54	-13	29.54	Pass	401
1708	1709	1	RMS	1709	-39.57	-13	26.57	Pass	2
1709	1710	0.15	RMS	1710	-31.87	-13	18.87	Pass	401
1710	1725	0.1	RMS	1710.825	16.82	30	13.18	Pass	401




1.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.24	-13	16.24	Pass	401
1708	1709	1	RMS	1709	-28.2	-13	15.2	Pass	2
1709	1710	0.15	RMS	1709.415	-35.44	-13	22.44	Pass	401
1710	1725	0.1	RMS	1716.413	-1.42	30	31.42	Pass	401




1.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.56	-13	30.56	Pass	401
1708	1709	1	RMS	1709	-40.44	-13	27.44	Pass	2
1709	1710	0.15	RMS	1710	-32.48	-13	19.48	Pass	401
1710	1725	0.1	RMS	1710.863	15.83	30	14.17	Pass	401




1.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.37	-13	16.37	Pass	401
1708	1709	1	RMS	1709	-29.12	-13	16.12	Pass	2
1709	1710	0.15	RMS	1710	-36.56	-13	23.56	Pass	401
1710	1725	0.1	RMS	1716.45	-2.24	30	32.24	Pass	401



1.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	17.62	30	12.38	Pass	401
1755	1756	0.15	RMS	1755.008	-30.9	-13	17.9	Pass	401
1756	1757	1	RMS	1756	-38.8	-13	25.8	Pass	2




1.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)




1.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1748.438	-1.21	30	31.21	Pass	401
1755	1756	0.15	RMS	1755.85	-32.22	-13	19.22	Pass	401
1756	1757	1	RMS	1756	-25.04	-13	12.04	Pass	2
1757	1765	1	RMS	1758.04	-26.09	-13	13.09	Pass	401




1.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	16.54	30	13.46	Pass	401
1755	1756	0.15	RMS	1755	-32.43	-13	19.43	Pass	401
1756	1757	1	RMS	1756	-39.95	-13	26.95	Pass	2
1757	1765	1	RMS	1760.84	-42.13	-13	29.13	Pass	401




1.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1748.438	-2.37	30	32.37	Pass	401
1755	1756	0.15	RMS	1755.493	-34.63	-13	21.63	Pass	401
1756	1757	1	RMS	1756	-26.99	-13	13.99	Pass	2
1757	1765	1	RMS	1757	-27.53	-13	14.53	Pass	401




1.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.68	-13	29.68	Pass	401
1708	1709	1	RMS	1709	-39.91	-13	26.91	Pass	2
1709	1710	0.2	RMS	1709.998	-35.35	-13	22.35	Pass	401
1710	1730	0.1	RMS	1711.1	17.06	30	12.94	Pass	401




1.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-33.7	-13	20.7	Pass	401
1708	1709	1	RMS	1709	-32.89	-13	19.89	Pass	2
1709	1710	0.2	RMS	1709.998	-38.4	-13	25.4	Pass	401
1710	1730	0.1	RMS	1718.95	-2.81	30	32.81	Pass	401




1.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.68	-13	30.68	Pass	401
1708	1709	1	RMS	1709	-40.72	-13	27.72	Pass	2
1709	1710	0.2	RMS	1710	-34.82	-13	21.82	Pass	401
1710	1730	0.1	RMS	1711.1	16.18	30	13.82	Pass	401




1.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.49	-13	19.49	Pass	401
1708	1709	1	RMS	1709	-31.72	-13	18.72	Pass	2
1709	1710	0.2	RMS	1710	-37.15	-13	24.15	Pass	401
1710	1730	0.1	RMS	1719.2	-3.68	30	33.68	Pass	401




1.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	17.6	30	12.4	Pass	401
1755	1756	0.2	RMS	1755.005	-34.03	-13	21.03	Pass	401
1756	1757	1	RMS	1756	-39.26	-13	26.26	Pass	2
1757	1765	1	RMS	1762.8	-41.34	-13	28.34	Pass	401




1.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1748.05	-2.65	30	32.65	Pass	401
1755	1756	0.2	RMS	1755.018	-33.92	-13	20.92	Pass	401
1756	1757	1	RMS	1756	-27.35	-13	14.35	Pass	2
1757	1765	1	RMS	1757.04	-27.42	-13	14.42	Pass	401




**1.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300,
Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	16.29	30	13.71	Pass	401
1755	1756	0.2	RMS	1755	-35	-13	22	Pass	401
1756	1757	1	RMS	1756	-40.27	-13	27.27	Pass	2
1757	1765	1	RMS	1757	-43.08	-13	30.08	Pass	401



**1.49 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300,
Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1747.85	-3.57	30	33.57	Pass	401
1755	1756	0.2	RMS	1755.003	-34.16	-13	21.16	Pass	401
1756	1757	1	RMS	1756	-28.08	-13	15.08	Pass	2
1757	1765	1	RMS	1757.02	-28.28	-13	15.28	Pass	401



2. LTE_Band5


2.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-51.97	-13	38.97	Pass	401
823	824	0.02	RMS	824	-26.58	-13	13.58	Pass	401
824	826	0.1	RMS	824.25	16.71	30	13.29	Pass	401




2.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.28	-13	23.28	Pass	401
823	824	0.02	RMS	823.998	-31.71	-13	18.71	Pass	401
824	826	0.1	RMS	824.285	8.15	30	21.85	Pass	401




2.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.97	-13	39.97	Pass	401
823	824	0.02	RMS	824	-29.22	-13	16.22	Pass	401
824	826	0.1	RMS	824.245	15.45	30	14.55	Pass	401




2.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.83	-13	25.83	Pass	401
823	824	0.02	RMS	824	-31.68	-13	18.68	Pass	401
824	826	0.1	RMS	825.1	6.93	30	23.07	Pass	401




2.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	16.31	30	13.69	Pass	401
849	850	0.02	RMS	849.003	-26.44	-13	13.44	Pass	401
850	860	0.1	RMS	850	-52.23	-13	39.23	Pass	401




2.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.91	7.89	30	22.11	Pass	401
849	850	0.02	RMS	849	-34.5	-13	21.5	Pass	401
850	860	0.1	RMS	850	-35.69	-13	22.69	Pass	401




2.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	15.42	30	14.58	Pass	401
849	850	0.02	RMS	849	-28.95	-13	15.95	Pass	401
850	860	0.1	RMS	850	-52.91	-13	39.91	Pass	401




2.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.15	6.72	30	23.28	Pass	401
849	850	0.02	RMS	849	-34.75	-13	21.75	Pass	401
850	860	0.1	RMS	850	-38.53	-13	25.53	Pass	401




2.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-51.37	-13	38.37	Pass	401
823	824	0.002	RMS	823.998	-36.7	-13	23.7	Pass	501
824	827	0.1	RMS	824.233	16.49	30	13.51	Pass	401



2.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.75	-13	19.75	Pass	401
823	824	0.03	RMS	824	-31.15	-13	18.15	Pass	401
824	827	0.1	RMS	825.425	4.32	30	25.68	Pass	401



2.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-52.82	-13	39.82	Pass	401
823	824	0.03	RMS	824	-27.34	-13	14.34	Pass	35
824	827	0.1	RMS	824.248	15.22	30	14.78	Pass	401

