


Band Edge


6.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.41	2.78	30	27.22	Pass	401
849	850	0.03	RMS	849	-33.79	-13	20.79	Pass	401
850	860	0.1	RMS	850	-36.77	-13	23.77	Pass	401




6.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.74	-51.12	-13	38.12	Pass	401
823	824	0.051	RMS	824	-26.1	-13	13.1	Pass	401
824	829	0.1	RMS	824.338	15.93	30	14.07	Pass	401




6.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.88	-13	21.88	Pass	401
823	824	0.051	RMS	823.993	-32.99	-13	19.99	Pass	401
824	829	0.1	RMS	825.675	1.8	30	28.2	Pass	401




6.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-52.68	-13	39.68	Pass	401
823	824	0.051	RMS	824	-27.38	-13	14.38	Pass	401
824	829	0.1	RMS	824.338	14.95	30	15.05	Pass	401




6.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-34	-13	21	Pass	401
823	824	0.051	RMS	824	-32.79	-13	19.79	Pass	401
824	829	0.1	RMS	825.688	0.93	30	29.07	Pass	401




6.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	16.05	30	13.95	Pass	401
849	850	0.051	RMS	849	-26.58	-13	13.58	Pass	401
850	860	0.1	RMS	850.025	-52.46	-13	39.46	Pass	401




6.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.838	1.92	30	28.08	Pass	401
849	850	0.051	RMS	849.003	-34.28	-13	21.28	Pass	401
850	860	0.1	RMS	850.1	-39.88	-13	26.88	Pass	401




6.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	15.17	30	14.83	Pass	401
849	850	0.051	RMS	849	-26.67	-13	13.67	Pass	401
850	860	0.1	RMS	850	-53.19	-13	40.19	Pass	401




6.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.288	1	30	29	Pass	401
849	850	0.051	RMS	849	-34.22	-13	21.22	Pass	401
850	860	0.1	RMS	850.1	-38.39	-13	25.39	Pass	401




6.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-53.33	-13	40.33	Pass	401
823	824	0.1	RMS	824	-36.62	-13	23.62	Pass	401
824	834	0.1	RMS	824.575	16.06	30	13.94	Pass	401




6.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-37.84	-13	24.84	Pass	401
823	824	0.1	RMS	823.998	-33.61	-13	20.61	Pass	401
824	834	0.1	RMS	828.25	-1.14	30	31.14	Pass	401




6.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.16	-13	41.16	Pass	401
823	824	0.1	RMS	823.998	-37.05	-13	24.05	Pass	401
824	834	0.1	RMS	824.6	15.24	30	14.76	Pass	401




6.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.01	-13	24.01	Pass	401
823	824	0.1	RMS	824	-34.27	-13	21.27	Pass	401
824	834	0.1	RMS	830.55	-2.19	30	32.19	Pass	401




6.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	15.99	30	14.01	Pass	401
849	850	0.1	RMS	849	-37.12	-13	24.12	Pass	401
850	860	0.1	RMS	850	-53.59	-13	40.59	Pass	401




6.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.825	-1.18	30	31.18	Pass	401
849	850	0.1	RMS	849.005	-35.79	-13	22.79	Pass	401
850	860	0.1	RMS	850	-40.6	-13	27.6	Pass	401




6.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	15.65	30	14.35	Pass	401
849	850	0.1	RMS	849.003	-36.88	-13	23.88	Pass	401
850	860	0.1	RMS	851.225	-53.5	-13	40.5	Pass	401




6.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.25	-2.21	30	32.21	Pass	401
849	850	0.1	RMS	849.008	-36.19	-13	23.19	Pass	401
850	860	0.1	RMS	850.05	-40.2	-13	27.2	Pass	401




6.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-53.45	-13	40.45	Pass	401
823	824	0.15	RMS	824	-33.75	-13	20.75	Pass	401
824	839	0.1	RMS	824.825	15.99	30	14.01	Pass	401




6.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.94	-39.34	-13	26.34	Pass	401
823	824	0.15	RMS	824	-35.82	-13	22.82	Pass	401
824	839	0.1	RMS	834.725	-2.73	30	32.73	Pass	401




6.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.34	-13	41.34	Pass	401
823	824	0.15	RMS	823.998	-34.38	-13	21.38	Pass	401
824	839	0.1	RMS	824.863	15	30	15	Pass	401




6.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-39.19	-13	26.19	Pass	401
823	824	0.15	RMS	823.998	-36.61	-13	23.61	Pass	401
824	839	0.1	RMS	834.2	-3.74	30	33.74	Pass	401




6.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	15.99	30	14.01	Pass	401
849	850	0.15	RMS	849.003	-33.86	-13	20.86	Pass	401
850	860	0.1	RMS	850	-53.14	-13	40.14	Pass	401




6.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	840.975	-2.67	30	32.67	Pass	401
849	850	0.15	RMS	849	-37.11	-13	24.11	Pass	401
850	860	0.1	RMS	850.2	-42.2	-13	29.2	Pass	401




6.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	15.14	30	14.86	Pass	401
849	850	0.15	RMS	849.005	-34.25	-13	21.25	Pass	401
850	860	0.1	RMS	850.05	-53.08	-13	40.08	Pass	401



6.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	840.15	-3.67	30	33.67	Pass	401
849	850	0.15	RMS	849	-38.19	-13	25.19	Pass	401
850	860	0.1	RMS	850.175	-41.88	-13	28.88	Pass	401



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.97	-13	44.97	Pass	401
0.15	30	0.01	Peak	0.19	-68.81	-13	55.81	Pass	2986
30	809	0.1	Peak	809	-58.85	-13	45.85	Pass	7791
809	829	0.1	Peak	814.3	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	833	-58.93	-13	45.93	Pass	1711
1000	3000	1	Peak	1629	-41.98	-13	28.98	Pass	2001
3000	10000	1	Peak	9221	-33.49	-13	20.49	Pass	7001




1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.91	-13	41.91	Pass	401
0.15	30	0.01	Peak	0.22	-70.11	-13	57.11	Pass	2986
30	809	0.1	Peak	808.7	-58.51	-13	45.51	Pass	7791
809	829	0.1	Peak	814.25	21.19	60	38.81	Pass	401
829	1000	0.1	Peak	844.9	-58.15	-13	45.15	Pass	1711
1000	3000	1	Peak	1629	-42.05	-13	29.05	Pass	2001
3000	10000	1	Peak	7644	-33.72	-13	20.72	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.05	-13	45.05	Pass	401
0.15	30	0.01	Peak	0.73	-70.82	-13	57.82	Pass	2986
30	809	0.1	Peak	727.8	-59.32	-13	46.32	Pass	7791
809	829	0.1	Peak	818.5	20.77	60	39.23	Pass	401
829	1000	0.1	Peak	869.3	-58.9	-13	45.9	Pass	1711
1000	3000	1	Peak	1637	-41.96	-13	28.96	Pass	2001
3000	10000	1	Peak	6836	-33.75	-13	20.75	Pass	7001




1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.46	-13	42.46	Pass	401
0.15	30	0.01	Peak	0.18	-70.17	-13	57.17	Pass	2986
30	809	0.1	Peak	784.7	-58.72	-13	45.72	Pass	7791
809	829	0.1	Peak	818.5	21.33	60	38.67	Pass	401
829	1000	0.1	Peak	995.1	-57.89	-13	44.89	Pass	1711
1000	3000	1	Peak	1637	-42.16	-13	29.16	Pass	2001
3000	10000	1	Peak	7497	-33.77	-13	20.77	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.11	-13	45.11	Pass	401
0.15	30	0.01	Peak	0.17	-70.23	-13	57.23	Pass	2986
30	809	0.1	Peak	791.7	-59.32	-13	46.32	Pass	7791
809	829	0.1	Peak	822.9	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	829	-58.49	-13	45.49	Pass	1711
1000	3000	1	Peak	1646	-41.81	-13	28.81	Pass	2001
3000	10000	1	Peak	7267	-33.65	-13	20.65	Pass	7001




1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.74	-13	41.74	Pass	401
0.15	30	0.01	Peak	0.16	-70.3	-13	57.3	Pass	2986
30	809	0.1	Peak	808.5	-51.5	-13	38.5	Pass	7791
809	829	0.1	Peak	822.85	21.57	60	38.43	Pass	401
829	1000	0.1	Peak	829.9	-44.08	-13	31.08	Pass	1711
1000	3000	1	Peak	1646	-41.5	-13	28.5	Pass	2001
3000	10000	1	Peak	6808	-33.71	-13	20.71	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.74	-13	44.74	Pass	401
0.15	30	0.01	Peak	0.65	-70.21	-13	57.21	Pass	2986
30	809	0.1	Peak	809	-44.26	-13	31.26	Pass	7791
809	829	0.1	Peak	814.3	20.34	60	39.66	Pass	401
829	1000	0.1	Peak	932.5	-59.22	-13	46.22	Pass	1711
1000	3000	1	Peak	1629	-41.78	-13	28.78	Pass	2001
3000	10000	1	Peak	6702	-33.74	-13	20.74	Pass	7001




1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.24	-13	41.24	Pass	401
0.15	30	0.01	Peak	0.2	-69.69	-13	56.69	Pass	2986
30	809	0.1	Peak	809	-44.71	-13	31.71	Pass	7791
809	829	0.1	Peak	814.2	20.94	60	39.06	Pass	401
829	1000	0.1	Peak	925.7	-59.3	-13	46.3	Pass	1711
1000	3000	1	Peak	1629	-42.12	-13	29.12	Pass	2001
3000	10000	1	Peak	6844	-33.55	-13	20.55	Pass	7001




1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-57.64	-13	44.64	Pass	401
0.15	30	0.01	Peak	0.15	-69.78	-13	56.78	Pass	2986
30	809	0.1	Peak	292.1	-59.54	-13	46.54	Pass	7791
809	829	0.1	Peak	817.8	20.41	60	39.59	Pass	401
829	1000	0.1	Peak	849.4	-58.49	-13	45.49	Pass	1711
1000	3000	1	Peak	1635	-42.32	-13	29.32	Pass	2001
3000	10000	1	Peak	6709	-33.62	-13	20.62	Pass	7001




1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.89	-13	42.89	Pass	401
0.15	30	0.01	Peak	0.15	-69.57	-13	56.57	Pass	2986
30	809	0.1	Peak	755.9	-59.9	-13	46.9	Pass	7791
809	829	0.1	Peak	817.8	20.85	60	39.15	Pass	401
829	1000	0.1	Peak	985.3	-57.72	-13	44.72	Pass	1711
1000	3000	1	Peak	2993	-42.16	-13	29.16	Pass	2001
3000	10000	1	Peak	6822	-33.8	-13	20.8	Pass	7001




1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.32	-13	44.32	Pass	401
0.15	30	0.01	Peak	0.2	-71.01	-13	58.01	Pass	2986
30	809	0.1	Peak	661.9	-58.64	-13	45.64	Pass	7791
809	829	0.1	Peak	821.3	20.99	60	39.01	Pass	401
829	1000	0.1	Peak	849.5	-59.23	-13	46.23	Pass	1711
1000	3000	1	Peak	2984	-42.49	-13	29.49	Pass	2001
3000	10000	1	Peak	6976	-33.31	-13	20.31	Pass	7001




1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.06	-13	42.06	Pass	401
0.15	30	0.01	Peak	0.15	-70.55	-13	57.55	Pass	2986
30	809	0.1	Peak	436.4	-59.48	-13	46.48	Pass	7791
809	829	0.1	Peak	821.25	20.93	60	39.07	Pass	401
829	1000	0.1	Peak	954.1	-58.45	-13	45.45	Pass	1711
1000	3000	1	Peak	2818	-42.28	-13	29.28	Pass	2001
3000	10000	1	Peak	6972	-33.14	-13	20.14	Pass	7001




1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.16	-13	45.16	Pass	401
0.15	30	0.01	Peak	0.15	-70.55	-13	57.55	Pass	2986
30	809	0.1	Peak	805.8	-50.06	-13	37.06	Pass	7791
809	829	0.1	Peak	814.3	20.65	60	39.35	Pass	401
829	1000	0.1	Peak	995.4	-59.1	-13	46.1	Pass	1711
1000	3000	1	Peak	1629	-41.62	-13	28.62	Pass	2001
3000	10000	1	Peak	7747	-33.53	-13	20.53	Pass	7001




1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-56.23	-13	43.23	Pass	401
0.15	30	0.01	Peak	0.17	-70.13	-13	57.13	Pass	2986
30	809	0.1	Peak	805.8	-51.11	-13	38.11	Pass	7791
809	829	0.1	Peak	814.3	20.98	60	39.02	Pass	401
829	1000	0.1	Peak	832.9	-58.54	-13	45.54	Pass	1711
1000	3000	1	Peak	1629	-41.41	-13	28.41	Pass	2001
3000	10000	1	Peak	6701	-33.66	-13	20.66	Pass	7001




1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.99	-13	44.99	Pass	401
0.15	30	0.01	Peak	0.15	-69.51	-13	56.51	Pass	2986
30	809	0.1	Peak	808.2	-45.34	-13	32.34	Pass	7791
809	829	0.1	Peak	816.85	20.37	60	39.63	Pass	401
829	1000	0.1	Peak	950.7	-58.85	-13	45.85	Pass	1711
1000	3000	1	Peak	2986	-41.93	-13	28.93	Pass	2001
3000	10000	1	Peak	7291	-33.36	-13	20.36	Pass	7001




1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.11	-13	43.11	Pass	401
0.15	30	0.01	Peak	0.15	-68.73	-13	55.73	Pass	2986
30	809	0.1	Peak	808.2	-43.5	-13	30.5	Pass	7791
809	829	0.1	Peak	816.8	20.69	60	39.31	Pass	401
829	1000	0.1	Peak	849.3	-57.41	-13	44.41	Pass	1711
1000	3000	1	Peak	1634	-42.83	-13	29.83	Pass	2001
3000	10000	1	Peak	7474	-33.72	-13	20.72	Pass	7001




1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.22	-13	45.22	Pass	401
0.15	30	0.01	Peak	0.2	-70.57	-13	57.57	Pass	2986
30	809	0.1	Peak	498.6	-59.53	-13	46.53	Pass	7791
809	829	0.1	Peak	819.3	20.75	60	39.25	Pass	401
829	1000	0.1	Peak	948.4	-58.97	-13	45.97	Pass	1711
1000	3000	1	Peak	1639	-42.86	-13	29.86	Pass	2001
3000	10000	1	Peak	6802	-33.48	-13	20.48	Pass	7001




1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.95	-13	43.95	Pass	401
0.15	30	0.01	Peak	0.15	-69.14	-13	56.14	Pass	2986
30	809	0.1	Peak	736.1	-59.55	-13	46.55	Pass	7791
809	829	0.1	Peak	819.3	20.57	60	39.43	Pass	401
829	1000	0.1	Peak	834.8	-58.21	-13	45.21	Pass	1711
1000	3000	1	Peak	2984	-42.58	-13	29.58	Pass	2001
3000	10000	1	Peak	6864	-34.15	-13	21.15	Pass	7001




1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-58.5	-13	45.5	Pass	401
0.15	30	0.01	Peak	0.25	-70.39	-13	57.39	Pass	2986
30	809	0.1	Peak	808.8	-48.57	-13	35.57	Pass	7791
809	829	0.1	Peak	814.6	20.75	60	39.25	Pass	401
829	1000	0.1	Peak	832.2	-37.33	-13	24.33	Pass	1711
1000	3000	1	Peak	1629	-41.79	-13	28.79	Pass	2001
3000	10000	1	Peak	9869	-33.52	-13	20.52	Pass	7001




1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-52.99	-13	39.99	Pass	401
0.15	30	0.01	Peak	0.16	-70.17	-13	57.17	Pass	2986
30	809	0.1	Peak	808.7	-48.45	-13	35.45	Pass	7791
809	829	0.1	Peak	814.65	20.82	60	39.18	Pass	401
829	1000	0.1	Peak	832.4	-36.82	-13	23.82	Pass	1711
1000	3000	1	Peak	2599	-42.35	-13	29.35	Pass	2001
3000	10000	1	Peak	7032	-32.84	-13	19.84	Pass	7001




1.21 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-58.29	-13	45.29	Pass	401
0.15	30	0.01	Peak	0.57	-70.35	-13	57.35	Pass	2986
30	809	0.1	Peak	808.4	-48.77	-13	35.77	Pass	7791
809	829	0.1	Peak	814.6	20.6	60	39.4	Pass	401
829	1000	0.1	Peak	832.3	-37.11	-13	24.11	Pass	1711
1000	3000	1	Peak	1629	-42.22	-13	29.22	Pass	2001
3000	10000	1	Peak	7643	-33.66	-13	20.66	Pass	7001




1.22 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.71	-13	40.71	Pass	401
0.15	30	0.01	Peak	0.18	-70.89	-13	57.89	Pass	2986
30	809	0.1	Peak	808.2	-48.23	-13	35.23	Pass	7791
809	829	0.1	Peak	814.65	20.88	60	39.12	Pass	401
829	1000	0.1	Peak	832.2	-36.69	-13	23.69	Pass	1711
1000	3000	1	Peak	1629	-42.45	-13	29.45	Pass	2001
3000	10000	1	Peak	9771	-33.61	-13	20.61	Pass	7001



1.23 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.17	-13	45.17	Pass	401
0.15	30	0.01	Peak	0.15	-69.68	-13	56.68	Pass	2986
30	809	0.1	Peak	808.3	-47	-13	34	Pass	7791
809	829	0.1	Peak	814.6	20.73	60	39.27	Pass	401
829	1000	0.1	Peak	832.3	-37.47	-13	24.47	Pass	1711
1000	3000	1	Peak	1629	-41.74	-13	28.74	Pass	2001
3000	10000	1	Peak	7922	-33.44	-13	20.44	Pass	7001



1.24 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.08	-13	41.08	Pass	401
0.15	30	0.01	Peak	0.51	-69.89	-13	56.89	Pass	2986
30	809	0.1	Peak	808.2	-48.13	-13	35.13	Pass	7791
809	829	0.1	Peak	814.55	20.99	60	39.01	Pass	401
829	1000	0.1	Peak	832.3	-36.97	-13	23.97	Pass	1711
1000	3000	1	Peak	1629	-42.18	-13	29.18	Pass	2001
3000	10000	1	Peak	6816	-33.35	-13	20.35	Pass	7001

