

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.83	0.00	23.83	<=33.01	Pass
			2	23.80	0.00	23.80	<=33.01	Pass
			5	23.85	0.00	23.85	<=33.01	Pass
		3	0	23.91	0.00	23.91	<=33.01	Pass
			2	23.88	0.00	23.88	<=33.01	Pass
			3	23.83	0.00	23.83	<=33.01	Pass
		6	0	23.01	0.00	23.01	<=33.01	Pass
	1880	1	0	23.58	0.00	23.58	<=33.01	Pass
			2	23.68	0.00	23.68	<=33.01	Pass
			5	23.63	0.00	23.63	<=33.01	Pass
		3	0	23.75	0.00	23.75	<=33.01	Pass
			2	23.66	0.00	23.66	<=33.01	Pass
			3	23.66	0.00	23.66	<=33.01	Pass
		6	0	22.75	0.00	22.75	<=33.01	Pass
	1909.3	1	0	23.61	0.00	23.61	<=33.01	Pass
			2	23.69	0.00	23.69	<=33.01	Pass
			5	23.64	0.00	23.64	<=33.01	Pass
		3	0	23.75	0.00	23.75	<=33.01	Pass
			2	23.66	0.00	23.66	<=33.01	Pass
			3	23.68	0.00	23.68	<=33.01	Pass
		6	0	22.78	0.00	22.78	<=33.01	Pass
16QAM	1850.7	1	0	23.29	0.00	23.29	<=33.01	Pass
			2	23.16	0.00	23.16	<=33.01	Pass
			5	23.23	0.00	23.23	<=33.01	Pass
		3	0	23.11	0.00	23.11	<=33.01	Pass
			2	22.86	0.00	22.86	<=33.01	Pass
			3	22.85	0.00	22.85	<=33.01	Pass
		6	0	21.95	0.00	21.95	<=33.01	Pass
	1880	1	0	23.09	0.00	23.09	<=33.01	Pass
			2	22.95	0.00	22.95	<=33.01	Pass
			5	22.96	0.00	22.96	<=33.01	Pass
		3	0	22.77	0.00	22.77	<=33.01	Pass
			2	22.76	0.00	22.76	<=33.01	Pass
			3	22.81	0.00	22.81	<=33.01	Pass
		6	0	21.73	0.00	21.73	<=33.01	Pass
	1909.3	1	0	23.04	0.00	23.04	<=33.01	Pass
			2	22.95	0.00	22.95	<=33.01	Pass
			5	22.96	0.00	22.96	<=33.01	Pass
		3	0	22.78	0.00	22.78	<=33.01	Pass
			2	22.77	0.00	22.77	<=33.01	Pass
			3	22.69	0.00	22.69	<=33.01	Pass
		6	0	21.75	0.00	21.75	<=33.01	Pass
64QAM	1850.7	1	0	22.94	0.00	22.94	<=33.01	Pass
			2	23.01	0.00	23.01	<=33.01	Pass
			5	22.96	0.00	22.96	<=33.01	Pass
		3	0	22.92	0.00	22.92	<=33.01	Pass
			2	22.97	0.00	22.97	<=33.01	Pass
			3	22.79	0.00	22.79	<=33.01	Pass
		6	0	21.91	0.00	21.91	<=33.01	Pass
	1880	1	0	22.66	0.00	22.66	<=33.01	Pass
			2	22.87	0.00	22.87	<=33.01	Pass
			5	22.72	0.00	22.72	<=33.01	Pass
		3	0	22.68	0.00	22.68	<=33.01	Pass
			2	22.80	0.00	22.80	<=33.01	Pass

			3	22.79	0.00	22.79	<=33.01	Pass
		6	0	21.76	0.00	21.76	<=33.01	Pass
	1909.3	1	0	22.73	0.00	22.73	<=33.01	Pass
			2	22.73	0.00	22.73	<=33.01	Pass
			5	22.78	0.00	22.78	<=33.01	Pass
		3	0	22.55	0.00	22.55	<=33.01	Pass
			2	22.73	0.00	22.73	<=33.01	Pass
			3	22.71	0.00	22.71	<=33.01	Pass
		6	0	21.72	0.00	21.72	<=33.01	Pass
256QAM	1850.7	1	0	18.94	0.00	18.94	<=33.01	Pass
			2	19.09	0.00	19.09	<=33.01	Pass
			5	18.97	0.00	18.97	<=33.01	Pass
		3	0	18.88	0.00	18.88	<=33.01	Pass
			2	19.08	0.00	19.08	<=33.01	Pass
			3	19.02	0.00	19.02	<=33.01	Pass
		6	0	18.99	0.00	18.99	<=33.01	Pass
	1880	1	0	18.84	0.00	18.84	<=33.01	Pass
			2	18.80	0.00	18.80	<=33.01	Pass
			5	18.82	0.00	18.82	<=33.01	Pass
		3	0	18.74	0.00	18.74	<=33.01	Pass
			2	18.82	0.00	18.82	<=33.01	Pass
			3	18.78	0.00	18.78	<=33.01	Pass
		6	0	18.74	0.00	18.74	<=33.01	Pass
	1909.3	1	0	18.80	0.00	18.80	<=33.01	Pass
			2	18.83	0.00	18.83	<=33.01	Pass
			5	18.76	0.00	18.76	<=33.01	Pass
		3	0	18.75	0.00	18.75	<=33.01	Pass
			2	18.81	0.00	18.81	<=33.01	Pass
			3	18.83	0.00	18.83	<=33.01	Pass
		6	0	18.69	0.00	18.69	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.86	0.00	23.86	<=33.01	Pass
			7	23.78	0.00	23.78	<=33.01	Pass
			14	23.81	0.00	23.81	<=33.01	Pass
		8	0	22.90	0.00	22.90	<=33.01	Pass
			4	22.95	0.00	22.95	<=33.01	Pass
			7	22.94	0.00	22.94	<=33.01	Pass
		15	0	22.93	0.00	22.93	<=33.01	Pass
	1880	1	0	23.67	0.00	23.67	<=33.01	Pass
			7	23.72	0.00	23.72	<=33.01	Pass
			14	23.64	0.00	23.64	<=33.01	Pass
		8	0	22.74	0.00	22.74	<=33.01	Pass
			4	22.77	0.00	22.77	<=33.01	Pass
			7	22.75	0.00	22.75	<=33.01	Pass
		15	0	22.76	0.00	22.76	<=33.01	Pass
	1908.5	1	0	23.74	0.00	23.74	<=33.01	Pass
			7	23.68	0.00	23.68	<=33.01	Pass
			14	23.58	0.00	23.58	<=33.01	Pass
		8	0	22.71	0.00	22.71	<=33.01	Pass
			4	22.69	0.00	22.69	<=33.01	Pass
			7	22.78	0.00	22.78	<=33.01	Pass
		15	0	22.79	0.00	22.79	<=33.01	Pass
16QAM	1851.5	1	0	23.20	0.00	23.20	<=33.01	Pass
			7	23.28	0.00	23.28	<=33.01	Pass
			14	23.19	0.00	23.19	<=33.01	Pass
		8	0	22.01	0.00	22.01	<=33.01	Pass

		15	4	22.05	0.00	22.05	<=33.01	Pass	
			7	21.94	0.00	21.94	<=33.01	Pass	
			0	22.00	0.00	22.00	<=33.01	Pass	
	1880	1	0	22.94	0.00	22.94	<=33.01	Pass	
			7	23.07	0.00	23.07	<=33.01	Pass	
			14	23.11	0.00	23.11	<=33.01	Pass	
		8	0	21.82	0.00	21.82	<=33.01	Pass	
			4	21.85	0.00	21.85	<=33.01	Pass	
			7	21.77	0.00	21.77	<=33.01	Pass	
		15	0	21.82	0.00	21.82	<=33.01	Pass	
	1908.5	1	0	22.94	0.00	22.94	<=33.01	Pass	
			7	22.96	0.00	22.96	<=33.01	Pass	
			14	23.02	0.00	23.02	<=33.01	Pass	
		8	0	21.79	0.00	21.79	<=33.01	Pass	
			4	21.77	0.00	21.77	<=33.01	Pass	
7			21.78	0.00	21.78	<=33.01	Pass		
15		0	21.77	0.00	21.77	<=33.01	Pass		
64QAM	1851.5	1	0	23.01	0.00	23.01	<=33.01	Pass	
			7	23.09	0.00	23.09	<=33.01	Pass	
			14	22.85	0.00	22.85	<=33.01	Pass	
		8	0	21.86	0.00	21.86	<=33.01	Pass	
			4	21.88	0.00	21.88	<=33.01	Pass	
			7	21.93	0.00	21.93	<=33.01	Pass	
		15	0	22.01	0.00	22.01	<=33.01	Pass	
	1880	1	0	22.79	0.00	22.79	<=33.01	Pass	
			7	22.70	0.00	22.70	<=33.01	Pass	
			14	22.80	0.00	22.80	<=33.01	Pass	
		8	0	21.67	0.00	21.67	<=33.01	Pass	
			4	21.72	0.00	21.72	<=33.01	Pass	
			7	21.70	0.00	21.70	<=33.01	Pass	
		15	0	21.72	0.00	21.72	<=33.01	Pass	
	1908.5	1	0	23.00	0.00	23.00	<=33.01	Pass	
			7	22.90	0.00	22.90	<=33.01	Pass	
			14	22.69	0.00	22.69	<=33.01	Pass	
		8	0	21.72	0.00	21.72	<=33.01	Pass	
			4	21.70	0.00	21.70	<=33.01	Pass	
			7	21.69	0.00	21.69	<=33.01	Pass	
		15	0	21.83	0.00	21.83	<=33.01	Pass	
	256QAM	1851.5	1	0	19.08	0.00	19.08	<=33.01	Pass
				7	19.12	0.00	19.12	<=33.01	Pass
				14	19.00	0.00	19.00	<=33.01	Pass
8			0	18.94	0.00	18.94	<=33.01	Pass	
			4	19.01	0.00	19.01	<=33.01	Pass	
			7	19.00	0.00	19.00	<=33.01	Pass	
15			0	18.98	0.00	18.98	<=33.01	Pass	
1880		1	0	18.82	0.00	18.82	<=33.01	Pass	
			7	18.98	0.00	18.98	<=33.01	Pass	
			14	18.89	0.00	18.89	<=33.01	Pass	
		8	0	18.82	0.00	18.82	<=33.01	Pass	
			4	18.89	0.00	18.89	<=33.01	Pass	
			7	18.80	0.00	18.80	<=33.01	Pass	
		15	0	18.76	0.00	18.76	<=33.01	Pass	
1908.5		1	0	18.78	0.00	18.78	<=33.01	Pass	
			7	18.75	0.00	18.75	<=33.01	Pass	
			14	18.89	0.00	18.89	<=33.01	Pass	
		8	0	18.71	0.00	18.71	<=33.01	Pass	
			4	18.80	0.00	18.80	<=33.01	Pass	
			7	18.81	0.00	18.81	<=33.01	Pass	
		15	0	18.69	0.00	18.69	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.80	0.00	23.80	<=33.01	Pass
			13	23.83	0.00	23.83	<=33.01	Pass
			24	23.76	0.00	23.76	<=33.01	Pass
		12	0	22.89	0.00	22.89	<=33.01	Pass
			6	22.89	0.00	22.89	<=33.01	Pass
			13	22.87	0.00	22.87	<=33.01	Pass
		25	0	22.90	0.00	22.90	<=33.01	Pass
				23.65	0.00	23.65	<=33.01	Pass
				23.77	0.00	23.77	<=33.01	Pass
	1880	1	13	23.59	0.00	23.59	<=33.01	Pass
			24	23.59	0.00	23.59	<=33.01	Pass
				23.77	0.00	23.77	<=33.01	Pass
		12	0	22.70	0.00	22.70	<=33.01	Pass
			6	22.80	0.00	22.80	<=33.01	Pass
			13	22.66	0.00	22.66	<=33.01	Pass
		25	0	22.74	0.00	22.74	<=33.01	Pass
				22.74	0.00	22.74	<=33.01	Pass
				22.74	0.00	22.74	<=33.01	Pass
	1907.5	1	0	23.73	0.00	23.73	<=33.01	Pass
			13	23.66	0.00	23.66	<=33.01	Pass
			24	23.62	0.00	23.62	<=33.01	Pass
		12	0	22.70	0.00	22.70	<=33.01	Pass
			6	22.75	0.00	22.75	<=33.01	Pass
			13	22.76	0.00	22.76	<=33.01	Pass
		25	0	22.78	0.00	22.78	<=33.01	Pass
				22.78	0.00	22.78	<=33.01	Pass
				22.78	0.00	22.78	<=33.01	Pass
16QAM	1852.5	1	0	23.11	0.00	23.11	<=33.01	Pass
			13	23.27	0.00	23.27	<=33.01	Pass
			24	23.15	0.00	23.15	<=33.01	Pass
		12	0	21.94	0.00	21.94	<=33.01	Pass
			6	21.95	0.00	21.95	<=33.01	Pass
			13	21.84	0.00	21.84	<=33.01	Pass
		25	0	21.89	0.00	21.89	<=33.01	Pass
				21.89	0.00	21.89	<=33.01	Pass
				21.89	0.00	21.89	<=33.01	Pass
	1880	1	0	23.02	0.00	23.02	<=33.01	Pass
			13	23.21	0.00	23.21	<=33.01	Pass
			24	23.27	0.00	23.27	<=33.01	Pass
		12	0	21.74	0.00	21.74	<=33.01	Pass
			6	21.78	0.00	21.78	<=33.01	Pass
			13	21.78	0.00	21.78	<=33.01	Pass
		25	0	21.81	0.00	21.81	<=33.01	Pass
				21.81	0.00	21.81	<=33.01	Pass
				21.81	0.00	21.81	<=33.01	Pass
	1907.5	1	0	23.03	0.00	23.03	<=33.01	Pass
			13	23.17	0.00	23.17	<=33.01	Pass
			24	22.92	0.00	22.92	<=33.01	Pass
		12	0	21.74	0.00	21.74	<=33.01	Pass
			6	21.82	0.00	21.82	<=33.01	Pass
			13	21.75	0.00	21.75	<=33.01	Pass
		25	0	21.77	0.00	21.77	<=33.01	Pass
				21.77	0.00	21.77	<=33.01	Pass
				21.77	0.00	21.77	<=33.01	Pass
64QAM	1852.5	1	0	22.88	0.00	22.88	<=33.01	Pass
			13	22.98	0.00	22.98	<=33.01	Pass
			24	22.95	0.00	22.95	<=33.01	Pass
		12	0	21.93	0.00	21.93	<=33.01	Pass
			6	21.98	0.00	21.98	<=33.01	Pass
			13	21.91	0.00	21.91	<=33.01	Pass
		25	0	21.88	0.00	21.88	<=33.01	Pass
				21.88	0.00	21.88	<=33.01	Pass
				21.88	0.00	21.88	<=33.01	Pass
	1880	1	0	22.83	0.00	22.83	<=33.01	Pass
			13	22.89	0.00	22.89	<=33.01	Pass
			24	22.70	0.00	22.70	<=33.01	Pass
		12	0	21.77	0.00	21.77	<=33.01	Pass
			6	21.77	0.00	21.77	<=33.01	Pass
			13	21.80	0.00	21.80	<=33.01	Pass
		25	0	21.78	0.00	21.78	<=33.01	Pass
				21.78	0.00	21.78	<=33.01	Pass
				21.78	0.00	21.78	<=33.01	Pass
	1907.5	1	0	22.78	0.00	22.78	<=33.01	Pass
			13	22.90	0.00	22.90	<=33.01	Pass
			24	23.04	0.00	23.04	<=33.01	Pass
		12	0	21.77	0.00	21.77	<=33.01	Pass
			6	21.81	0.00	21.81	<=33.01	Pass
				21.81	0.00	21.81	<=33.01	Pass
				21.81	0.00	21.81	<=33.01	Pass

			13	21.73	0.00	21.73	<=33.01	Pass	
		25	0	21.66	0.00	21.66	<=33.01	Pass	
256QAM	1852.5	1	0	19.22	0.00	19.22	<=33.01	Pass	
			13	19.03	0.00	19.03	<=33.01	Pass	
			24	19.01	0.00	19.01	<=33.01	Pass	
		12	0	19.00	0.00	19.00	<=33.01	Pass	
			6	18.95	0.00	18.95	<=33.01	Pass	
			13	18.93	0.00	18.93	<=33.01	Pass	
		25	0	18.91	0.00	18.91	<=33.01	Pass	
		1880	1	0	18.90	0.00	18.90	<=33.01	Pass
				13	18.96	0.00	18.96	<=33.01	Pass
	24			18.81	0.00	18.81	<=33.01	Pass	
	12		0	18.77	0.00	18.77	<=33.01	Pass	
			6	18.82	0.00	18.82	<=33.01	Pass	
			13	18.72	0.00	18.72	<=33.01	Pass	
	25		0	18.85	0.00	18.85	<=33.01	Pass	
	1907.5		1	0	18.49	0.00	18.49	<=33.01	Pass
				13	19.03	0.00	19.03	<=33.01	Pass
		24		18.69	0.00	18.69	<=33.01	Pass	
		12	0	18.67	0.00	18.67	<=33.01	Pass	
			6	18.94	0.00	18.94	<=33.01	Pass	
			13	18.86	0.00	18.86	<=33.01	Pass	
		25	0	18.74	0.00	18.74	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.90	0.00	23.90	<=33.01	Pass
			25	23.87	0.00	23.87	<=33.01	Pass
			49	23.90	0.00	23.90	<=33.01	Pass
		25	0	22.96	0.00	22.96	<=33.01	Pass
			13	23.04	0.00	23.04	<=33.01	Pass
			25	22.93	0.00	22.93	<=33.01	Pass
		50	0	22.90	0.00	22.90	<=33.01	Pass
	1880	1	0	23.67	0.00	23.67	<=33.01	Pass
			25	23.75	0.00	23.75	<=33.01	Pass
			49	23.69	0.00	23.69	<=33.01	Pass
		25	0	22.84	0.00	22.84	<=33.01	Pass
			13	22.86	0.00	22.86	<=33.01	Pass
			25	22.82	0.00	22.82	<=33.01	Pass
		50	0	22.79	0.00	22.79	<=33.01	Pass
	1905	1	0	23.80	0.00	23.80	<=33.01	Pass
			25	23.73	0.00	23.73	<=33.01	Pass
			49	23.66	0.00	23.66	<=33.01	Pass
		25	0	22.77	0.00	22.77	<=33.01	Pass
			13	22.84	0.00	22.84	<=33.01	Pass
			25	22.75	0.00	22.75	<=33.01	Pass
		50	0	22.73	0.00	22.73	<=33.01	Pass
16QAM	1855	1	0	23.03	0.00	23.03	<=33.01	Pass
			25	23.27	0.00	23.27	<=33.01	Pass
			49	23.01	0.00	23.01	<=33.01	Pass
		25	0	21.94	0.00	21.94	<=33.01	Pass
			13	22.03	0.00	22.03	<=33.01	Pass
			25	21.87	0.00	21.87	<=33.01	Pass
		50	0	21.78	0.00	21.78	<=33.01	Pass
	1880	1	0	22.95	0.00	22.95	<=33.01	Pass
			25	23.04	0.00	23.04	<=33.01	Pass
			49	23.00	0.00	23.00	<=33.01	Pass
		25	0	21.81	0.00	21.81	<=33.01	Pass

		50	13	21.84	0.00	21.84	<=33.01	Pass
			25	21.77	0.00	21.77	<=33.01	Pass
			0	21.75	0.00	21.75	<=33.01	Pass
	1905	1	0	23.15	0.00	23.15	<=33.01	Pass
			25	23.18	0.00	23.18	<=33.01	Pass
			49	23.08	0.00	23.08	<=33.01	Pass
		25	0	21.82	0.00	21.82	<=33.01	Pass
			13	21.71	0.00	21.71	<=33.01	Pass
			25	21.82	0.00	21.82	<=33.01	Pass
		50	0	21.69	0.00	21.69	<=33.01	Pass
64QAM	1855	1	0	23.04	0.00	23.04	<=33.01	Pass
			25	23.10	0.00	23.10	<=33.01	Pass
			49	23.13	0.00	23.13	<=33.01	Pass
		25	0	21.93	0.00	21.93	<=33.01	Pass
			13	21.90	0.00	21.90	<=33.01	Pass
			25	21.89	0.00	21.89	<=33.01	Pass
		50	0	21.78	0.00	21.78	<=33.01	Pass
	1880	1	0	22.83	0.00	22.83	<=33.01	Pass
			25	22.80	0.00	22.80	<=33.01	Pass
			49	22.69	0.00	22.69	<=33.01	Pass
		25	0	21.79	0.00	21.79	<=33.01	Pass
			13	21.84	0.00	21.84	<=33.01	Pass
			25	21.76	0.00	21.76	<=33.01	Pass
		50	0	21.73	0.00	21.73	<=33.01	Pass
	1905	1	0	22.67	0.00	22.67	<=33.01	Pass
			25	22.82	0.00	22.82	<=33.01	Pass
			49	22.53	0.00	22.53	<=33.01	Pass
		25	0	21.80	0.00	21.80	<=33.01	Pass
			13	21.76	0.00	21.76	<=33.01	Pass
			25	21.81	0.00	21.81	<=33.01	Pass
		50	0	21.66	0.00	21.66	<=33.01	Pass
256QAM	1855	1	0	19.27	0.00	19.27	<=33.01	Pass
			25	19.04	0.00	19.04	<=33.01	Pass
			49	18.80	0.00	18.80	<=33.01	Pass
		25	0	18.98	0.00	18.98	<=33.01	Pass
			13	18.98	0.00	18.98	<=33.01	Pass
			25	18.91	0.00	18.91	<=33.01	Pass
		50	0	18.92	0.00	18.92	<=33.01	Pass
	1880	1	0	19.02	0.00	19.02	<=33.01	Pass
			25	18.89	0.00	18.89	<=33.01	Pass
			49	18.88	0.00	18.88	<=33.01	Pass
		25	0	18.89	0.00	18.89	<=33.01	Pass
			13	18.90	0.00	18.90	<=33.01	Pass
			25	18.84	0.00	18.84	<=33.01	Pass
		50	0	18.80	0.00	18.80	<=33.01	Pass
	1905	1	0	18.86	0.00	18.86	<=33.01	Pass
			25	18.95	0.00	18.95	<=33.01	Pass
			49	18.24	0.00	18.24	<=33.01	Pass
		25	0	18.90	0.00	18.90	<=33.01	Pass
			13	18.80	0.00	18.80	<=33.01	Pass
			25	18.81	0.00	18.81	<=33.01	Pass
		50	0	18.82	0.00	18.82	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.50	0.00	23.50	<=33.01	Pass
			38	23.90	0.00	23.90	<=33.01	Pass
			74	23.73	0.00	23.73	<=33.01	Pass

		36	0	22.76	0.00	22.76	<=33.01	Pass
			18	22.67	0.00	22.67	<=33.01	Pass
			39	22.65	0.00	22.65	<=33.01	Pass
		75	0	22.69	0.00	22.69	<=33.01	Pass
	1880	1	0	23.47	0.00	23.47	<=33.01	Pass
			38	23.43	0.00	23.43	<=33.01	Pass
			74	23.38	0.00	23.38	<=33.01	Pass
		36	0	22.64	0.00	22.64	<=33.01	Pass
			18	22.61	0.00	22.61	<=33.01	Pass
			39	22.53	0.00	22.53	<=33.01	Pass
		75	0	22.66	0.00	22.66	<=33.01	Pass
	1902.5	1	0	23.53	0.00	23.53	<=33.01	Pass
			38	23.63	0.00	23.63	<=33.01	Pass
			74	23.41	0.00	23.41	<=33.01	Pass
		36	0	22.65	0.00	22.65	<=33.01	Pass
			18	22.74	0.00	22.74	<=33.01	Pass
			39	22.71	0.00	22.71	<=33.01	Pass
		75	0	22.74	0.00	22.74	<=33.01	Pass
16QAM	1857.5	1	0	22.84	0.00	22.84	<=33.01	Pass
			38	23.03	0.00	23.03	<=33.01	Pass
			74	22.85	0.00	22.85	<=33.01	Pass
		36	0	21.73	0.00	21.73	<=33.01	Pass
			18	21.64	0.00	21.64	<=33.01	Pass
			39	21.72	0.00	21.72	<=33.01	Pass
		75	0	21.67	0.00	21.67	<=33.01	Pass
	1880	1	0	22.79	0.00	22.79	<=33.01	Pass
			38	22.74	0.00	22.74	<=33.01	Pass
			74	23.10	0.00	23.10	<=33.01	Pass
		36	0	21.61	0.00	21.61	<=33.01	Pass
			18	21.59	0.00	21.59	<=33.01	Pass
			39	21.69	0.00	21.69	<=33.01	Pass
		75	0	21.63	0.00	21.63	<=33.01	Pass
	1902.5	1	0	22.91	0.00	22.91	<=33.01	Pass
			38	22.89	0.00	22.89	<=33.01	Pass
			74	22.79	0.00	22.79	<=33.01	Pass
		36	0	21.63	0.00	21.63	<=33.01	Pass
			18	21.69	0.00	21.69	<=33.01	Pass
			39	21.65	0.00	21.65	<=33.01	Pass
		75	0	21.71	0.00	21.71	<=33.01	Pass
64QAM	1857.5	1	0	22.71	0.00	22.71	<=33.01	Pass
			38	22.82	0.00	22.82	<=33.01	Pass
			74	22.92	0.00	22.92	<=33.01	Pass
		36	0	21.71	0.00	21.71	<=33.01	Pass
			18	21.63	0.00	21.63	<=33.01	Pass
			39	21.69	0.00	21.69	<=33.01	Pass
		75	0	21.69	0.00	21.69	<=33.01	Pass
	1880	1	0	22.91	0.00	22.91	<=33.01	Pass
			38	22.84	0.00	22.84	<=33.01	Pass
			74	22.50	0.00	22.50	<=33.01	Pass
		36	0	21.58	0.00	21.58	<=33.01	Pass
			18	21.68	0.00	21.68	<=33.01	Pass
			39	21.56	0.00	21.56	<=33.01	Pass
		75	0	21.62	0.00	21.62	<=33.01	Pass
	1902.5	1	0	22.91	0.00	22.91	<=33.01	Pass
			38	22.80	0.00	22.80	<=33.01	Pass
			74	22.54	0.00	22.54	<=33.01	Pass
		36	0	21.68	0.00	21.68	<=33.01	Pass
			18	21.68	0.00	21.68	<=33.01	Pass
			39	21.67	0.00	21.67	<=33.01	Pass
		75	0	21.68	0.00	21.68	<=33.01	Pass
256QAM	1857.5	1	0	19.23	0.00	19.23	<=33.01	Pass
			38	18.75	0.00	18.75	<=33.01	Pass
			74	18.85	0.00	18.85	<=33.01	Pass
		36	0	18.76	0.00	18.76	<=33.01	Pass

			18	18.72	0.00	18.72	<=33.01	Pass	
			39	18.69	0.00	18.69	<=33.01	Pass	
		75	0	18.68	0.00	18.68	<=33.01	Pass	
	1880	1	0	18.66	0.00	18.66	<=33.01	Pass	
			38	18.63	0.00	18.63	<=33.01	Pass	
			74	19.05	0.00	19.05	<=33.01	Pass	
		36	0	18.60	0.00	18.60	<=33.01	Pass	
			18	18.62	0.00	18.62	<=33.01	Pass	
			39	18.59	0.00	18.59	<=33.01	Pass	
		75	0	18.59	0.00	18.59	<=33.01	Pass	
		1902.5	1	0	18.76	0.00	18.76	<=33.01	Pass
				38	18.67	0.00	18.67	<=33.01	Pass
	74			18.13	0.00	18.13	<=33.01	Pass	
	36		0	18.67	0.00	18.67	<=33.01	Pass	
			18	18.69	0.00	18.69	<=33.01	Pass	
			39	18.65	0.00	18.65	<=33.01	Pass	
	75		0	18.71	0.00	18.71	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.47	0.00	23.47	<=33.01	Pass
			50	23.57	0.00	23.57	<=33.01	Pass
			99	23.61	0.00	23.61	<=33.01	Pass
		50	0	22.74	0.00	22.74	<=33.01	Pass
			25	22.73	0.00	22.73	<=33.01	Pass
			50	22.77	0.00	22.77	<=33.01	Pass
		100	0	22.73	0.00	22.73	<=33.01	Pass
	1880	1	0	23.55	0.00	23.55	<=33.01	Pass
			50	23.59	0.00	23.59	<=33.01	Pass
			99	23.60	0.00	23.60	<=33.01	Pass
		50	0	22.67	0.00	22.67	<=33.01	Pass
			25	22.69	0.00	22.69	<=33.01	Pass
			50	22.61	0.00	22.61	<=33.01	Pass
		100	0	22.60	0.00	22.60	<=33.01	Pass
	1900	1	0	23.52	0.00	23.52	<=33.01	Pass
			50	23.63	0.00	23.63	<=33.01	Pass
			99	23.75	0.00	23.75	<=33.01	Pass
		50	0	22.62	0.00	22.62	<=33.01	Pass
			25	22.63	0.00	22.63	<=33.01	Pass
			50	22.71	0.00	22.71	<=33.01	Pass
		100	0	22.74	0.00	22.74	<=33.01	Pass
16QAM	1860	1	0	22.70	0.00	22.70	<=33.01	Pass
			50	23.28	0.00	23.28	<=33.01	Pass
			99	22.83	0.00	22.83	<=33.01	Pass
		50	0	21.73	0.00	21.73	<=33.01	Pass
			25	21.78	0.00	21.78	<=33.01	Pass
			50	21.64	0.00	21.64	<=33.01	Pass
		100	0	21.71	0.00	21.71	<=33.01	Pass
	1880	1	0	22.75	0.00	22.75	<=33.01	Pass
			50	22.78	0.00	22.78	<=33.01	Pass
			99	22.91	0.00	22.91	<=33.01	Pass
		50	0	21.63	0.00	21.63	<=33.01	Pass
			25	21.58	0.00	21.58	<=33.01	Pass
			50	21.59	0.00	21.59	<=33.01	Pass
		100	0	21.61	0.00	21.61	<=33.01	Pass
	1900	1	0	22.92	0.00	22.92	<=33.01	Pass
			50	22.94	0.00	22.94	<=33.01	Pass
			99	22.60	0.00	22.60	<=33.01	Pass

		50	0	21.65	0.00	21.65	<=33.01	Pass
			25	21.68	0.00	21.68	<=33.01	Pass
			50	21.70	0.00	21.70	<=33.01	Pass
64QAM	1860	100	0	21.62	0.00	21.62	<=33.01	Pass
			0	22.95	0.00	22.95	<=33.01	Pass
			50	22.97	0.00	22.97	<=33.01	Pass
		1	99	22.61	0.00	22.61	<=33.01	Pass
			0	21.75	0.00	21.75	<=33.01	Pass
			25	21.76	0.00	21.76	<=33.01	Pass
		50	50	21.69	0.00	21.69	<=33.01	Pass
			0	21.79	0.00	21.79	<=33.01	Pass
			100	21.79	0.00	21.79	<=33.01	Pass
	1880	1	0	22.81	0.00	22.81	<=33.01	Pass
			50	22.67	0.00	22.67	<=33.01	Pass
			99	22.74	0.00	22.74	<=33.01	Pass
		50	0	21.64	0.00	21.64	<=33.01	Pass
			25	21.64	0.00	21.64	<=33.01	Pass
			50	21.67	0.00	21.67	<=33.01	Pass
		100	0	21.61	0.00	21.61	<=33.01	Pass
			0	22.66	0.00	22.66	<=33.01	Pass
			50	22.88	0.00	22.88	<=33.01	Pass
	1900	1	99	22.62	0.00	22.62	<=33.01	Pass
			0	21.63	0.00	21.63	<=33.01	Pass
			25	21.66	0.00	21.66	<=33.01	Pass
		50	50	21.76	0.00	21.76	<=33.01	Pass
			0	21.76	0.00	21.76	<=33.01	Pass
			100	21.76	0.00	21.76	<=33.01	Pass
256QAM	1860	1	0	19.45	0.00	19.45	<=33.01	Pass
			50	18.67	0.00	18.67	<=33.01	Pass
			99	19.68	0.00	19.68	<=33.01	Pass
		50	0	18.66	0.00	18.66	<=33.01	Pass
			25	18.80	0.00	18.80	<=33.01	Pass
			50	18.75	0.00	18.75	<=33.01	Pass
		100	0	18.72	0.00	18.72	<=33.01	Pass
			0	18.87	0.00	18.87	<=33.01	Pass
			50	18.66	0.00	18.66	<=33.01	Pass
	1880	1	99	18.66	0.00	18.66	<=33.01	Pass
			0	18.68	0.00	18.68	<=33.01	Pass
			25	18.60	0.00	18.60	<=33.01	Pass
		50	50	18.70	0.00	18.70	<=33.01	Pass
			0	18.65	0.00	18.65	<=33.01	Pass
			100	18.65	0.00	18.65	<=33.01	Pass
	1900	1	0	18.74	0.00	18.74	<=33.01	Pass
			50	19.11	0.00	19.11	<=33.01	Pass
			99	18.64	0.00	18.64	<=33.01	Pass
		50	0	18.62	0.00	18.62	<=33.01	Pass
			25	18.75	0.00	18.75	<=33.01	Pass
			50	18.68	0.00	18.68	<=33.01	Pass
		100	0	18.68	0.00	18.68	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	3.27	-1.600	-0.0009	-2.5 to 2.5	Pass
					3.85	-1.800	-0.0010	-2.5 to 2.5	Pass
					4.43	1.800	0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.800	-0.0004	-2.5 to 2.5	Pass

				-20	3.85	-2.300	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	0.900	0.0005	-2.5 to 2.5	Pass
				0	3.85	-3.400	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-1.100	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-1.700	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.300	-0.0007	-2.5 to 2.5	Pass
				50	3.85	-0.700	-0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.104	/	Pass
	16QAM	1880	6	0	1.114	/	Pass
	64QAM	1880	6	0	1.101	/	Pass
	256QAM	1880	6	0	1.099	/	Pass
3	QPSK	1880	15	0	2.755	/	Pass
	16QAM	1880	15	0	2.749	/	Pass
	64QAM	1880	15	0	2.745	/	Pass
	256QAM	1880	15	0	2.737	/	Pass
5	QPSK	1880	25	0	4.534	/	Pass
	16QAM	1880	25	0	4.521	/	Pass
	64QAM	1880	25	0	4.523	/	Pass
	256QAM	1880	25	0	4.523	/	Pass
10	QPSK	1880	50	0	9.011	/	Pass
	16QAM	1880	50	0	8.999	/	Pass
	64QAM	1880	50	0	9.011	/	Pass
	256QAM	1880	50	0	9.015	/	Pass
15	QPSK	1880	75	0	13.542	/	Pass
	16QAM	1880	75	0	13.473	/	Pass
	64QAM	1880	75	0	13.500	/	Pass
	256QAM	1880	75	0	13.520	/	Pass
20	QPSK	1880	100	0	18.025	/	Pass
	16QAM	1880	100	0	18.014	/	Pass
	64QAM	1880	100	0	17.990	/	Pass
	256QAM	1880	100	0	18.013	/	Pass


3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.380	/	Pass
	16QAM	1880	6	0	1.415	/	Pass
	64QAM	1880	6	0	1.368	/	Pass
	256QAM	1880	6	0	1.354	/	Pass
3	QPSK	1880	15	0	3.286	/	Pass
	16QAM	1880	15	0	3.178	/	Pass
	64QAM	1880	15	0	3.138	/	Pass
	256QAM	1880	15	0	3.177	/	Pass
5	QPSK	1880	25	0	5.142	/	Pass
	16QAM	1880	25	0	5.213	/	Pass
	64QAM	1880	25	0	5.171	/	Pass
	256QAM	1880	25	0	5.144	/	Pass
10	QPSK	1880	50	0	10.099	/	Pass


	16QAM	1880	50	0	9.977	/	Pass
	64QAM	1880	50	0	10.069	/	Pass
	256QAM	1880	50	0	10.014	/	Pass
15	QPSK	1880	75	0	14.666	/	Pass
	16QAM	1880	75	0	14.842	/	Pass
	64QAM	1880	75	0	14.752	/	Pass
	256QAM	1880	75	0	14.861	/	Pass
20	QPSK	1880	100	0	19.697	/	Pass
	16QAM	1880	100	0	19.788	/	Pass
	64QAM	1880	100	0	19.654	/	Pass
	256QAM	1880	100	0	19.813	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV




3.2.2 Band2_XDB


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_256QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_256QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.16	<=13	Pass
16QAM	1880	100	0	5.92	<=13	Pass
64QAM	1880	100	0	5.90	<=13	Pass
256QAM	1880	100	0	6.58	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2_20MHz_64QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_256QAM_MCH_1880MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.32	-13	Pass
1849	1850	0.014	CHP	2	1849.995	-21.05	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-23.83	-13	Pass
1911	1913	1	CHP	2	1911.500	-38.29	-13	Pass


Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.014	CHP	/	/	/	/	/
1910	1911	0.014	CHP	1	1910.010	-24.32	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.83	-13	Pass


5.2.2 B2_3MHz

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-36.44	-13	Pass
1849	1850	0.003	/	2	1849.998	-25.42	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-18.89	-13	Pass
1849	1850	0.033	CHP	2	1849.994	-22.41	-13	Pass
1850	1853	0.033	CHP	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-28.03	-13	Pass
1911	1913	1	CHP	2	1911.500	-37.71	-13	Pass


Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.033	CHP	/	/	/	/	/
1910	1911	0.033	CHP	1	1910.006	-21.61	-13	Pass
1911	1913	1	CHP	2	1911.500	-16.83	-13	Pass


5.2.3 B2_5MHz

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.497	-37.05	-13	Pass
1849	1850	0.003	/	2	1849.997	-29.77	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-13.50	-13	Pass
1849	1850	0.051	CHP	2	1849.990	-20.65	-13	Pass
1850	1855	0.051	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-31.05	-13	Pass
1911	1915	1	CHP	2	1911.500	-38.78	-13	Pass


Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	CHP	/	/	/	/	/
1910	1911	0.051	CHP	1	1910.010	-24.84	-13	Pass
1911	1915	1	CHP	2	1911.500	-16.76	-13	Pass


5.2.4 B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.498	-38.81	-13	Pass
1849	1850	0.003	/	2	1849.998	-40.02	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.460	-15.97	-13	Pass
1849	1850	0.101	CHP	2	1849.980	-22.12	-13	Pass
1850	1860	0.101	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.004	-41.82	-13	Pass
1911	1920	1	CHP	2	1911.501	-39.70	-13	Pass


Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.101	CHP	/	/	/	/	/
1910	1911	0.101	CHP	1	1910.020	-26.92	-13	Pass
1911	1920	1	CHP	2	1911.500	-19.97	-13	Pass


5.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.498	-38.82	-13	Pass
1849	1850	0.003	/	2	1849.995	-40.26	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.470	-19.28	-13	Pass
1849	1850	0.147	CHP	2	1849.970	-26.27	-13	Pass
1850	1865	0.147	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-40.10	-13	Pass
1911	1925	1	CHP	2	1911.500	-40.25	-13	Pass


Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.147	CHP	/	/	/	/	/
1910	1911	0.147	CHP	1	1910.030	-29.99	-13	Pass
1911	1925	1	CHP	2	1911.500	-24.40	-13	Pass


5.2.6 B2_20MHz

Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.500	-38.77	-13	Pass
1849	1850	0.003	/	2	1849.993	-41.83	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-20.74	-13	Pass
1849	1850	0.197	CHP	2	1849.960	-26.13	-13	Pass
1850	1870	0.197	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-42.26	-13	Pass
1911	1930	1	CHP	2	1911.500	-40.48	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.197	CHP	/	/	/	/	/
1910	1911	0.197	CHP	1	1910.040	-31.63	-13	Pass
1911	1930	1	CHP	2	1913.760	-25.58	-13	Pass

- End of the Appendix -