



2.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.76	19.36	30	10.64	Pass	101
1755	1756	0.02	RMS	1755	-18.7	-13	5.7	Pass*	101
1756	1757	1	RMS	1756	-32.32	-13	19.32	Pass	2
1757	1765	1	RMS	1757	-43.39	-13	30.39	Pass	101




2.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.94	10.93	30	19.07	Pass	101
1755	1756	0.02	RMS	1755	-27.22	-13	14.22	Pass	101
1756	1757	1	RMS	1756	-29.85	-13	16.85	Pass	2
1757	1765	1	RMS	1757	-41.48	-13	28.48	Pass	101




2.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.73	-13	24.73	Pass	101
1708	1709	1	RMS	1709	-29.83	-13	16.83	Pass	2
1709	1710	0.03	RMS	1710	-15.44	-13	2.44	Pass*	101
1710	1713	0.1	RMS	1710.24	20.08	30	9.92	Pass	101




2.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.67	-13	16.67	Pass	101
1708	1709	1	RMS	1709	-25.16	-13	12.16	Pass	2
1709	1710	0.03	RMS	1710	-23.34	-13	10.34	Pass	101
1710	1713	0.1	RMS	1712.67	8.02	30	21.98	Pass	101




2.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.77	-13	24.77	Pass	101
1708	1709	1	RMS	1709	-30.32	-13	17.32	Pass	2
1709	1710	0.03	RMS	1710	-15.53	-13	2.53	Pass*	101
1710	1713	0.1	RMS	1710.24	19.09	30	10.91	Pass	101




2.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.16	-13	18.16	Pass	101
1708	1709	1	RMS	1709	-26.65	-13	13.65	Pass	2
1709	1710	0.03	RMS	1710	-23.89	-13	10.89	Pass	101
1710	1713	0.1	RMS	1712.34	7.02	30	22.98	Pass	101




2.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.28	30	9.72	Pass	101
1755	1756	0.03	RMS	1755	-15.55	-13	2.55	Pass*	101
1756	1757	1	RMS	1756	-30.47	-13	17.47	Pass	2
1757	1765	1	RMS	1757	-38.23	-13	25.23	Pass	101




2.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.08	8.13	30	21.87	Pass	101
1755	1756	0.03	RMS	1755	-23.55	-13	10.55	Pass	101
1756	1757	1	RMS	1756	-27.12	-13	14.12	Pass	2
1757	1765	1	RMS	1757	-31.55	-13	18.55	Pass	101




2.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	19.25	30	10.75	Pass	101
1755	1756	0.03	RMS	1755	-15.41	-13	2.41	Pass*	101
1756	1757	1	RMS	1756	-30.82	-13	17.82	Pass	2
1757	1765	1	RMS	1757	-37.31	-13	24.31	Pass	101




2.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.56	7.13	30	22.87	Pass	101
1755	1756	0.03	RMS	1755	-24.51	-13	11.51	Pass	101
1756	1757	1	RMS	1756	-28.55	-13	15.55	Pass	2
1757	1765	1	RMS	1757	-32.67	-13	19.67	Pass	101




2.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32	-13	19	Pass	101
1708	1709	1	RMS	1709	-26.81	-13	13.81	Pass	2
1709	1710	0.051	RMS	1710	-16.58	-13	3.58	Pass*	101
1710	1715	0.1	RMS	1710.35	20.2	30	9.8	Pass	101




2.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.18	-13	15.18	Pass	101
1708	1709	1	RMS	1709	-24.56	-13	11.56	Pass	2
1709	1710	0.051	RMS	1710	-24.66	-13	11.66	Pass	101
1710	1715	0.1	RMS	1714.25	5.87	30	24.13	Pass	101




2.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.5	-13	19.5	Pass	101
1708	1709	1	RMS	1709	-27.3	-13	14.3	Pass	2
1709	1710	0.051	RMS	1710	-17.19	-13	4.19	Pass*	101
1710	1715	0.1	RMS	1710.35	19.41	30	10.59	Pass	101




2.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.14	-13	17.14	Pass	101
1708	1709	1	RMS	1709	-25.94	-13	12.94	Pass	2
1709	1710	0.051	RMS	1710	-25.59	-13	12.59	Pass	101
1710	1715	0.1	RMS	1713.45	5.11	30	24.89	Pass	101




2.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.43	30	9.57	Pass	101
1755	1756	0.051	RMS	1755	-17.23	-13	4.23	Pass*	101
1756	1757	1	RMS	1756	-27.13	-13	14.13	Pass	2
1757	1765	1	RMS	1757	-34.3	-13	21.3	Pass	101




2.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.7	6.02	30	23.98	Pass	101
1755	1756	0.051	RMS	1755	-24.45	-13	11.45	Pass	101
1756	1757	1	RMS	1756	-24.99	-13	11.99	Pass	2
1757	1765	1	RMS	1757	-29.03	-13	16.03	Pass	101




2.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	19.56	30	10.44	Pass	101
1755	1756	0.051	RMS	1755	-17.39	-13	4.39	Pass*	101
1756	1757	1	RMS	1756	-27.1	-13	14.1	Pass	2
1757	1765	1	RMS	1757	-34.41	-13	21.41	Pass	101




2.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.25	5.13	30	24.87	Pass	101
1755	1756	0.051	RMS	1755	-25.64	-13	12.64	Pass	101
1756	1757	1	RMS	1756	-26.2	-13	13.2	Pass	2
1757	1765	1	RMS	1757	-30.32	-13	17.32	Pass	101




2.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-33.39	-13	20.39	Pass	101
1708	1709	1	RMS	1709	-29.6	-13	16.6	Pass	2
1709	1710	0.1	RMS	1710	-23.37	-13	10.37	Pass	101
1710	1720	0.1	RMS	1710.6	20.25	30	9.75	Pass	101




2.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.93	-13	17.93	Pass	101
1708	1709	1	RMS	1709	-28.19	-13	15.19	Pass	2
1709	1710	0.1	RMS	1710	-29.32	-13	16.32	Pass	101
1710	1720	0.1	RMS	1718	3.06	30	26.94	Pass	101




2.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-34.15	-13	21.15	Pass	101
1708	1709	1	RMS	1709	-30.18	-13	17.18	Pass	2
1709	1710	0.1	RMS	1710	-23.72	-13	10.72	Pass	101
1710	1720	0.1	RMS	1710.6	19.31	30	10.69	Pass	101




2.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.67	-13	17.67	Pass	101
1708	1709	1	RMS	1709	-26.85	-13	13.85	Pass	2
1709	1710	0.1	RMS	1710	-28	-13	15	Pass	101
1710	1720	0.1	RMS	1713.5	4.76	30	25.24	Pass	101




2.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.38	30	9.62	Pass	101
1755	1756	0.1	RMS	1755	-22.89	-13	9.89	Pass	101
1756	1757	1	RMS	1756	-28.77	-13	15.77	Pass	2
1757	1765	1	RMS	1758.76	-35.75	-13	22.75	Pass	101




2.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1753	3.07	30	26.93	Pass	101
1755	1756	0.1	RMS	1755	-28.05	-13	15.05	Pass	101
1756	1757	1	RMS	1756	-27.28	-13	14.28	Pass	2
1757	1765	1	RMS	1757	-30.01	-13	17.01	Pass	101




2.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.37	30	10.63	Pass	101
1755	1756	0.1	RMS	1755	-23.25	-13	10.25	Pass	101
1756	1757	1	RMS	1756	-29.22	-13	16.22	Pass	2
1757	1765	1	RMS	1758.76	-35.95	-13	22.95	Pass	101




2.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1751.1	4.77	30	25.23	Pass	101
1755	1756	0.1	RMS	1755	-26.23	-13	13.23	Pass	101
1756	1757	1	RMS	1756	-25.8	-13	12.8	Pass	2
1757	1765	1	RMS	1757	-30.38	-13	17.38	Pass	101




2.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.08	-34.06	-13	21.06	Pass	101
1708	1709	1	RMS	1709	-30.38	-13	17.38	Pass	2
1709	1710	0.15	RMS	1710	-29.18	-13	16.18	Pass	101
1710	1725	0.1	RMS	1710.8	19.7	30	10.3	Pass	151




2.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.53	-13	18.53	Pass	101
1708	1709	1	RMS	1709	-28.28	-13	15.28	Pass	2
1709	1710	0.15	RMS	1710	-30.96	-13	17.96	Pass	101
1710	1725	0.1	RMS	1718.5	1.38	30	28.62	Pass	151




2.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.08	-34.87	-13	21.87	Pass	101
1708	1709	1	RMS	1709	-30.81	-13	17.81	Pass	2
1709	1710	0.15	RMS	1710	-29.78	-13	16.78	Pass	101
1710	1725	0.1	RMS	1710.8	18.76	30	11.24	Pass	151




2.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.72	-13	16.72	Pass	101
1708	1709	1	RMS	1709	-25.41	-13	12.41	Pass	2
1709	1710	0.15	RMS	1710	-26.95	-13	13.95	Pass	101
1710	1725	0.1	RMS	1714.9	4.83	30	25.17	Pass	151




2.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.2	19.64	30	10.36	Pass	151
1755	1756	0.15	RMS	1755	-29.68	-13	16.68	Pass	101
1756	1757	1	RMS	1756	-30.18	-13	17.18	Pass	2
1757	1765	1	RMS	1760.76	-36.04	-13	23.04	Pass	101




2.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1750	1.59	30	28.41	Pass	151
1755	1756	0.15	RMS	1755	-29.02	-13	16.02	Pass	101
1756	1757	1	RMS	1756	-25.89	-13	12.89	Pass	2
1757	1765	1	RMS	1757.56	-29.02	-13	16.02	Pass	101




2.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.2	18.87	30	11.13	Pass	151
1755	1756	0.15	RMS	1755	-30.15	-13	17.15	Pass	101
1756	1757	1	RMS	1756	-31.05	-13	18.05	Pass	2
1757	1765	1	RMS	1760.76	-36.27	-13	23.27	Pass	101




2.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:27, RB Position:48)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1750.9	4.9	30	25.1	Pass	151
1755	1756	0.15	RMS	1755	-26.25	-13	13.25	Pass	101
1756	1757	1	RMS	1756	-24.51	-13	11.51	Pass	2
1757	1765	1	RMS	1757	-29.34	-13	16.34	Pass	101




2.41 LTE Band Edge_Part22-24-27(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.08	-33.98	-13	20.98	Pass	101
1708	1709	1	RMS	1709	-31.76	-13	18.76	Pass	2
1709	1710	0.2	RMS	1710	-30.29	-13	17.29	Pass	101
1710	1730	0.1	RMS	1711.1	20.13	30	9.87	Pass	201




2.42 LTE Band Edge_Part22-24-27(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.43	-13	22.43	Pass	101
1708	1709	1	RMS	1709	-32.77	-13	19.77	Pass	2
1709	1710	0.2	RMS	1710	-34.1	-13	21.1	Pass	101
1710	1730	0.1	RMS	1723.3	0.14	30	29.86	Pass	201




2.43 LTE Band Edge_Part22-24-27(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.08	-34.91	-13	21.91	Pass	101
1708	1709	1	RMS	1709	-31.78	-13	18.78	Pass	2
1709	1710	0.2	RMS	1710	-30.16	-13	17.16	Pass	101
1710	1730	0.1	RMS	1711.1	19.21	30	10.79	Pass	201




2.44 LTE Band Edge_Part22-24-27(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.99	-13	18.99	Pass	101
1708	1709	1	RMS	1709	-28.06	-13	15.06	Pass	2
1709	1710	0.2	RMS	1710	-28.65	-13	15.65	Pass	101
1710	1730	0.1	RMS	1715.1	4.75	30	25.25	Pass	201




2.45 LTE Band Edge_Part22-24-27(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.25	30	9.75	Pass	201
1755	1756	0.2	RMS	1755	-30.35	-13	17.35	Pass	101
1756	1757	1	RMS	1756	-31.07	-13	18.07	Pass	2
1757	1765	1	RMS	1762.76	-35.38	-13	22.38	Pass	101




2.46 LTE Band Edge_Part22-24-27(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1747	0.4	30	29.6	Pass	201
1755	1756	0.2	RMS	1755	-31.18	-13	18.18	Pass	101
1756	1757	1	RMS	1756	-29.07	-13	16.07	Pass	2
1757	1765	1	RMS	1757	-30.93	-13	17.93	Pass	101




2.47 LTE Band Edge_Part22-24-27(Subtest:47, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.56	30	10.44	Pass	201
1755	1756	0.2	RMS	1755	-30.67	-13	17.67	Pass	101
1756	1757	1	RMS	1756	-31.51	-13	18.51	Pass	2
1757	1765	1	RMS	1762.76	-35.61	-13	22.61	Pass	101



2.48 LTE Band Edge_Part22-24-27(Subtest:48, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:27, RB Position:73)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1749.3	4.99	30	25.01	Pass	201
1755	1756	0.2	RMS	1755	-27.36	-13	14.36	Pass	101
1756	1757	1	RMS	1756	-26.52	-13	13.52	Pass	2
1757	1765	1	RMS	1757	-31.01	-13	18.01	Pass	101



3. LTE_Band5


3.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-44.39	-13	31.39	Pass	101
823	824	0.02	RMS	824	-19.34	-13	6.34	Pass	101
824	826	0.1	RMS	824.24	20.15	30	9.85	Pass	101



3.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.07	-13	27.07	Pass	101
823	824	0.02	RMS	824	-25.91	-13	12.91	Pass	101
824	826	0.1	RMS	824.5	11.92	30	18.08	Pass	101



3.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-44.21	-13	31.21	Pass	101
823	824	0.02	RMS	824	-19.57	-13	6.57	Pass	101
824	826	0.1	RMS	824.24	19.28	30	10.72	Pass	101




3.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.08	-13	27.08	Pass	101
823	824	0.02	RMS	824	-27.26	-13	14.26	Pass	101
824	826	0.1	RMS	824.72	11.13	30	18.87	Pass	101




3.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	20.15	30	9.85	Pass	101
849	850	0.02	RMS	849	-19.78	-13	6.78	Pass	101
850	860	0.1	RMS	850	-45.57	-13	32.57	Pass	101




3.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.42	11.89	30	18.11	Pass	101
849	850	0.02	RMS	849	-27.75	-13	14.75	Pass	101
850	860	0.1	RMS	850	-41.38	-13	28.38	Pass	101




3.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	19.2	30	10.8	Pass	101
849	850	0.02	RMS	849	-20.33	-13	7.33	Pass	101
850	860	0.1	RMS	850	-46.04	-13	33.04	Pass	101




3.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.94	11.15	30	18.85	Pass	101
849	850	0.02	RMS	849	-28.17	-13	15.17	Pass	101
850	860	0.1	RMS	850	-41.05	-13	28.05	Pass	101




3.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.55	-13	24.55	Pass	101
823	824	0.03	RMS	824	-16.46	-13	3.46	Pass*	101
824	827	0.1	RMS	824.24	20.26	30	9.74	Pass	101




3.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.22	-13	19.22	Pass	101
823	824	0.03	RMS	824	-23.44	-13	10.44	Pass	101
824	827	0.1	RMS	825.59	8.12	30	21.88	Pass	101




3.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.15	-13	25.15	Pass	101
823	824	0.03	RMS	824	-16.67	-13	3.67	Pass*	101
824	827	0.1	RMS	824.24	19.15	30	10.85	Pass	101




3.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.87	-13	19.87	Pass	101
823	824	0.03	RMS	824	-23.92	-13	10.92	Pass	101
824	827	0.1	RMS	825.2	7.24	30	22.76	Pass	101




3.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.05	30	9.95	Pass	101
849	850	0.03	RMS	849	-17.05	-13	4.05	Pass*	101
850	860	0.1	RMS	850	-40.08	-13	27.08	Pass	101




3.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.08	8.41	30	21.59	Pass	101
849	850	0.03	RMS	849	-24.75	-13	11.75	Pass	101
850	860	0.1	RMS	850	-35.92	-13	22.92	Pass	101




3.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.06	30	10.94	Pass	101
849	850	0.03	RMS	849	-17.31	-13	4.31	Pass*	35
850	860	0.1	RMS	850	-40.89	-13	27.89	Pass	101




3.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.05	7.44	30	22.56	Pass	101
849	850	0.03	RMS	849	-25.5	-13	12.5	Pass	101
850	860	0.1	RMS	850	-36.04	-13	23.04	Pass	101




3.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.55	-13	23.55	Pass	101
823	824	0.051	RMS	824	-17.33	-13	4.33	Pass*	101
824	829	0.1	RMS	824.35	20.38	30	9.62	Pass	101




3.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.56	-13	17.56	Pass	101
823	824	0.051	RMS	824	-23.67	-13	10.67	Pass	101
824	829	0.1	RMS	825.75	6.36	30	23.64	Pass	101




3.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.89	-13	23.89	Pass	101
823	824	0.051	RMS	824	-17.88	-13	4.88	Pass*	101
824	829	0.1	RMS	824.35	19.61	30	10.39	Pass	101




3.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.04	-13	19.04	Pass	101
823	824	0.051	RMS	824	-24.82	-13	11.82	Pass	101
824	829	0.1	RMS	825.55	5.32	30	24.68	Pass	101




3.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.96	30	10.04	Pass	101
849	850	0.051	RMS	849	-18.7	-13	5.7	Pass*	101
850	860	0.1	RMS	850	-38.31	-13	25.31	Pass	101




3.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.7	6.2	30	23.8	Pass	101
849	850	0.051	RMS	849	-25.29	-13	12.29	Pass	101
850	860	0.1	RMS	850	-35.15	-13	22.15	Pass	101




3.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.24	30	10.76	Pass	101
849	850	0.051	RMS	849	-18.75	-13	5.75	Pass*	101
850	860	0.1	RMS	850	-38.19	-13	25.19	Pass	101




3.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.25	5.38	30	24.62	Pass	101
849	850	0.051	RMS	849	-26.46	-13	13.46	Pass	101
850	860	0.1	RMS	850	-35.49	-13	22.49	Pass	101




3.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-37.51	-13	24.51	Pass	101
823	824	0.1	RMS	824	-23.81	-13	10.81	Pass	101
824	834	0.1	RMS	824.6	20.47	30	9.53	Pass	101




3.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.12	-13	20.12	Pass	101
823	824	0.1	RMS	824	-27.27	-13	14.27	Pass	101
824	834	0.1	RMS	825.9	3.14	30	26.86	Pass	101



3.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-38.36	-13	25.36	Pass	101
823	824	0.1	RMS	824	-24.2	-13	11.2	Pass	101
824	834	0.1	RMS	824.6	19.45	30	10.55	Pass	101



3.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:27, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-31.97	-13	18.97	Pass	101
823	824	0.1	RMS	824	-26.05	-13	13.05	Pass	101
824	834	0.1	RMS	827.5	4.84	30	25.16	Pass	101

