



HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10380.000	42.97	7.32	50.29	68.20	-17.91	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.08	4.45	48.53	68.20	-19.67	peak	
2	*	5150.000	45.17	6.04	51.21	68.20	-16.99	peak	

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10460.000	43.25	7.55	50.80	68.20	-17.40	peak		Comment

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10460.000	41.77	7.55	49.32	68.20	-18.88	peak		Comment

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10540.000	40.68	7.76	48.44	68.20	-19.76	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10540.000	41.57	7.76	49.33	68.20	-18.87	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10620.000	42.51	7.89	50.40	74.00	-23.60	peak		Comment


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		5350.000	42.02	5.25	47.27	68.20	-20.93	peak		Comment
2	*	5460.000	43.01	5.03	48.04	68.20	-20.16	peak		Comment


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	41.43	7.89	49.32	74.00	-24.68	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	42.66	5.25	47.91	68.20	-20.29	peak		
2		5460.000	42.86	5.03	47.89	68.20	-20.31	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	42.35	7.42	49.77	74.00	-24.23	peak		


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	43.44	5.25	48.69	68.20	-19.51	peak		
2		5460.000	43.12	5.03	48.15	68.20	-20.05	peak		

HORIZONTAL

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11100.000	43.10	7.53	50.63	74.00	-23.37	peak		Comment

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11100.000	42.03	7.53	49.56	74.00	-24.44	peak		Comment

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11340.000	40.82	7.77	48.59	74.00	-25.41	peak		Comment

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11340.000	40.60	7.77	48.37	74.00	-25.63	peak		Comment


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11510.000	42.28	7.76	50.04	74.00	-23.96	peak		Comment


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5650.000	47.95	5.72	53.67	68.20	-14.53	peak		Comment
2		5700.000	58.34	6.00	64.34	105.20	-40.86	peak		
3		5720.000	62.84	5.82	68.66	110.80	-42.14	peak		
4		5725.000	63.97	5.78	69.75	122.20	-52.45	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	41.24	7.76	49.00	74.00	-25.00	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	47.81	5.72	53.53	68.20	-14.67	peak		
2		5700.000	58.75	6.00	64.75	105.20	-40.45	peak		
3		5720.000	66.51	5.82	72.33	110.80	-38.47	peak		
4		5725.000	66.90	5.78	72.68	122.20	-49.52	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.000	40.41	7.56	47.97	74.00	-26.03	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	57.00	6.79	63.79	122.20	-58.41	peak		
2		5855.000	55.04	6.72	61.76	110.80	-49.04	peak		
3		5875.000	48.49	6.46	54.95	105.20	-50.25	peak		
4	*	5925.000	45.56	6.46	52.02	68.20	-16.18	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11590.000	41.67	7.56	49.23	74.00	-24.77	peak			


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	57.75	6.79	64.54	122.20	-57.66	peak			
2		5855.000	56.27	6.72	62.99	110.80	-47.81	peak			
3		5875.000	52.48	6.46	58.94	105.20	-46.26	peak			
4	*	5925.000	45.95	6.46	52.41	68.20	-15.79	peak			


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	41.11	7.45	48.56	68.20	-19.64	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	43.82	4.45	48.27	68.20	-19.93	peak		
2	*	5150.000	42.94	6.04	48.98	68.20	-19.22	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	42.23	7.45	49.68	68.20	-18.52	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4500.000	44.15	4.45	48.60	68.20	-19.60	peak	
2	*	5150.000	43.98	6.04	50.02	68.20	-18.18	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	40.77	7.87	48.64	68.20	-19.56	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	42.99	5.25	48.24	68.20	-19.96	peak		
2	*	5460.000	44.42	5.03	49.45	68.20	-18.75	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	41.39	7.87	49.26	68.20	-18.94	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	42.30	5.25	47.55	68.20	-20.65	peak	
2	*	5460.000	43.74	5.03	48.77	68.20	-19.43	peak	


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11060.000	40.43	7.51	47.94	74.00	-26.06	peak		Comment


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5350.000	43.13	5.25	48.38	68.20	-19.82	peak		Comment
2		5460.000	43.03	5.03	48.06	68.20	-20.14	peak		

HORIZONTAL

Radiated Emission




Radiated Emission



VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	41.53	7.59	49.12	74.00	-24.88	peak		

HORIZONTAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	41.41	7.59	49.00	74.00	-25.00	peak		


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	41.61	7.66	49.27	74.00	-24.73	peak	


Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	46.98	5.72	52.70	68.20	-15.50	peak	
2		5700.000	51.50	6.00	57.50	105.20	-47.70	peak	
3		5720.000	63.91	5.82	69.73	110.80	-41.07	peak	
4		5725.000	63.92	5.78	69.70	122.20	-52.50	peak	
5		5850.000	54.07	6.79	60.86	122.20	-61.34	peak	
6		5855.000	51.52	6.72	58.24	110.80	-52.56	peak	
7		5875.000	48.13	6.46	54.59	105.20	-50.61	peak	
8		5925.000	44.74	6.46	51.20	68.20	-17.00	peak	

HORIZONTAL

Radiated Emission



Radiated Emission



Note: The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
	26 dB Bandwidth	-	5470-5725
15.407(e)	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
●Conducted Measurement	○Radiated Measurement
Test Channels	
●Lowest, Middle and Highest Channel	○ Lowest and Highest Channel
Environmental conditions	
●Normal	○Normal and Extreme
Note:●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth


Centre Frequency	The centre frequency of the channel under test
RBW	1% to 5% of the emission bandwidth
VBW	> RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

- c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

26 dB Bandwidth


Test Mode	Antenna	Frequency[MHz]	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	23.56	5168.80	5192.36	---	---
11A-CDD	Ant2	5180	23.72	5168.48	5192.20	---	---
11A-CDD	Ant1	5200	23.88	5188.08	5211.96	---	---
11A-CDD	Ant2	5200	22.96	5188.32	5211.28	---	---
11A-CDD	Ant1	5240	20.08	5229.92	5250.00	---	---
11A-CDD	Ant2	5240	19.76	5230.20	5249.96	---	---
11A-CDD	Ant1	5260	24.80	5247.84	5272.64	---	---
11A-CDD	Ant2	5260	24.00	5247.76	5271.76	---	---
11A-CDD	Ant1	5280	24.44	5267.84	5292.28	---	---
11A-CDD	Ant2	5280	24.12	5268.64	5292.76	---	---
11A-CDD	Ant1	5320	25.92	5307.04	5332.96	---	---
11A-CDD	Ant2	5320	24.16	5308.08	5332.24	---	---
11A-CDD	Ant2	5500	22.52	5488.64	5511.16	---	---
11A-CDD	Ant1	5500	25.60	5487.00	5512.60	---	---
11A-CDD	Ant1	5580	25.40	5567.12	5592.52	---	---
11A-CDD	Ant2	5580	24.76	5567.76	5592.52	---	---

11A-CDD	Ant1	5700	24.32	5688.08	5712.40	---	---
11A-CDD	Ant2	5700	24.36	5688.12	5712.48	---	---
11A-CDD	Ant2	5745	24.48	5732.68	5757.16	---	---
11A-CDD	Ant1	5745	24.40	5732.36	5756.76	---	---
11A-CDD	Ant1	5785	25.80	5771.84	5797.64	---	---
11A-CDD	Ant2	5785	24.36	5772.80	5797.16	---	---
11A-CDD	Ant1	5825	23.88	5812.40	5836.28	---	---
11A-CDD	Ant2	5825	23.52	5812.96	5836.48	---	---
11N20MIMO	Ant1	5180	24.20	5167.88	5192.08	---	---
11N20MIMO	Ant2	5180	23.44	5168.24	5191.68	---	---
11N20MIMO	Ant1	5200	25.60	5186.60	5212.20	---	---
11N20MIMO	Ant2	5200	26.04	5185.44	5211.48	---	---
11N20MIMO	Ant1	5240	20.60	5229.72	5250.32	---	---
11N20MIMO	Ant2	5240	20.24	5229.92	5250.16	---	---
11N20MIMO	Ant1	5260	25.44	5247.64	5273.08	---	---
11N20MIMO	Ant2	5260	25.36	5247.48	5272.84	---	---
11N20MIMO	Ant1	5280	26.88	5266.12	5293.00	---	---
11N20MIMO	Ant2	5280	24.32	5267.56	5291.88	---	---
11N20MIMO	Ant1	5320	25.88	5307.04	5332.92	---	---
11N20MIMO	Ant2	5320	24.32	5307.56	5331.88	---	---
11N20MIMO	Ant1	5500	25.04	5487.20	5512.24	---	---
11N20MIMO	Ant2	5500	24.48	5487.60	5512.08	---	---
11N20MIMO	Ant1	5580	25.84	5566.88	5592.72	---	---
11N20MIMO	Ant2	5580	24.00	5567.84	5591.84	---	---
11N20MIMO	Ant1	5700	26.80	5686.80	5713.60	---	---
11N20MIMO	Ant2	5700	25.12	5688.08	5713.20	---	---
11N20MIMO	Ant1	5745	26.84	5732.88	5759.72	---	---
11N20MIMO	Ant2	5745	25.28	5731.40	5756.68	---	---
11N20MIMO	Ant1	5785	26.80	5771.40	5798.20	---	---
11N20MIMO	Ant2	5785	24.52	5773.08	5797.60	---	---
11N20MIMO	Ant1	5825	26.24	5811.60	5837.84	---	---
11N20MIMO	Ant2	5825	23.56	5813.56	5837.12	---	---
11N40MIMO	Ant1	5190	40.40	5169.60	5210.00	---	---
11N40MIMO	Ant2	5190	40.00	5170.08	5210.08	---	---
11N40MIMO	Ant1	5230	40.40	5209.84	5250.24	---	---
11N40MIMO	Ant2	5230	39.92	5210.00	5249.92	---	---
11N40MIMO	Ant1	5270	40.88	5249.60	5290.48	---	---
11N40MIMO	Ant2	5270	40.56	5249.68	5290.24	---	---
11N40MIMO	Ant1	5310	40.80	5289.68	5330.48	---	---
11N40MIMO	Ant2	5310	40.00	5289.68	5329.68	---	---
11N40MIMO	Ant1	5510	40.32	5489.76	5530.08	---	---
11N40MIMO	Ant2	5510	39.60	5490.16	5529.76	---	---
11N40MIMO	Ant1	5550	40.16	5529.84	5570.00	---	---
11N40MIMO	Ant2	5550	40.40	5530.00	5570.40	---	---


11N40MIMO	Ant1	5670	41.12	5649.20	5690.32	---	---
11N40MIMO	Ant2	5670	39.76	5650.24	5690.00	---	---
11N40MIMO	Ant1	5755	40.16	5734.84	5775.00	---	---
11N40MIMO	Ant2	5755	40.16	5734.76	5774.92	---	---
11N40MIMO	Ant1	5795	40.48	5774.52	5815.00	---	---
11N40MIMO	Ant2	5795	40.40	5774.68	5815.08	---	---
11AC20MIMO	Ant1	5180	25.64	5166.96	5192.60	---	---
11AC20MIMO	Ant2	5180	24.84	5167.56	5192.40	---	---
11AC20MIMO	Ant1	5200	25.84	5187.48	5213.32	---	---
11AC20MIMO	Ant2	5200	23.40	5188.32	5211.72	---	---
11AC20MIMO	Ant1	5240	20.44	5229.80	5250.24	---	---
11AC20MIMO	Ant2	5240	20.40	5229.84	5250.24	---	---
11AC20MIMO	Ant1	5260	25.60	5247.12	5272.72	---	---
11AC20MIMO	Ant2	5260	24.32	5247.52	5271.84	---	---
11AC20MIMO	Ant1	5280	24.00	5267.68	5291.68	---	---
11AC20MIMO	Ant2	5280	24.32	5267.76	5292.08	---	---
11AC20MIMO	Ant1	5320	24.88	5307.48	5332.36	---	---
11AC20MIMO	Ant2	5320	23.20	5308.32	5331.52	---	---
11AC20MIMO	Ant1	5500	25.36	5487.36	5512.72	---	---
11AC20MIMO	Ant2	5500	24.16	5487.84	5512.00	---	---
11AC20MIMO	Ant1	5580	26.00	5567.32	5593.32	---	---
11AC20MIMO	Ant2	5580	23.84	5567.92	5591.76	---	---
11AC20MIMO	Ant1	5700	26.16	5687.04	5713.20	---	---
11AC20MIMO	Ant2	5700	24.48	5687.68	5712.16	---	---
11AC20MIMO	Ant1	5745	26.00	5731.88	5757.88	---	---
11AC20MIMO	Ant2	5745	24.08	5732.72	5756.80	---	---
11AC20MIMO	Ant1	5785	26.96	5771.48	5798.44	---	---
11AC20MIMO	Ant2	5785	23.84	5773.16	5797.00	---	---
11AC20MIMO	Ant1	5825	26.60	5811.56	5838.16	---	---
11AC20MIMO	Ant2	5825	23.56	5813.64	5837.20	---	---
11AC40MIMO	Ant1	5190	40.16	5169.84	5210.00	---	---
11AC40MIMO	Ant2	5190	40.08	5169.60	5209.68	---	---
11AC40MIMO	Ant1	5230	40.88	5209.68	5250.56	---	---
11AC40MIMO	Ant2	5230	40.48	5209.60	5250.08	---	---
11AC40MIMO	Ant1	5270	40.32	5250.00	5290.32	---	---
11AC40MIMO	Ant2	5270	40.00	5250.24	5290.24	---	---
11AC40MIMO	Ant1	5310	41.12	5289.44	5330.56	---	---
11AC40MIMO	Ant2	5310	39.92	5289.84	5329.76	---	---
11AC40MIMO	Ant1	5510	40.56	5489.76	5530.32	---	---
11AC40MIMO	Ant2	5510	39.92	5489.76	5529.68	---	---
11AC40MIMO	Ant1	5550	40.72	5529.76	5570.48	---	---
11AC40MIMO	Ant2	5550	40.00	5529.84	5569.84	---	---
11AC40MIMO	Ant1	5670	40.48	5649.60	5690.08	---	---
11AC40MIMO	Ant2	5670	40.00	5649.84	5689.84	---	---

11AC40MIMO	Ant1	5755	40.72	5734.68	5775.40	---	---
11AC40MIMO	Ant2	5755	40.08	5735.16	5775.24	---	---
11AC40MIMO	Ant1	5795	40.56	5774.60	5815.16	---	---
11AC40MIMO	Ant2	5795	39.84	5775.08	5814.92	---	---
11AC80MIMO	Ant1	5210	79.68	5170.16	5249.84	---	---
11AC80MIMO	Ant2	5210	79.04	5170.48	5249.52	---	---
11AC80MIMO	Ant1	5290	79.68	5250.32	5330.00	---	---
11AC80MIMO	Ant2	5290	79.36	5250.32	5329.68	---	---
11AC80MIMO	Ant1	5530	78.88	5490.64	5569.52	---	---
11AC80MIMO	Ant2	5530	79.36	5490.48	5569.84	---	---
11AC80MIMO	Ant1	5610	79.04	5570.48	5649.52	---	---
11AC80MIMO	Ant2	5610	79.20	5570.32	5649.52	---	---
11AC80MIMO	Ant1	5775	79.36	5735.48	5814.84	---	---
11AC80MIMO	Ant2	5775	79.20	5735.48	5814.68	---	---
11AX20MIMO	Ant1	5180	22.56	5167.80	5190.36	---	---
11AX20MIMO	Ant2	5180	22.96	5169.00	5191.96	---	---
11AX20MIMO	Ant1	5200	23.12	5188.76	5211.88	---	---
11AX20MIMO	Ant2	5200	23.40	5187.84	5211.24	---	---
11AX20MIMO	Ant1	5240	20.08	5229.96	5250.04	---	---
11AX20MIMO	Ant2	5240	20.00	5230.00	5250.00	---	---
11AX20MIMO	Ant1	5260	25.88	5248.32	5274.20	---	---
11AX20MIMO	Ant2	5260	22.28	5248.72	5271.00	---	---
11AX20MIMO	Ant1	5280	22.24	5269.12	5291.36	---	---
11AX20MIMO	Ant2	5280	23.64	5268.20	5291.84	---	---
11AX20MIMO	Ant1	5320	23.76	5307.84	5331.60	---	---
11AX20MIMO	Ant2	5320	24.12	5308.32	5332.44	---	---
11AX20MIMO	Ant1	5500	25.08	5487.84	5512.92	---	---
11AX20MIMO	Ant2	5500	22.44	5488.16	5510.60	---	---
11AX20MIMO	Ant1	5580	24.84	5565.80	5590.64	---	---
11AX20MIMO	Ant2	5580	23.80	5567.64	5591.44	---	---
11AX20MIMO	Ant1	5700	25.32	5688.76	5714.08	---	---
11AX20MIMO	Ant2	5700	22.48	5689.16	5711.64	---	---
11AX20MIMO	Ant1	5745	21.68	5734.36	5756.04	---	---
11AX20MIMO	Ant2	5745	22.00	5734.40	5756.40	---	---
11AX20MIMO	Ant1	5785	21.92	5774.44	5796.36	---	---
11AX20MIMO	Ant2	5785	23.48	5772.56	5796.04	---	---
11AX20MIMO	Ant1	5825	21.72	5814.04	5835.76	---	---
11AX20MIMO	Ant2	5825	22.88	5814.04	5836.92	---	---
11AX40MIMO	Ant1	5190	39.52	5170.16	5209.68	---	---
11AX40MIMO	Ant2	5190	39.92	5170.08	5210.00	---	---
11AX40MIMO	Ant1	5230	39.60	5210.24	5249.84	---	---
11AX40MIMO	Ant2	5230	39.68	5210.08	5249.76	---	---
11AX40MIMO	Ant1	5270	39.84	5250.00	5289.84	---	---
11AX40MIMO	Ant2	5270	39.76	5250.16	5289.92	---	---


11AX40MIMO	Ant1	5310	39.84	5290.08	5329.92	---	---
11AX40MIMO	Ant2	5310	39.60	5290.16	5329.76	---	---
11AX40MIMO	Ant1	5510	39.76	5490.16	5529.92	---	---
11AX40MIMO	Ant2	5510	39.60	5490.24	5529.84	---	---
11AX40MIMO	Ant1	5550	39.68	5530.16	5569.84	---	---
11AX40MIMO	Ant2	5550	39.76	5530.16	5569.92	---	---
11AX40MIMO	Ant1	5670	40.00	5650.00	5690.00	---	---
11AX40MIMO	Ant2	5670	39.60	5650.32	5689.92	---	---
11AX40MIMO	Ant1	5755	39.68	5735.16	5774.84	---	---
11AX40MIMO	Ant2	5755	39.84	5735.00	5774.84	---	---
11AX40MIMO	Ant1	5795	39.60	5775.24	5814.84	---	---
11AX40MIMO	Ant2	5795	39.68	5775.24	5814.92	---	---
11AX80MIMO	Ant1	5210	80.00	5170.00	5250.00	---	---
11AX80MIMO	Ant2	5210	80.32	5169.84	5250.16	---	---
11AX80MIMO	Ant1	5290	80.00	5250.00	5330.00	---	---
11AX80MIMO	Ant2	5290	80.32	5249.84	5330.16	---	---
11AX80MIMO	Ant1	5530	80.00	5490.00	5570.00	---	---
11AX80MIMO	Ant2	5530	80.16	5490.00	5570.16	---	---
11AX80MIMO	Ant1	5610	80.00	5570.00	5650.00	---	---
11AX80MIMO	Ant2	5610	80.16	5569.84	5650.00	---	---
11AX80MIMO	Ant1	5775	80.00	5735.00	5815.00	---	---
11AX80MIMO	Ant2	5775	80.00	5735.00	5815.00	---	---




11A-CDD-Ant1-5180




11A-CDD-Ant2-5180




11A-CDD-Ant1-5200




11A-CDD-Ant2-5200




11A-CDD-Ant1-5240




11A-CDD-Ant2-5240




11A-CDD-Ant1-5260




11A-CDD-Ant2-5260




11A-CDD-Ant1-5280




11A-CDD-Ant2-5280




11A-CDD-Ant1-5320




11A-CDD-Ant2-5320




11A-CDD-Ant2-5500




11A-CDD-Ant1-5500




11A-CDD-Ant1-5580




11A-CDD-Ant2-5580




11A-CDD-Ant1-5700




11A-CDD-Ant2-5700




11A-CDD-Ant2-5745




11A-CDD-Ant1-5745




11A-CDD-Ant1-5785




11A-CDD-Ant2-5785




11A-CDD-Ant1-5825




11A-CDD-Ant2-5825




11N20MIMO-Ant1-5180




11N20MIMO-Ant2-5180




11N20MIMO-Ant1-5200




11N20MIMO-Ant2-5200




11N20MIMO-Ant1-5240




11N20MIMO-Ant2-5240




11N20MIMO-Ant1-5260




11N20MIMO-Ant2-5260




11N20MIMO-Ant1-5280




11N20MIMO-Ant2-5280




11N20MIMO-Ant1-5320




11N20MIMO-Ant2-5320




11N20MIMO-Ant1-5500




11N20MIMO-Ant2-5500




11N20MIMO-Ant1-5580




11N20MIMO-Ant2-5580




11N20MIMO-Ant1-5700




11N20MIMO-Ant2-5700




11N20MIMO-Ant1-5745




11N20MIMO-Ant2-5745




11N20MIMO-Ant1-5785




11N20MIMO-Ant2-5785




11N20MIMO-Ant1-5825




11N20MIMO-Ant2-5825




11N40MIMO-Ant1-5190




11N40MIMO-Ant2-5190




11N40MIMO-Ant1-5230




11N40MIMO-Ant2-5230




11N40MIMO-Ant1-5270




11N40MIMO-Ant2-5270




11N40MIMO-Ant1-5310




11N40MIMO-Ant2-5310




11N40MIMO-Ant1-5510




11N40MIMO-Ant2-5510




11N40MIMO-Ant1-5550




11N40MIMO-Ant2-5550




11N40MIMO-Ant1-5670




11N40MIMO-Ant2-5670




11N40MIMO-Ant1-5755




11N40MIMO-Ant2-5755




11N40MIMO-Ant1-5795




11N40MIMO-Ant2-5795




11AC20MIMO-Ant1-5180




11AC20MIMO-Ant2-5180




11AC20MIMO-Ant1-5200




11AC20MIMO-Ant2-5200




11AC20MIMO-Ant1-5240




11AC20MIMO-Ant2-5240




11AC20MIMO-Ant1-5260




11AC20MIMO-Ant2-5260




11AC20MIMO-Ant1-5280




11AC20MIMO-Ant2-5280




11AC20MIMO-Ant1-5320




11AC20MIMO-Ant2-5320




11AC20MIMO-Ant1-5500




11AC20MIMO-Ant2-5500




11AC20MIMO-Ant1-5580




11AC20MIMO-Ant2-5580




11AC20MIMO-Ant1-5700




11AC20MIMO-Ant2-5700




11AC20MIMO-Ant1-5745




11AC20MIMO-Ant2-5745




11AC20MIMO-Ant1-5785




11AC20MIMO-Ant2-5785




11AC20MIMO-Ant1-5825




11AC20MIMO-Ant2-5825




11AC40MIMO-Ant1-5190




11AC40MIMO-Ant2-5190




11AC40MIMO-Ant1-5230




11AC40MIMO-Ant2-5230




11AC40MIMO-Ant1-5270




11AC40MIMO-Ant2-5270




11AC40MIMO-Ant1-5310




11AC40MIMO-Ant2-5310




11AC40MIMO-Ant1-5510




11AC40MIMO-Ant2-5510




11AC40MIMO-Ant1-5550



11AC40MIMO-Ant2-5550



11AC40MIMO-Ant1-5670



11AC40MIMO-Ant2-5670