

Annex A.5 Spurious Emission at Antenna Terminals

GPRS

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.86	-13	Pass	2986
30	500	0.1	Peak	410	-41.88	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.17	-13	N/A	5001
1000	10000	1	Peak	9918	-17.67	-13	Pass	9001




1.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-35.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.2	-13	Pass	2986
30	500	0.1	Peak	495.2	-41.28	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.29	-13	N/A	5001
1000	10000	1	Peak	9984	-18.74	-13	Pass	9001



1.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.68	-13	Pass	2986
30	500	0.1	Peak	447.5	-41.41	-13	Pass	4701
500	1000	0.1	Peak	848.8	31.97	-13	N/A	5001
1000	10000	1	Peak	9271	-18.84	-13	Pass	9001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.48	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.95	-13	Pass	2986
30	1000	0.1	Peak	868.4	-46.21	-13	Pass	9701
1000	3000	1	Peak	1850	28.65	-13	N/A	2001
3000	20000	1	Peak	19999	-38.68	-13	Pass	17001




2.2. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.95	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.41	-13	Pass	2986
30	1000	0.1	Peak	809.2	-45.52	-13	Pass	9701
1000	3000	1	Peak	1880	29.02	-13	N/A	2001
3000	20000	1	Peak	19853	-39.08	-13	Pass	17001



2.3. GPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-40.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.23	-13	Pass	2986
30	1000	0.1	Peak	913.9	-45.39	-13	Pass	9701
1000	3000	1	Peak	1909	25.98	-13	N/A	2001
3000	20000	1	Peak	19966	-38.5	-13	Pass	17001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.98	-13	Pass	2986
30	500	0.1	Peak	477.2	-40.98	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.44	-13	N/A	5001
1000	10000	1	Peak	9309	-38.03	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-37.05	-13	Pass	401
0.15	30	0.01	Peak	0.16	-37.95	-13	Pass	2986
30	500	0.1	Peak	484.9	-41.93	-13	Pass	4701
500	1000	0.1	Peak	836.6	29	-13	N/A	5001
1000	10000	1	Peak	9929	-38.39	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.26	-13	Pass	2986
30	500	0.1	Peak	391.1	-41.56	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.12	-13	N/A	5001
1000	10000	1	Peak	9864	-38.24	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.91	-13	Pass	2986
30	1000	0.1	Peak	912.8	-44.87	-13	Pass	9701
1000	3000	1	Peak	1850	28.96	-13	N/A	2001
3000	20000	1	Peak	19958	-38.84	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.38	-13	Pass	2986
30	1000	0.1	Peak	897.1	-45.98	-13	Pass	9701
1000	3000	1	Peak	1880	26.56	-13	N/A	2001
3000	20000	1	Peak	19931	-39.02	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.94	-13	Pass	2986
30	1000	0.1	Peak	989.2	-44.43	-13	Pass	9701
1000	3000	1	Peak	1910	25.17	-13	N/A	2001
3000	20000	1	Peak	19902	-39.27	-13	Pass	17001




WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.45	-13	Pass	2986
30	1000	0.1	Peak	913.3	-50.15	-13	Pass	9701
1000	3000	1	Peak	1854	23.09	-13	N/A	2001
3000	20000	1	Peak	19994	-29.1	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.99	-13	Pass	2986
30	1000	0.1	Peak	849.5	-49.92	-13	Pass	9701
1000	3000	1	Peak	1879	23.03	-13	N/A	2001
3000	20000	1	Peak	19945	-28.78	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.5	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.2	-13	Pass	2986
30	1000	0.1	Peak	938.4	-50.22	-13	Pass	9701
1000	3000	1	Peak	1906	23.04	-13	N/A	2001
3000	20000	1	Peak	18874	-28.98	-13	Pass	17001



2. WCDMA_Band5


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.71	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.54	-13	Pass	2986
30	500	0.1	Peak	417.2	-52.13	-13	Pass	4701
500	1000	0.1	Peak	825.6	18.35	-13	N/A	5001
1000	10000	1	Peak	9290	-28.04	-13	Pass	9001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.25	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.66	-13	Pass	2986
30	500	0.1	Peak	378.6	-52.28	-13	Pass	4701
500	1000	0.1	Peak	835.5	18.91	-13	N/A	5001
1000	10000	1	Peak	9917	-28.85	-13	Pass	9001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-46.92	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.42	-13	Pass	2986
30	500	0.1	Peak	375.6	-51.58	-13	Pass	4701
500	1000	0.1	Peak	847.2	17.7	-13	N/A	5001
1000	10000	1	Peak	9808	-29.03	-13	Pass	9001




LTE

1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.45	-13	Pass	7841
814	860	0.1	RMS	824.3	19.83	60	Pass	461
860	1000	0.1	RMS	901.5	-62.39	-13	Pass	1401
1000	3000	1	RMS	1648	-45.95	-13	Pass	2001
3000	10000	1	RMS	9985	-40.39	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	814	0.1	RMS	814	-61.49	-13	Pass	7841
814	860	0.1	RMS	824.3	18.84	60	Pass	461
860	1000	0.1	RMS	899.2	-62.22	-13	Pass	1401
1000	3000	1	RMS	1648	-46.75	-13	Pass	2001
3000	10000	1	RMS	9953	-40.42	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	814	0.1	RMS	788	-61.54	-13	Pass	7841
814	860	0.1	RMS	836.1	19.74	60	Pass	461
860	1000	0.1	RMS	996.8	-62.39	-13	Pass	1401
1000	3000	1	RMS	1672	-46.24	-13	Pass	2001
3000	10000	1	RMS	9957	-40.36	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	814	0.1	RMS	812.7	-61.55	-13	Pass	7841
814	860	0.1	RMS	836.1	18.9	60	Pass	461
860	1000	0.1	RMS	908.7	-62.16	-13	Pass	1401
1000	3000	1	RMS	2688	-46.8	-13	Pass	2001
3000	10000	1	RMS	9941	-40.43	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	814	0.1	RMS	798.3	-61.57	-13	Pass	7841
814	860	0.1	RMS	847.9	19.18	60	Pass	461
860	1000	0.1	RMS	995.6	-62.21	-13	Pass	1401
1000	3000	1	RMS	1696	-46.38	-13	Pass	2001
3000	10000	1	RMS	9959	-40.28	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2986
30	814	0.1	RMS	794.4	-61.59	-13	Pass	7841
814	860	0.1	RMS	847.9	18.33	60	Pass	461
860	1000	0.1	RMS	861.7	-62.35	-13	Pass	1401
1000	3000	1	RMS	2690	-46.82	-13	Pass	2001
3000	10000	1	RMS	9958	-40.38	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	814	0.1	RMS	808	-61.49	-13	Pass	7841
814	860	0.1	RMS	824.2	19.62	60	Pass	461
860	1000	0.1	RMS	891	-62.31	-13	Pass	1401
1000	3000	1	RMS	1648	-46.37	-13	Pass	2001
3000	10000	1	RMS	9960	-40.33	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.67	-13	Pass	2986
30	814	0.1	RMS	807.9	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.2	18.74	60	Pass	461
860	1000	0.1	RMS	890.7	-62.33	-13	Pass	1401
1000	3000	1	RMS	2689	-46.77	-13	Pass	2001
3000	10000	1	RMS	9949	-40.38	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.53	-13	Pass	7841
814	860	0.1	RMS	835.2	19.57	60	Pass	461
860	1000	0.1	RMS	992.9	-62.24	-13	Pass	1401
1000	3000	1	RMS	2687	-46.79	-13	Pass	2001
3000	10000	1	RMS	9999	-40.4	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.96	-13	Pass	2986
30	814	0.1	RMS	799.5	-61.48	-13	Pass	7841
814	860	0.1	RMS	835.2	18.56	60	Pass	461
860	1000	0.1	RMS	891.3	-62.31	-13	Pass	1401
1000	3000	1	RMS	2693	-46.79	-13	Pass	2001
3000	10000	1	RMS	9959	-40.29	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	814	0.1	RMS	807.9	-61.51	-13	Pass	7841
814	860	0.1	RMS	846.2	19.45	60	Pass	461
860	1000	0.1	RMS	970.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	1692	-46.64	-13	Pass	2001
3000	10000	1	RMS	9979	-40.38	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	814	0.1	RMS	772.3	-61.5	-13	Pass	7841
814	860	0.1	RMS	846.2	18.52	60	Pass	461
860	1000	0.1	RMS	987.9	-62.3	-13	Pass	1401
1000	3000	1	RMS	2690	-46.82	-13	Pass	2001
3000	10000	1	RMS	9977	-40.4	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	814	0.1	RMS	769.5	-61.5	-13	Pass	7841
814	860	0.1	RMS	824.3	19.45	60	Pass	461
860	1000	0.1	RMS	997.6	-62.3	-13	Pass	1401
1000	3000	1	RMS	1649	-45.82	-13	Pass	2001
3000	10000	1	RMS	9972	-40.38	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	814	0.1	RMS	808.9	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.3	18.46	60	Pass	461
860	1000	0.1	RMS	868.2	-62.3	-13	Pass	1401
1000	3000	1	RMS	1649	-46.75	-13	Pass	2001
3000	10000	1	RMS	9959	-40.29	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.02	-13	Pass	2986
30	814	0.1	RMS	791.2	-61.46	-13	Pass	7841
814	860	0.1	RMS	834.3	19.46	60	Pass	461
860	1000	0.1	RMS	993.7	-62.3	-13	Pass	1401
1000	3000	1	RMS	2692	-46.79	-13	Pass	2001
3000	10000	1	RMS	9990	-40.34	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	814	0.1	RMS	807.8	-61.53	-13	Pass	7841
814	860	0.1	RMS	834.3	18.75	60	Pass	461
860	1000	0.1	RMS	996.6	-62.34	-13	Pass	1401
1000	3000	1	RMS	2689	-46.8	-13	Pass	2001
3000	10000	1	RMS	9945	-40.41	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	814	0.1	RMS	778.5	-61.56	-13	Pass	7841
814	860	0.1	RMS	844.3	19.5	60	Pass	461
860	1000	0.1	RMS	994.4	-62.3	-13	Pass	1401
1000	3000	1	RMS	1689	-46.15	-13	Pass	2001
3000	10000	1	RMS	9960	-40.31	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.38	-13	Pass	2986
30	814	0.1	RMS	778.1	-61.58	-13	Pass	7841
814	860	0.1	RMS	844.3	18.72	60	Pass	461
860	1000	0.1	RMS	989.3	-62.35	-13	Pass	1401
1000	3000	1	RMS	2688	-46.8	-13	Pass	2001
3000	10000	1	RMS	9963	-40.42	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	814	0.1	RMS	812.4	-61.46	-13	Pass	7841
814	860	0.1	RMS	824.6	19.91	60	Pass	461
860	1000	0.1	RMS	997.3	-62.17	-13	Pass	1401
1000	3000	1	RMS	1649	-45.19	-13	Pass	2001
3000	10000	1	RMS	9948	-40.37	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	Pass	2986
30	814	0.1	RMS	786.4	-61.51	-13	Pass	7841
814	860	0.1	RMS	824.6	19.11	60	Pass	461
860	1000	0.1	RMS	998	-62.34	-13	Pass	1401
1000	3000	1	RMS	1649	-46.01	-13	Pass	2001
3000	10000	1	RMS	9953	-40.31	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	814	0.1	RMS	758.6	-61.5	-13	Pass	7841
814	860	0.1	RMS	832.1	19.98	60	Pass	461
860	1000	0.1	RMS	995.5	-62.3	-13	Pass	1401
1000	3000	1	RMS	1664	-45.93	-13	Pass	2001
3000	10000	1	RMS	9959	-40.34	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	814	0.1	RMS	811.8	-61.5	-13	Pass	7841
814	860	0.1	RMS	832.1	18.93	60	Pass	461
860	1000	0.1	RMS	890.3	-62.26	-13	Pass	1401
1000	3000	1	RMS	2692	-46.79	-13	Pass	2001
3000	10000	1	RMS	9948	-40.43	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	814	0.1	RMS	783.8	-61.55	-13	Pass	7841
814	860	0.1	RMS	839.6	19.98	60	Pass	461
860	1000	0.1	RMS	889.3	-62.35	-13	Pass	1401
1000	3000	1	RMS	2684	-46.8	-13	Pass	2001
3000	10000	1	RMS	9961	-40.39	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	814	0.1	RMS	809.7	-61.57	-13	Pass	7841
814	860	0.1	RMS	839.6	19.05	60	Pass	461
860	1000	0.1	RMS	998.5	-62.02	-13	Pass	1401
1000	3000	1	RMS	2683	-46.8	-13	Pass	2001
3000	10000	1	RMS	9978	-40.37	-13	Pass	7001



2. LTE_Band7


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-25	Pass	2986
30	1000	0.1	RMS	994.3	-61	-25	Pass	9701
1000	2490	1	RMS	2490	-47.83	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.08	60	Pass	401
2580	3000	1	RMS	2690	-47.56	-25	Pass	421
3000	12000	1	RMS	5001	-59.28	-25	Pass	9001
12000	26000	1	RMS	25606	-42.33	-25	Pass	14001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	857	-61.04	-25	Pass	9701
1000	2490	1	RMS	2490	-47.84	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.19	60	Pass	401
2580	3000	1	RMS	2685	-47.57	-25	Pass	421
3000	12000	1	RMS	5001	-60.28	-25	Pass	9001
12000	26000	1	RMS	25580	-42.9	-25	Pass	14001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	897.4	-60.96	-25	Pass	9701
1000	2490	1	RMS	2485	-48.02	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.87	60	Pass	401
2580	3000	1	RMS	2675	-47.56	-25	Pass	421
3000	12000	1	RMS	5066	-61.93	-25	Pass	9001
12000	26000	1	RMS	25610	-42.85	-25	Pass	14001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2986
30	1000	0.1	RMS	892.9	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.02	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.1	60	Pass	401
2580	3000	1	RMS	2691	-47.59	-25	Pass	421
3000	12000	1	RMS	11991	-62.23	-25	Pass	9001
12000	26000	1	RMS	25606	-42.89	-25	Pass	14001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-25	Pass	2986
30	1000	0.1	RMS	940.5	-61	-25	Pass	9701
1000	2490	1	RMS	2488	-48.06	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.9	60	Pass	401
2580	3000	1	RMS	2689	-47.55	-25	Pass	421
3000	12000	1	RMS	5131	-58.8	-25	Pass	9001
12000	26000	1	RMS	25602	-42.94	-25	Pass	14001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-25	Pass	2986
30	1000	0.1	RMS	881.1	-60.92	-25	Pass	9701
1000	2490	1	RMS	2490	-48.05	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.22	60	Pass	401
2580	3000	1	RMS	2695	-47.59	-25	Pass	421
3000	12000	1	RMS	5131	-59.52	-25	Pass	9001
12000	26000	1	RMS	25607	-42.91	-25	Pass	14001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-25	Pass	2986
30	1000	0.1	RMS	880.5	-61.08	-25	Pass	9701
1000	2490	1	RMS	2483	-44.63	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.17	60	Pass	401
2580	3000	1	RMS	2692	-47.56	-25	Pass	421
3000	12000	1	RMS	5001	-59.02	-25	Pass	9001
12000	26000	1	RMS	25602	-42.85	-25	Pass	14001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-25	Pass	2986
30	1000	0.1	RMS	909.7	-61.09	-25	Pass	9701
1000	2490	1	RMS	2483	-44.92	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.42	60	Pass	401
2580	3000	1	RMS	2679	-47.57	-25	Pass	421
3000	12000	1	RMS	5001	-59.43	-25	Pass	9001
12000	26000	1	RMS	25600	-42.85	-25	Pass	14001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.93	-25	Pass	2986
30	1000	0.1	RMS	990.2	-60.92	-25	Pass	9701
1000	2490	1	RMS	2490	-47.96	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.99	60	Pass	401
2580	3000	1	RMS	2695	-47.54	-25	Pass	421
3000	12000	1	RMS	5061	-61.51	-25	Pass	9001
12000	26000	1	RMS	25602	-42.85	-25	Pass	14001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2986
30	1000	0.1	RMS	878.5	-60.92	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.06	60	Pass	401
2580	3000	1	RMS	2682	-47.59	-25	Pass	421
3000	12000	1	RMS	11862	-62.19	-25	Pass	9001
12000	26000	1	RMS	25601	-42.92	-25	Pass	14001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-25	Pass	2986
30	1000	0.1	RMS	995.8	-60.94	-25	Pass	9701
1000	2490	1	RMS	2487	-48.04	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.97	60	Pass	401
2580	3000	1	RMS	2580	-47.12	-25	Pass	421
3000	12000	1	RMS	5121	-58.45	-25	Pass	9001
12000	26000	1	RMS	25618	-42.88	-25	Pass	14001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-25	Pass	2986
30	1000	0.1	RMS	970.7	-60.97	-25	Pass	9701
1000	2490	1	RMS	2489	-48.09	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.1	60	Pass	401
2580	3000	1	RMS	2580	-47.37	-25	Pass	421
3000	12000	1	RMS	5121	-59.3	-25	Pass	9001
12000	26000	1	RMS	25601	-42.81	-25	Pass	14001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-25	Pass	2986
30	1000	0.1	RMS	884.1	-60.93	-25	Pass	9701
1000	2490	1	RMS	2488	-43.37	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.09	60	Pass	401
2580	3000	1	RMS	2689	-47.55	-25	Pass	421
3000	12000	1	RMS	5002	-59.41	-25	Pass	9001
12000	26000	1	RMS	25577	-42.88	-25	Pass	14001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-25	Pass	2986
30	1000	0.1	RMS	989.5	-60.93	-25	Pass	9701
1000	2490	1	RMS	2488	-43.98	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.3	60	Pass	401
2580	3000	1	RMS	2689	-47.54	-25	Pass	421
3000	12000	1	RMS	5002	-60.11	-25	Pass	9001
12000	26000	1	RMS	25609	-42.87	-25	Pass	14001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	875.1	-61.02	-25	Pass	9701
1000	2490	1	RMS	2488	-48.05	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.94	60	Pass	401
2580	3000	1	RMS	2691	-47.59	-25	Pass	421
3000	12000	1	RMS	5057	-61.66	-25	Pass	9001
12000	26000	1	RMS	25600	-42.88	-25	Pass	14001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.56	-25	Pass	2986
30	1000	0.1	RMS	892.5	-61.01	-25	Pass	9701
1000	2490	1	RMS	2487	-48.07	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.98	60	Pass	401
2580	3000	1	RMS	2678	-47.58	-25	Pass	421
3000	12000	1	RMS	5057	-62.13	-25	Pass	9001
12000	26000	1	RMS	25604	-42.87	-25	Pass	14001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-25	Pass	2986
30	1000	0.1	RMS	997.8	-61.03	-25	Pass	9701
1000	2490	1	RMS	2488	-48.01	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.86	60	Pass	401
2595	3000	1	RMS	2685	-47.55	-25	Pass	406
3000	12000	1	RMS	5112	-59.26	-25	Pass	9001
12000	26000	1	RMS	25606	-42.9	-25	Pass	14001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-25	Pass	2986
30	1000	0.1	RMS	980	-61.01	-25	Pass	9701
1000	2490	1	RMS	2488	-48.11	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.1	60	Pass	401
2595	3000	1	RMS	2677	-47.59	-25	Pass	406
3000	12000	1	RMS	5112	-59.81	-25	Pass	9001
12000	26000	1	RMS	25604	-42.86	-25	Pass	14001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-25	Pass	2986
30	1000	0.1	RMS	920.2	-61.12	-25	Pass	9701
1000	2490	1	RMS	2483	-43.32	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.91	60	Pass	401
2580	3000	1	RMS	2692	-47.57	-25	Pass	421
3000	12000	1	RMS	5002	-59.1	-25	Pass	9001
12000	26000	1	RMS	25592	-42.89	-25	Pass	14001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-25	Pass	2986
30	1000	0.1	RMS	927.5	-61.07	-25	Pass	9701
1000	2490	1	RMS	2483	-43.71	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.09	60	Pass	401
2580	3000	1	RMS	2686	-47.55	-25	Pass	421
3000	12000	1	RMS	5002	-59.84	-25	Pass	9001
12000	26000	1	RMS	25607	-42.92	-25	Pass	14001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-25	Pass	2986
30	1000	0.1	RMS	996	-60.98	-25	Pass	9701
1000	2490	1	RMS	2490	-44.72	-25	Pass	1491
2490	2580	1	RMS	2526	21.75	60	Pass	401
2580	3000	1	RMS	2687	-47.55	-25	Pass	421
3000	12000	1	RMS	5052	-60.89	-25	Pass	9001
12000	26000	1	RMS	25583	-42.89	-25	Pass	14001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.74	-25	Pass	2986
30	1000	0.1	RMS	894.2	-60.96	-25	Pass	9701
1000	2490	1	RMS	2490	-45.63	-25	Pass	1491
2490	2580	1	RMS	2526	20.8	60	Pass	401
2580	3000	1	RMS	2688	-47.55	-25	Pass	421
3000	12000	1	RMS	5052	-61.43	-25	Pass	9001
12000	26000	1	RMS	25590	-42.85	-25	Pass	14001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	889.7	-61.01	-25	Pass	9701
1000	2490	1	RMS	2487	-48.09	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.69	60	Pass	401
2595	3000	1	RMS	2693	-47.57	-25	Pass	406
3000	12000	1	RMS	5102	-60.18	-25	Pass	9001
12000	26000	1	RMS	25597	-42.91	-25	Pass	14001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-25	Pass	2986
30	1000	0.1	RMS	922.7	-61	-25	Pass	9701
1000	2490	1	RMS	2488	-48.13	-25	Pass	1491
2490	2595	1	RMS	2551.163	20.81	60	Pass	401
2595	3000	1	RMS	2684	-47.56	-25	Pass	406
3000	12000	1	RMS	5102	-61.33	-25	Pass	9001
12000	26000	1	RMS	25605	-42.88	-25	Pass	14001



--BLANK BELOW--