

Annex A.6 Band Edge

GPRS

1. GPRS_GSM850


1.1. GPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.67	-44.86	-13	Pass	401
823	824	0.003	RMS	823.998	-17.97	-13	Pass	401
824	824.5	0.01	RMS	824.188	23.72	35	Pass	401



1.2. GPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.781	23.75	35	Pass	401
849	850	0.003	RMS	849.018	-18.03	-13	Pass	401
850	855	0.1	RMS	850	-44.62	-13	Pass	401



2. GPRS_PCS


2.1. GPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.88	-13	Pass	41
1849	1850	0.003	RMS	1849.995	-22.09	-13	Pass	401
1850	1851	0.01	RMS	1850.23	20.37	35	Pass	401



2.2. GPRS Band Edge_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.795	19.96	35	Pass	401
1910	1911	0.003	RMS	1910.04	-20.83	-13	Pass	401
1911	1915	1	RMS	1911	-32.68	-13	Pass	41




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.94	-44.3	-13	Pass	401
823	824	0.003	RMS	823.998	-23.31	-13	Pass	401
824	824.5	0.01	RMS	824.205	18.24	35	Pass	401



1.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.8	17.79	35	Pass	401
849	850	0.003	RMS	849.01	-23.81	-13	Pass	401
850	855	0.1	RMS	850.075	-44.2	-13	Pass	401



2. EGPRS_PCS


2.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.52	-13	Pass	41
1849	1850	0.003	RMS	1849.97	-28.08	-13	Pass	401
1850	1851	0.01	RMS	1850.225	16.81	35	Pass	401



2.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.768	17.37	35	Pass	401
1910	1911	0.003	RMS	1910.035	-29.06	-13	Pass	401
1911	1915	1	RMS	1911	-32.45	-13	Pass	41




WCDMA

1. WCDMA_Band2

1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1848.1	-26.7	-13	Pass	41
1849	1850	0.051	RMS	1849.878	-26.7	-13	Pass	401
1850	1855	0.1	RMS	1853.775	9.03	35	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.075	9.24	35	Pass	401
1910	1911	0.051	RMS	1910	-25.58	-13	Pass	401
1911	1915	1	RMS	1911.7	-26.3	-13	Pass	41



2. WCDMA_Band5


2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.025	-31.48	-13	Pass	401
823	824	0.051	RMS	823.873	-25.33	-13	Pass	401
824	829	0.1	RMS	825.563	8.64	35	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.025	8.85	35	Pass	401
849	850	0.051	RMS	849.123	-25.78	-13	Pass	401
850	855	0.1	RMS	850.95	-31.33	-13	Pass	401



LTE

1. LTE_Band5


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-47.14	-13	Pass	401
823	824	0.02	RMS	824	-22.56	-13	Pass	401
824	826	0.1	RMS	824.255	20.93	30	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.18	-13	Pass	401
823	824	0.02	RMS	824	-29.9	-13	Pass	401
824	826	0.1	RMS	824.64	12.28	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.94	-13	Pass	401
823	824	0.02	RMS	824	-23.83	-13	Pass	401
824	826	0.1	RMS	824.265	19.62	30	Pass	401




1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.96	-13	Pass	401
823	824	0.02	RMS	824	-29.42	-13	Pass	401
824	826	0.1	RMS	824.73	11.35	30	Pass	401




1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.59	30	Pass	401
849	850	0.02	RMS	849	-23.65	-13	Pass	401
850	860	0.1	RMS	850.6	-46.48	-13	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.44	12.29	30	Pass	401
849	850	0.02	RMS	849	-29.87	-13	Pass	401
850	860	0.1	RMS	850	-38.08	-13	Pass	401




1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	19.62	30	Pass	401
849	850	0.02	RMS	849	-24.6	-13	Pass	401
850	860	0.1	RMS	850.5	-47.51	-13	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.33	11.46	30	Pass	401
849	850	0.02	RMS	849	-30.27	-13	Pass	401
850	860	0.1	RMS	850	-38.13	-13	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-46.1	-13	Pass	401
823	824	0.03	RMS	824	-22.09	-13	Pass	35
824	827	0.1	RMS	824.24	20.72	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.33	-13	Pass	401
823	824	0.03	RMS	824	-31.67	-13	Pass	401
824	827	0.1	RMS	825.425	8.52	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.21	-13	Pass	401
823	823.985	0.03	RMS	823.985	-24.02	-13	Pass	401
824	827	0.1	RMS	824.255	19.84	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-31.44	-13	Pass	401
823	824	0.03	RMS	823.995	-31.81	-13	Pass	401
824	827	0.1	RMS	825.178	7.53	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.66	30	Pass	401
849	850	0.03	RMS	849	-23.42	-13	Pass	35
850	860	0.1	RMS	850	-48.55	-13	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.103	8.03	30	Pass	401
849	850	0.03	RMS	849.003	-32.13	-13	Pass	401
850	860	0.1	RMS	850.25	-32.21	-13	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.15	30	Pass	401
849	850	0.03	RMS	849	-24.11	-13	Pass	35
850	860	0.1	RMS	850.05	-48.26	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.373	6.87	30	Pass	401
849	850	0.03	RMS	849	-32.01	-13	Pass	401
850	860	0.1	RMS	850.025	-31.38	-13	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-47.5	-13	Pass	401
823	824	0.051	RMS	824	-21.07	-13	Pass	401
824	829	0.1	RMS	824.325	19.92	30	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.81	-13	Pass	401
823	824	0.051	RMS	824	-30	-13	Pass	401
824	829	0.1	RMS	825.65	5.98	30	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.14	-13	Pass	401
823	824	0.051	RMS	823.998	-21.25	-13	Pass	401
824	829	0.1	RMS	824.338	19.2	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-31.94	-13	Pass	401
823	824	0.051	RMS	824	-30.78	-13	Pass	401
824	829	0.1	RMS	825.7	5.2	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.98	30	Pass	401
849	850	0.051	RMS	849	-21.43	-13	Pass	401
850	860	0.1	RMS	850	-47.87	-13	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.513	5.76	30	Pass	401
849	850	0.051	RMS	849	-31.29	-13	Pass	401
850	860	0.1	RMS	850.075	-32.51	-13	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.12	30	Pass	401
849	850	0.051	RMS	849	-21.07	-13	Pass	401
850	860	0.1	RMS	850.025	-48.19	-13	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.613	4.93	30	Pass	401
849	850	0.051	RMS	849	-31.63	-13	Pass	401
850	860	0.1	RMS	850.1	-31.87	-13	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.66	-13	Pass	401
823	824	0.1	RMS	824	-23.77	-13	Pass	401
824	834	0.1	RMS	824.575	20.09	30	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.02	-13	Pass	401
823	824	0.1	RMS	824	-32.46	-13	Pass	401
824	834	0.1	RMS	825.925	2.94	30	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.37	-13	Pass	401
823	824	0.1	RMS	824	-24.46	-13	Pass	401
824	834	0.1	RMS	824.6	19.3	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.58	-13	Pass	401
823	824	0.1	RMS	824	-32.71	-13	Pass	401
824	834	0.1	RMS	825.925	1.84	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.03	30	Pass	401
849	850	0.1	RMS	849	-23.45	-13	Pass	401
850	860	0.1	RMS	850.05	-48.87	-13	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.15	3.29	30	Pass	401
849	850	0.1	RMS	849.003	-33.12	-13	Pass	401
850	860	0.1	RMS	850.025	-33.99	-13	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.04	30	Pass	401
849	850	0.1	RMS	849	-24.28	-13	Pass	401
850	860	0.1	RMS	850	-48.2	-13	Pass	401



1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.75	2.38	30	Pass	401
849	850	0.1	RMS	849	-32.82	-13	Pass	401
850	860	0.1	RMS	850.1	-33.75	-13	Pass	401



2. LTE_Band7


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.72	-41.49	-25	Pass	401
2494	2496	1	RMS	2496	-33.79	-13	Pass	401
2496	2499	1	RMS	2496	-33.7	-10	Pass	4
2499	2500	0.1	RMS	2500	-17.5	-10	Pass	401
2500	2505	0.1	RMS	2500.325	19.59	30	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.14	-25	Pass	401
2494	2496	1	RMS	2496	-29.1	-13	Pass	401
2496	2499	1	RMS	2499	-21.55	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.94	-10	Pass	401
2500	2505	0.1	RMS	2502.763	5.28	30	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.673	-42.16	-25	Pass	401
2494	2496	1	RMS	2495.99	-34.92	-13	Pass	401
2496	2499	1	RMS	2496	-35.04	-10	Pass	4
2499	2500	0.1	RMS	2500	-17.66	-10	Pass	401
2500	2505	0.1	RMS	2500.338	18.81	30	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-37.57	-25	Pass	401
2494	2496	1	RMS	2496	-30.95	-13	Pass	401
2496	2499	1	RMS	2499	-21.98	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-27.8	-10	Pass	401
2500	2505	0.1	RMS	2503.313	4.36	30	Pass	401



2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	19.71	30	Pass	401
2570	2571	0.051	RMS	2570	-21.63	-10	Pass	401
2571	2575	1	RMS	2574	-32.2	-10	Pass	5
2575	2576	1	RMS	2575	-41.9	-13	Pass	401
2576	2595	1	RMS	2578.233	-39.07	-25	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.85	5.35	30	Pass	401
2570	2571	0.1	RMS	2570	-27.22	-10	Pass	401
2571	2575	1	RMS	2571	-22.89	-10	Pass	5
2575	2576	1	RMS	2575	-36.32	-13	Pass	401
2576	2595	1	RMS	2576	-39.09	-25	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	18.85	30	Pass	401
2570	2571	0.1	RMS	2570.003	-17.66	-10	Pass	401
2571	2575	1	RMS	2574	-33.39	-10	Pass	5
2575	2576	1	RMS	2575	-42.59	-13	Pass	401
2576	2595	1	RMS	2578.28	-40.01	-25	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.513	4.39	30	Pass	401
2570	2571	0.1	RMS	2570	-27.86	-10	Pass	401
2571	2575	1	RMS	2571	-22.68	-10	Pass	5
2575	2576	1	RMS	2575.02	-37.01	-13	Pass	401
2576	2595	1	RMS	2576	-39.8	-25	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.875	-44.27	-25	Pass	401
2490	2496	1	RMS	2491.8	-38.21	-13	Pass	401
2496	2499	1	RMS	2499	-38.22	-10	Pass	4
2499	2500	0.2	RMS	2500	-20.11	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.77	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.93	-25	Pass	401
2490	2496	1	RMS	2495.97	-26.37	-13	Pass	401
2496	2499	1	RMS	2499	-23.74	-10	Pass	4
2499	2500	0.2	RMS	2500	-28.1	-10	Pass	401
2500	2510	0.1	RMS	2501.925	2.5	30	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.988	-44.82	-25	Pass	401
2490	2496	1	RMS	2491.785	-38.83	-13	Pass	401
2496	2499	1	RMS	2499	-38.32	-10	Pass	4
2499	2500	0.2	RMS	2500	-20.75	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.05	30	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.86	-25	Pass	401
2490	2496	1	RMS	2496	-26.34	-13	Pass	401
2496	2499	1	RMS	2499	-24.02	-10	Pass	4
2499	2500	0.2	RMS	2499.998	-28.88	-10	Pass	401
2500	2510	0.1	RMS	2501.9	1.33	30	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.79	30	Pass	401
2570	2571	0.2	RMS	2570	-19.76	-10	Pass	401
2571	2575	1	RMS	2571	-38.53	-10	Pass	5
2575	2580	1	RMS	2578.225	-38.3	-13	Pass	401
2580	2595	1	RMS	2587.05	-42.17	-25	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.075	2.44	30	Pass	401
2570	2571	0.2	RMS	2570	-29.75	-10	Pass	401
2571	2575	1	RMS	2571	-25.09	-10	Pass	5
2575	2580	1	RMS	2575	-28.14	-13	Pass	401
2580	2595	1	RMS	2580.038	-40.51	-25	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.425	18.81	30	Pass	401
2570	2571	0.2	RMS	2570	-20.76	-10	Pass	401
2571	2575	1	RMS	2571	-39.03	-10	Pass	5
2575	2580	1	RMS	2578.175	-39.43	-13	Pass	401
2580	2595	1	RMS	2587.013	-43.13	-25	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.25	1.55	30	Pass	401
2570	2571	0.2	RMS	2570	-29.92	-10	Pass	401
2571	2575	1	RMS	2571	-25.03	-10	Pass	5
2575	2580	1	RMS	2575	-28.33	-13	Pass	401
2580	2595	1	RMS	2580	-40.43	-25	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-40.96	-25	Pass	401
2490	2496	1	RMS	2495.055	-43.41	-13	Pass	401
2496	2499	1	RMS	2499	-38.19	-10	Pass	4
2499	2500	0.3	RMS	2499.995	-20.77	-10	Pass	401
2500	2515	0.1	RMS	2500.825	19.64	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.99	-25	Pass	401
2490	2496	1	RMS	2495.985	-26.57	-13	Pass	401
2496	2499	1	RMS	2499	-23.85	-10	Pass	4
2499	2500	0.3	RMS	2499.993	-28.25	-10	Pass	401
2500	2515	0.1	RMS	2502.738	0.82	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.488	-41.52	-25	Pass	401
2490	2496	1	RMS	2494.965	-43.52	-13	Pass	401
2496	2499	1	RMS	2499	-38.07	-10	Pass	4
2499	2500	0.3	RMS	2500	-20.91	-10	Pass	401
2500	2515	0.1	RMS	2500.863	18.78	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.15	-25	Pass	401
2490	2496	1	RMS	2496	-26.51	-13	Pass	401
2496	2499	1	RMS	2499	-24.38	-10	Pass	4
2499	2500	0.3	RMS	2500	-28.86	-10	Pass	401
2500	2515	0.1	RMS	2501.988	-0.32	30	Pass	401



2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.69	30	Pass	401
2570	2571	0.3	RMS	2570	-21.27	-10	Pass	401
2571	2575	1	RMS	2571	-38.45	-10	Pass	5
2575	2585	1	RMS	2582.4	-40.55	-13	Pass	401
2585	2595	1	RMS	2595	-47.09	-25	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.9	1.1	30	Pass	401
2570	2571	0.3	RMS	2570	-29.95	-10	Pass	401
2571	2575	1	RMS	2571	-25.83	-10	Pass	5
2575	2585	1	RMS	2575.725	-28.51	-13	Pass	401
2585	2595	1	RMS	2585	-41.37	-25	Pass	401




2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	18.68	30	Pass	401
2570	2571	0.3	RMS	2570.008	-21.6	-10	Pass	401
2571	2575	1	RMS	2571	-38.75	-10	Pass	5
2575	2585	1	RMS	2582.5	-41.61	-13	Pass	401
2585	2595	1	RMS	2595	-47.46	-25	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.938	0.05	30	Pass	401
2570	2571	0.3	RMS	2570	-30.49	-10	Pass	401
2571	2575	1	RMS	2571	-26.12	-10	Pass	5
2575	2585	1	RMS	2575.875	-28.43	-13	Pass	401
2585	2595	1	RMS	2585	-41.77	-25	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.213	-41.76	-25	Pass	401
2490	2496	1	RMS	2495.955	-44.54	-13	Pass	401
2496	2499	1	RMS	2499	-40.19	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-21.18	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.47	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.26	-25	Pass	16
2490	2496	1	RMS	2495.985	-28.18	-13	Pass	401
2496	2499	1	RMS	2499	-26.47	-10	Pass	4
2499	2500	0.51	RMS	2499.978	-27.78	-10	Pass	401
2500	2520	0.1	RMS	2505.9	-0.7	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.25	-42.38	-25	Pass	401
2490	2496	1	RMS	2495.865	-44.47	-13	Pass	401
2496	2499	1	RMS	2499	-39.51	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-20.92	-10	Pass	401
2500	2520	0.1	RMS	2501.1	18.75	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.97	-25	Pass	401
2490	2496	1	RMS	2495.985	-28.08	-13	Pass	401
2496	2499	1	RMS	2499	-26.65	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-28.2	-10	Pass	401
2500	2520	0.1	RMS	2505	-1.62	30	Pass	401



2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.85	30	Pass	401
2570	2571	0.51	RMS	2570.003	-20.78	-10	Pass	401
2571	2575	1	RMS	2571	-40.22	-10	Pass	5
2575	2590	1	RMS	2586.738	-42.98	-13	Pass	401
2590	2595	1	RMS	2590	-48.15	-25	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2552.85	-0.24	30	Pass	401
2570	2571	0.51	RMS	2570.003	-29.07	-10	Pass	401
2571	2575	1	RMS	2571	-27.79	-10	Pass	5
2575	2590	1	RMS	2575	-30.07	-13	Pass	401
2590	2595	1	RMS	2590.125	-45.65	-25	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.21	30	Pass	401
2570	2571	0.51	RMS	2570	-20.7	-10	Pass	401
2571	2575	1	RMS	2571	-40.03	-10	Pass	5
2575	2590	1	RMS	2577.925	-43.82	-13	Pass	401
2590	2595	1	RMS	2590.088	-48.17	-25	Pass	401



2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.65	-1.14	30	Pass	401
2570	2571	0.51	RMS	2570	-29.64	-10	Pass	401
2571	2575	1	RMS	2571	-28.04	-10	Pass	5
2575	2590	1	RMS	2575	-29.68	-13	Pass	401
2590	2595	1	RMS	2590	-45.2	-25	Pass	401



--BLANK BELOW--