

Annex A.6 Band Edge

GPRS

1. GPRS_GSM850


1.1. GPRS Band Edge_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	823	-44.13	-13	31.13	Pass	401
823	824	0.003	RMS	823.983	-20.38	-13	7.38	Pass	667
824	824.5	0.01	RMS	824.169	19.71	35	15.29	Pass	401



1.2. GPRS Band Edge_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.784	19.81	35	15.19	Pass	401
849	850	0.003	RMS	849.027	-20.91	-13	7.91	Pass	667
850	855	0.1	RMS	850.025	-43.97	-13	30.97	Pass	401



2. GPRS_PCS


2.1. GPRS Band Edge_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.14	-13	19.14	Pass	5
1849	1850	0.003	RMS	1849.992	-25.34	-13	12.34	Pass	667
1850	1851	0.01	RMS	1850.18	16.42	35	18.58	Pass	401



2.2. GPRS Band Edge_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.8	16.47	35	18.53	Pass	401
1910	1911	0.003	RMS	1910.021	-21.66	-13	8.66	Pass	667
1911	1915	1	RMS	1911	-31.62	-13	18.62	Pass	5




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(Channel:128)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.948	-42.93	-13	29.93	Pass	401
823	824	0.003	RMS	823.991	-23.88	-13	10.88	Pass	667
824	824.5	0.01	RMS	824.204	17.28	35	17.72	Pass	401



1.2. EGPRS Band Edge_Part22-24(Channel:251)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.803	17.65	35	17.35	Pass	401
849	850	0.003	RMS	849.002	-23.11	-13	10.11	Pass	667
850	855	0.1	RMS	850.025	-43.03	-13	30.03	Pass	401



2. EGPRS_PCS


2.1. EGPRS Band Edge_Part22-24(Channel:512)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-31.52	-13	18.52	Pass	5
1849	1850	0.003	RMS	1849.97	-26.82	-13	13.82	Pass	667
1850	1851	0.01	RMS	1850.203	16.01	35	18.99	Pass	401



2.2. EGPRS Band Edge_Part22-24(Channel:810)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.8	16.51	35	18.49	Pass	401
1910	1911	0.003	RMS	1910.008	-27.32	-13	14.32	Pass	667
1911	1915	1	RMS	1911	-30.87	-13	17.87	Pass	5




WCDMA

1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(Channel:9262)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1845	1849	1	RMS	1848	-30.06	-13	17.06	Pass	5
1849	1850	0.051	RMS	1849.883	-31.37	-13	18.37	Pass	401
1850	1855	0.1	RMS	1851.5	4.39	35	30.61	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(Channel:9538)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.125	4.95	35	30.05	Pass	401
1910	1911	0.051	RMS	1910	-32.8	-13	19.8	Pass	401
1911	1915	1	RMS	1911	-29.89	-13	16.89	Pass	5



2. WCDMA_Band5

2.1. WCDMA Band Edge_Part22-24-27(Channel:4132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
820	823	0.1	RMS	822.003	-32.84	-13	19.84	Pass	401
823	824	0.051	RMS	823.885	-25.9	-13	12.9	Pass	401
824	829	0.1	RMS	826.4	8.19	35	26.81	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(Channel:4233)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.1	8.29	35	26.71	Pass	401
849	850	0.051	RMS	849.113	-27.41	-13	14.41	Pass	401
850	855	0.1	RMS	851	-33.71	-13	20.71	Pass	401




LTE

1. LTE_Band5


1.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.5	-46.45	-13	33.45	Pass	401
823	824	0.02	RMS	824	-21.83	-13	8.83	Pass	401
824	826	0.1	RMS	824.255	20.95	30	9.05	Pass	401




1.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.79	-13	20.79	Pass	401
823	824	0.02	RMS	824	-29.9	-13	16.9	Pass	401
824	826	0.1	RMS	824.65	12.61	30	17.39	Pass	401




1.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.54	-46.6	-13	33.6	Pass	401
823	824	0.02	RMS	824	-23.48	-13	10.48	Pass	401
824	826	0.1	RMS	824.255	19.87	30	10.13	Pass	401




1.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.68	-13	22.68	Pass	401
823	824	0.02	RMS	824	-29.33	-13	16.33	Pass	401
824	826	0.1	RMS	824.745	11.71	30	18.29	Pass	401




1.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	20.9	30	9.1	Pass	401
849	850	0.02	RMS	849	-21.83	-13	8.83	Pass	401
850	860	0.1	RMS	850.025	-37.83	-13	24.83	Pass	401




1.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.3	12.64	30	17.36	Pass	401
849	850	0.02	RMS	849	-30.74	-13	17.74	Pass	401
850	860	0.1	RMS	850	-35.19	-13	22.19	Pass	401




1.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	19.87	30	10.13	Pass	401
849	850	0.02	RMS	849	-24.1	-13	11.1	Pass	401
850	860	0.1	RMS	850.55	-46.87	-13	33.87	Pass	401




1.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.305	11.82	30	18.18	Pass	401
849	850	0.02	RMS	849	-31.45	-13	18.45	Pass	401
850	860	0.1	RMS	850	-36.47	-13	23.47	Pass	401




1.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.52	-13	23.52	Pass	401
823	824	0.03	RMS	823.998	-21.36	-13	8.36	Pass	401
824	827	0.1	RMS	824.248	20.85	30	9.15	Pass	401




1.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-33.16	-13	20.16	Pass	401
823	824	0.03	RMS	824	-31.6	-13	18.6	Pass	401
824	827	0.1	RMS	825.448	8.9	30	21.1	Pass	401




1.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-37.94	-13	24.94	Pass	401
823	824	0.03	RMS	824	-22.52	-13	9.52	Pass	401
824	827	0.1	RMS	824.248	19.84	30	10.16	Pass	401




1.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-31.68	-13	18.68	Pass	401
823	824	0.03	RMS	823.998	-32.15	-13	19.15	Pass	401
824	827	0.1	RMS	825.275	7.78	30	22.22	Pass	401




1.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.745	20.58	30	9.42	Pass	401
849	850	0.03	RMS	849.003	-21.99	-13	8.99	Pass	401
850	860	0.1	RMS	850.05	-38.39	-13	25.39	Pass	401




1.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.118	8.5	30	21.5	Pass	401
849	850	0.03	RMS	849	-33.68	-13	20.68	Pass	401
850	860	0.1	RMS	850.2	-34.83	-13	21.83	Pass	401



1.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.6	30	10.4	Pass	401
849	850	0.03	RMS	849	-23.62	-13	10.62	Pass	401
850	860	0.1	RMS	850.075	-38.14	-13	25.14	Pass	401




1.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.493	7.35	30	22.65	Pass	401
849	850	0.03	RMS	849	-33.76	-13	20.76	Pass	401
850	860	0.1	RMS	850	-33.61	-13	20.61	Pass	401




1.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-36.17	-13	23.17	Pass	401
823	824	0.051	RMS	824	-20.36	-13	7.36	Pass	401
824	829	0.1	RMS	824.325	20.18	30	9.82	Pass	401




1.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.51	-13	20.51	Pass	401
823	824	0.051	RMS	823.998	-31.52	-13	18.52	Pass	401
824	829	0.1	RMS	826.525	6.08	30	23.92	Pass	401




1.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.28	-39.74	-13	26.74	Pass	401
823	824	0.051	RMS	824	-20.87	-13	7.87	Pass	401
824	829	0.1	RMS	824.35	19.42	30	10.58	Pass	401




1.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.78	-13	19.78	Pass	401
823	824	0.051	RMS	824	-31.74	-13	18.74	Pass	401
824	829	0.1	RMS	827.325	5.33	30	24.67	Pass	401




1.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.34	30	9.66	Pass	401
849	850	0.051	RMS	849	-21.05	-13	8.05	Pass	401
850	860	0.1	RMS	850.8	-39.61	-13	26.61	Pass	401




1.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	5.98	30	24.02	Pass	401
849	850	0.051	RMS	849	-32.5	-13	19.5	Pass	401
850	860	0.1	RMS	850.05	-35.01	-13	22.01	Pass	401




1.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.4	30	10.6	Pass	401
849	850	0.051	RMS	849	-20.71	-13	7.71	Pass	401
850	860	0.1	RMS	850.825	-40.79	-13	27.79	Pass	401




1.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.5	5.26	30	24.74	Pass	401
849	850	0.051	RMS	849	-32.76	-13	19.76	Pass	401
850	860	0.1	RMS	850.025	-34.26	-13	21.26	Pass	401




1.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.26	-39.68	-13	26.68	Pass	401
823	824	0.1	RMS	823.998	-23.59	-13	10.59	Pass	401
824	834	0.1	RMS	824.575	20.37	30	9.63	Pass	401




1.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.05	-13	23.05	Pass	401
823	824	0.1	RMS	823.993	-33.48	-13	20.48	Pass	401
824	834	0.1	RMS	825.95	3.17	30	26.83	Pass	401




1.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.22	-41.25	-13	28.25	Pass	401
823	824	0.1	RMS	824	-24.33	-13	11.33	Pass	401
824	834	0.1	RMS	824.6	19.52	30	10.48	Pass	401




1.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-35.77	-13	22.77	Pass	401
823	824	0.1	RMS	823.995	-33.74	-13	20.74	Pass	401
824	834	0.1	RMS	829	2.52	30	27.48	Pass	401



1.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.37	30	9.63	Pass	401
849	850	0.1	RMS	849.003	-23.27	-13	10.27	Pass	401
850	860	0.1	RMS	852.8	-40.29	-13	27.29	Pass	401




1.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	844	3.11	30	26.89	Pass	401
849	850	0.1	RMS	849	-34.26	-13	21.26	Pass	401
850	860	0.1	RMS	850	-36.29	-13	23.29	Pass	401



1.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.34	30	10.66	Pass	401
849	850	0.1	RMS	849.003	-24.22	-13	11.22	Pass	401
850	860	0.1	RMS	852.85	-41.5	-13	28.5	Pass	401



1.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	844	2.21	30	27.79	Pass	401
849	850	0.1	RMS	849.003	-33.87	-13	20.87	Pass	401
850	860	0.1	RMS	850.075	-35.73	-13	22.73	Pass	401



2. LTE_Band7


2.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2491.72	-46.44	-25	21.44	Pass	401
2494	2496	1	RMS	2496	-43.22	-13	30.22	Pass	401
2496	2499	1	RMS	2498	-40.07	-10	30.07	Pass	4
2499	2500	0.1	RMS	2500	-22.33	-10	12.33	Pass	401
2500	2505	0.1	RMS	2500.338	15.14	30	14.86	Pass	401




2.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-44.65	-25	19.65	Pass	401
2494	2496	1	RMS	2496	-40.52	-13	27.52	Pass	401
2496	2499	1	RMS	2499	-33.48	-10	23.48	Pass	4
2499	2500	0.1	RMS	2499.998	-34.72	-10	24.72	Pass	401
2500	2505	0.1	RMS	2502.513	1.09	30	28.91	Pass	401




2.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2491.768	-46.78	-25	21.78	Pass	401
2494	2496	1	RMS	2495.96	-43.6	-13	30.6	Pass	401
2496	2499	1	RMS	2498	-40.51	-10	30.51	Pass	4
2499	2500	0.1	RMS	2500	-22.56	-10	12.56	Pass	401
2500	2505	0.1	RMS	2500.338	14.41	30	15.59	Pass	401




2.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-45.18	-25	20.18	Pass	401
2494	2496	1	RMS	2495.995	-41.37	-13	28.37	Pass	401
2496	2499	1	RMS	2499	-33.55	-10	23.55	Pass	4
2499	2500	0.1	RMS	2500	-35.66	-10	25.66	Pass	401
2500	2505	0.1	RMS	2502.5	0.23	30	29.77	Pass	401




2.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	15.49	30	14.51	Pass	401
2570	2571	0.051	RMS	2570.003	-26.1	-10	16.1	Pass	401
2571	2575	1	RMS	2571	-41.3	-10	31.3	Pass	5
2575	2576	1	RMS	2575.015	-46.24	-13	33.24	Pass	401
2576	2595	1	RMS	2578.328	-45.74	-25	20.74	Pass	401




2.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.5	1.17	30	28.83	Pass	401
2570	2571	0.1	RMS	2570.003	-35.14	-10	25.14	Pass	401
2571	2575	1	RMS	2571	-36.05	-10	26.05	Pass	5
2575	2576	1	RMS	2575.008	-44.16	-13	31.16	Pass	401
2576	2595	1	RMS	2576.048	-45.18	-25	20.18	Pass	401



2.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	14.61	30	15.39	Pass	401
2570	2571	0.1	RMS	2570	-21.79	-10	11.79	Pass	401
2571	2575	1	RMS	2572	-41.82	-10	31.82	Pass	5
2575	2576	1	RMS	2575.013	-46.33	-13	33.33	Pass	401
2576	2595	1	RMS	2578.185	-46.26	-25	21.26	Pass	401




2.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.5	0.52	30	29.48	Pass	401
2570	2571	0.1	RMS	2570.003	-36.09	-10	26.09	Pass	401
2571	2575	1	RMS	2571	-36.14	-10	26.14	Pass	5
2575	2576	1	RMS	2575.018	-44.2	-13	31.2	Pass	401
2576	2595	1	RMS	2576	-45.36	-25	20.36	Pass	401




2.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.875	-48.05	-25	23.05	Pass	401
2490	2496	1	RMS	2496	-41.11	-13	28.11	Pass	401
2496	2499	1	RMS	2496	-40.99	-10	30.99	Pass	4
2499	2500	0.2	RMS	2500	-24.59	-10	14.59	Pass	401
2500	2510	0.1	RMS	2500.575	15.32	30	14.68	Pass	401




2.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-46.19	-25	21.19	Pass	401
2490	2496	1	RMS	2495.985	-37.92	-13	24.92	Pass	401
2496	2499	1	RMS	2499	-35.59	-10	25.59	Pass	4
2499	2500	0.2	RMS	2499.995	-37.46	-10	27.46	Pass	401
2500	2510	0.1	RMS	2504.975	-1.67	30	31.67	Pass	401




2.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.95	-48.13	-25	23.13	Pass	401
2490	2496	1	RMS	2496	-41.49	-13	28.49	Pass	401
2496	2499	1	RMS	2496	-41.24	-10	31.24	Pass	4
2499	2500	0.2	RMS	2500	-25.27	-10	15.27	Pass	401
2500	2510	0.1	RMS	2500.6	14.48	30	15.52	Pass	401




2.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-46.5	-25	21.5	Pass	401
2490	2496	1	RMS	2496	-37.97	-13	24.97	Pass	401
2496	2499	1	RMS	2499	-36.04	-10	26.04	Pass	4
2499	2500	0.2	RMS	2500	-38.55	-10	28.55	Pass	401
2500	2510	0.1	RMS	2505	-2.14	30	32.14	Pass	401




2.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	15.54	30	14.46	Pass	401
2570	2571	0.2	RMS	2570	-24.77	-10	14.77	Pass	6
2571	2575	1	RMS	2574	-42.27	-10	32.27	Pass	5
2575	2580	1	RMS	2575	-45.95	-13	32.95	Pass	401
2580	2595	1	RMS	2587.013	-46.93	-25	21.93	Pass	401




2.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2565	-1.54	30	31.54	Pass	401
2570	2571	0.2	RMS	2570.005	-39.31	-10	29.31	Pass	401
2571	2575	1	RMS	2571	-37.8	-10	27.8	Pass	5
2575	2580	1	RMS	2575	-41.19	-13	28.19	Pass	401
2580	2595	1	RMS	2580	-46.46	-25	21.46	Pass	401




2.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	14.57	30	15.43	Pass	401
2570	2571	0.2	RMS	2570	-24.92	-10	14.92	Pass	401
2571	2575	1	RMS	2574	-42.64	-10	32.64	Pass	5
2575	2580	1	RMS	2575.063	-46.06	-13	33.06	Pass	401
2580	2595	1	RMS	2587.013	-47.2	-25	22.2	Pass	401




2.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2565	-2.3	30	32.3	Pass	401
2570	2571	0.2	RMS	2570	-39.88	-10	29.88	Pass	401
2571	2575	1	RMS	2571	-38.1	-10	28.1	Pass	5
2575	2580	1	RMS	2575	-41.16	-13	28.16	Pass	401
2580	2595	1	RMS	2580.038	-46.52	-25	21.52	Pass	401




2.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.563	-45.52	-25	20.52	Pass	401
2490	2496	1	RMS	2494.215	-41.19	-13	28.19	Pass	401
2496	2499	1	RMS	2499	-42.22	-10	32.22	Pass	4
2499	2500	0.3	RMS	2500	-25.09	-10	15.09	Pass	401
2500	2515	0.1	RMS	2500.825	15.19	30	14.81	Pass	401




2.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.18	-25	18.18	Pass	16
2490	2496	1	RMS	2495.88	-37.86	-13	24.86	Pass	401
2496	2499	1	RMS	2499	-35.66	-10	25.66	Pass	4
2499	2500	0.3	RMS	2499.905	-37.35	-10	27.35	Pass	401
2500	2515	0.1	RMS	2507.5	-3.45	30	33.45	Pass	401




2.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.525	-45.68	-25	20.68	Pass	401
2490	2496	1	RMS	2494.17	-41.39	-13	28.39	Pass	401
2496	2499	1	RMS	2499	-42.74	-10	32.74	Pass	4
2499	2500	0.3	RMS	2500	-25.49	-10	15.49	Pass	401
2500	2515	0.1	RMS	2500.825	14.33	30	15.67	Pass	401




2.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.44	-25	18.44	Pass	401
2490	2496	1	RMS	2495.985	-38.11	-13	25.11	Pass	401
2496	2499	1	RMS	2499	-36.17	-10	26.17	Pass	4
2499	2500	0.3	RMS	2499.995	-37.89	-10	27.89	Pass	401
2500	2515	0.1	RMS	2507.5	-3.82	30	33.82	Pass	401




2.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	15.5	30	14.5	Pass	401
2570	2571	0.3	RMS	2570	-25.28	-10	15.28	Pass	401
2571	2575	1	RMS	2571	-42.03	-10	32.03	Pass	5
2575	2585	1	RMS	2575.85	-42.45	-13	29.45	Pass	401
2585	2595	1	RMS	2585.125	-47.49	-25	22.49	Pass	401




2.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2562.5	-3.28	30	33.28	Pass	401
2570	2571	0.3	RMS	2570.005	-39.77	-10	29.77	Pass	401
2571	2575	1	RMS	2571	-38.07	-10	28.07	Pass	5
2575	2585	1	RMS	2575	-41.01	-13	28.01	Pass	401
2585	2595	1	RMS	2585.125	-46.62	-25	21.62	Pass	401




2.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	14.52	30	15.48	Pass	401
2570	2571	0.3	RMS	2570.005	-25.61	-10	15.61	Pass	401
2571	2575	1	RMS	2571	-42.62	-10	32.62	Pass	5
2575	2585	1	RMS	2575.775	-42.72	-13	29.72	Pass	401
2585	2595	1	RMS	2585.025	-47.53	-25	22.53	Pass	401




2.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2562.5	-4.01	30	34.01	Pass	401
2570	2571	0.3	RMS	2570.005	-40.45	-10	30.45	Pass	401
2571	2575	1	RMS	2571	-38.24	-10	28.24	Pass	5
2575	2585	1	RMS	2575	-40.88	-13	27.88	Pass	401
2585	2595	1	RMS	2585.325	-46.7	-25	21.7	Pass	401




2.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.288	-45.92	-25	20.92	Pass	401
2490	2496	1	RMS	2492.145	-41.29	-13	28.29	Pass	401
2496	2499	1	RMS	2499	-44.05	-10	34.05	Pass	4
2499	2500	0.51	RMS	2499.998	-25.51	-10	15.51	Pass	401
2500	2520	0.1	RMS	2501.1	15.11	30	14.89	Pass	401




2.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489	-42.13	-25	17.13	Pass	16
2490	2496	1	RMS	2495.955	-39.26	-13	26.26	Pass	401
2496	2499	1	RMS	2499	-37.97	-10	27.97	Pass	4
2499	2500	0.51	RMS	2500	-38.28	-10	28.28	Pass	401
2500	2520	0.1	RMS	2510	-4.07	30	34.07	Pass	401




2.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.325	-46.21	-25	21.21	Pass	401
2490	2496	1	RMS	2492.205	-41.66	-13	28.66	Pass	401
2496	2499	1	RMS	2499	-43.55	-10	33.55	Pass	4
2499	2500	0.51	RMS	2500	-25.36	-10	15.36	Pass	401
2500	2520	0.1	RMS	2501.1	14.28	30	15.72	Pass	401




2.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.21	-25	17.21	Pass	401
2490	2496	1	RMS	2495.94	-39.58	-13	26.58	Pass	401
2496	2499	1	RMS	2499	-38.64	-10	28.64	Pass	4
2499	2500	0.51	RMS	2499.993	-39.12	-10	29.12	Pass	401
2500	2520	0.1	RMS	2510	-4.12	30	34.12	Pass	401




2.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	15.26	30	14.74	Pass	401
2570	2571	0.51	RMS	2570	-25.07	-10	15.07	Pass	401
2571	2575	1	RMS	2571	-43.57	-10	33.57	Pass	5
2575	2590	1	RMS	2577.888	-42.69	-13	29.69	Pass	401
2590	2595	1	RMS	2590.3	-47.78	-25	22.78	Pass	401




2.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2560	-4.18	30	34.18	Pass	401
2570	2571	0.51	RMS	2570	-39	-10	29	Pass	401
2571	2575	1	RMS	2571	-39.42	-10	29.42	Pass	5
2575	2590	1	RMS	2575.188	-41.41	-13	28.41	Pass	401
2590	2595	1	RMS	2590.05	-47.4	-25	22.4	Pass	401




2.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	14.3	30	15.7	Pass	401
2570	2571	0.51	RMS	2570	-25.45	-10	15.45	Pass	401
2571	2575	1	RMS	2571	-43.81	-10	33.81	Pass	5
2575	2590	1	RMS	2577.925	-42.57	-13	29.57	Pass	401
2590	2595	1	RMS	2590.175	-47.77	-25	22.77	Pass	401



2.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2560	-4.77	30	34.77	Pass	401
2570	2571	0.51	RMS	2570.005	-39.99	-10	29.99	Pass	401
2571	2575	1	RMS	2571	-39.91	-10	29.91	Pass	5
2575	2590	1	RMS	2575	-41.31	-13	28.31	Pass	401
2590	2595	1	RMS	2590.038	-47.44	-25	22.44	Pass	401



--BLANK BELOW--