

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	17.97	2.13	20.10	<=33.01	Pass
			2	17.73	2.13	19.86	<=33.01	Pass
			5	17.79	2.13	19.92	<=33.01	Pass
		3	0	17.72	2.13	19.85	<=33.01	Pass
			2	17.65	2.13	19.78	<=33.01	Pass
			3	17.61	2.13	19.74	<=33.01	Pass
		6	0	16.70	2.13	18.83	<=33.01	Pass
	1880	1	0	15.83	2.13	17.96	<=33.01	Pass
			2	15.85	2.13	17.98	<=33.01	Pass
			5	15.98	2.13	18.11	<=33.01	Pass
		3	0	15.82	2.13	17.95	<=33.01	Pass
			2	15.88	2.13	18.01	<=33.01	Pass
			3	15.91	2.13	18.04	<=33.01	Pass
		6	0	14.98	2.13	17.11	<=33.01	Pass
	1909.3	1	0	14.08	2.13	16.21	<=33.01	Pass
			2	14.21	2.13	16.34	<=33.01	Pass
			5	14.36	2.13	16.49	<=33.01	Pass
		3	0	14.19	2.13	16.32	<=33.01	Pass
			2	14.33	2.13	16.46	<=33.01	Pass
			3	14.41	2.13	16.54	<=33.01	Pass
		6	0	13.36	2.13	15.49	<=33.01	Pass
16QAM	1850.7	1	0	16.78	2.13	18.91	<=33.01	Pass
			2	16.74	2.13	18.87	<=33.01	Pass
			5	16.71	2.13	18.84	<=33.01	Pass
		3	0	16.69	2.13	18.82	<=33.01	Pass
			2	16.63	2.13	18.76	<=33.01	Pass
			3	16.62	2.13	18.75	<=33.01	Pass
		6	0	15.59	2.13	17.72	<=33.01	Pass
	1880	1	0	14.94	2.13	17.07	<=33.01	Pass
			2	14.97	2.13	17.10	<=33.01	Pass
			5	15.21	2.13	17.34	<=33.01	Pass
		3	0	15.11	2.13	17.24	<=33.01	Pass
			2	15.21	2.13	17.34	<=33.01	Pass
			3	15.23	2.13	17.36	<=33.01	Pass
		6	0	14.23	2.13	16.36	<=33.01	Pass
	1909.3	1	0	13.41	2.13	15.54	<=33.01	Pass
			2	13.47	2.13	15.60	<=33.01	Pass
			5	13.61	2.13	15.74	<=33.01	Pass
		3	0	13.31	2.13	15.44	<=33.01	Pass
			2	13.49	2.13	15.62	<=33.01	Pass
			3	13.50	2.13	15.63	<=33.01	Pass
		6	0	12.57	2.13	14.70	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	17.62	2.13	19.75	<=33.01	Pass
			7	17.54	2.13	19.67	<=33.01	Pass
			14	17.46	2.13	19.59	<=33.01	Pass
		8	0	16.65	2.13	18.78	<=33.01	Pass
			4	16.57	2.13	18.70	<=33.01	Pass
			7	16.66	2.13	18.79	<=33.01	Pass
		15	0	16.63	2.13	18.76	<=33.01	Pass
	1880	1	0	16.07	2.13	18.20	<=33.01	Pass
			7	16.31	2.13	18.44	<=33.01	Pass
			14	16.53	2.13	18.66	<=33.01	Pass
		8	0	15.33	2.13	17.46	<=33.01	Pass
			4	15.42	2.13	17.55	<=33.01	Pass
			7	15.62	2.13	17.75	<=33.01	Pass
		15	0	15.48	2.13	17.61	<=33.01	Pass
	1908.5	1	0	13.67	2.13	15.80	<=33.01	Pass
			7	14.31	2.13	16.44	<=33.01	Pass
			14	14.51	2.13	16.64	<=33.01	Pass
		8	0	13.04	2.13	15.17	<=33.01	Pass
			4	13.31	2.13	15.44	<=33.01	Pass
			7	13.46	2.13	15.59	<=33.01	Pass
		15	0	13.24	2.13	15.37	<=33.01	Pass
16QAM	1851.5	1	0	16.76	2.13	18.89	<=33.01	Pass
			7	16.77	2.13	18.90	<=33.01	Pass
			14	16.69	2.13	18.82	<=33.01	Pass
		8	0	15.93	2.13	18.06	<=33.01	Pass
			4	15.93	2.13	18.06	<=33.01	Pass
			7	15.88	2.13	18.01	<=33.01	Pass
		15	0	15.86	2.13	17.99	<=33.01	Pass
	1880	1	0	15.43	2.13	17.56	<=33.01	Pass
			7	15.62	2.13	17.75	<=33.01	Pass
			14	15.78	2.13	17.91	<=33.01	Pass
		8	0	14.50	2.13	16.63	<=33.01	Pass
			4	14.55	2.13	16.68	<=33.01	Pass
			7	14.63	2.13	16.76	<=33.01	Pass
		15	0	14.56	2.13	16.69	<=33.01	Pass
	1908.5	1	0	13.30	2.13	15.43	<=33.01	Pass
			7	13.68	2.13	15.81	<=33.01	Pass
			14	13.97	2.13	16.10	<=33.01	Pass
		8	0	12.24	2.13	14.37	<=33.01	Pass
			4	12.43	2.13	14.56	<=33.01	Pass
			7	12.60	2.13	14.73	<=33.01	Pass
		15	0	12.33	2.13	14.46	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	17.76	2.13	19.89	<=33.01	Pass
			13	17.71	2.13	19.84	<=33.01	Pass
			24	17.46	2.13	19.59	<=33.01	Pass
		12	0	16.63	2.13	18.76	<=33.01	Pass
			6	16.68	2.13	18.81	<=33.01	Pass
			13	16.57	2.13	18.70	<=33.01	Pass
		25	0	16.56	2.13	18.69	<=33.01	Pass
	1880	1	0	16.02	2.13	18.15	<=33.01	Pass
			13	16.42	2.13	18.55	<=33.01	Pass
			24	16.93	2.13	19.06	<=33.01	Pass
		12	0	15.26	2.13	17.39	<=33.01	Pass
			6	15.53	2.13	17.66	<=33.01	Pass
			13	15.72	2.13	17.85	<=33.01	Pass
		25	0	15.50	2.13	17.63	<=33.01	Pass
	1907.5	1	0	13.99	2.13	16.12	<=33.01	Pass
			13	14.02	2.13	16.15	<=33.01	Pass
			24	14.68	2.13	16.81	<=33.01	Pass
		12	0	12.87	2.13	15.00	<=33.01	Pass
			6	12.97	2.13	15.10	<=33.01	Pass
			13	13.22	2.13	15.35	<=33.01	Pass
		25	0	12.95	2.13	15.08	<=33.01	Pass
16QAM	1852.5	1	0	16.84	2.13	18.97	<=33.01	Pass
			13	16.89	2.13	19.02	<=33.01	Pass
			24	16.53	2.13	18.66	<=33.01	Pass
		12	0	15.71	2.13	17.84	<=33.01	Pass
			6	15.76	2.13	17.89	<=33.01	Pass
			13	15.61	2.13	17.74	<=33.01	Pass
		25	0	15.67	2.13	17.80	<=33.01	Pass
	1880	1	0	15.35	2.13	17.48	<=33.01	Pass
			13	15.86	2.13	17.99	<=33.01	Pass
			24	16.29	2.13	18.42	<=33.01	Pass
		12	0	14.43	2.13	16.56	<=33.01	Pass
			6	14.70	2.13	16.83	<=33.01	Pass
			13	14.82	2.13	16.95	<=33.01	Pass
		25	0	14.57	2.13	16.70	<=33.01	Pass
	1907.5	1	0	12.80	2.13	14.93	<=33.01	Pass
			13	12.90	2.13	15.03	<=33.01	Pass
			24	13.41	2.13	15.54	<=33.01	Pass
		12	0	12.01	2.13	14.14	<=33.01	Pass
			6	12.11	2.13	14.24	<=33.01	Pass
			13	12.34	2.13	14.47	<=33.01	Pass
		25	0	12.14	2.13	14.27	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	17.54	2.13	19.67	<=33.01	Pass
			25	17.16	2.13	19.29	<=33.01	Pass
			49	16.40	2.13	18.53	<=33.01	Pass
		25	0	16.18	2.13	18.31	<=33.01	Pass
			13	16.04	2.13	18.17	<=33.01	Pass
			25	15.52	2.13	17.65	<=33.01	Pass
		50	0	15.89	2.13	18.02	<=33.01	Pass
	1880	1	0	15.54	2.13	17.67	<=33.01	Pass
			25	16.20	2.13	18.33	<=33.01	Pass
			49	17.18	2.13	19.31	<=33.01	Pass
		25	0	14.86	2.13	16.99	<=33.01	Pass
			13	15.32	2.13	17.45	<=33.01	Pass
			25	15.68	2.13	17.81	<=33.01	Pass
		50	0	15.19	2.13	17.32	<=33.01	Pass
	1905	1	0	15.55	2.13	17.68	<=33.01	Pass
			25	13.59	2.13	15.72	<=33.01	Pass
			49	13.80	2.13	15.93	<=33.01	Pass
		25	0	13.29	2.13	15.42	<=33.01	Pass
			13	12.78	2.13	14.91	<=33.01	Pass
			25	12.41	2.13	14.54	<=33.01	Pass
		50	0	12.84	2.13	14.97	<=33.01	Pass
16QAM	1855	1	0	16.42	2.13	18.55	<=33.01	Pass
			25	16.11	2.13	18.24	<=33.01	Pass
			49	15.20	2.13	17.33	<=33.01	Pass
		12	0	16.90	2.13	19.03	<=33.01	Pass
			19	16.60	2.13	18.73	<=33.01	Pass
			38	16.06	2.13	18.19	<=33.01	Pass
		27	0	15.74	2.13	17.87	<=33.01	Pass
	1880	1	0	15.07	2.13	17.20	<=33.01	Pass
			25	15.48	2.13	17.61	<=33.01	Pass
			49	16.42	2.13	18.55	<=33.01	Pass
		12	0	14.65	2.13	16.78	<=33.01	Pass
			19	14.94	2.13	17.07	<=33.01	Pass
			38	15.68	2.13	17.81	<=33.01	Pass
		27	0	13.50	2.13	15.63	<=33.01	Pass
	1905	1	0	14.65	2.13	16.78	<=33.01	Pass
			25	13.08	2.13	15.21	<=33.01	Pass
			49	13.05	2.13	15.18	<=33.01	Pass
		12	0	14.24	2.13	16.37	<=33.01	Pass
			19	12.98	2.13	15.11	<=33.01	Pass
			38	12.58	2.13	14.71	<=33.01	Pass
		27	23	11.63	2.13	13.76	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	17.84	2.13	19.97	<=33.01	Pass
			38	17.00	2.13	19.13	<=33.01	Pass
			74	15.85	2.13	17.98	<=33.01	Pass
		36	0	16.42	2.13	18.55	<=33.01	Pass
			18	16.02	2.13	18.15	<=33.01	Pass
			39	15.23	2.13	17.36	<=33.01	Pass
		75	0	15.88	2.13	18.01	<=33.01	Pass
	1880	1	0	15.10	2.13	17.23	<=33.01	Pass
			38	15.90	2.13	18.03	<=33.01	Pass
			74	17.54	2.13	19.67	<=33.01	Pass
		36	0	14.48	2.13	16.61	<=33.01	Pass
			18	14.83	2.13	16.96	<=33.01	Pass
			39	15.80	2.13	17.93	<=33.01	Pass
		75	0	15.01	2.13	17.14	<=33.01	Pass
	1902.5	1	0	18.25	2.13	20.38	<=33.01	Pass
			38	14.84	2.13	16.97	<=33.01	Pass
			74	13.38	2.13	15.51	<=33.01	Pass
		36	0	15.72	2.13	17.85	<=33.01	Pass
			18	14.11	2.13	16.24	<=33.01	Pass
			39	12.67	2.13	14.80	<=33.01	Pass
		75	0	14.23	2.13	16.36	<=33.01	Pass
16QAM	1857.5	1	0	16.77	2.13	18.90	<=33.01	Pass
			38	16.05	2.13	18.18	<=33.01	Pass
			74	14.94	2.13	17.07	<=33.01	Pass
		12	0	16.68	2.13	18.81	<=33.01	Pass
			31	15.99	2.13	18.12	<=33.01	Pass
			63	14.74	2.13	16.87	<=33.01	Pass
		27	0	15.51	2.13	17.64	<=33.01	Pass
	1880	1	0	14.43	2.13	16.56	<=33.01	Pass
			38	15.22	2.13	17.35	<=33.01	Pass
			74	16.89	2.13	19.02	<=33.01	Pass
		12	0	14.41	2.13	16.54	<=33.01	Pass
			31	15.18	2.13	17.31	<=33.01	Pass
			63	16.51	2.13	18.64	<=33.01	Pass
		27	0	13.71	2.13	15.84	<=33.01	Pass
	1902.5	1	0	17.18	2.13	19.31	<=33.01	Pass
			38	13.84	2.13	15.97	<=33.01	Pass
			74	12.55	2.13	14.68	<=33.01	Pass
		12	0	16.38	2.13	18.51	<=33.01	Pass
			31	13.66	2.13	15.79	<=33.01	Pass
			63	12.08	2.13	14.21	<=33.01	Pass
		27	48	11.56	2.13	13.69	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	16.36	2.13	18.49	<=33.01	Pass
			50	15.65	2.13	17.78	<=33.01	Pass
			99	14.36	2.13	16.49	<=33.01	Pass
		50	0	15.02	2.13	17.15	<=33.01	Pass
			25	14.65	2.13	16.78	<=33.01	Pass
			50	13.80	2.13	15.93	<=33.01	Pass
		100	0	14.52	2.13	16.65	<=33.01	Pass
	1880	1	0	13.93	2.13	16.06	<=33.01	Pass
			50	15.02	2.13	17.15	<=33.01	Pass
			99	17.52	2.13	19.65	<=33.01	Pass
		50	0	13.47	2.13	15.60	<=33.01	Pass
			25	14.26	2.13	16.39	<=33.01	Pass
			50	15.37	2.13	17.50	<=33.01	Pass
		100	0	14.27	2.13	16.40	<=33.01	Pass
	1900	1	0	17.72	2.13	19.85	<=33.01	Pass
			50	14.80	2.13	16.93	<=33.01	Pass
			99	13.54	2.13	15.67	<=33.01	Pass
		50	0	15.45	2.13	17.58	<=33.01	Pass
			25	14.05	2.13	16.18	<=33.01	Pass
			50	12.38	2.13	14.51	<=33.01	Pass
		100	0	14.42	2.13	16.55	<=33.01	Pass
16QAM	1860	1	0	15.62	2.13	17.75	<=33.01	Pass
			50	15.01	2.13	17.14	<=33.01	Pass
			99	13.87	2.13	16.00	<=33.01	Pass
		12	0	14.86	2.13	16.99	<=33.01	Pass
			44	14.43	2.13	16.56	<=33.01	Pass
			88	13.28	2.13	15.41	<=33.01	Pass
		27	0	13.79	2.13	15.92	<=33.01	Pass
	1880	1	0	13.01	2.13	15.14	<=33.01	Pass
			50	14.61	2.13	16.74	<=33.01	Pass
			99	16.74	2.13	18.87	<=33.01	Pass
		12	0	12.87	2.13	15.00	<=33.01	Pass
			44	14.30	2.13	16.43	<=33.01	Pass
			88	16.38	2.13	18.51	<=33.01	Pass
		27	0	12.29	2.13	14.42	<=33.01	Pass
	1900	1	0	16.88	2.13	19.01	<=33.01	Pass
			50	14.08	2.13	16.21	<=33.01	Pass
			99	12.98	2.13	15.11	<=33.01	Pass
		12	0	16.47	2.13	18.60	<=33.01	Pass
			44	13.93	2.13	16.06	<=33.01	Pass
			88	12.29	2.13	14.42	<=33.01	Pass
		27	73	11.12	2.13	13.25	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Modulation Characteristics

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	27	0	Refer To Test Graph		Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	27	0	Refer To Test Graph		Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	




QPSK	1880	100	0	Refer To Test Graph	Pass
16QAM	1880	27	0	Refer To Test Graph	Pass




2.2 Test Graph

2.2.1 B2_1.4MHz

Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




2.2.2 B2_3MHz


Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV



Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




2.2.3 B2_5MHz




2.2.4 B2_10MHz

Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




2.2.5 B2_15MHz

Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




2.2.6 B2_20MHz

Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV



3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.088	/	Pass
		1880	6	0	1.084	/	Pass
		1909.3	6	0	1.090	/	Pass
	16QAM	1850.7	6	0	1.088	/	Pass
		1880	6	0	1.089	/	Pass
		1909.3	6	0	1.089	/	Pass
3	QPSK	1851.5	15	0	2.694	/	Pass
		1880	15	0	2.682	/	Pass
		1908.5	15	0	2.690	/	Pass
	16QAM	1851.5	15	0	2.687	/	Pass
		1880	15	0	2.682	/	Pass
		1908.5	15	0	2.685	/	Pass
5	QPSK	1852.5	25	0	4.517	/	Pass
		1880	25	0	4.504	/	Pass
		1907.5	25	0	4.521	/	Pass
	16QAM	1852.5	25	0	4.536	/	Pass
		1880	25	0	4.511	/	Pass
		1907.5	25	0	4.508	/	Pass
10	QPSK	1855	50	0	8.953	/	Pass
		1880	50	0	8.937	/	Pass
		1905	50	0	8.972	/	Pass
	16QAM	1855	27	0	4.934	/	Pass
		1880	27	0	4.869	/	Pass
		1905	27	23	4.885	/	Pass
15	QPSK	1857.5	75	0	13.485	/	Pass
		1880	75	0	13.388	/	Pass
		1902.5	75	0	13.498	/	Pass
	16QAM	1857.5	27	0	4.908	/	Pass
		1880	27	0	4.905	/	Pass
		1902.5	27	48	4.909	/	Pass
20	QPSK	1860	100	0	17.893	/	Pass
		1880	100	0	17.834	/	Pass
		1900	100	0	17.848	/	Pass
	16QAM	1860	27	0	4.899	/	Pass
		1880	27	0	4.909	/	Pass
		1900	27	73	4.908	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.268	/	Pass
		1880	6	0	1.248	/	Pass
		1909.3	6	0	1.246	/	Pass

	16QAM	1850.7	6	0	1.263	/	Pass
		1880	6	0	1.269	/	Pass
		1909.3	6	0	1.253	/	Pass
3	QPSK	1851.5	15	0	2.904	/	Pass
		1880	15	0	2.896	/	Pass
		1908.5	15	0	2.890	/	Pass
	16QAM	1851.5	15	0	2.888	/	Pass
		1880	15	0	2.914	/	Pass
		1908.5	15	0	2.891	/	Pass
5	QPSK	1852.5	25	0	4.926	/	Pass
		1880	25	0	4.987	/	Pass
		1907.5	25	0	4.979	/	Pass
	16QAM	1852.5	25	0	4.975	/	Pass
		1880	25	0	4.958	/	Pass
		1907.5	25	0	4.927	/	Pass
10	QPSK	1855	50	0	9.610	/	Pass
		1880	50	0	9.532	/	Pass
		1905	50	0	9.608	/	Pass
	16QAM	1855	27	0	5.541	/	Pass
		1880	27	0	5.546	/	Pass
		1905	27	23	5.490	/	Pass
15	QPSK	1857.5	75	0	14.390	/	Pass
		1880	75	0	14.379	/	Pass
		1902.5	75	0	14.352	/	Pass
	16QAM	1857.5	27	0	5.564	/	Pass
		1880	27	0	5.526	/	Pass
		1902.5	27	48	5.637	/	Pass
20	QPSK	1860	100	0	18.875	/	Pass
		1880	100	0	18.888	/	Pass
		1900	100	0	18.759	/	Pass
	16QAM	1860	27	0	5.446	/	Pass
		1880	27	0	5.568	/	Pass
		1900	27	73	5.334	/	Pass


3.2 Test Graph

3.2.1 Band2_OBW


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_27_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_27_23_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_27_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_27_48_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_27_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_27_73_NTNV




3.2.2 Band2_XDB


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_27_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_27_23_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_27_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_27_48_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_27_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_27_73_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	3.89	<=13	Pass
	1880	6	0	5.30	<=13	Pass
	1909.3	6	0	5.39	<=13	Pass
16QAM	1850.7	6	0	4.87	<=13	Pass
	1880	6	0	6.06	<=13	Pass
	1909.3	6	0	6.07	<=13	Pass

4.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.49	<=13	Pass
	1880	15	0	5.24	<=13	Pass
	1908.5	15	0	5.48	<=13	Pass
16QAM	1851.5	15	0	5.22	<=13	Pass
	1880	15	0	6.04	<=13	Pass
	1908.5	15	0	6.20	<=13	Pass

4.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.00	<=13	Pass
	1880	25	0	5.42	<=13	Pass
	1907.5	25	0	5.63	<=13	Pass
16QAM	1852.5	25	0	5.71	<=13	Pass
	1880	25	0	6.09	<=13	Pass
	1907.5	25	0	6.24	<=13	Pass

4.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.38	<=13	Pass
	1880	50	0	5.40	<=13	Pass
	1905	50	0	5.78	<=13	Pass
16QAM	1855	27	0	5.74	<=13	Pass
	1880	27	0	6.10	<=13	Pass
	1905	27	23	6.20	<=13	Pass

4.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	8.38	<=13	Pass
	1880	75	0	5.83	<=13	Pass
	1902.5	75	0	8.36	<=13	Pass
16QAM	1857.5	27	0	8.37	<=13	Pass
	1880	27	0	6.20	<=13	Pass
	1902.5	27	48	8.37	<=13	Pass

4.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	8.37	<=13	Pass
	1880	100	0	5.58	<=13	Pass
	1900	100	0	8.36	<=13	Pass
16QAM	1860	27	0	8.36	<=13	Pass
	1880	27	0	6.37	<=13	Pass
	1900	27	73	8.38	<=13	Pass

4.2 Test Graph


4.2.1 B2_1.4MHz




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




4.2.2 B2_3MHz




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




4.2.3 B2_5MHz




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




4.2.4 B2_10MHz




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_27_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_27_23_NTNV




4.2.5 B2_15MHz




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_27_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_27_48_NTNV




4.2.6 B2_20MHz




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_27_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_27_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_27_73_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass

	1880	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass

5.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass


5.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
		1	99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
		1	99	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
		1	99	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz

Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-43.73	-13	Pass
1849	1850	0.003	/	2	1849.998	-36.18	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-31.01	-13	Pass
1849	1850	0.013	CHP	2	1849.990	-34.63	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-32.58	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-36.50	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_5_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




5.2.2 B2_3MHz


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-25.05	-13	Pass
1849	1850	0.029	CHP	2	1849.975	-36.08	-13	Pass
1850	1853	0.029	CHP	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-41.92	-13	Pass
1911	1913	1	CHP	2	1912.031	-38.46	-13	Pass

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.029	CHP	/	/	/	/	/
1910	1911	0.029	CHP	1	1910.005	-43.38	-13	Pass
1911	1913	1	CHP	2	1911.500	-35.23	-13	Pass


Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.18	-13	Pass
1849	1850	0.029	CHP	2	1849.995	-36.43	-13	Pass
1850	1853	0.029	CHP	/	/	/	/	/


Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-43.44	-13	Pass
1911	1913	1	CHP	2	1912.049	-40.29	-13	Pass


Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.029	CHP	/	/	/	/	/
1910	1911	0.029	CHP	1	1910.005	-44.41	-13	Pass
1911	1913	1	CHP	2	1911.500	-35.73	-13	Pass

5.2.3 B2_5MHz


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-28.12	-13	Pass
1849	1850	0.049	CHP	2	1849.960	-38.49	-13	Pass
1850	1855	0.049	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-41.27	-13	Pass
1911	1915	1	CHP	2	1913.731	-44.13	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-43.80	-13	Pass
1911	1915	1	CHP	2	1911.500	-35.98	-13	Pass


Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-27.94	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-37.91	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-40.94	-13	Pass
1911	1915	1	CHP	2	1913.708	-44.86	-13	Pass


Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.049	CHP	/	/	/	/	/
1910	1911	0.049	CHP	1	1910.010	-45.67	-13	Pass
1911	1915	1	CHP	2	1911.500	-36.42	-13	Pass

5.2.4 B2_10MHz


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.477	-31.85	-13	Pass
1849	1850	0.096	CHP	2	1849.647	-40.75	-13	Pass
1850	1860	0.096	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_16QAM_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.001	-48.12	-13	Pass
1911	1920	1	CHP	2	1911.501	-46.97	-13	Pass


5.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1837.396	-40.12	-13	Pass
1849	1850	0.003	/	2	1849.997	-56.02	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.200	-30.24	-13	Pass
1849	1850	0.144	CHP	2	1849.940	-39.03	-13	Pass
1850	1865	0.144	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-60.31	-13	Pass
1911	1925	1	CHP	2	1911.500	-47.82	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-60.31	-13	Pass
1911	1925	1	CHP	2	1911.500	-47.82	-13	Pass


Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-60.00	-13	Pass
1911	1925	1	CHP	2	1911.500	-48.16	-13	Pass

5.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-34.30	-13	Pass
1849	1850	0.189	CHP	2	1849.880	-39.85	-13	Pass
1850	1870	0.189	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.228	-66.87	-13	Pass
1911	1930	1	CHP	2	1912.342	-46.90	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.188	CHP	/	/	/	/	/
1910	1911	0.188	CHP	1	1910.760	-45.61	-13	Pass
1911	1930	1	CHP	2	1911.560	-39.73	-13	Pass


Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.156	-66.98	-13	Pass
1911	1930	1	CHP	2	1912.324	-47.30	-13	Pass

6. Frequency Stability

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VAC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	1850.7	6	0	20	102	1850.100	1851.292	1850 to 1855	Pass
					120	1850.108	1851.295	1850 to 1855	Pass
					138	1850.110	1851.295	1850 to 1855	Pass
				-30	120	1850.105	1851.300	1850 to 1855	Pass
				-20	120	1850.106	1851.300	1850 to 1855	Pass
				-10	120	1850.104	1851.299	1850 to 1855	Pass
				0	120	1850.109	1851.302	1850 to 1855	Pass
				10	120	1850.110	1851.292	1850 to 1855	Pass
				30	120	1850.104	1851.304	1850 to 1855	Pass
				40	120	1850.107	1851.300	1850 to 1855	Pass
				50	120	1850.101	1851.300	1850 to 1855	Pass
	1880	6	0	20	102	1879.421	1880.598	1875 to 1885	Pass
					120	1879.420	1880.594	1875 to 1885	Pass
					138	1879.421	1880.600	1875 to 1885	Pass
				-30	120	1879.418	1880.595	1875 to 1885	Pass
				-20	120	1879.418	1880.599	1875 to 1885	Pass
				-10	120	1879.417	1880.587	1875 to 1885	Pass
				0	120	1879.417	1880.596	1875 to 1885	Pass
				10	120	1879.418	1880.597	1875 to 1885	Pass
				30	120	1879.424	1880.592	1875 to 1885	Pass
				40	120	1879.418	1880.597	1875 to 1885	Pass
				50	120	1879.412	1880.596	1875 to 1885	Pass
	1909.3	6	0	20	102	1908.719	1909.888	1905 to 1910	Pass
					120	1908.715	1909.889	1905 to 1910	Pass
					138	1908.722	1909.889	1905 to 1910	Pass
				-30	120	1908.715	1909.891	1905 to 1910	Pass
				-20	120	1908.718	1909.889	1905 to 1910	Pass
				-10	120	1908.715	1909.892	1905 to 1910	Pass
				0	120	1908.716	1909.893	1905 to 1910	Pass
				10	120	1908.721	1909.892	1905 to 1910	Pass
				30	120	1908.717	1909.888	1905 to 1910	Pass
				40	120	1908.721	1909.888	1905 to 1910	Pass
				50	120	1908.714	1909.892	1905 to 1910	Pass
16QAM	1850.7	6	0	20	102	1850.116	1851.293	1850 to 1855	Pass
					120	1850.115	1851.288	1850 to 1855	Pass
					138	1850.117	1851.296	1850 to 1855	Pass
				-30	120	1850.115	1851.297	1850 to 1855	Pass
				-20	120	1850.114	1851.297	1850 to 1855	Pass
				-10	120	1850.116	1851.291	1850 to 1855	Pass
				0	120	1850.113	1851.298	1850 to 1855	Pass
				10	120	1850.117	1851.297	1850 to 1855	Pass
				30	120	1850.113	1851.296	1850 to 1855	Pass
				40	120	1850.115	1851.291	1850 to 1855	Pass
				50	120	1850.127	1851.280	1850 to 1855	Pass
	1880	6	0	20	102	1879.417	1880.582	1875 to 1885	Pass
					120	1879.417	1880.585	1875 to 1885	Pass

					138	1879.419	1880.588	1875 to 1885	Pass
				-30	120	1879.417	1880.588	1875 to 1885	Pass
				-20	120	1879.427	1880.588	1875 to 1885	Pass
				-10	120	1879.426	1880.586	1875 to 1885	Pass
				0	120	1879.415	1880.587	1875 to 1885	Pass
				10	120	1879.415	1880.587	1875 to 1885	Pass
				30	120	1879.419	1880.581	1875 to 1885	Pass
				40	120	1879.415	1880.588	1875 to 1885	Pass
				50	120	1879.418	1880.585	1875 to 1885	Pass
	1909.3	6	0	20	102	1908.716	1909.888	1905 to 1910	Pass
					120	1908.718	1909.887	1905 to 1910	Pass
					138	1908.717	1909.891	1905 to 1910	Pass
				-30	120	1908.715	1909.890	1905 to 1910	Pass
				-20	120	1908.718	1909.888	1905 to 1910	Pass
				-10	120	1908.716	1909.887	1905 to 1910	Pass
				0	120	1908.716	1909.892	1905 to 1910	Pass
				10	120	1908.717	1909.893	1905 to 1910	Pass
				30	120	1908.720	1909.887	1905 to 1910	Pass
				40	120	1908.719	1909.885	1905 to 1910	Pass
				50	120	1908.721	1909.887	1905 to 1910	Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	1851.5	15	0	20	102	1850.132	1852.880	1850 to 1855	Pass
					120	1850.131	1852.878	1850 to 1855	Pass
					138	1850.136	1852.877	1850 to 1855	Pass
				-30	120	1850.137	1852.875	1850 to 1855	Pass
				-20	120	1850.134	1852.878	1850 to 1855	Pass
				-10	120	1850.136	1852.879	1850 to 1855	Pass
				0	120	1850.131	1852.883	1850 to 1855	Pass
				10	120	1850.132	1852.880	1850 to 1855	Pass
				30	120	1850.134	1852.884	1850 to 1855	Pass
				40	120	1850.132	1852.884	1850 to 1855	Pass
				50	120	1850.136	1852.879	1850 to 1855	Pass
	1880	15	0	20	102	1878.648	1881.376	1875 to 1885	Pass
					120	1878.632	1881.391	1875 to 1885	Pass
					138	1878.637	1881.379	1875 to 1885	Pass
				-30	120	1878.648	1881.384	1875 to 1885	Pass
				-20	120	1878.634	1881.384	1875 to 1885	Pass
				-10	120	1878.645	1881.378	1875 to 1885	Pass
				0	120	1878.639	1881.389	1875 to 1885	Pass
				10	120	1878.646	1881.387	1875 to 1885	Pass
				30	120	1878.643	1881.376	1875 to 1885	Pass
				40	120	1878.632	1881.385	1875 to 1885	Pass
				50	120	1878.640	1881.388	1875 to 1885	Pass
	1908.5	15	0	20	102	1907.147	1909.878	1905 to 1910	Pass
					120	1907.142	1909.885	1905 to 1910	Pass
					138	1907.142	1909.885	1905 to 1910	Pass
				-30	120	1907.141	1909.878	1905 to 1910	Pass
				-20	120	1907.143	1909.885	1905 to 1910	Pass
				-10	120	1907.145	1909.884	1905 to 1910	Pass
				0	120	1907.140	1909.884	1905 to 1910	Pass
				10	120	1907.137	1909.886	1905 to 1910	Pass
				30	120	1907.141	1909.887	1905 to 1910	Pass

16QAM	1851.5	15	0	40	120	1907.145	1909.883	1905 to 1910	Pass
				50	120	1907.148	1909.878	1905 to 1910	Pass
				20	102	1850.131	1852.877	1850 to 1855	Pass
					120	1850.130	1852.879	1850 to 1855	Pass
				138	1850.132	1852.874	1850 to 1855	Pass	Pass
					1850.139	1852.875	1850 to 1855	Pass	Pass
				-30	120	1850.132	1852.875	1850 to 1855	Pass
				-20	120	1850.132	1852.875	1850 to 1855	Pass
				-10	120	1850.137	1852.875	1850 to 1855	Pass
				0	120	1850.127	1852.878	1850 to 1855	Pass
				10	120	1850.132	1852.874	1850 to 1855	Pass
				30	120	1850.134	1852.873	1850 to 1855	Pass
				40	120	1850.140	1852.874	1850 to 1855	Pass
				50	120	1850.135	1852.880	1850 to 1855	Pass
	1880	15	0	20	102	1878.640	1881.375	1875 to 1885	Pass
					120	1878.643	1881.373	1875 to 1885	Pass
				138	1878.638	1881.379	1875 to 1885	Pass	Pass
					1878.640	1881.376	1875 to 1885	Pass	Pass
				-30	120	1878.638	1881.374	1875 to 1885	Pass
				-20	120	1878.638	1881.374	1875 to 1885	Pass
				-10	120	1878.641	1881.370	1875 to 1885	Pass
				0	120	1878.637	1881.378	1875 to 1885	Pass
				10	120	1878.641	1881.375	1875 to 1885	Pass
				30	120	1878.637	1881.376	1875 to 1885	Pass
				40	120	1878.640	1881.379	1875 to 1885	Pass
				50	120	1878.647	1881.379	1875 to 1885	Pass
	1908.5	15	0	20	102	1907.151	1909.877	1905 to 1910	Pass
					120	1907.150	1909.879	1905 to 1910	Pass
				138	1907.141	1909.879	1905 to 1910	Pass	Pass
					1907.138	1909.887	1905 to 1910	Pass	Pass
				-30	120	1907.139	1909.895	1905 to 1910	Pass
				-20	120	1907.139	1909.895	1905 to 1910	Pass
				-10	120	1907.146	1909.884	1905 to 1910	Pass
				0	120	1907.148	1909.884	1905 to 1910	Pass
				10	120	1907.148	1909.883	1905 to 1910	Pass
				30	120	1907.152	1909.878	1905 to 1910	Pass
				40	120	1907.148	1909.885	1905 to 1910	Pass
				50	120	1907.155	1909.882	1905 to 1910	Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	1852.5	25	0	20	102	1850.219	1854.796	1850 to 1855	Pass
					120	1850.227	1854.806	1850 to 1855	Pass
					138	1850.221	1854.810	1850 to 1855	Pass
				-30	120	1850.228	1854.808	1850 to 1855	Pass
				-20	120	1850.228	1854.804	1850 to 1855	Pass
				-10	120	1850.225	1854.808	1850 to 1855	Pass
				0	120	1850.219	1854.810	1850 to 1855	Pass
				10	120	1850.220	1854.803	1850 to 1855	Pass
				30	120	1850.227	1854.803	1850 to 1855	Pass
				40	120	1850.227	1854.803	1850 to 1855	Pass
				50	120	1850.220	1854.797	1850 to 1855	Pass
	1880	25	0	20	102	1877.742	1882.296	1875 to 1885	Pass
					120	1877.739	1882.310	1875 to 1885	Pass
					138	1877.737	1882.299	1875 to 1885	Pass
				-30	120	1877.741	1882.297	1875 to 1885	Pass
				-20	120	1877.742	1882.298	1875 to 1885	Pass

				-10	120	1877.739	1882.308	1875 to 1885	Pass
				0	120	1877.737	1882.304	1875 to 1885	Pass
				10	120	1877.739	1882.313	1875 to 1885	Pass
				30	120	1877.737	1882.306	1875 to 1885	Pass
				40	120	1877.740	1882.300	1875 to 1885	Pass
				50	120	1877.734	1882.308	1875 to 1885	Pass
	1907.5	25	0	20	102	1905.224	1909.819	1905 to 1910	Pass
					120	1905.237	1909.825	1905 to 1910	Pass
					138	1905.231	1909.825	1905 to 1910	Pass
				-30	120	1905.242	1909.811	1905 to 1910	Pass
				-20	120	1905.234	1909.818	1905 to 1910	Pass
				-10	120	1905.229	1909.820	1905 to 1910	Pass
				0	120	1905.230	1909.829	1905 to 1910	Pass
				10	120	1905.238	1909.825	1905 to 1910	Pass
				30	120	1905.225	1909.812	1905 to 1910	Pass
				40	120	1905.233	1909.836	1905 to 1910	Pass
16QAM	1852.5	25	0	20	102	1850.214	1854.810	1850 to 1855	Pass
					120	1850.212	1854.809	1850 to 1855	Pass
					138	1850.218	1854.799	1850 to 1855	Pass
				-30	120	1850.221	1854.799	1850 to 1855	Pass
				-20	120	1850.218	1854.807	1850 to 1855	Pass
				-10	120	1850.230	1854.806	1850 to 1855	Pass
				0	120	1850.216	1854.799	1850 to 1855	Pass
				10	120	1850.222	1854.800	1850 to 1855	Pass
				30	120	1850.217	1854.805	1850 to 1855	Pass
				40	120	1850.220	1854.804	1850 to 1855	Pass
	1880	25	0	20	102	1877.738	1882.307	1875 to 1885	Pass
					120	1877.729	1882.307	1875 to 1885	Pass
					138	1877.734	1882.319	1875 to 1885	Pass
				-30	120	1877.729	1882.320	1875 to 1885	Pass
				-20	120	1877.737	1882.322	1875 to 1885	Pass
				-10	120	1877.734	1882.308	1875 to 1885	Pass
				0	120	1877.738	1882.314	1875 to 1885	Pass
				10	120	1877.744	1882.320	1875 to 1885	Pass
				30	120	1877.744	1882.311	1875 to 1885	Pass
				40	120	1877.742	1882.296	1875 to 1885	Pass
	1907.5	25	0	20	102	1905.240	1909.810	1905 to 1910	Pass
					120	1905.239	1909.819	1905 to 1910	Pass
					138	1905.241	1909.819	1905 to 1910	Pass
				-30	120	1905.237	1909.813	1905 to 1910	Pass
				-20	120	1905.241	1909.810	1905 to 1910	Pass
				-10	120	1905.243	1909.810	1905 to 1910	Pass
				0	120	1905.241	1909.815	1905 to 1910	Pass
				10	120	1905.237	1909.810	1905 to 1910	Pass
				30	120	1905.238	1909.820	1905 to 1910	Pass
				40	120	1905.246	1909.811	1905 to 1910	Pass
				50	120	1905.246	1909.812	1905 to 1910	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	1855	50	0	20	102	1850.475	1859.533	1850 to 1860	Pass

16QAM					120	1850.471	1859.528	1850 to 1860	Pass
					138	1850.468	1859.519	1850 to 1860	Pass
				-30	120	1850.480	1859.520	1850 to 1860	Pass
				-20	120	1850.471	1859.520	1850 to 1860	Pass
				-10	120	1850.480	1859.518	1850 to 1860	Pass
				0	120	1850.474	1859.523	1850 to 1860	Pass
				10	120	1850.481	1859.524	1850 to 1860	Pass
				30	120	1850.466	1859.516	1850 to 1860	Pass
				40	120	1850.474	1859.527	1850 to 1860	Pass
				50	120	1850.479	1859.524	1850 to 1860	Pass
	1880	50	0	20	102	1875.519	1884.556	1875 to 1885	Pass
					120	1875.527	1884.569	1875 to 1885	Pass
					138	1875.518	1884.554	1875 to 1885	Pass
				-30	120	1875.518	1884.560	1875 to 1885	Pass
				-20	120	1875.524	1884.567	1875 to 1885	Pass
				-10	120	1875.523	1884.549	1875 to 1885	Pass
				0	120	1875.520	1884.558	1875 to 1885	Pass
				10	120	1875.522	1884.560	1875 to 1885	Pass
				30	120	1875.522	1884.558	1875 to 1885	Pass
				40	120	1875.533	1884.570	1875 to 1885	Pass
				50	120	1875.524	1884.554	1875 to 1885	Pass
	1905	50	0	20	102	1900.500	1909.583	1900 to 1910	Pass
					120	1900.499	1909.586	1900 to 1910	Pass
					138	1900.497	1909.589	1900 to 1910	Pass
				-30	120	1900.508	1909.578	1900 to 1910	Pass
				-20	120	1900.503	1909.594	1900 to 1910	Pass
				-10	120	1900.499	1909.596	1900 to 1910	Pass
				0	120	1900.506	1909.583	1900 to 1910	Pass
				10	120	1900.505	1909.592	1900 to 1910	Pass
				30	120	1900.497	1909.594	1900 to 1910	Pass
				40	120	1900.501	1909.583	1900 to 1910	Pass
				50	120	1900.502	1909.592	1900 to 1910	Pass
	1855	27	0	20	102	1850.424	1855.489	1850 to 1860	Pass
					120	1850.419	1855.501	1850 to 1860	Pass
					138	1850.422	1855.478	1850 to 1860	Pass
				-30	120	1850.435	1855.489	1850 to 1860	Pass
				-20	120	1850.434	1855.501	1850 to 1860	Pass
				-10	120	1850.428	1855.481	1850 to 1860	Pass
				0	120	1850.424	1855.502	1850 to 1860	Pass
				10	120	1850.416	1855.505	1850 to 1860	Pass
				30	120	1850.426	1855.495	1850 to 1860	Pass
				40	120	1850.417	1855.497	1850 to 1860	Pass
				50	120	1850.417	1855.482	1850 to 1860	Pass
	1880	27	0	20	102	1875.457	1880.503	1875 to 1885	Pass
					120	1875.456	1880.486	1875 to 1885	Pass
					138	1875.478	1880.496	1875 to 1885	Pass
				-30	120	1875.453	1880.504	1875 to 1885	Pass
				-20	120	1875.427	1880.485	1875 to 1885	Pass
				-10	120	1875.422	1880.501	1875 to 1885	Pass
				0	120	1875.457	1880.507	1875 to 1885	Pass
				10	120	1875.427	1880.503	1875 to 1885	Pass
				30	120	1875.438	1880.506	1875 to 1885	Pass
				40	120	1875.430	1880.507	1875 to 1885	Pass
				50	120	1875.452	1880.486	1875 to 1885	Pass
	1905	27	23	20	102	1904.569	1909.640	1900 to 1910	Pass
					120	1904.585	1909.643	1900 to 1910	Pass
					138	1904.571	1909.644	1900 to 1910	Pass
				-30	120	1904.576	1909.618	1900 to 1910	Pass
				-20	120	1904.575	1909.630	1900 to 1910	Pass

				-10	120	1904.570	1909.645	1900 to 1910	Pass
				0	120	1904.571	1909.645	1900 to 1910	Pass
				10	120	1904.591	1909.620	1900 to 1910	Pass
				30	120	1904.576	1909.630	1900 to 1910	Pass
				40	120	1904.591	1909.641	1900 to 1910	Pass
				50	120	1904.600	1909.642	1900 to 1910	Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTV									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	1857.5	75	0	20	102	1850.431	1864.520	1850 to 1865	Pass
					120	1850.403	1864.516	1850 to 1865	Pass
					138	1850.411	1864.493	1850 to 1865	Pass
				-30	120	1850.415	1864.498	1850 to 1865	Pass
				-20	120	1850.409	1864.510	1850 to 1865	Pass
				-10	120	1850.428	1864.529	1850 to 1865	Pass
				0	120	1850.438	1864.521	1850 to 1865	Pass
				10	120	1850.401	1864.536	1850 to 1865	Pass
				30	120	1850.454	1864.524	1850 to 1865	Pass
				40	120	1850.436	1864.502	1850 to 1865	Pass
				50	120	1850.414	1864.515	1850 to 1865	Pass
	1880	75	0	20	102	1873.037	1887.113	1870 to 1890	Pass
					120	1873.030	1887.135	1870 to 1890	Pass
					138	1873.054	1887.161	1870 to 1890	Pass
				-30	120	1873.049	1887.143	1870 to 1890	Pass
				-20	120	1873.057	1887.136	1870 to 1890	Pass
				-10	120	1873.073	1887.125	1870 to 1890	Pass
				0	120	1873.058	1887.161	1870 to 1890	Pass
				10	120	1873.061	1887.134	1870 to 1890	Pass
				30	120	1873.050	1887.166	1870 to 1890	Pass
				40	120	1873.052	1887.158	1870 to 1890	Pass
				50	120	1873.057	1887.124	1870 to 1890	Pass
	1902.5	75	0	20	102	1895.331	1909.503	1895 to 1910	Pass
					120	1895.352	1909.499	1895 to 1910	Pass
					138	1895.335	1909.482	1895 to 1910	Pass
				-30	120	1895.343	1909.506	1895 to 1910	Pass
				-20	120	1895.337	1909.507	1895 to 1910	Pass
				-10	120	1895.331	1909.516	1895 to 1910	Pass
				0	120	1895.356	1909.486	1895 to 1910	Pass
				10	120	1895.331	1909.485	1895 to 1910	Pass
				30	120	1895.340	1909.498	1895 to 1910	Pass
				40	120	1895.339	1909.511	1895 to 1910	Pass
				50	120	1895.337	1909.530	1895 to 1910	Pass
16QAM	1857.5	27	0	20	102	1855.193	1859.231	1855 to 1860	Pass
					120	1855.173	1859.218	1855 to 1860	Pass
					138	1855.204	1859.197	1855 to 1860	Pass
				-30	120	1855.199	1859.213	1855 to 1860	Pass
				-20	120	1855.187	1859.245	1855 to 1860	Pass
				-10	120	1855.203	1859.220	1855 to 1860	Pass
				0	120	1855.180	1859.236	1855 to 1860	Pass
				10	120	1855.174	1859.235	1855 to 1860	Pass
				30	120	1855.167	1859.245	1855 to 1860	Pass
				40	120	1855.201	1859.210	1855 to 1860	Pass
				50	120	1855.191	1859.205	1855 to 1860	Pass
	1880	27	0	20	102	1875.722	1884.293	1875 to 1885	Pass

					120	1875.765	1884.699	1875 to 1885	Pass
					138	1875.775	1884.692	1875 to 1885	Pass
				-30	120	1875.764	1884.697	1875 to 1885	Pass
				-20	120	1875.743	1884.726	1875 to 1885	Pass
				-10	120	1875.760	1884.716	1875 to 1885	Pass
				0	120	1875.762	1884.715	1875 to 1885	Pass
				10	120	1875.778	1884.721	1875 to 1885	Pass
				30	120	1875.768	1884.725	1875 to 1885	Pass
				40	120	1875.767	1884.712	1875 to 1885	Pass
				50	120	1875.736	1884.723	1875 to 1885	Pass
	1902.5	27	48	20	102	1900.831	1904.232	1900 to 1905	Pass
					120	1900.202	1904.813	1900 to 1905	Pass
					138	1900.240	1904.801	1900 to 1905	Pass
				-30	120	1900.207	1904.794	1900 to 1905	Pass
				-20	120	1900.230	1904.804	1900 to 1905	Pass
				-10	120	1900.179	1904.798	1900 to 1905	Pass
				0	120	1900.193	1904.798	1900 to 1905	Pass
				10	120	1900.213	1904.798	1900 to 1905	Pass
				30	120	1900.192	1904.834	1900 to 1905	Pass
				40	120	1900.221	1904.847	1900 to 1905	Pass
				50	120	1900.220	1904.807	1900 to 1905	Pass

6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	OBW (FL - FH) (MHz)		Limit	Verdict
		Size	Offset			FL	FH		
QPSK	1860	100	0	20	102	1850.238	1869.739	1850 to 1870	Pass
					120	1850.798	1869.214	1850 to 1870	Pass
					138	1850.786	1869.178	1850 to 1870	Pass
				-30	120	1850.797	1869.252	1850 to 1870	Pass
				-20	120	1850.807	1869.220	1850 to 1870	Pass
				-10	120	1850.810	1869.232	1850 to 1870	Pass
				0	120	1850.802	1869.174	1850 to 1870	Pass
				10	120	1850.807	1869.194	1850 to 1870	Pass
				30	120	1850.817	1869.172	1850 to 1870	Pass
				40	120	1850.809	1869.324	1850 to 1870	Pass
				50	120	1850.817	1869.227	1850 to 1870	Pass
	1880	100	0	20	102	1870.980	1889.343	1870 to 1890	Pass
					120	1870.992	1889.393	1870 to 1890	Pass
					138	1870.969	1889.374	1870 to 1890	Pass
				-30	120	1870.981	1889.316	1870 to 1890	Pass
				-20	120	1870.995	1889.373	1870 to 1890	Pass
				-10	120	1870.973	1889.349	1870 to 1890	Pass
				0	120	1870.996	1889.423	1870 to 1890	Pass
				10	120	1870.989	1889.404	1870 to 1890	Pass
				30	120	1870.966	1889.312	1870 to 1890	Pass
				40	120	1870.974	1889.365	1870 to 1890	Pass
				50	120	1870.993	1889.357	1870 to 1890	Pass
	1900	100	0	20	102	1890.692	1909.108	1890 to 1910	Pass
					120	1890.675	1909.071	1890 to 1910	Pass
					138	1890.688	1909.104	1890 to 1910	Pass
				-30	120	1890.688	1909.111	1890 to 1910	Pass
				-20	120	1890.679	1909.078	1890 to 1910	Pass
				-10	120	1890.676	1909.167	1890 to 1910	Pass
				0	120	1890.692	1909.172	1890 to 1910	Pass
				10	120	1890.691	1909.123	1890 to 1910	Pass

16QAM	1860	27	0	30	120	1890.685	1909.177	1890 to 1910	Pass
				40	120	1890.687	1909.164	1890 to 1910	Pass
				50	120	1890.680	1909.106	1890 to 1910	Pass
	1880	27	0	20	102	1855.479	1864.497	1855 to 1865	Pass
					120	1855.435	1864.543	1855 to 1865	Pass
					138	1855.430	1864.508	1855 to 1865	Pass
				-30	120	1855.448	1864.537	1855 to 1865	Pass
					120	1855.450	1864.530	1855 to 1865	Pass
					120	1855.443	1864.521	1855 to 1865	Pass
				0	120	1855.455	1864.504	1855 to 1865	Pass
					120	1855.460	1864.498	1855 to 1865	Pass
					120	1855.451	1864.520	1855 to 1865	Pass
				30	120	1855.462	1864.516	1855 to 1865	Pass
					120	1855.464	1864.507	1855 to 1865	Pass
					120	1855.464	1864.507	1855 to 1865	Pass
	1900	27	73	20	102	1875.560	1884.517	1875 to 1885	Pass
					120	1875.548	1884.493	1875 to 1885	Pass
					138	1875.549	1884.512	1875 to 1885	Pass
				-30	120	1875.561	1884.558	1875 to 1885	Pass
					120	1875.557	1884.521	1875 to 1885	Pass
					120	1875.559	1884.506	1875 to 1885	Pass
				0	120	1875.545	1884.508	1875 to 1885	Pass
					120	1875.555	1884.521	1875 to 1885	Pass
					120	1875.566	1884.515	1875 to 1885	Pass
				30	120	1875.567	1884.515	1875 to 1885	Pass
					120	1875.561	1884.544	1875 to 1885	Pass
					120	1875.561	1884.544	1875 to 1885	Pass
	1900	27	73	20	102	1895.611	1904.597	1895 to 1905	Pass
					120	1895.587	1904.607	1895 to 1905	Pass
					138	1895.601	1904.608	1895 to 1905	Pass
				-30	120	1895.603	1904.599	1895 to 1905	Pass
					120	1895.605	1904.601	1895 to 1905	Pass
					120	1895.612	1904.604	1895 to 1905	Pass
				0	120	1895.611	1904.637	1895 to 1905	Pass
					120	1895.615	1904.616	1895 to 1905	Pass
					120	1895.591	1904.616	1895 to 1905	Pass
				30	120	1895.593	1904.629	1895 to 1905	Pass
					120	1895.593	1904.629	1895 to 1905	Pass
					120	1895.603	1904.644	1895 to 1905	Pass

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.0627	99.0000	ppm	1M09G7D	24E	17.97
2	1.4	1850.7	1909.3	0.0476	99.0000	ppm	1M09W7D	24E	16.78
2	3	1851.5	1908.5	0.0578	99.0000	ppm	2M69G7D	24E	17.62
2	3	1851.5	1908.5	0.0475	99.0000	ppm	2M69W7D	24E	16.77
2	5	1852.5	1907.5	0.0597	99.0000	ppm	4M52G7D	24E	17.76
2	5	1852.5	1907.5	0.0489	99.0000	ppm	4M54W7D	24E	16.89
2	10	1855	1905	0.0568	99.0000	ppm	8M97G7D	24E	17.54
2	10	1855	1905	0.0490	99.0000	ppm	4M93W7D	24E	16.90
2	15	1857.5	1902.5	0.0668	99.0000	ppm	13M5G7D	24E	18.25
2	15	1857.5	1902.5	0.0522	99.0000	ppm	4M91W7D	24E	17.18

2	20	1860	1900	0.0592	99.0000	ppm	17M9G7D	24E	17.72
2	20	1860	1900	0.0488	99.0000	ppm	4M91W7D	24E	16.88

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.1023	99.0000	ppm	1M09G7D	24E	20.10
2	1.4	1850.7	1909.3	0.0778	99.0000	ppm	1M09W7D	24E	18.91
2	3	1851.5	1908.5	0.0944	99.0000	ppm	2M69G7D	24E	19.75
2	3	1851.5	1908.5	0.0776	99.0000	ppm	2M69W7D	24E	18.90
2	5	1852.5	1907.5	0.0975	99.0000	ppm	4M52G7D	24E	19.89
2	5	1852.5	1907.5	0.0798	99.0000	ppm	4M54W7D	24E	19.02
2	10	1855	1905	0.0927	99.0000	ppm	8M97G7D	24E	19.67
2	10	1855	1905	0.0800	99.0000	ppm	4M93W7D	24E	19.03
2	15	1857.5	1902.5	0.1091	99.0000	ppm	13M5G7D	24E	20.38
2	15	1857.5	1902.5	0.0853	99.0000	ppm	4M91W7D	24E	19.31
2	20	1860	1900	0.0966	99.0000	ppm	17M9G7D	24E	19.85
2	20	1860	1900	0.0796	99.0000	ppm	4M91W7D	24E	19.01

