

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.94	0.28	23.22	<=33.01	Pass
			2	22.97	0.28	23.25	<=33.01	Pass
			5	22.95	0.28	23.23	<=33.01	Pass
		3	0	22.92	0.28	23.20	<=33.01	Pass
			2	22.93	0.28	23.21	<=33.01	Pass
			3	22.90	0.28	23.18	<=33.01	Pass
		6	0	21.97	0.28	22.25	<=33.01	Pass
	1880	1	0	22.91	0.28	23.19	<=33.01	Pass
			2	22.94	0.28	23.22	<=33.01	Pass
			5	22.86	0.28	23.14	<=33.01	Pass
		3	0	22.79	0.28	23.07	<=33.01	Pass
			2	22.77	0.28	23.05	<=33.01	Pass
			3	22.79	0.28	23.07	<=33.01	Pass
		6	0	21.79	0.28	22.07	<=33.01	Pass
	1909.3	1	0	22.81	0.28	23.09	<=33.01	Pass
			2	22.89	0.28	23.17	<=33.01	Pass
			5	22.84	0.28	23.12	<=33.01	Pass
		3	0	22.88	0.28	23.16	<=33.01	Pass
			2	22.88	0.28	23.16	<=33.01	Pass
			3	22.86	0.28	23.14	<=33.01	Pass
		6	0	21.81	0.28	22.09	<=33.01	Pass
16QAM	1850.7	1	0	22.07	0.28	22.35	<=33.01	Pass
			2	22.09	0.28	22.37	<=33.01	Pass
			5	22.11	0.28	22.39	<=33.01	Pass
		3	0	22.12	0.28	22.40	<=33.01	Pass
			2	22.12	0.28	22.40	<=33.01	Pass
			3	22.09	0.28	22.37	<=33.01	Pass
		6	0	20.90	0.28	21.18	<=33.01	Pass
	1880	1	0	21.76	0.28	22.04	<=33.01	Pass
			2	21.83	0.28	22.11	<=33.01	Pass
			5	21.80	0.28	22.08	<=33.01	Pass
		3	0	21.95	0.28	22.23	<=33.01	Pass
			2	21.97	0.28	22.25	<=33.01	Pass
			3	21.96	0.28	22.24	<=33.01	Pass
		6	0	20.80	0.28	21.08	<=33.01	Pass
	1909.3	1	0	21.78	0.28	22.06	<=33.01	Pass
			2	21.79	0.28	22.07	<=33.01	Pass
			5	21.82	0.28	22.10	<=33.01	Pass
		3	0	21.84	0.28	22.12	<=33.01	Pass
			2	21.85	0.28	22.13	<=33.01	Pass
			3	21.86	0.28	22.14	<=33.01	Pass
		6	0	20.80	0.28	21.08	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.03	0.28	23.31	<=33.01	Pass
			7	23.08	0.28	23.36	<=33.01	Pass
			14	23.04	0.28	23.32	<=33.01	Pass
		8	0	22.01	0.28	22.29	<=33.01	Pass
			4	21.98	0.28	22.26	<=33.01	Pass
			7	22.00	0.28	22.28	<=33.01	Pass
		15	0	22.00	0.28	22.28	<=33.01	Pass
	1880	1	0	22.90	0.28	23.18	<=33.01	Pass
			7	22.88	0.28	23.16	<=33.01	Pass
			14	22.88	0.28	23.16	<=33.01	Pass
		8	0	21.87	0.28	22.15	<=33.01	Pass
			4	21.83	0.28	22.11	<=33.01	Pass
			7	21.85	0.28	22.13	<=33.01	Pass
		15	0	21.86	0.28	22.14	<=33.01	Pass
	1908.5	1	0	22.86	0.28	23.14	<=33.01	Pass
			7	22.94	0.28	23.22	<=33.01	Pass
			14	22.98	0.28	23.26	<=33.01	Pass
		8	0	21.88	0.28	22.16	<=33.01	Pass
			4	21.87	0.28	22.15	<=33.01	Pass
			7	21.89	0.28	22.17	<=33.01	Pass
		15	0	21.88	0.28	22.16	<=33.01	Pass
16QAM	1851.5	1	0	21.91	0.28	22.19	<=33.01	Pass
			7	21.96	0.28	22.24	<=33.01	Pass
			14	21.92	0.28	22.20	<=33.01	Pass
		8	0	21.04	0.28	21.32	<=33.01	Pass
			4	21.03	0.28	21.31	<=33.01	Pass
			7	21.02	0.28	21.30	<=33.01	Pass
		15	0	20.98	0.28	21.26	<=33.01	Pass
	1880	1	0	22.07	0.28	22.35	<=33.01	Pass
			7	22.04	0.28	22.32	<=33.01	Pass
			14	21.97	0.28	22.25	<=33.01	Pass
		8	0	20.87	0.28	21.15	<=33.01	Pass
			4	20.85	0.28	21.13	<=33.01	Pass
			7	20.84	0.28	21.12	<=33.01	Pass
		15	0	20.74	0.28	21.02	<=33.01	Pass
	1908.5	1	0	21.77	0.28	22.05	<=33.01	Pass
			7	21.85	0.28	22.13	<=33.01	Pass
			14	21.88	0.28	22.16	<=33.01	Pass
		8	0	20.90	0.28	21.18	<=33.01	Pass
			4	20.92	0.28	21.20	<=33.01	Pass
			7	20.91	0.28	21.19	<=33.01	Pass
		15	0	20.89	0.28	21.17	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	22.97	0.28	23.25	<=33.01	Pass
			13	22.97	0.28	23.25	<=33.01	Pass
			24	23.01	0.28	23.29	<=33.01	Pass
		12	0	21.99	0.28	22.27	<=33.01	Pass
			6	21.99	0.28	22.27	<=33.01	Pass

		25	13	21.96	0.28	22.24	<=33.01	Pass
			0	22.01	0.28	22.29	<=33.01	Pass
			0	22.70	0.28	22.98	<=33.01	Pass
	1880	1	13	22.45	0.28	22.73	<=33.01	Pass
			24	22.48	0.28	22.76	<=33.01	Pass
			0	21.94	0.28	22.22	<=33.01	Pass
		12	6	21.92	0.28	22.20	<=33.01	Pass
			13	21.93	0.28	22.21	<=33.01	Pass
			0	21.93	0.28	22.21	<=33.01	Pass
		25	0	21.93	0.28	22.21	<=33.01	Pass
	1907.5	1	0	22.42	0.28	22.70	<=33.01	Pass
			13	22.47	0.28	22.75	<=33.01	Pass
			24	22.56	0.28	22.84	<=33.01	Pass
		12	0	21.82	0.28	22.10	<=33.01	Pass
			6	21.89	0.28	22.17	<=33.01	Pass
			13	21.93	0.28	22.21	<=33.01	Pass
		25	0	21.92	0.28	22.20	<=33.01	Pass
16QAM	1852.5	1	0	22.23	0.28	22.51	<=33.01	Pass
			13	22.13	0.28	22.41	<=33.01	Pass
			24	22.08	0.28	22.36	<=33.01	Pass
		12	0	20.98	0.28	21.26	<=33.01	Pass
			6	21.02	0.28	21.30	<=33.01	Pass
			13	21.00	0.28	21.28	<=33.01	Pass
		25	0	21.03	0.28	21.31	<=33.01	Pass
	1880	1	0	21.61	0.28	21.89	<=33.01	Pass
			13	21.55	0.28	21.83	<=33.01	Pass
			24	21.56	0.28	21.84	<=33.01	Pass
		12	0	20.83	0.28	21.11	<=33.01	Pass
			6	20.81	0.28	21.09	<=33.01	Pass
			13	20.81	0.28	21.09	<=33.01	Pass
		25	0	20.91	0.28	21.19	<=33.01	Pass
	1907.5	1	0	21.56	0.28	21.84	<=33.01	Pass
			13	21.59	0.28	21.87	<=33.01	Pass
			24	21.59	0.28	21.87	<=33.01	Pass
		12	0	20.77	0.28	21.05	<=33.01	Pass
			6	20.88	0.28	21.16	<=33.01	Pass
			13	20.91	0.28	21.19	<=33.01	Pass
		25	0	20.93	0.28	21.21	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	22.58	0.28	22.86	<=33.01	Pass
			25	22.62	0.28	22.90	<=33.01	Pass
			49	22.54	0.28	22.82	<=33.01	Pass
		25	0	21.99	0.28	22.27	<=33.01	Pass
			13	22.02	0.28	22.30	<=33.01	Pass
			25	22.02	0.28	22.30	<=33.01	Pass
		50	0	22.04	0.28	22.32	<=33.01	Pass
	1880	1	0	22.44	0.28	22.72	<=33.01	Pass
			25	22.44	0.28	22.72	<=33.01	Pass
			49	22.35	0.28	22.63	<=33.01	Pass
		25	0	21.85	0.28	22.13	<=33.01	Pass
			13	21.93	0.28	22.21	<=33.01	Pass
			25	21.90	0.28	22.18	<=33.01	Pass
		50	0	21.91	0.28	22.19	<=33.01	Pass

16QAM	1905	1	0	22.31	0.28	22.59	<=33.01	Pass
			25	22.41	0.28	22.69	<=33.01	Pass
			49	22.48	0.28	22.76	<=33.01	Pass
		25	0	21.80	0.28	22.08	<=33.01	Pass
			13	21.89	0.28	22.17	<=33.01	Pass
			25	22.06	0.28	22.34	<=33.01	Pass
		50	0	21.95	0.28	22.23	<=33.01	Pass
	1855	1	0	21.39	0.28	21.67	<=33.01	Pass
			25	21.44	0.28	21.72	<=33.01	Pass
			49	21.38	0.28	21.66	<=33.01	Pass
		25	0	20.96	0.28	21.24	<=33.01	Pass
			13	21.01	0.28	21.29	<=33.01	Pass
			25	21.04	0.28	21.32	<=33.01	Pass
		50	0	20.99	0.28	21.27	<=33.01	Pass
	1880	1	0	21.53	0.28	21.81	<=33.01	Pass
			25	21.55	0.28	21.83	<=33.01	Pass
			49	21.44	0.28	21.72	<=33.01	Pass
		25	0	20.88	0.28	21.16	<=33.01	Pass
			13	20.95	0.28	21.23	<=33.01	Pass
			25	20.92	0.28	21.20	<=33.01	Pass
		50	0	20.86	0.28	21.14	<=33.01	Pass
	1905	1	0	21.50	0.28	21.78	<=33.01	Pass
			25	21.58	0.28	21.86	<=33.01	Pass
			49	21.66	0.28	21.94	<=33.01	Pass
		25	0	20.90	0.28	21.18	<=33.01	Pass
			13	20.96	0.28	21.24	<=33.01	Pass
			25	21.11	0.28	21.39	<=33.01	Pass
		50	0	20.94	0.28	21.22	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.50	0.28	22.78	<=33.01	Pass
			38	22.56	0.28	22.84	<=33.01	Pass
			74	22.46	0.28	22.74	<=33.01	Pass
		36	0	22.02	0.28	22.30	<=33.01	Pass
			18	22.03	0.28	22.31	<=33.01	Pass
			39	22.01	0.28	22.29	<=33.01	Pass
		75	0	22.03	0.28	22.31	<=33.01	Pass
	1880	1	0	22.36	0.28	22.64	<=33.01	Pass
			38	22.42	0.28	22.70	<=33.01	Pass
			74	22.25	0.28	22.53	<=33.01	Pass
		36	0	21.89	0.28	22.17	<=33.01	Pass
			18	21.88	0.28	22.16	<=33.01	Pass
			39	21.82	0.28	22.10	<=33.01	Pass
		75	0	21.89	0.28	22.17	<=33.01	Pass
	1902.5	1	0	22.25	0.28	22.53	<=33.01	Pass
			38	22.38	0.28	22.66	<=33.01	Pass
			74	22.43	0.28	22.71	<=33.01	Pass
		36	0	21.81	0.28	22.09	<=33.01	Pass
			18	21.82	0.28	22.10	<=33.01	Pass
			39	21.98	0.28	22.26	<=33.01	Pass
		75	0	21.95	0.28	22.23	<=33.01	Pass
16QAM	1857.5	1	0	21.60	0.28	21.88	<=33.01	Pass
			38	21.64	0.28	21.92	<=33.01	Pass

			74	21.57	0.28	21.85	<=33.01	Pass
		36	0	21.01	0.28	21.29	<=33.01	Pass
			18	21.02	0.28	21.30	<=33.01	Pass
			39	21.00	0.28	21.28	<=33.01	Pass
			75	0	21.03	0.28	21.31	<=33.01
	1880	1	0	21.49	0.28	21.77	<=33.01	Pass
			38	21.54	0.28	21.82	<=33.01	Pass
			74	21.36	0.28	21.64	<=33.01	Pass
			0	20.87	0.28	21.15	<=33.01	Pass
		36	18	20.87	0.28	21.15	<=33.01	Pass
			39	20.87	0.28	21.15	<=33.01	Pass
			75	0	20.85	0.28	21.13	<=33.01
		1902.5	1	0	21.43	0.28	21.71	<=33.01
	38			21.59	0.28	21.87	<=33.01	Pass
	74			21.59	0.28	21.87	<=33.01	Pass
	0			20.84	0.28	21.12	<=33.01	Pass
	36		18	20.86	0.28	21.14	<=33.01	Pass
			39	21.02	0.28	21.30	<=33.01	Pass
			75	0	20.96	0.28	21.24	<=33.01
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.46	0.28	22.74	<=33.01	Pass
			50	22.54	0.28	22.82	<=33.01	Pass
			99	22.44	0.28	22.72	<=33.01	Pass
		50	0	21.98	0.28	22.26	<=33.01	Pass
			25	22.06	0.28	22.34	<=33.01	Pass
			50	21.95	0.28	22.23	<=33.01	Pass
		100	0	21.97	0.28	22.25	<=33.01	Pass
			0	22.42	0.28	22.70	<=33.01	Pass
			50	22.52	0.28	22.80	<=33.01	Pass
	1880	1	99	22.30	0.28	22.58	<=33.01	Pass
			0	21.91	0.28	22.19	<=33.01	Pass
			25	21.93	0.28	22.21	<=33.01	Pass
		50	50	21.93	0.28	22.21	<=33.01	Pass
			0	21.91	0.28	22.19	<=33.01	Pass
		100	0	21.91	0.28	22.19	<=33.01	Pass
	1900	1	0	22.18	0.28	22.46	<=33.01	Pass
			50	22.33	0.28	22.61	<=33.01	Pass
			99	22.40	0.28	22.68	<=33.01	Pass
		50	0	21.94	0.28	22.22	<=33.01	Pass
			25	21.93	0.28	22.21	<=33.01	Pass
			50	22.11	0.28	22.39	<=33.01	Pass
		100	0	22.01	0.28	22.29	<=33.01	Pass
16QAM	1860	1	0	21.28	0.28	21.56	<=33.01	Pass
			50	21.41	0.28	21.69	<=33.01	Pass
			99	21.23	0.28	21.51	<=33.01	Pass
		50	0	21.00	0.28	21.28	<=33.01	Pass
			25	21.04	0.28	21.32	<=33.01	Pass
			50	21.00	0.28	21.28	<=33.01	Pass
		100	0	20.99	0.28	21.27	<=33.01	Pass
	1880	1	0	21.25	0.28	21.53	<=33.01	Pass
			50	21.36	0.28	21.64	<=33.01	Pass
			99	21.14	0.28	21.42	<=33.01	Pass
		50	0	20.86	0.28	21.14	<=33.01	Pass

		100	25	20.87	0.28	21.15	<=33.01	Pass
			50	20.87	0.28	21.15	<=33.01	Pass
			0	20.89	0.28	21.17	<=33.01	Pass
	1900	1	0	21.31	0.28	21.59	<=33.01	Pass
			50	21.52	0.28	21.80	<=33.01	Pass
			99	21.49	0.28	21.77	<=33.01	Pass
		50	0	20.92	0.28	21.20	<=33.01	Pass
			25	20.90	0.28	21.18	<=33.01	Pass
			50	21.08	0.28	21.36	<=33.01	Pass
		100	0	21.01	0.28	21.29	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	3.591	0.0019	-2.5 to 2.5	Pass
					3.85	-7.997	-0.0043	-2.5 to 2.5	Pass
					4.43	2.689	0.0015	-2.5 to 2.5	Pass
				-30	3.85	8.941	0.0048	-2.5 to 2.5	Pass
				-20	3.85	5.579	0.0030	-2.5 to 2.5	Pass
				-10	3.85	9.971	0.0054	-2.5 to 2.5	Pass
				0	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				10	3.85	11.959	0.0065	-2.5 to 2.5	Pass
				30	3.85	4.177	0.0023	-2.5 to 2.5	Pass
				40	3.85	-1.903	-0.0010	-2.5 to 2.5	Pass
				50	3.85	3.304	0.0018	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	8.140	0.0043	-2.5 to 2.5	Pass
					3.85	-9.642	-0.0051	-2.5 to 2.5	Pass
					4.43	0.944	0.0005	-2.5 to 2.5	Pass
				-30	3.85	6.580	0.0035	-2.5 to 2.5	Pass
				-20	3.85	-6.824	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				0	3.85	6.437	0.0034	-2.5 to 2.5	Pass
				10	3.85	9.999	0.0053	-2.5 to 2.5	Pass
				30	3.85	0.129	0.0001	-2.5 to 2.5	Pass
				40	3.85	5.679	0.0030	-2.5 to 2.5	Pass
				50	3.85	3.848	0.0020	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-5.479	-0.0029	-2.5 to 2.5	Pass
					3.85	7.610	0.0040	-2.5 to 2.5	Pass
					4.43	-7.682	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	3.748	0.0020	-2.5 to 2.5	Pass
				-20	3.85	-3.161	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-11.015	-0.0058	-2.5 to 2.5	Pass
				0	3.85	-1.431	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-8.755	-0.0046	-2.5 to 2.5	Pass
				30	3.85	6.309	0.0033	-2.5 to 2.5	Pass
				40	3.85	1.144	0.0006	-2.5 to 2.5	Pass
				50	3.85	-12.002	-0.0063	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.27	-0.415	-0.0002	-2.5 to 2.5	Pass
					3.85	0.429	0.0002	-2.5 to 2.5	Pass

					4.43	14.577	0.0079	-2.5 to 2.5	Pass
				-30	3.85	11.601	0.0063	-2.5 to 2.5	Pass
				-20	3.85	4.864	0.0026	-2.5 to 2.5	Pass
				-10	3.85	7.854	0.0042	-2.5 to 2.5	Pass
				0	3.85	11.830	0.0064	-2.5 to 2.5	Pass
				10	3.85	-3.276	-0.0018	-2.5 to 2.5	Pass
				30	3.85	11.487	0.0062	-2.5 to 2.5	Pass
				40	3.85	12.560	0.0068	-2.5 to 2.5	Pass
				50	3.85	5.679	0.0031	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	0.057	0.0000	-2.5 to 2.5	Pass
					3.85	-0.401	-0.0002	-2.5 to 2.5	Pass
					4.43	2.561	0.0014	-2.5 to 2.5	Pass
				-30	3.85	4.377	0.0023	-2.5 to 2.5	Pass
				-20	3.85	3.076	0.0016	-2.5 to 2.5	Pass
				-10	3.85	6.366	0.0034	-2.5 to 2.5	Pass
				0	3.85	-0.973	-0.0005	-2.5 to 2.5	Pass
				10	3.85	13.404	0.0071	-2.5 to 2.5	Pass
				30	3.85	8.955	0.0048	-2.5 to 2.5	Pass
				40	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-4.721	-0.0025	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-8.225	-0.0043	-2.5 to 2.5	Pass
					3.85	-9.170	-0.0048	-2.5 to 2.5	Pass
					4.43	-9.828	-0.0051	-2.5 to 2.5	Pass
				-30	3.85	9.999	0.0052	-2.5 to 2.5	Pass
				-20	3.85	-10.943	-0.0057	-2.5 to 2.5	Pass
				-10	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				0	3.85	10.915	0.0057	-2.5 to 2.5	Pass
				10	3.85	6.752	0.0035	-2.5 to 2.5	Pass
				30	3.85	16.065	0.0084	-2.5 to 2.5	Pass
				40	3.85	-6.151	-0.0032	-2.5 to 2.5	Pass
				50	3.85	-2.961	-0.0016	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-1.373	-0.0007	-2.5 to 2.5	Pass
					3.85	-0.157	-0.0001	-2.5 to 2.5	Pass
					4.43	-1.702	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-5.193	-0.0028	-2.5 to 2.5	Pass
				-20	3.85	2.818	0.0015	-2.5 to 2.5	Pass
				-10	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass
				0	3.85	0.186	0.0001	-2.5 to 2.5	Pass
				10	3.85	-4.892	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-1.802	-0.0010	-2.5 to 2.5	Pass
				40	3.85	10.214	0.0055	-2.5 to 2.5	Pass
				50	3.85	6.695	0.0036	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	-3.719	-0.0020	-2.5 to 2.5	Pass
					3.85	7.081	0.0038	-2.5 to 2.5	Pass
					4.43	5.808	0.0031	-2.5 to 2.5	Pass
				-30	3.85	1.974	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-7.367	-0.0039	-2.5 to 2.5	Pass
				0	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-8.111	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-6.480	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-4.520	-0.0024	-2.5 to 2.5	Pass

	1908.5	15	0	50	3.85	-7.610	-0.0040	-2.5 to 2.5	Pass
				20	3.27	1.960	0.0010	-2.5 to 2.5	Pass
					3.85	4.492	0.0024	-2.5 to 2.5	Pass
					4.43	-6.580	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				-20	3.85	4.349	0.0023	-2.5 to 2.5	Pass
				-10	3.85	11.230	0.0059	-2.5 to 2.5	Pass
				0	3.85	-4.663	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-1.416	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-8.655	-0.0045	-2.5 to 2.5	Pass
				40	3.85	3.190	0.0017	-2.5 to 2.5	Pass
				50	3.85	1.788	0.0009	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.27	13.704	0.0074	-2.5 to 2.5	Pass
					3.85	5.708	0.0031	-2.5 to 2.5	Pass
					4.43	-1.073	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	1.645	0.0009	-2.5 to 2.5	Pass
				-20	3.85	13.103	0.0071	-2.5 to 2.5	Pass
				-10	3.85	-3.376	-0.0018	-2.5 to 2.5	Pass
				0	3.85	6.680	0.0036	-2.5 to 2.5	Pass
				10	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				30	3.85	1.101	0.0006	-2.5 to 2.5	Pass
				40	3.85	-3.304	-0.0018	-2.5 to 2.5	Pass
				50	3.85	-4.106	-0.0022	-2.5 to 2.5	Pass
	1880	15	0	20	3.27	0.386	0.0002	-2.5 to 2.5	Pass
					3.85	-2.618	-0.0014	-2.5 to 2.5	Pass
					4.43	6.108	0.0032	-2.5 to 2.5	Pass
				-30	3.85	3.934	0.0021	-2.5 to 2.5	Pass
				-20	3.85	-3.819	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-2.046	-0.0011	-2.5 to 2.5	Pass
				0	3.85	8.698	0.0046	-2.5 to 2.5	Pass
				10	3.85	8.068	0.0043	-2.5 to 2.5	Pass
				30	3.85	-8.612	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-1.187	-0.0006	-2.5 to 2.5	Pass
				50	3.85	6.323	0.0034	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	10.071	0.0053	-2.5 to 2.5	Pass
					3.85	3.090	0.0016	-2.5 to 2.5	Pass
					4.43	11.587	0.0061	-2.5 to 2.5	Pass
				-30	3.85	-7.696	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	8.426	0.0044	-2.5 to 2.5	Pass
				-10	3.85	3.591	0.0019	-2.5 to 2.5	Pass
				0	3.85	-6.952	-0.0036	-2.5 to 2.5	Pass
				10	3.85	7.582	0.0040	-2.5 to 2.5	Pass
				30	3.85	9.985	0.0052	-2.5 to 2.5	Pass
				40	3.85	-8.140	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-5.908	-0.0031	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-5.193	-0.0028	-2.5 to 2.5	Pass
					3.85	5.279	0.0028	-2.5 to 2.5	Pass
					4.43	0.730	0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.831	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	-1.760	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.787	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-1.731	-0.0009	-2.5 to 2.5	Pass

				10	3.85	3.920	0.0021	-2.5 to 2.5	Pass
				30	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.372	-0.0002	-2.5 to 2.5	Pass
				50	3.85	-2.718	-0.0015	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-3.548	-0.0019	-2.5 to 2.5	Pass
					3.85	2.575	0.0014	-2.5 to 2.5	Pass
					4.43	2.689	0.0014	-2.5 to 2.5	Pass
				-30	3.85	7.424	0.0039	-2.5 to 2.5	Pass
				-20	3.85	-4.249	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	5.980	0.0032	-2.5 to 2.5	Pass
				0	3.85	4.063	0.0022	-2.5 to 2.5	Pass
				10	3.85	1.845	0.0010	-2.5 to 2.5	Pass
				30	3.85	3.290	0.0018	-2.5 to 2.5	Pass
				40	3.85	5.093	0.0027	-2.5 to 2.5	Pass
				50	3.85	8.025	0.0043	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	3.662	0.0019	-2.5 to 2.5	Pass
					3.85	2.503	0.0013	-2.5 to 2.5	Pass
					4.43	-1.531	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-2.046	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	5.064	0.0027	-2.5 to 2.5	Pass
				-10	3.85	4.921	0.0026	-2.5 to 2.5	Pass
				0	3.85	-3.905	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-0.501	-0.0003	-2.5 to 2.5	Pass
				30	3.85	4.821	0.0025	-2.5 to 2.5	Pass
				40	3.85	-3.076	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-0.644	-0.0003	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	4.091	0.0022	-2.5 to 2.5	Pass
					3.85	-2.160	-0.0012	-2.5 to 2.5	Pass
					4.43	-7.367	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	1.888	0.0010	-2.5 to 2.5	Pass
				-20	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.873	0.0005	-2.5 to 2.5	Pass
				10	3.85	-5.622	-0.0030	-2.5 to 2.5	Pass
				30	3.85	0.615	0.0003	-2.5 to 2.5	Pass
				40	3.85	-4.191	-0.0023	-2.5 to 2.5	Pass
				50	3.85	4.063	0.0022	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-4.134	-0.0022	-2.5 to 2.5	Pass
					3.85	-2.446	-0.0013	-2.5 to 2.5	Pass
					4.43	-5.107	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	2.189	0.0012	-2.5 to 2.5	Pass
				-20	3.85	4.449	0.0024	-2.5 to 2.5	Pass
				-10	3.85	1.073	0.0006	-2.5 to 2.5	Pass
				0	3.85	-2.718	-0.0014	-2.5 to 2.5	Pass
				10	3.85	10.800	0.0057	-2.5 to 2.5	Pass
				30	3.85	-4.377	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-5.293	-0.0028	-2.5 to 2.5	Pass
				50	3.85	3.705	0.0020	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	6.838	0.0036	-2.5 to 2.5	Pass
					3.85	5.965	0.0031	-2.5 to 2.5	Pass
					4.43	-6.137	-0.0032	-2.5 to 2.5	Pass
				-30	3.85	2.890	0.0015	-2.5 to 2.5	Pass
				-20	3.85	4.077	0.0021	-2.5 to 2.5	Pass
				-10	3.85	6.437	0.0034	-2.5 to 2.5	Pass
				0	3.85	-4.320	-0.0023	-2.5 to 2.5	Pass
				10	3.85	0.401	0.0002	-2.5 to 2.5	Pass
				30	3.85	-2.789	-0.0015	-2.5 to 2.5	Pass
				40	3.85	4.821	0.0025	-2.5 to 2.5	Pass
				50	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-1.359	-0.0007	-2.5 to 2.5	Pass
					3.85	-2.117	-0.0011	-2.5 to 2.5	Pass
					4.43	0.629	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-1.903	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	1.688	0.0009	-2.5 to 2.5	Pass
				-10	3.85	3.333	0.0018	-2.5 to 2.5	Pass
				0	3.85	2.861	0.0015	-2.5 to 2.5	Pass
				10	3.85	4.020	0.0022	-2.5 to 2.5	Pass
				30	3.85	1.845	0.0010	-2.5 to 2.5	Pass
				40	3.85	1.860	0.0010	-2.5 to 2.5	Pass
				50	3.85	-0.715	-0.0004	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	4.120	0.0022	-2.5 to 2.5	Pass
					3.85	8.397	0.0045	-2.5 to 2.5	Pass
					4.43	-0.072	0.0000	-2.5 to 2.5	Pass
				-30	3.85	8.626	0.0046	-2.5 to 2.5	Pass
				-20	3.85	6.323	0.0034	-2.5 to 2.5	Pass
				-10	3.85	5.665	0.0030	-2.5 to 2.5	Pass
				0	3.85	0.801	0.0004	-2.5 to 2.5	Pass
				10	3.85	3.948	0.0021	-2.5 to 2.5	Pass
				30	3.85	6.452	0.0034	-2.5 to 2.5	Pass
				40	3.85	0.086	0.0000	-2.5 to 2.5	Pass
				50	3.85	5.922	0.0032	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	1.574	0.0008	-2.5 to 2.5	Pass
					3.85	4.120	0.0022	-2.5 to 2.5	Pass
					4.43	1.702	0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.143	0.0001	-2.5 to 2.5	Pass
				-20	3.85	5.393	0.0028	-2.5 to 2.5	Pass
				-10	3.85	-2.747	-0.0014	-2.5 to 2.5	Pass
				0	3.85	0.143	0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass
				30	3.85	1.302	0.0007	-2.5 to 2.5	Pass
				40	3.85	2.246	0.0012	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.27	-2.360	-0.0013	-2.5 to 2.5	Pass
					3.85	0.758	0.0004	-2.5 to 2.5	Pass
					4.43	5.050	0.0027	-2.5 to 2.5	Pass
				-30	3.85	2.589	0.0014	-2.5 to 2.5	Pass
				-20	3.85	4.048	0.0022	-2.5 to 2.5	Pass
				-10	3.85	3.433	0.0019	-2.5 to 2.5	Pass
				0	3.85	5.422	0.0029	-2.5 to 2.5	Pass
				10	3.85	5.078	0.0027	-2.5 to 2.5	Pass
				30	3.85	-0.815	-0.0004	-2.5 to 2.5	Pass
				40	3.85	0.801	0.0004	-2.5 to 2.5	Pass
				50	3.85	1.688	0.0009	-2.5 to 2.5	Pass
	1880	50	0	20	3.27	1.431	0.0008	-2.5 to 2.5	Pass
					3.85	-0.815	-0.0004	-2.5 to 2.5	Pass
					4.43	1.316	0.0007	-2.5 to 2.5	Pass
				-30	3.85	-4.306	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.629	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.257	0.0001	-2.5 to 2.5	Pass
				10	3.85	1.502	0.0008	-2.5 to 2.5	Pass

	1905	50	0	30	3.85	3.734	0.0020	-2.5 to 2.5	Pass
				40	3.85	4.163	0.0022	-2.5 to 2.5	Pass
				50	3.85	9.842	0.0052	-2.5 to 2.5	Pass
				20	3.27	0.415	0.0002	-2.5 to 2.5	Pass
					3.85	5.565	0.0029	-2.5 to 2.5	Pass
					4.43	6.852	0.0036	-2.5 to 2.5	Pass
				-30	3.85	1.330	0.0007	-2.5 to 2.5	Pass
				-20	3.85	3.791	0.0020	-2.5 to 2.5	Pass
				-10	3.85	6.738	0.0035	-2.5 to 2.5	Pass
				0	3.85	0.758	0.0004	-2.5 to 2.5	Pass
				10	3.85	2.275	0.0012	-2.5 to 2.5	Pass
				30	3.85	1.674	0.0009	-2.5 to 2.5	Pass
				40	3.85	1.388	0.0007	-2.5 to 2.5	Pass
				50	3.85	-2.561	-0.0013	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	-5.550	-0.0030	-2.5 to 2.5	Pass
					3.85	-3.104	-0.0017	-2.5 to 2.5	Pass
					4.43	0.830	0.0004	-2.5 to 2.5	Pass
				-30	3.85	2.203	0.0012	-2.5 to 2.5	Pass
				-20	3.85	-2.875	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.85	0.973	0.0005	-2.5 to 2.5	Pass
				10	3.85	-1.688	-0.0009	-2.5 to 2.5	Pass
				30	3.85	2.947	0.0016	-2.5 to 2.5	Pass
				40	3.85	-2.503	-0.0013	-2.5 to 2.5	Pass
				50	3.85	2.131	0.0011	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	4.678	0.0025	-2.5 to 2.5	Pass
					3.85	3.376	0.0018	-2.5 to 2.5	Pass
					4.43	2.804	0.0015	-2.5 to 2.5	Pass
				-30	3.85	0.300	0.0002	-2.5 to 2.5	Pass
				-20	3.85	4.935	0.0026	-2.5 to 2.5	Pass
				-10	3.85	3.691	0.0020	-2.5 to 2.5	Pass
				0	3.85	-1.073	-0.0006	-2.5 to 2.5	Pass
				10	3.85	0.887	0.0005	-2.5 to 2.5	Pass
				30	3.85	3.204	0.0017	-2.5 to 2.5	Pass
				40	3.85	3.777	0.0020	-2.5 to 2.5	Pass
				50	3.85	4.234	0.0023	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-2.375	-0.0012	-2.5 to 2.5	Pass
					3.85	-1.459	-0.0008	-2.5 to 2.5	Pass
					4.43	-1.473	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-1.030	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.672	-0.0004	-2.5 to 2.5	Pass
				-10	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass
				0	3.85	-0.615	-0.0003	-2.5 to 2.5	Pass
				10	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				30	3.85	1.731	0.0009	-2.5 to 2.5	Pass
				40	3.85	5.221	0.0027	-2.5 to 2.5	Pass
				50	3.85	1.187	0.0006	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.27	0.186	0.0001	-2.5 to 2.5	Pass
					3.85	0.401	0.0002	-2.5 to 2.5	Pass
					4.43	0.572	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-2.017	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	0.100	0.0001	-2.5 to 2.5	Pass

				-10	3.85	2.375	0.0013	-2.5 to 2.5	Pass
				0	3.85	0.801	0.0004	-2.5 to 2.5	Pass
				10	3.85	-4.320	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-1.860	-0.0010	-2.5 to 2.5	Pass
				40	3.85	0.300	0.0002	-2.5 to 2.5	Pass
				50	3.85	-3.877	-0.0021	-2.5 to 2.5	Pass
	1880	75	0	20	3.27	3.476	0.0018	-2.5 to 2.5	Pass
					3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
					4.43	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.85	5.507	0.0029	-2.5 to 2.5	Pass
				-20	3.85	2.732	0.0015	-2.5 to 2.5	Pass
				-10	3.85	1.459	0.0008	-2.5 to 2.5	Pass
				0	3.85	6.967	0.0037	-2.5 to 2.5	Pass
				10	3.85	3.662	0.0019	-2.5 to 2.5	Pass
				30	3.85	6.008	0.0032	-2.5 to 2.5	Pass
				40	3.85	2.789	0.0015	-2.5 to 2.5	Pass
				50	3.85	2.389	0.0013	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	2.503	0.0013	-2.5 to 2.5	Pass
					3.85	4.292	0.0023	-2.5 to 2.5	Pass
					4.43	5.350	0.0028	-2.5 to 2.5	Pass
				-30	3.85	0.415	0.0002	-2.5 to 2.5	Pass
				-20	3.85	0.701	0.0004	-2.5 to 2.5	Pass
				-10	3.85	2.546	0.0013	-2.5 to 2.5	Pass
				0	3.85	1.130	0.0006	-2.5 to 2.5	Pass
				10	3.85	3.104	0.0016	-2.5 to 2.5	Pass
				30	3.85	2.689	0.0014	-2.5 to 2.5	Pass
				40	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				50	3.85	2.189	0.0012	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	1.502	0.0008	-2.5 to 2.5	Pass
					3.85	1.159	0.0006	-2.5 to 2.5	Pass
					4.43	2.131	0.0011	-2.5 to 2.5	Pass
				-30	3.85	4.549	0.0024	-2.5 to 2.5	Pass
				-20	3.85	2.174	0.0012	-2.5 to 2.5	Pass
				-10	3.85	0.200	0.0001	-2.5 to 2.5	Pass
				0	3.85	3.977	0.0021	-2.5 to 2.5	Pass
				10	3.85	2.575	0.0014	-2.5 to 2.5	Pass
				30	3.85	3.204	0.0017	-2.5 to 2.5	Pass
				40	3.85	3.648	0.0020	-2.5 to 2.5	Pass
				50	3.85	2.389	0.0013	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	5.379	0.0029	-2.5 to 2.5	Pass
					3.85	8.426	0.0045	-2.5 to 2.5	Pass
					4.43	6.609	0.0035	-2.5 to 2.5	Pass
				-30	3.85	0.172	0.0001	-2.5 to 2.5	Pass
				-20	3.85	6.409	0.0034	-2.5 to 2.5	Pass
				-10	3.85	5.336	0.0028	-2.5 to 2.5	Pass
				0	3.85	6.437	0.0034	-2.5 to 2.5	Pass
				10	3.85	3.233	0.0017	-2.5 to 2.5	Pass
				30	3.85	2.232	0.0012	-2.5 to 2.5	Pass
				40	3.85	4.363	0.0023	-2.5 to 2.5	Pass
				50	3.85	3.319	0.0018	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-0.701	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.944	-0.0005	-2.5 to 2.5	Pass

16QAM	1860	100	0		4.43	-0.415	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.744	0.0004	-2.5 to 2.5	Pass
				-20	3.85	1.416	0.0007	-2.5 to 2.5	Pass
				-10	3.85	5.136	0.0027	-2.5 to 2.5	Pass
				0	3.85	3.147	0.0017	-2.5 to 2.5	Pass
				10	3.85	5.407	0.0028	-2.5 to 2.5	Pass
				30	3.85	4.034	0.0021	-2.5 to 2.5	Pass
				40	3.85	1.216	0.0006	-2.5 to 2.5	Pass
				50	3.85	7.010	0.0037	-2.5 to 2.5	Pass
				20	3.27	1.674	0.0009	-2.5 to 2.5	Pass
					3.85	3.347	0.0018	-2.5 to 2.5	Pass
					4.43	2.947	0.0016	-2.5 to 2.5	Pass
				-30	3.85	-0.358	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	2.403	0.0013	-2.5 to 2.5	Pass
				-10	3.85	0.372	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.615	0.0003	-2.5 to 2.5	Pass
				10	3.85	3.333	0.0018	-2.5 to 2.5	Pass
				30	3.85	1.173	0.0006	-2.5 to 2.5	Pass
				40	3.85	1.144	0.0006	-2.5 to 2.5	Pass
				50	3.85	-2.317	-0.0012	-2.5 to 2.5	Pass
16QAM	1880	100	0	20	3.27	2.604	0.0014	-2.5 to 2.5	Pass
					3.85	1.316	0.0007	-2.5 to 2.5	Pass
					4.43	3.076	0.0016	-2.5 to 2.5	Pass
				-30	3.85	2.203	0.0012	-2.5 to 2.5	Pass
				-20	3.85	2.503	0.0013	-2.5 to 2.5	Pass
				-10	3.85	2.847	0.0015	-2.5 to 2.5	Pass
				0	3.85	1.030	0.0005	-2.5 to 2.5	Pass
				10	3.85	3.562	0.0019	-2.5 to 2.5	Pass
				30	3.85	3.662	0.0019	-2.5 to 2.5	Pass
				40	3.85	3.333	0.0018	-2.5 to 2.5	Pass
				50	3.85	2.661	0.0014	-2.5 to 2.5	Pass
				20	3.27	5.751	0.0030	-2.5 to 2.5	Pass
					3.85	3.347	0.0018	-2.5 to 2.5	Pass
					4.43	-1.173	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-3.762	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	3.262	0.0017	-2.5 to 2.5	Pass
				-10	3.85	-1.230	-0.0006	-2.5 to 2.5	Pass
				0	3.85	0.758	0.0004	-2.5 to 2.5	Pass
				10	3.85	3.605	0.0019	-2.5 to 2.5	Pass
				30	3.85	0.544	0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.987	-0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.930	-0.0005	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	1880	6	0	Refer To Test Graph	Pass
16QAM	1880	6	0	Refer To Test Graph	Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBV

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.081	/	Pass
		1880	6	0	1.083	/	Pass
		1909.3	6	0	1.088	/	Pass
	16QAM	1850.7	6	0	1.092	/	Pass
		1880	6	0	1.083	/	Pass
		1909.3	6	0	1.088	/	Pass
3	QPSK	1851.5	15	0	2.687	/	Pass
		1880	15	0	2.678	/	Pass
		1908.5	15	0	2.684	/	Pass
	16QAM	1851.5	15	0	2.680	/	Pass
		1880	15	0	2.683	/	Pass
		1908.5	15	0	2.682	/	Pass
5	QPSK	1852.5	25	0	4.502	/	Pass
		1880	25	0	4.515	/	Pass
		1907.5	25	0	4.533	/	Pass
	16QAM	1852.5	25	0	4.511	/	Pass
		1880	25	0	4.524	/	Pass
		1907.5	25	0	4.507	/	Pass
10	QPSK	1855	50	0	8.960	/	Pass
		1880	50	0	8.946	/	Pass
		1905	50	0	8.972	/	Pass
	16QAM	1855	50	0	8.962	/	Pass
		1880	50	0	8.950	/	Pass
		1905	50	0	8.946	/	Pass
15	QPSK	1857.5	75	0	13.446	/	Pass
		1880	75	0	13.435	/	Pass
		1902.5	75	0	13.498	/	Pass
	16QAM	1857.5	75	0	13.423	/	Pass
		1880	75	0	13.432	/	Pass
		1902.5	75	0	13.475	/	Pass
20	QPSK	1860	100	0	17.892	/	Pass
		1880	100	0	17.882	/	Pass
		1900	100	0	17.900	/	Pass
	16QAM	1860	100	0	17.866	/	Pass
		1880	100	0	17.878	/	Pass
		1900	100	0	17.949	/	Pass

4.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.262	/	Pass
		1880	6	0	1.289	/	Pass
		1909.3	6	0	1.255	/	Pass

	16QAM	1850.7	6	0	1.284	/	Pass
		1880	6	0	1.251	/	Pass
		1909.3	6	0	1.288	/	Pass
3	QPSK	1851.5	15	0	2.887	/	Pass
		1880	15	0	2.873	/	Pass
		1908.5	15	0	2.859	/	Pass
	16QAM	1851.5	15	0	2.885	/	Pass
		1880	15	0	2.897	/	Pass
		1908.5	15	0	2.883	/	Pass
5	QPSK	1852.5	25	0	4.954	/	Pass
		1880	25	0	4.925	/	Pass
		1907.5	25	0	4.945	/	Pass
	16QAM	1852.5	25	0	5.011	/	Pass
		1880	25	0	4.979	/	Pass
		1907.5	25	0	4.948	/	Pass
10	QPSK	1855	50	0	9.654	/	Pass
		1880	50	0	9.556	/	Pass
		1905	50	0	9.675	/	Pass
	16QAM	1855	50	0	9.602	/	Pass
		1880	50	0	9.626	/	Pass
		1905	50	0	9.551	/	Pass
15	QPSK	1857.5	75	0	14.524	/	Pass
		1880	75	0	14.515	/	Pass
		1902.5	75	0	14.454	/	Pass
	16QAM	1857.5	75	0	14.374	/	Pass
		1880	75	0	14.460	/	Pass
		1902.5	75	0	14.545	/	Pass
20	QPSK	1860	100	0	19.345	/	Pass
		1880	100	0	18.988	/	Pass
		1900	100	0	19.036	/	Pass
	16QAM	1860	100	0	18.997	/	Pass
		1880	100	0	19.068	/	Pass
		1900	100	0	19.103	/	Pass


4.2 Test Graph

4.2.1 Band2_OBW


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV




4.2.2 Band2_XDB


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2 10MHz QPSK LCH 1855MHz RB 50 0 NTNV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.53	<=13	Pass
	1880	6	0	5.78	<=13	Pass
	1909.3	6	0	4.97	<=13	Pass
16QAM	1850.7	6	0	6.36	<=13	Pass
	1880	6	0	6.46	<=13	Pass
	1909.3	6	0	5.78	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.69	<=13	Pass
	1880	15	0	5.78	<=13	Pass
	1908.5	15	0	5.35	<=13	Pass
16QAM	1851.5	15	0	6.48	<=13	Pass
	1880	15	0	6.60	<=13	Pass
	1908.5	15	0	6.14	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.72	<=13	Pass
	1880	25	0	5.85	<=13	Pass
	1907.5	25	0	5.61	<=13	Pass
16QAM	1852.5	25	0	6.46	<=13	Pass
	1880	25	0	6.53	<=13	Pass
	1907.5	25	0	6.27	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.69	<=13	Pass
	1880	50	0	5.78	<=13	Pass
	1905	50	0	5.69	<=13	Pass
16QAM	1855	50	0	6.44	<=13	Pass
	1880	50	0	6.56	<=13	Pass
	1905	50	0	6.40	<=13	Pass

5.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.21	<=13	Pass
	1880	75	0	5.27	<=13	Pass
	1902.5	75	0	5.37	<=13	Pass
16QAM	1857.5	75	0	6.28	<=13	Pass
	1880	75	0	6.34	<=13	Pass
	1902.5	75	0	6.30	<=13	Pass


5.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.63	<=13	Pass
	1880	100	0	5.66	<=13	Pass
	1900	100	0	5.65	<=13	Pass
16QAM	1860	100	0	6.60	<=13	Pass
	1880	100	0	6.64	<=13	Pass
	1900	100	0	6.67	<=13	Pass


5.2 Test Graph

5.2.1 B2_1.4MHz


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV



Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_6_0_NTNV




5.2.2 B2_3MHz


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV



Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV




5.2.3 B2_5MHz


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV



Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




5.2.4 B2_10MHz


Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV



Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




5.2.5 B2_15MHz


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV



Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




5.2.6 B2_20MHz


Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV




Band2_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_MCH_1880MHz_RB_100_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

	1880	1	0	Refer To Test Graph	Pass
	1907.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass




		100	0	Refer To Test Graph	Pass
--	--	-----	---	---------------------	------

6.2 Test Graph


6.2.1 B2_1.4MHz

Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.458	-45.48	-13	Pass
1849	1850	0.003	/	2	1849.995	-43.43	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-42.07	-13	Pass
1849	1850	0.02	/	2	1849.994	-43.56	-13	Pass
1850	1853	0.02	/	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-42.05	-13	Pass
1911	1913	1	CHP	2	1911.502	-44.61	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.02	/	/	/	/	/	/
1910	1911	0.02	/	1	1910.078	-41.89	-13	Pass
1911	1913	1	CHP	2	1911.500	-41.05	-13	Pass

Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.470	-46.77	-13	Pass
1849	1850	0.003	/	2	1849.995	-43.45	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_LCH_1850.7MHz_RB_1_0_NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_16QAM_HCH_1909.3MHz_RB_1_0_NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 1 5 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-44.21	-13	Pass
1911	1913	1	CHP	2	1911.500	-45.86	-13	Pass


Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.02	/	/	/	/	/	/
1910	1911	0.02	/	1	1910.024	-42.07	-13	Pass
1911	1913	1	CHP	2	1911.500	-42.04	-13	Pass


6.2.2 B2_3MHz

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.498	-50.05	-13	Pass
1849	1850	0.003	/	2	1849.998	-44.60	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.030	-44.23	-13	Pass
1911	1913	1	CHP	2	1911.500	-36.45	-13	Pass

Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.497	-50.32	-13	Pass
1849	1850	0.003	/	2	1849.998	-45.13	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-39.82	-13	Pass
1849	1850	0.03	/	2	1849.994	-48.75	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_16QAM_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-42.97	-13	Pass
1911	1913	1	CHP	2	1911.509	-49.69	-13	Pass


Band2_3MHz_16QAM_HCH_1908.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-45.27	-13	Pass
1911	1913	1	CHP	2	1911.500	-37.75	-13	Pass


6.2.3 B2_5MHz

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.474	-49.26	-13	Pass
1849	1850	0.003	/	2	1849.988	-44.00	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	ChIP	1	1848.500	-42.26	-13	Pass
1849	1850	0.1	/	2	1849.980	-43.05	-13	Pass
1850	1855	0.1	/	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-44.45	-13	Pass
1911	1915	1	CHP	2	1911.500	-48.71	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.010	-43.23	-13	Pass
1911	1915	1	CHP	2	1911.500	-37.43	-13	Pass

Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.494	-49.51	-13	Pass
1849	1850	0.003	/	2	1849.986	-46.16	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-43.75	-13	Pass
1911	1915	1	CHP	2	1911.500	-49.47	-13	Pass


Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.060	-43.50	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.57	-13	Pass


6.2.4 B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-50.13	-13	Pass
1849	1850	0.003	/	2	1849.986	-50.40	-13	Pass
1850	1860	0.003	/	/	/	/	/	/

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV

