



1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.26	-4.51	16.60	<=38.45	Pass
			2	23.31	-4.51	16.65	<=38.45	Pass
			5	23.23	-4.51	16.57	<=38.45	Pass
		3	0	23.79	-4.51	17.13	<=38.45	Pass
			2	23.79	-4.51	17.13	<=38.45	Pass
			3	23.79	-4.51	17.13	<=38.45	Pass
		6	0	22.74	-4.51	16.08	<=38.45	Pass
	836.5	1	0	23.31	-4.51	16.65	<=38.45	Pass
			2	23.34	-4.51	16.68	<=38.45	Pass
			5	23.31	-4.51	16.65	<=38.45	Pass
		3	0	23.79	-4.51	17.13	<=38.45	Pass
			2	23.80	-4.51	17.14	<=38.45	Pass
			3	23.77	-4.51	17.11	<=38.45	Pass
		6	0	22.82	-4.51	16.16	<=38.45	Pass
	848.3	1	0	23.24	-4.51	16.58	<=38.45	Pass
			2	23.28	-4.51	16.62	<=38.45	Pass
			5	23.27	-4.51	16.61	<=38.45	Pass
		3	0	23.66	-4.51	17.00	<=38.45	Pass
			2	23.63	-4.51	16.97	<=38.45	Pass
			3	23.67	-4.51	17.01	<=38.45	Pass
		6	0	22.70	-4.51	16.04	<=38.45	Pass
16QAM	824.7	1	0	22.22	-4.51	15.56	<=38.45	Pass
			2	22.24	-4.51	15.58	<=38.45	Pass
			5	22.25	-4.51	15.59	<=38.45	Pass
		3	0	22.76	-4.51	16.10	<=38.45	Pass
			2	22.76	-4.51	16.10	<=38.45	Pass
			3	22.76	-4.51	16.10	<=38.45	Pass
		6	0	21.72	-4.51	15.06	<=38.45	Pass
	836.5	1	0	22.45	-4.51	15.79	<=38.45	Pass
			2	22.43	-4.51	15.77	<=38.45	Pass
			5	22.49	-4.51	15.83	<=38.45	Pass
		3	0	23.01	-4.51	16.35	<=38.45	Pass
			2	23.01	-4.51	16.35	<=38.45	Pass
			3	23.01	-4.51	16.35	<=38.45	Pass
		6	0	21.77	-4.51	15.11	<=38.45	Pass
	848.3	1	0	22.06	-4.51	15.40	<=38.45	Pass
			2	22.14	-4.51	15.48	<=38.45	Pass
			5	22.12	-4.51	15.46	<=38.45	Pass
		3	0	22.90	-4.51	16.24	<=38.45	Pass
			2	22.92	-4.51	16.26	<=38.45	Pass
			3	22.94	-4.51	16.28	<=38.45	Pass
		6	0	21.73	-4.51	15.07	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15



Band: 26b / Bandwidth: 3MHz / NTN-V

Note1: ERP=Conducted Power+Antenna Gain-2.15

Band: 26b / Bandwidth: 5MHz / NTN-V

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.24	-4.51	16.58	<=38.45	Pass
			13	23.25	-4.51	16.59	<=38.45	Pass
			24	23.32	-4.51	16.66	<=38.45	Pass
		12	0	22.74	-4.51	16.08	<=38.45	Pass

16QAM	836.5	25	6	22.73	-4.51	16.07	<=38.45	Pass
			13	22.74	-4.51	16.08	<=38.45	Pass
			0	22.81	-4.51	16.15	<=38.45	Pass
		1	0	23.42	-4.51	16.76	<=38.45	Pass
			13	23.36	-4.51	16.70	<=38.45	Pass
			24	23.47	-4.51	16.81	<=38.45	Pass
		12	0	22.90	-4.51	16.24	<=38.45	Pass
			6	22.88	-4.51	16.22	<=38.45	Pass
			13	22.84	-4.51	16.18	<=38.45	Pass
		25	0	22.87	-4.51	16.21	<=38.45	Pass
	846.5	1	0	23.31	-4.51	16.65	<=38.45	Pass
			13	23.22	-4.51	16.56	<=38.45	Pass
			24	23.36	-4.51	16.70	<=38.45	Pass
		12	0	22.82	-4.51	16.16	<=38.45	Pass
			6	22.70	-4.51	16.04	<=38.45	Pass
			13	22.68	-4.51	16.02	<=38.45	Pass
		25	0	22.83	-4.51	16.17	<=38.45	Pass
	826.5	1	0	22.48	-4.51	15.82	<=38.45	Pass
			13	22.46	-4.51	15.80	<=38.45	Pass
			24	22.55	-4.51	15.89	<=38.45	Pass
		12	0	21.78	-4.51	15.12	<=38.45	Pass
			6	21.78	-4.51	15.12	<=38.45	Pass
			13	21.79	-4.51	15.13	<=38.45	Pass
		25	0	21.82	-4.51	15.16	<=38.45	Pass
	836.5	1	0	22.58	-4.51	15.92	<=38.45	Pass
			13	22.45	-4.51	15.79	<=38.45	Pass
			24	22.58	-4.51	15.92	<=38.45	Pass
		12	0	21.77	-4.51	15.11	<=38.45	Pass
			6	21.78	-4.51	15.12	<=38.45	Pass
			13	21.78	-4.51	15.12	<=38.45	Pass
		25	0	21.83	-4.51	15.17	<=38.45	Pass
	846.5	1	0	22.42	-4.51	15.76	<=38.45	Pass
			13	22.37	-4.51	15.71	<=38.45	Pass
			24	22.39	-4.51	15.73	<=38.45	Pass
		12	0	21.80	-4.51	15.14	<=38.45	Pass
			6	21.70	-4.51	15.04	<=38.45	Pass
			13	21.69	-4.51	15.03	<=38.45	Pass
		25	0	21.81	-4.51	15.15	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.28	-4.51	16.62	<=38.45	Pass
			25	23.41	-4.51	16.75	<=38.45	Pass
			49	23.39	-4.51	16.73	<=38.45	Pass
		25	0	22.85	-4.51	16.19	<=38.45	Pass
			13	22.85	-4.51	16.19	<=38.45	Pass
			25	22.80	-4.51	16.14	<=38.45	Pass
		50	0	22.86	-4.51	16.20	<=38.45	Pass
	836.5	1	0	23.33	-4.51	16.67	<=38.45	Pass
			25	23.39	-4.51	16.73	<=38.45	Pass
			49	23.34	-4.51	16.68	<=38.45	Pass
		25	0	22.87	-4.51	16.21	<=38.45	Pass
			13	22.87	-4.51	16.21	<=38.45	Pass



16QAM	844	50	25	22.89	-4.51	16.23	<=38.45	Pass
			0	22.95	-4.51	16.29	<=38.45	Pass
			49	23.23	-4.51	16.57	<=38.45	Pass
		25	0	23.35	-4.51	16.69	<=38.45	Pass
			25	23.32	-4.51	16.66	<=38.45	Pass
			49	23.23	-4.51	16.57	<=38.45	Pass
		1	0	22.90	-4.51	16.24	<=38.45	Pass
			13	22.78	-4.51	16.12	<=38.45	Pass
			25	22.67	-4.51	16.01	<=38.45	Pass
16QAM	829	50	0	22.86	-4.51	16.20	<=38.45	Pass
			25	22.15	-4.51	15.49	<=38.45	Pass
			49	22.29	-4.51	15.63	<=38.45	Pass
		25	0	22.31	-4.51	15.65	<=38.45	Pass
			13	21.84	-4.51	15.18	<=38.45	Pass
			25	21.84	-4.51	15.18	<=38.45	Pass
		1	0	21.80	-4.51	15.14	<=38.45	Pass
			13	21.80	-4.51	15.14	<=38.45	Pass
			25	21.82	-4.51	15.16	<=38.45	Pass
16QAM	836.5	50	0	22.44	-4.51	15.78	<=38.45	Pass
			25	22.48	-4.51	15.82	<=38.45	Pass
			49	22.41	-4.51	15.75	<=38.45	Pass
		25	0	22.90	-4.51	15.24	<=38.45	Pass
			13	21.90	-4.51	15.24	<=38.45	Pass
			25	21.92	-4.51	15.26	<=38.45	Pass
		1	0	21.89	-4.51	15.23	<=38.45	Pass
			13	21.89	-4.51	15.23	<=38.45	Pass
			25	21.89	-4.51	15.23	<=38.45	Pass
16QAM	844	50	0	22.51	-4.51	15.85	<=38.45	Pass
			25	22.47	-4.51	15.81	<=38.45	Pass
			49	22.42	-4.51	15.76	<=38.45	Pass
		25	0	21.94	-4.51	15.28	<=38.45	Pass
			13	21.84	-4.51	15.18	<=38.45	Pass
			25	21.71	-4.51	15.05	<=38.45	Pass
		1	0	21.83	-4.51	15.17	<=38.45	Pass
			13	21.83	-4.51	15.17	<=38.45	Pass
			25	21.83	-4.51	15.17	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.26	-4.51	16.60	<=38.45	Pass
			38	23.41	-4.51	16.75	<=38.45	Pass
			74	23.38	-4.51	16.72	<=38.45	Pass
		36	0	22.79	-4.51	16.13	<=38.45	Pass
			18	22.83	-4.51	16.17	<=38.45	Pass
			39	22.82	-4.51	16.16	<=38.45	Pass
		75	0	22.83	-4.51	16.17	<=38.45	Pass
			0	23.22	-4.51	16.56	<=38.45	Pass
			38	23.35	-4.51	16.69	<=38.45	Pass
QPSK	836.5	1	74	23.18	-4.51	16.52	<=38.45	Pass
			0	22.89	-4.51	16.23	<=38.45	Pass
			39	22.81	-4.51	16.15	<=38.45	Pass
		36	18	22.85	-4.51	16.19	<=38.45	Pass
			39	22.81	-4.51	16.15	<=38.45	Pass
			0	22.84	-4.51	16.18	<=38.45	Pass
		75	0	22.84	-4.51	16.18	<=38.45	Pass
			0	23.35	-4.51	16.69	<=38.45	Pass
			38	23.37	-4.51	16.71	<=38.45	Pass
QPSK	841.5	1	74	23.17	-4.51	16.51	<=38.45	Pass
			0	22.75	-4.51	16.09	<=38.45	Pass
			39	22.63	-4.51	15.97	<=38.45	Pass
		36	18	22.78	-4.51	16.12	<=38.45	Pass
			39	22.63	-4.51	15.97	<=38.45	Pass
			0	22.63	-4.51	15.97	<=38.45	Pass



		75	0	22.72	-4.51	16.06	<=38.45	Pass
16QAM	831.5	1	0	22.29	-4.51	15.63	<=38.45	Pass
			38	22.45	-4.51	15.79	<=38.45	Pass
			74	22.45	-4.51	15.79	<=38.45	Pass
			0	21.82	-4.51	15.16	<=38.45	Pass
		36	18	21.84	-4.51	15.18	<=38.45	Pass
			39	21.84	-4.51	15.18	<=38.45	Pass
			75	0	21.81	-4.51	15.15	<=38.45
	836.5	1	0	22.37	-4.51	15.71	<=38.45	Pass
			38	22.45	-4.51	15.79	<=38.45	Pass
			74	22.32	-4.51	15.66	<=38.45	Pass
		36	0	21.87	-4.51	15.21	<=38.45	Pass
			18	21.84	-4.51	15.18	<=38.45	Pass
			39	21.80	-4.51	15.14	<=38.45	Pass
		75	0	21.86	-4.51	15.20	<=38.45	Pass
	841.5	1	0	22.54	-4.51	15.88	<=38.45	Pass
			38	22.53	-4.51	15.87	<=38.45	Pass
			74	22.35	-4.51	15.69	<=38.45	Pass
		36	0	21.80	-4.51	15.14	<=38.45	Pass
			18	21.82	-4.51	15.16	<=38.45	Pass
			39	21.65	-4.51	14.99	<=38.45	Pass
		75	0	21.72	-4.51	15.06	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	1.674	0.0020	-2.5 to 2.5	Pass
					3.85	0.615	0.0007	-2.5 to 2.5	Pass
					4.43	-2.003	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	5.164	0.0063	-2.5 to 2.5	Pass
				-20	3.85	-1.373	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	2.189	0.0027	-2.5 to 2.5	Pass
				0	3.85	4.950	0.0060	-2.5 to 2.5	Pass
				10	3.85	1.602	0.0019	-2.5 to 2.5	Pass
				30	3.85	-2.947	-0.0036	-2.5 to 2.5	Pass
				40	3.85	0.372	0.0005	-2.5 to 2.5	Pass
				50	3.85	-3.676	-0.0045	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	0.443	0.0005	-2.5 to 2.5	Pass
					3.85	6.666	0.0080	-2.5 to 2.5	Pass
					4.43	-2.346	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	3.748	0.0045	-2.5 to 2.5	Pass
				-20	3.85	-1.173	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	0.858	0.0010	-2.5 to 2.5	Pass
				0	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				10	3.85	2.046	0.0024	-2.5 to 2.5	Pass
				30	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				40	3.85	2.904	0.0035	-2.5 to 2.5	Pass
				50	3.85	5.450	0.0065	-2.5 to 2.5	Pass



	848.3	6	0	20	3.27	2.089	0.0025	-2.5 to 2.5	Pass
					3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
					4.43	-0.801	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	4.535	0.0053	-2.5 to 2.5	Pass
				-20	3.85	0.558	0.0007	-2.5 to 2.5	Pass
				-10	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass
				0	3.85	2.389	0.0028	-2.5 to 2.5	Pass
				10	3.85	1.001	0.0012	-2.5 to 2.5	Pass
				30	3.85	7.768	0.0092	-2.5 to 2.5	Pass
				40	3.85	0.114	0.0001	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.27	-3.433	-0.0042	-2.5 to 2.5	Pass
					3.85	1.988	0.0024	-2.5 to 2.5	Pass
					4.43	0.114	0.0001	-2.5 to 2.5	Pass
				-30	3.85	1.874	0.0023	-2.5 to 2.5	Pass
				-20	3.85	-3.891	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	1.845	0.0022	-2.5 to 2.5	Pass
				0	3.85	-1.731	-0.0021	-2.5 to 2.5	Pass
				10	3.85	0.701	0.0009	-2.5 to 2.5	Pass
				30	3.85	-2.747	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-2.847	-0.0035	-2.5 to 2.5	Pass
	836.5	6	0	20	3.27	-3.304	-0.0039	-2.5 to 2.5	Pass
					3.85	1.631	0.0019	-2.5 to 2.5	Pass
					4.43	0.787	0.0009	-2.5 to 2.5	Pass
				-30	3.85	-2.518	-0.0030	-2.5 to 2.5	Pass
				-20	3.85	-2.475	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				10	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-0.801	-0.0010	-2.5 to 2.5	Pass
				40	3.85	0.100	0.0001	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	0.558	0.0007	-2.5 to 2.5	Pass
					3.85	-1.974	-0.0023	-2.5 to 2.5	Pass
					4.43	-2.561	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	0.873	0.0010	-2.5 to 2.5	Pass
				-20	3.85	1.316	0.0016	-2.5 to 2.5	Pass
				-10	3.85	0.601	0.0007	-2.5 to 2.5	Pass
				0	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				10	3.85	4.034	0.0048	-2.5 to 2.5	Pass
				30	3.85	1.688	0.0020	-2.5 to 2.5	Pass
				40	3.85	5.679	0.0067	-2.5 to 2.5	Pass
				50	3.85	1.945	0.0023	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	6.137	0.0074	-2.5 to 2.5	Pass
					3.85	5.279	0.0064	-2.5 to 2.5	Pass
					4.43	-4.864	-0.0059	-2.5 to 2.5	Pass
				-30	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	3.519	0.0043	-2.5 to 2.5	Pass
				-10	3.85	4.163	0.0050	-2.5 to 2.5	Pass
				0	3.85	-3.791	-0.0046	-2.5 to 2.5	Pass



				10	3.85	-2.389	-0.0029	-2.5 to 2.5	Pass
				30	3.85	3.920	0.0047	-2.5 to 2.5	Pass
				40	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-3.963	-0.0047	-2.5 to 2.5	Pass
					3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
					4.43	-5.021	-0.0060	-2.5 to 2.5	Pass
				-30	3.85	-2.775	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	1.216	0.0015	-2.5 to 2.5	Pass
				0	3.85	-2.675	-0.0032	-2.5 to 2.5	Pass
				10	3.85	-3.748	-0.0045	-2.5 to 2.5	Pass
				30	3.85	-2.389	-0.0029	-2.5 to 2.5	Pass
				40	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
				50	3.85	-1.545	-0.0018	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	0.343	0.0004	-2.5 to 2.5	Pass
					3.85	-3.905	-0.0046	-2.5 to 2.5	Pass
					4.43	-0.930	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-2.146	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	2.389	0.0028	-2.5 to 2.5	Pass
				0	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-2.332	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-3.805	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-3.204	-0.0038	-2.5 to 2.5	Pass
				50	3.85	1.745	0.0021	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.27	0.587	0.0007	-2.5 to 2.5	Pass
					3.85	1.016	0.0012	-2.5 to 2.5	Pass
					4.43	1.216	0.0015	-2.5 to 2.5	Pass
				-30	3.85	-0.587	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-4.420	-0.0054	-2.5 to 2.5	Pass
				-10	3.85	0.858	0.0010	-2.5 to 2.5	Pass
				0	3.85	1.931	0.0023	-2.5 to 2.5	Pass
				10	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass
				30	3.85	-4.821	-0.0058	-2.5 to 2.5	Pass
				40	3.85	0.472	0.0006	-2.5 to 2.5	Pass
				50	3.85	3.433	0.0042	-2.5 to 2.5	Pass
	836.5	15	0	20	3.27	-4.435	-0.0053	-2.5 to 2.5	Pass
					3.85	0.958	0.0011	-2.5 to 2.5	Pass
					4.43	-0.644	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	2.260	0.0027	-2.5 to 2.5	Pass
				-20	3.85	-1.888	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				0	3.85	-3.362	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-2.489	-0.0030	-2.5 to 2.5	Pass
				30	3.85	1.144	0.0014	-2.5 to 2.5	Pass
				40	3.85	-0.916	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-4.363	-0.0052	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-1.216	-0.0014	-2.5 to 2.5	Pass
					3.85	-1.602	-0.0019	-2.5 to 2.5	Pass
					4.43	0.472	0.0006	-2.5 to 2.5	Pass
				-30	3.85	0.958	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
				0	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.358	-0.0004	-2.5 to 2.5	Pass
				30	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				40	3.85	0.615	0.0007	-2.5 to 2.5	Pass



				50	3.85	1.545	0.0018	-2.5 to 2.5	Pass
--	--	--	--	----	------	-------	--------	-------------	------

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	0.029	0.0000	-2.5 to 2.5	Pass
					3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
					4.43	-0.029	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-1.688	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-3.877	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	1.402	0.0017	-2.5 to 2.5	Pass
				0	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-2.332	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-3.033	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-2.418	-0.0029	-2.5 to 2.5	Pass
				50	3.85	2.804	0.0034	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-1.802	-0.0022	-2.5 to 2.5	Pass
					3.85	3.963	0.0047	-2.5 to 2.5	Pass
					4.43	1.159	0.0014	-2.5 to 2.5	Pass
				-30	3.85	3.018	0.0036	-2.5 to 2.5	Pass
				-20	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	3.018	0.0036	-2.5 to 2.5	Pass
				0	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				10	3.85	0.029	0.0000	-2.5 to 2.5	Pass
				30	3.85	0.200	0.0002	-2.5 to 2.5	Pass
				40	3.85	-3.004	-0.0036	-2.5 to 2.5	Pass
				50	3.85	0.558	0.0007	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-0.157	-0.0002	-2.5 to 2.5	Pass
					3.85	-2.303	-0.0027	-2.5 to 2.5	Pass
					4.43	0.944	0.0011	-2.5 to 2.5	Pass
				-30	3.85	-4.249	-0.0050	-2.5 to 2.5	Pass
				-20	3.85	-2.046	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-1.545	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-3.748	-0.0044	-2.5 to 2.5	Pass
				10	3.85	1.945	0.0023	-2.5 to 2.5	Pass
				30	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-2.503	-0.0030	-2.5 to 2.5	Pass
				50	3.85	-4.878	-0.0058	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.27	-4.134	-0.0050	-2.5 to 2.5	Pass
					3.85	-3.819	-0.0046	-2.5 to 2.5	Pass
					4.43	0.873	0.0011	-2.5 to 2.5	Pass
				-30	3.85	2.017	0.0024	-2.5 to 2.5	Pass
				-20	3.85	1.903	0.0023	-2.5 to 2.5	Pass
				-10	3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				0	3.85	-5.379	-0.0065	-2.5 to 2.5	Pass
				10	3.85	0.315	0.0004	-2.5 to 2.5	Pass
				30	3.85	-1.588	-0.0019	-2.5 to 2.5	Pass
				40	3.85	1.101	0.0013	-2.5 to 2.5	Pass
				50	3.85	-4.950	-0.0060	-2.5 to 2.5	Pass
	836.5	25	0	20	3.27	-1.545	-0.0018	-2.5 to 2.5	Pass
					3.85	-3.018	-0.0036	-2.5 to 2.5	Pass
					4.43	-2.904	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	1.044	0.0012	-2.5 to 2.5	Pass
				-20	3.85	-1.159	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	3.777	0.0045	-2.5 to 2.5	Pass

				0	3.85	-2.089	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-1.202	-0.0014	-2.5 to 2.5	Pass
				30	3.85	4.563	0.0055	-2.5 to 2.5	Pass
				40	3.85	0.272	0.0003	-2.5 to 2.5	Pass
				50	3.85	3.791	0.0045	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-1.187	-0.0014	-2.5 to 2.5	Pass
					3.85	-5.021	-0.0059	-2.5 to 2.5	Pass
					4.43	-2.074	-0.0025	-2.5 to 2.5	Pass
				-30	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-4.735	-0.0056	-2.5 to 2.5	Pass
				-10	3.85	3.147	0.0037	-2.5 to 2.5	Pass
				0	3.85	3.247	0.0038	-2.5 to 2.5	Pass
				10	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				30	3.85	1.073	0.0013	-2.5 to 2.5	Pass
				40	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				50	3.85	-1.302	-0.0015	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	-1.016	-0.0012	-2.5 to 2.5	Pass
					3.85	0.000	0.0000	-2.5 to 2.5	Pass
					4.43	3.347	0.0040	-2.5 to 2.5	Pass
				-30	3.85	0.300	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-1.059	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
				0	3.85	2.718	0.0033	-2.5 to 2.5	Pass
				10	3.85	-0.458	-0.0006	-2.5 to 2.5	Pass
				30	3.85	2.346	0.0028	-2.5 to 2.5	Pass
				40	3.85	0.687	0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.472	-0.0006	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-2.117	-0.0025	-2.5 to 2.5	Pass
					3.85	0.858	0.0010	-2.5 to 2.5	Pass
					4.43	-3.290	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-2.275	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	-2.847	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-3.119	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-5.393	-0.0064	-2.5 to 2.5	Pass
				30	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-3.548	-0.0042	-2.5 to 2.5	Pass
				50	3.85	-4.835	-0.0058	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-0.758	-0.0009	-2.5 to 2.5	Pass
					3.85	-2.418	-0.0029	-2.5 to 2.5	Pass
					4.43	0.501	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-2.203	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-3.061	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	-1.431	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-4.506	-0.0053	-2.5 to 2.5	Pass
				10	3.85	-1.960	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-2.761	-0.0033	-2.5 to 2.5	Pass
				40	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-2.675	-0.0032	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.27	1.402	0.0017	-2.5 to 2.5	Pass
					3.85	0.329	0.0004	-2.5 to 2.5	Pass

					4.43	1.345	0.0016	-2.5 to 2.5	Pass
				-30	3.85	1.345	0.0016	-2.5 to 2.5	Pass
				-20	3.85	1.359	0.0016	-2.5 to 2.5	Pass
				-10	3.85	1.059	0.0013	-2.5 to 2.5	Pass
				0	3.85	3.419	0.0041	-2.5 to 2.5	Pass
				10	3.85	-0.744	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
				40	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
				50	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
	836.5	50	0	20	3.27	-2.532	-0.0030	-2.5 to 2.5	Pass
					3.85	-4.005	-0.0048	-2.5 to 2.5	Pass
					4.43	-2.990	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-3.219	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-1.674	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-2.189	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-0.615	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-2.589	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-2.990	-0.0036	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-3.633	-0.0043	-2.5 to 2.5	Pass
					3.85	-1.073	-0.0013	-2.5 to 2.5	Pass
					4.43	-1.674	-0.0020	-2.5 to 2.5	Pass
				-30	3.85	-1.373	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-3.719	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-1.287	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-2.217	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-3.104	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-2.747	-0.0033	-2.5 to 2.5	Pass
				50	3.85	-0.157	-0.0002	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.27	-1.659	-0.0020	-2.5 to 2.5	Pass
					3.85	-3.748	-0.0045	-2.5 to 2.5	Pass
					4.43	-2.546	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-2.203	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	0.057	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
				0	3.85	0.043	0.0001	-2.5 to 2.5	Pass
				10	3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				40	3.85	1.831	0.0022	-2.5 to 2.5	Pass
				50	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
	836.5	75	0	20	3.27	-0.658	-0.0008	-2.5 to 2.5	Pass
					3.85	-2.403	-0.0029	-2.5 to 2.5	Pass
					4.43	-2.246	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-0.401	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.701	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-1.931	-0.0023	-2.5 to 2.5	Pass

16QAM	841.5	75	0	40	3.85	-2.532	-0.0030	-2.5 to 2.5	Pass
				50	3.85	-1.173	-0.0014	-2.5 to 2.5	Pass
				20	3.27	-2.389	-0.0028	-2.5 to 2.5	Pass
					3.85	-1.431	-0.0017	-2.5 to 2.5	Pass
					4.43	-0.930	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-3.047	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-1.373	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-2.160	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-1.044	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-2.375	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-3.734	-0.0044	-2.5 to 2.5	Pass
				40	3.85	-3.119	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-2.432	-0.0029	-2.5 to 2.5	Pass
	831.5	75	0	20	3.27	-1.087	-0.0013	-2.5 to 2.5	Pass
					3.85	-2.418	-0.0029	-2.5 to 2.5	Pass
					4.43	-1.373	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	0.930	0.0011	-2.5 to 2.5	Pass
				-20	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-2.561	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-4.220	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-1.616	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-1.187	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-1.202	-0.0014	-2.5 to 2.5	Pass
		75	0	20	3.27	-0.315	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.186	-0.0002	-2.5 to 2.5	Pass
					4.43	0.229	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-1.945	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-1.631	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				0	3.85	-0.386	-0.0005	-2.5 to 2.5	Pass
				10	3.85	0.215	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-3.290	-0.0039	-2.5 to 2.5	Pass
					3.85	-3.591	-0.0043	-2.5 to 2.5	Pass
					4.43	-2.446	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-1.001	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-2.575	-0.0031	-2.5 to 2.5	Pass
				-10	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				0	3.85	-2.575	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-0.229	-0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				50	3.85	-3.448	-0.0041	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV				
Modulation	Frequency	RB Allocation	Modulation Characteristics	Verdict

	(MHz)	Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26b_1.4MHz




3.2.2 B26b_3MHz




3.2.3 B26b_5MHz



3.2.4 B26b_10MHz



3.2.5 B26b_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26b_OBW

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.091	/	Pass
		836.5	6	0	1.088	/	Pass
		848.3	6	0	1.085	/	Pass
	16QAM	824.7	6	0	1.087	/	Pass
		836.5	6	0	1.085	/	Pass
		848.3	6	0	1.085	/	Pass
3	QPSK	825.5	15	0	2.682	/	Pass
		836.5	15	0	2.683	/	Pass
		847.5	15	0	2.685	/	Pass
	16QAM	825.5	15	0	2.678	/	Pass
		836.5	15	0	2.683	/	Pass
		847.5	15	0	2.679	/	Pass
5	QPSK	826.5	25	0	4.501	/	Pass
		836.5	25	0	4.510	/	Pass
		846.5	25	0	4.541	/	Pass
	16QAM	826.5	25	0	4.529	/	Pass
		836.5	25	0	4.515	/	Pass
		846.5	25	0	4.503	/	Pass
10	QPSK	829	50	0	8.948	/	Pass
		836.5	50	0	8.956	/	Pass
		844	50	0	8.954	/	Pass
	16QAM	829	50	0	8.965	/	Pass
		836.5	50	0	8.963	/	Pass
		844	50	0	8.954	/	Pass
15	QPSK	831.5	75	0	13.471	/	Pass
		836.5	75	0	13.409	/	Pass
		841.5	75	0	13.405	/	Pass
	16QAM	831.5	75	0	13.460	/	Pass
		836.5	75	0	13.434	/	Pass
		841.5	75	0	13.415	/	Pass


4.1.2 Band26b_XDB

Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.251	/	Pass
		836.5	6	0	1.271	/	Pass
		848.3	6	0	1.253	/	Pass
	16QAM	824.7	6	0	1.268	/	Pass
		836.5	6	0	1.239	/	Pass
		848.3	6	0	1.282	/	Pass
3	QPSK	825.5	15	0	2.899	/	Pass
		836.5	15	0	2.889	/	Pass


	16QAM	847.5	15	0	2.863	/	Pass
		825.5	15	0	2.871	/	Pass
		836.5	15	0	2.902	/	Pass
		847.5	15	0	2.869	/	Pass
5	QPSK	826.5	25	0	4.935	/	Pass
		836.5	25	0	4.972	/	Pass
		846.5	25	0	4.952	/	Pass
	16QAM	826.5	25	0	4.974	/	Pass
		836.5	25	0	4.950	/	Pass
		846.5	25	0	4.986	/	Pass
10	QPSK	829	50	0	9.592	/	Pass
		836.5	50	0	9.567	/	Pass
		844	50	0	9.661	/	Pass
	16QAM	829	50	0	9.542	/	Pass
		836.5	50	0	9.615	/	Pass
		844	50	0	9.586	/	Pass
15	QPSK	831.5	75	0	14.526	/	Pass
		836.5	75	0	14.387	/	Pass
		841.5	75	0	14.489	/	Pass
	16QAM	831.5	75	0	14.353	/	Pass
		836.5	75	0	14.432	/	Pass
		841.5	75	0	14.460	/	Pass

4.2 Test Graph


4.2.1 Band26b_OBW



Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV







Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV







Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26b_XDB


Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV







Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.79	<=13	Pass
	836.5	6	0	5.32	<=13	Pass
	848.3	6	0	5.11	<=13	Pass
16QAM	824.7	6	0	5.61	<=13	Pass
	836.5	6	0	6.17	<=13	Pass
	848.3	6	0	5.86	<=13	Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.97	<=13	Pass
	836.5	15	0	5.45	<=13	Pass
	847.5	15	0	5.33	<=13	Pass
16QAM	825.5	15	0	5.79	<=13	Pass
	836.5	15	0	6.30	<=13	Pass
	847.5	15	0	6.13	<=13	Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.26	<=13	Pass
	836.5	25	0	5.59	<=13	Pass
	846.5	25	0	5.51	<=13	Pass
16QAM	826.5	25	0	6.01	<=13	Pass
	836.5	25	0	6.28	<=13	Pass
	846.5	25	0	6.18	<=13	Pass

5.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.32	<=13	Pass
	836.5	50	0	5.50	<=13	Pass
	844	50	0	5.44	<=13	Pass
16QAM	829	50	0	6.11	<=13	Pass
	836.5	50	0	6.29	<=13	Pass
	844	50	0	6.17	<=13	Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.12	<=13	Pass
	836.5	75	0	5.20	<=13	Pass
	841.5	75	0	5.01	<=13	Pass
16QAM	831.5	75	0	6.14	<=13	Pass
	836.5	75	0	6.21	<=13	Pass
	841.5	75	0	6.08	<=13	Pass

5.2 Test Graph


5.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV



Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2.2 B26b_3MHz


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




5.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




5.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5.2.5 B26b_15MHz


Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

6.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass

	836.5	25	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
	846.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	836.5	1	0	Refer To Test Graph	Pass	
	844	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
16QAM	829	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	836.5	1	0	Refer To Test Graph	Pass	
	844	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	

6.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-49.08	-13	Pass
823	824	0.02	/	2	823.994	-41.64	-13	Pass
824	827	0.02	/	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV







Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-42.83	-13	Pass
850	852	0.1	CHP	2	850.845	-60.35	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.02	/	/	/	/	/	/
849	850	0.02	/	1	849.012	-43.06	-13	Pass
850	852	0.1	CHP	2	850.056	-52.10	-13	Pass

Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.115	-60.18	-13	Pass
823	824	0.003	/	2	823.997	-43.39	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-50.02	-13	Pass
823	824	0.02	/	2	823.994	-43.54	-13	Pass
824	827	0.02	/	/	/	/	/	/

Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV






Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV







Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-43.30	-13	Pass
850	852	0.1	CHP	2	850.835	-60.86	-13	Pass


Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.02	/	/	/	/	/	/
849	850	0.02	/	1	849.042	-44.13	-13	Pass
850	852	0.1	CHP	2	850.056	-53.10	-13	Pass


6.2.2 B26b_3MHz

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.187	-59.95	-13	Pass
823	824	0.003	/	2	823.986	-43.11	-13	Pass
824	827	0.003	/	/	/	/	/	/


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-45.99	-13	Pass
823	824	0.03	/	2	823.970	-46.70	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-44.17	-13	Pass
850	852	0.1	CHP	2	850.806	-60.31	-13	Pass

Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.018	-44.24	-13	Pass
850	852	0.1	CHP	2	850.110	-47.92	-13	Pass

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.106	-60.26	-13	Pass
823	824	0.003	/	2	823.999	-44.07	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV







Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-47.17	-13	Pass
823	824	0.03	/	2	823.988	-45.01	-13	Pass
824	827	0.03	/	/	/	/	/	/

Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV







Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV







Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.014	-42.70	-13	Pass
850	852	0.1	CHP	2	850.859	-60.76	-13	Pass

Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.006	-48.55	-13	Pass
850	852	0.1	CHP	2	850.056	-48.62	-13	Pass