

AppendixA: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	23.58	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.84	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.43	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.24	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.23	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.15	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.15	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.38	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.36	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	22.93	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.05	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.12	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.09	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.03	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.17	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.06	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.12	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	22.95	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.17	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	22.78	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	21.93	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.65	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.56	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.35	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	21.93	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.18	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.12	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	20.96	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.32	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	22.02	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.25	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	21.98	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	21.60	PASS

Band5	1.4MHz	16QAM	20525	3RB#3	21.73	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.16	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.16	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.30	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.08	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	22.07	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	21.79	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	21.47	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	20.99	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.64	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.27	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.23	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.44	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.30	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.24	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.31	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.00	PASS
Band5	3MHz	QPSK	20525	1RB#8	23.34	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.03	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.02	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.10	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.09	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.05	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.13	PASS
Band5	3MHz	QPSK	20635	1RB#8	23.09	PASS
Band5	3MHz	QPSK	20635	1RB#14	22.85	PASS
Band5	3MHz	QPSK	20635	8RB#0	21.94	PASS
Band5	3MHz	QPSK	20635	8RB#4	21.95	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.05	PASS
Band5	3MHz	QPSK	20635	15RB#0	21.95	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.68	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.27	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.05	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.46	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.46	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.36	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.34	PASS

Band5	3MHz	16QAM	20525	1RB#0	21.84	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.20	PASS
Band5	3MHz	16QAM	20525	1RB#14	21.87	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.22	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.04	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.20	PASS
Band5	3MHz	16QAM	20525	15RB#0	20.99	PASS
Band5	3MHz	16QAM	20635	1RB#0	22.09	PASS
Band5	3MHz	16QAM	20635	1RB#8	22.26	PASS
Band5	3MHz	16QAM	20635	1RB#14	21.90	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.18	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.23	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.26	PASS
Band5	3MHz	16QAM	20635	15RB#0	20.92	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.13	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.14	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.11	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.22	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.13	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.18	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.11	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.21	PASS
Band5	5MHz	QPSK	20525	1RB#12	23.05	PASS
Band5	5MHz	QPSK	20525	1RB#24	23.16	PASS
Band5	5MHz	QPSK	20525	12RB#0	21.89	PASS
Band5	5MHz	QPSK	20525	12RB#6	21.99	PASS
Band5	5MHz	QPSK	20525	12RB#13	21.93	PASS
Band5	5MHz	QPSK	20525	25RB#0	21.97	PASS
Band5	5MHz	QPSK	20625	1RB#0	23.13	PASS
Band5	5MHz	QPSK	20625	1RB#12	23.22	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.03	PASS
Band5	5MHz	QPSK	20625	12RB#0	21.95	PASS
Band5	5MHz	QPSK	20625	12RB#6	21.97	PASS
Band5	5MHz	QPSK	20625	12RB#13	22.07	PASS
Band5	5MHz	QPSK	20625	25RB#0	21.97	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.36	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.14	PASS

Band5	5MHz	16QAM	20425	1RB#24	22.05	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.23	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.34	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.18	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.15	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.08	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.02	PASS
Band5	5MHz	16QAM	20525	1RB#24	21.81	PASS
Band5	5MHz	16QAM	20525	12RB#0	20.88	PASS
Band5	5MHz	16QAM	20525	12RB#6	20.95	PASS
Band5	5MHz	16QAM	20525	12RB#13	21.14	PASS
Band5	5MHz	16QAM	20525	25RB#0	20.97	PASS
Band5	5MHz	16QAM	20625	1RB#0	22.17	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.00	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.01	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.00	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.00	PASS
Band5	5MHz	16QAM	20625	12RB#13	21.18	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.02	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.20	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.28	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.06	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.22	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.22	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.18	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.27	PASS
Band5	10MHz	QPSK	20525	1RB#0	22.93	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.18	PASS
Band5	10MHz	QPSK	20525	1RB#49	22.92	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.08	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.18	PASS
Band5	10MHz	QPSK	20525	25RB#25	22.18	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.07	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.08	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.41	PASS
Band5	10MHz	QPSK	20600	1RB#49	22.82	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.11	PASS


Band5	10MHz	QPSK	20600	25RB#12	22.23	PASS
Band5	10MHz	QPSK	20600	25RB#25	22.17	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.00	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.41	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.68	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.19	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.32	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.12	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.27	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.27	PASS
Band5	10MHz	16QAM	20525	1RB#0	21.91	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.43	PASS
Band5	10MHz	16QAM	20525	1RB#49	21.81	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.22	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.22	PASS
Band5	10MHz	16QAM	20525	25RB#25	21.18	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.12	PASS
Band5	10MHz	16QAM	20600	1RB#0	22.05	PASS
Band5	10MHz	16QAM	20600	1RB#24	22.66	PASS
Band5	10MHz	16QAM	20600	1RB#49	22.07	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.23	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.24	PASS
Band5	10MHz	16QAM	20600	25RB#25	20.95	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.10	PASS

Appendix B:Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	4.99	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.19	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.75	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	5.86	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	6.12	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.74	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.04	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.25	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	4.93	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	5.94	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.06	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	5.83	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.96	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.13	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.90	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	5.83	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	5.97	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.74	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.01	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.04	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	4.99	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	5.86	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	5.94	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	5.86	13	PASS

Test Graphs







Band5-1.4MHz-16QAM-20407-6RB#0



Band5-1.4MHz-16QAM-20525-6RB#0



Band5-1.4MHz-16QAM-20643-6RB#0



Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0



Band5-3MHz-16QAM-20525-15RB#0



Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0




Band5-5MHz-QPSK-20525-25RB#0



Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0



Band5-5MHz-16QAM-20525-25RB#0



Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20525-50RB#0




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0




Appendix C:26dB Bandwidth andOccupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.098	1.315	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.093	1.300	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.093	1.310	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.098	1.320	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.098	1.305	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.098	1.320	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.696	3.000	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.696	2.990	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.705	2.990	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.696	2.980	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.696	2.980	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.696	3.000	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.505	5.030	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.496	5.030	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.505	5.050	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.496	4.980	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.505	5.050	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.505	5.010	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.985	10.000	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.985	9.933	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.985	10.000	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.985	9.967	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.952	9.900	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.985	9.867	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20525-6RB#0




Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-6RB#0




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20525-15RB#0




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0




Band5-5MHz-QPSK-20525-25RB#0




Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20525-50RB#0




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0




Appendix D:Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	-24.17	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-25.22	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-24.52	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-24.96	PASS
Band5	3MHz	QPSK	20415	15RB#0	-23.73	PASS
Band5	3MHz	QPSK	20635	15RB#0	-25.49	PASS
Band5	3MHz	16QAM	20415	15RB#0	-24.33	PASS
Band5	3MHz	16QAM	20635	15RB#0	-25.72	PASS
Band5	5MHz	QPSK	20425	25RB#0	-23.81	PASS
Band5	5MHz	QPSK	20625	25RB#0	-26.29	PASS
Band5	5MHz	16QAM	20425	25RB#0	-24.69	PASS
Band5	5MHz	16QAM	20625	25RB#0	-26.99	PASS
Band5	10MHz	QPSK	20450	50RB#0	-26.65	PASS
Band5	10MHz	QPSK	20600	50RB#0	-29.04	PASS
Band5	10MHz	16QAM	20450	50RB#0	-28.09	PASS
Band5	10MHz	16QAM	20600	50RB#0	-30.27	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0



Band5-1.4MHz-QPSK-20643-6RB#0



Band5-1.4MHz-16QAM-20407-6RB#0



Band5-1.4MHz-16QAM-20643-6RB#0



Band5-3MHz-QPSK-20415-15RB#0



Band5-3MHz-QPSK-20635-15RB#0



Band5-3MHz-16QAM-20415-15RB#0

Spectrum

Ref Level 20.00 dBm RBW 50 kHz
 Att 30 dB SWT 100 ms VBW 200 kHz Mode Auto Sweep
 Count 30/30 TDF

1Av View

M1[1] -25.72 dBm
 849.00000 MHz


01 -13.000 dBm

CF 849.0 MHz 601 pts Span 2.0 MHz

Date: 31.JAN.2026 15:52:53

The screenshot shows a Spectrum Analyzer interface with the following settings and data:

- Ref Level:** 20.00 dBm
- Att:** 30 dB
- Count:** 30/30
- RBW:** 100 kHz
- SWT:** 100 ms
- VBW:** 300 kHz
- Mode:** Auto Sweep
- View:** 1Av
- Signal Peak:** M1[1] at 823.99667 MHz, -23.81 dBm
- Marker:** M2 at -13.000 dBm
- CF:** 824.0 MHz
- Span:** 2.0 MHz
- Resolution:** 601 pts
- Date/Time:** 31.JAN.2026 16:19:40



Band5-5MHz-16QAM-20425-25RB#0



Band5-5MHz-16QAM-20625-25RB#0



Band5-10MHz-QPSK-20450-50RB#0



Band5-10MHz-QPSK-20600-50RB#0



Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20600-50RB#0



Appendix E:Conducted Spurious Emission


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	Range1:30~1000MHz	-28.18	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	Range2:1000~10000MHz	-23.83	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	Range1:30~1000MHz	-28.52	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	Range2:1000~10000MHz	-23.3	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	Range1:30~1000MHz	-28.75	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	Range2:1000~10000MHz	-23.92	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	Range1:30~1000MHz	-28.79	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	Range2:1000~10000MHz	-23.94	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	Range1:30~1000MHz	-27.46	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	Range2:1000~10000MHz	-23.95	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	Range1:30~1000MHz	-28.31	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	Range2:1000~10000MHz	-23.55	PASS
Band5	3MHz	QPSK	20415	15RB#0	Range1:30~1000MHz	-28.94	PASS
Band5	3MHz	QPSK	20415	15RB#0	Range2:1000~10000MHz	-23.07	PASS
Band5	3MHz	QPSK	20525	15RB#0	Range1:30~1000MHz	-28.77	PASS
Band5	3MHz	QPSK	20525	15RB#0	Range2:1000~10000MHz	-24.15	PASS
Band5	3MHz	QPSK	20635	15RB#0	Range1:30~1000MHz	-28.25	PASS
Band5	3MHz	QPSK	20635	15RB#0	Range2:1000~10000MHz	-23.74	PASS
Band5	3MHz	16QAM	20415	15RB#0	Range1:30~1000MHz	-29.46	PASS
Band5	3MHz	16QAM	20415	15RB#0	Range2:1000~10000MHz	-23.48	PASS
Band5	3MHz	16QAM	20525	15RB#0	Range1:30~1000MHz	-28.86	PASS
Band5	3MHz	16QAM	20525	15RB#0	Range2:1000~10000MHz	-23.09	PASS
Band5	3MHz	16QAM	20635	15RB#0	Range1:30~1000MHz	-28.25	PASS
Band5	3MHz	16QAM	20635	15RB#0	Range2:1000~10000MHz	-22.98	PASS
Band5	5MHz	QPSK	20425	25RB#0	Range1:30~1000MHz	-29.09	PASS
Band5	5MHz	QPSK	20425	25RB#0	Range2:1000~10000MHz	-23.7	PASS
Band5	5MHz	QPSK	20525	25RB#0	Range1:30~1000MHz	-28.85	PASS
Band5	5MHz	QPSK	20525	25RB#0	Range2:1000~10000MHz	-23.61	PASS
Band5	5MHz	QPSK	20625	25RB#0	Range1:30~1000MHz	-28.3	PASS
Band5	5MHz	QPSK	20625	25RB#0	Range2:1000~10000MHz	-24.02	PASS
Band5	5MHz	16QAM	20425	25RB#0	Range1:30~1000MHz	-27.58	PASS
Band5	5MHz	16QAM	20425	25RB#0	Range2:1000~10000MHz	-23.3	PASS
Band5	5MHz	16QAM	20525	25RB#0	Range1:30~1000MHz	-28.86	PASS
Band5	5MHz	16QAM	20525	25RB#0	Range2:1000~10000MHz	-22.74	PASS
Band5	5MHz	16QAM	20625	25RB#0	Range1:30~1000MHz	-28.04	PASS
Band5	5MHz	16QAM	20625	25RB#0	Range2:1000~10000MHz	-23.72	PASS


Band5	10MHz	QPSK	20450	50RB#0	Range1:30~1000MHz	-28.9	PASS
Band5	10MHz	QPSK	20450	50RB#0	Range2:1000~10000MHz	-23.38	PASS
Band5	10MHz	QPSK	20525	50RB#0	Range1:30~1000MHz	-29.19	PASS
Band5	10MHz	QPSK	20525	50RB#0	Range2:1000~10000MHz	-23.76	PASS
Band5	10MHz	QPSK	20600	50RB#0	Range1:30~1000MHz	-29.22	PASS
Band5	10MHz	QPSK	20600	50RB#0	Range2:1000~10000MHz	-23.43	PASS
Band5	10MHz	16QAM	20450	50RB#0	Range1:30~1000MHz	-28.96	PASS
Band5	10MHz	16QAM	20450	50RB#0	Range2:1000~10000MHz	-23.11	PASS
Band5	10MHz	16QAM	20525	50RB#0	Range1:30~1000MHz	-28.34	PASS
Band5	10MHz	16QAM	20525	50RB#0	Range2:1000~10000MHz	-23.3	PASS
Band5	10MHz	16QAM	20600	50RB#0	Range1:30~1000MHz	-28.12	PASS
Band5	10MHz	16QAM	20600	50RB#0	Range2:1000~10000MHz	-23.99	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20407-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-QPSK-20525-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20525-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-QPSK-20643-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20643-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20407-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20407-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20525-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20525-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20643-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20643-6RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20415-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20415-15RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20525-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20525-15RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20635-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20635-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20415-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20415-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20525-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20525-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20635-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20635-15RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20425-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20425-25RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20525-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20525-25RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20625-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20625-25RB#0-Range2:1000~10000MHz




Band5-5MHz-16QAM-20425-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20425-25RB#0-Range2:1000~10000MHz




Band5-5MHz-16QAM-20525-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20525-25RB#0-Range2:1000~10000MHz




Band5-5MHz-16QAM-20625-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20625-25RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20450-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20450-50RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20525-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20525-50RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20600-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20600-50RB#0-Range2:1000~10000MHz




Band5-10MHz-16QAM-20450-50RB#0-Range1:30~1000MHz




Band5-10MHz-16QAM-20450-50RB#0-Range2:1000~10000MHz




Band5-10MHz-16QAM-20525-50RB#0-Range1:30~1000MHz



Band5-10MHz-16QAM-20525-50RB#0-Range2:1000~10000MHz



Band5-10MHz-16QAM-20600-50RB#0-Range1:30~1000MHz



Band5-10MHz-16QAM-20600-50RB#0-Range2:1000~10000MHz

