



PSD NVNT a 5240MHz Ant1



PSD NVNT n20 5180MHz Ant1



PSD NVNT n20 5200MHz Ant1



PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1



PSD NVNT ac20 5180MHz Ant1



PSD NVNT ac20 5200MHz Ant1



PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1



PSD NVNT ac40 5230MHz Ant1



PSD NVNT ax20 5180MHz Ant1



PSD NVNT ax20 5200MHz Ant1



PSD NVNT ax20 5240MHz Ant1



PSD NVNT ax40 5190MHz Ant1



PSD NVNT ax40 5230MHz Ant1


Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5146.60	-29.37	-27	Pass
NVNT	ANT1	802.11a	5240.00	5350.20	-36.73	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5149.00	-27.18	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5351.00	-37.89	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5147.20	-29.89	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5371.40	-38.69	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5147.60	-27.19	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5356.60	-38.59	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.31	-27.66	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5359.94	-38.53	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5149.73	-28.50	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5357.84	-36.60	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5149.94	-27.15	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5366.24	-36.76	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5180



Bandedge_NVNT_ANT1_802_11a_5240



Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240



Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190



Bandedge_NVNT_ANT1_802_11ax(HE40)_5230



Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25097.09	-39.90	-27	Pass
NVNT	ANT1	802.11a	5200.00	25467.67	-39.14	-27	Pass
NVNT	ANT1	802.11a	5240.00	25017.68	-40.01	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25600.02	-30.50	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25044.15	-38.60	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	24461.81	-39.07	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	24911.80	-39.25	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	26129.42	-38.90	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	25017.68	-39.94	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	25017.68	-39.26	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	24964.74	-39.16	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	24938.27	-39.58	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24938.27	-39.85	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	24991.21	-39.46	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	25864.72	-39.89	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	24991.21	-39.58	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	25044.15	-39.88	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	25705.90	-39.47	-27	Pass

Spurious_Emission_NVNT_ANT1_802_11a_5180_20M




Spurious_Emission_NVNT_ANT1_802_11a_5200_20M



Spurious_Emission_NVNT_ANT1_802_11a_5240_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5180_20M



Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5240_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5230_40M



Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.082	5171.248	5188.916	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.052	5171.668	5188.436	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5180.038	5171.792	5188.284	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.050	5171.864	5188.236	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.042	5171.924	5188.160	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.040	5171.980	5188.100	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.034	5172.024	5188.044	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.032	5172.076	5187.988	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5180.024	5172.128	5187.920	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.054	5172.184	5187.924	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5180.046	5172.232	5187.860	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5200.040	5191.260	5208.820	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5200.028	5191.648	5208.408	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5200.026	5191.788	5208.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.036	5191.876	5208.196	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.026	5191.936	5208.116	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.024	5191.976	5208.072	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.036	5192.016	5208.056	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.020	5192.068	5207.972	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.998	5192.124	5207.872	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.030	5192.168	5207.892	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.016	5192.212	5207.820	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5239.966	5231.172	5248.760	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5240.010	5231.612	5248.408	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5240.014	5231.764	5248.264	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.022	5231.848	5248.196	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.036	5231.920	5248.152	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.022	5231.976	5248.068	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.012	5232.028	5247.996	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.002	5232.076	5247.928	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5240.004	5232.124	5247.884	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.992	5232.176	5247.808	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.998	5232.232	5247.764	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.076	5170.468	5189.684	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.050	5170.992	5189.108	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.048	5171.168	5188.928	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.048	5171.272	5188.824	5150~5250	Pass

15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.040	5171.348	5188.732	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.054	5171.416	5188.692	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.036	5171.468	5188.604	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.524	5188.564	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.044	5171.600	5188.488	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.066	5171.652	5188.480	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.040	5171.712	5188.368	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.056	5190.476	5209.636	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.014	5190.956	5209.072	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.014	5191.148	5208.880	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.016	5191.248	5208.784	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.034	5191.332	5208.736	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.018	5191.392	5208.644	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.022	5191.452	5208.592	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.018	5191.496	5208.540	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5200.006	5191.552	5208.460	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.008	5191.608	5208.408	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.006	5191.664	5208.348	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.954	5230.384	5249.524	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.998	5230.948	5249.048	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.136	5248.868	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.004	5231.236	5248.772	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.004	5231.308	5248.700	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.998	5231.364	5248.632	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.992	5231.424	5248.560	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.982	5231.472	5248.492	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5239.982	5231.528	5248.436	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.972	5231.576	5248.368	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5239.966	5231.632	5248.300	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.078	5170.512	5189.644	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.052	5170.988	5189.116	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.046	5171.160	5188.932	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.046	5171.272	5188.820	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.042	5171.352	5188.732	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.052	5171.424	5188.680	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.046	5171.484	5188.608	5150~5250	Pass

-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.056	5171.556	5188.556	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5180.074	5171.616	5188.532	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.058	5171.672	5188.444	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5180.072	5171.728	5188.416	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5200.060	5190.468	5209.652	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.394	5190.988	5219.800	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.344	5190.988	5219.700	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.288	5190.988	5219.588	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.246	5190.988	5219.504	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.174	5190.988	5219.360	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.138	5190.988	5219.288	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5205.100	5190.988	5219.212	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5205.018	5190.988	5219.048	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5204.944	5190.988	5218.900	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5204.888	5190.988	5218.788	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.950	5230.400	5249.500	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.998	5230.968	5249.028	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.144	5248.860	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.240	5248.764	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.010	5231.312	5248.708	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.380	5248.628	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.448	5248.564	5150~5250	Pass

-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.994	5231.500	5248.488	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.560	5248.448	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.992	5231.616	5248.368	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5240.008	5231.668	5248.348	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.044	5170.204	5189.884	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.038	5170.444	5189.632	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.022	5170.556	5189.488	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.036	5170.632	5189.440	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.036	5170.704	5189.368	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.046	5170.772	5189.320	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.052	5170.864	5189.240	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.060	5170.928	5189.192	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5180.00	5180.042	5170.980	5189.104	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.058	5171.052	5189.064	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5180.00	5180.058	5171.124	5188.992	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.028	5190.196	5209.860	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.046	5190.452	5209.640	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.022	5190.564	5209.480	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.042	5190.644	5209.440	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.038	5190.704	5209.372	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.020	5190.764	5209.276	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.032	5190.832	5209.232	5150~5250	Pass

-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.026	5190.880	5209.172	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5200.00	5200.028	5190.952	5209.104	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.054	5191.008	5209.100	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5200.00	5200.004	5191.060	5208.948	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.972	5230.176	5249.768	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.010	5230.436	5249.584	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.004	5230.548	5249.460	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.018	5230.636	5249.400	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.030	5230.708	5249.352	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.006	5230.772	5249.240	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.014	5230.844	5249.184	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.004	5230.892	5249.116	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5240.00	5240.004	5230.948	5249.060	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5239.990	5231.016	5248.964	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5240.00	5239.998	5231.068	5248.928	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.080	5171.744	5208.416	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.104	5172.000	5208.208	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.128	5172.144	5208.112	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.160	5172.264	5208.056	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.120	5172.392	5207.848	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.156	5172.512	5207.800	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.128	5172.608	5207.648	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.120	5172.728	5207.512	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.160	5172.848	5207.472	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.200	5172.960	5207.440	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.184	5173.104	5207.264	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.060	5211.728	5248.392	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.056	5211.936	5248.176	5150~5250	Pass

35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.052	5212.056	5248.048	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.168	5247.912	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.064	5212.280	5247.848	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.004	5212.368	5247.640	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.028	5212.464	5247.592	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.980	5212.560	5247.400	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.096	5212.664	5247.528	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.200	5212.768	5247.632	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5230.316	5212.880	5247.752	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.080	5171.760	5208.400	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.112	5172.016	5208.208	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.104	5172.152	5208.056	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.148	5172.312	5207.984	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.192	5172.480	5207.904	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.208	5172.600	5207.816	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.184	5172.712	5207.656	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.204	5172.848	5207.560	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.192	5172.960	5207.424	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.272	5173.120	5207.424	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.288	5173.240	5207.336	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.036	5211.720	5248.352	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.064	5211.936	5248.192	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.072	5248.064	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.072	5212.208	5247.936	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.024	5212.312	5247.736	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.048	5212.432	5247.664	5150~5250	Pass

-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.052	5212.544	5247.560	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.056	5212.648	5247.464	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.776	5247.360	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.096	5212.896	5247.296	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5213.008	5247.128	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.084	5170.992	5209.176	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.120	5171.232	5209.008	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.132	5171.328	5208.936	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.116	5171.472	5208.760	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.140	5171.624	5208.656	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.140	5171.776	5208.504	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.188	5171.888	5208.488	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.164	5172.064	5208.264	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5190.00	5190.168	5172.200	5208.136	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.236	5172.352	5208.120	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5190.00	5190.220	5172.432	5208.008	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.068	5211.008	5249.128	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.064	5211.160	5248.968	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.056	5211.304	5248.808	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.064	5211.448	5248.680	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.088	5211.552	5248.624	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.064	5211.672	5248.456	5150~5250	Pass

-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5229.960	5211.760	5248.160	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.036	5211.880	5248.192	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5230.00	5229.980	5211.992	5247.968	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.020	5212.104	5247.936	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5230.00	5230.016	5212.240	5247.792	5150~5250	Pass