

Appendix A: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	8.46	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.92	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.34	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.04	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.32	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.96	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.46	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.10	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.40	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	5.90	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.48	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.12	13	PASS


Test Graphs

Band2-1.4MHz-QPSK-18900-6RB#0-PASS



11:48:27 24.02.2026

Band2-1.4MHz-16QAM-18900-6RB#0-PASS



12:50:03 24.02.2026

Band2-3MHz-QPSK-18900-15RB#0-PASS




12:57:44 24.02.2026

Band2-3MHz-16QAM-18900-15RB#0-PASS




12:57:50 24.02.2026

Band2-5MHz-QPSK-18900-25RB#0-PASS



13:05:45 24.02.2026



Band2-5MHz-16QAM-18900-25RB#0-PASS



13:05:53 24.02.2026



Band2-10MHz-QPSK-18900-50RB#0-PASS

Band2-10MHz-16QAM-18900-50RB#0-PASS





Band2-15MHz-QPSK-18900-75RB#0-PASS

Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS

Band2-20MHz-16QAM-18900-100RB#0-PASS






Appendix B: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	1.096	1.26	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.091	1.24	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.71	2.97	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.715	3.06	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.524	5.00	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.508	5.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.002	10.03	PASS
Band2	10MHz	16QAM	18900	50RB#0	9	10.00	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.512	15.10	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.502	15.00	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.118	20.00	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.17	20.13	PASS



Test Graphs







Band2-15MHz-QPSK-18900-75RB#0-PASS

Band2-15MHz-16QAM-18900-75RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS

Band2-20MHz-16QAM-18900-100RB#0-PASS



Appendix C: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-27.48	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-46.91	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-33.03	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-46.65	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-26.31	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-33.52	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	-29.05	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	-48.19	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-33.48	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	-46.87	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	-28.22	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-34.17	PASS
Band2	3MHz	QPSK	18615	1RB#0	-16.07	PASS
Band2	3MHz	QPSK	18615	1RB#14	-29.81	PASS
Band2	3MHz	QPSK	18615	15RB#0	-26.26	PASS
Band2	3MHz	QPSK	19185	1RB#0	-29.27	PASS
Band2	3MHz	QPSK	19185	1RB#14	-15.61	PASS
Band2	3MHz	QPSK	19185	15RB#0	-25.77	PASS
Band2	3MHz	16QAM	18615	1RB#0	-17.58	PASS
Band2	3MHz	16QAM	18615	1RB#14	-30.33	PASS
Band2	3MHz	16QAM	18615	15RB#0	-27.25	PASS
Band2	3MHz	16QAM	19185	1RB#0	-30.40	PASS
Band2	3MHz	16QAM	19185	1RB#14	-16.60	PASS
Band2	3MHz	16QAM	19185	15RB#0	-26.79	PASS
Band2	5MHz	QPSK	18625	1RB#0	-20.99	PASS
Band2	5MHz	QPSK	18625	1RB#24	-39.81	PASS
Band2	5MHz	QPSK	18625	25RB#0	-32.11	PASS
Band2	5MHz	QPSK	19175	1RB#0	-39.35	PASS
Band2	5MHz	QPSK	19175	1RB#24	-20.29	PASS
Band2	5MHz	QPSK	19175	25RB#0	-32.06	PASS
Band2	5MHz	16QAM	18625	1RB#0	-22.77	PASS
Band2	5MHz	16QAM	18625	1RB#24	-40.30	PASS
Band2	5MHz	16QAM	18625	25RB#0	-32.39	PASS
Band2	5MHz	16QAM	19175	1RB#0	-40.25	PASS
Band2	5MHz	16QAM	19175	1RB#24	-22.48	PASS
Band2	5MHz	16QAM	19175	25RB#0	-31.79	PASS
Band2	10MHz	QPSK	18650	1RB#0	-24.25	PASS


Band2	10MHz	QPSK	18650	1RB#49	-42.70	PASS
Band2	10MHz	QPSK	18650	50RB#0	-33.38	PASS
Band2	10MHz	QPSK	19150	1RB#0	-42.90	PASS
Band2	10MHz	QPSK	19150	1RB#49	-22.83	PASS
Band2	10MHz	QPSK	19150	50RB#0	-30.53	PASS
Band2	10MHz	16QAM	18650	1RB#0	-25.57	PASS
Band2	10MHz	16QAM	18650	1RB#49	-42.85	PASS
Band2	10MHz	16QAM	18650	50RB#0	-34.34	PASS
Band2	10MHz	16QAM	19150	1RB#0	-43.58	PASS
Band2	10MHz	16QAM	19150	1RB#49	-23.45	PASS
Band2	10MHz	16QAM	19150	50RB#0	-34.84	PASS
Band2	15MHz	QPSK	18675	1RB#0	-23.47	PASS
Band2	15MHz	QPSK	18675	1RB#74	-44.87	PASS
Band2	15MHz	QPSK	18675	75RB#0	-33.98	PASS
Band2	15MHz	QPSK	19125	1RB#0	-44.39	PASS
Band2	15MHz	QPSK	19125	1RB#74	-23.14	PASS
Band2	15MHz	QPSK	19125	75RB#0	-30.96	PASS
Band2	15MHz	16QAM	18675	1RB#0	-23.42	PASS
Band2	15MHz	16QAM	18675	1RB#74	-45.29	PASS
Band2	15MHz	16QAM	18675	75RB#0	-34.25	PASS
Band2	15MHz	16QAM	19125	1RB#0	-44.70	PASS
Band2	15MHz	16QAM	19125	1RB#74	-23.91	PASS
Band2	15MHz	16QAM	19125	75RB#0	-32.71	PASS
Band2	20MHz	QPSK	18700	1RB#0	-26.10	PASS
Band2	20MHz	QPSK	18700	1RB#99	-44.60	PASS
Band2	20MHz	QPSK	18700	100RB#0	-35.40	PASS
Band2	20MHz	QPSK	19100	1RB#0	-44.64	PASS
Band2	20MHz	QPSK	19100	1RB#99	-25.31	PASS
Band2	20MHz	QPSK	19100	100RB#0	-35.84	PASS
Band2	20MHz	16QAM	18700	1RB#0	-50.84	PASS
Band2	20MHz	16QAM	18700	1RB#99	-45.45	PASS
Band2	20MHz	16QAM	18700	100RB#0	-35.21	PASS
Band2	20MHz	16QAM	19100	1RB#0	-45.02	PASS
Band2	20MHz	16QAM	19100	1RB#99	-26.06	PASS
Band2	20MHz	16QAM	19100	100RB#0	-35.65	PASS

Test Graphs


Band2-1.4MHz-QPSK-18607-1RB#0-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-PASS




Band2-1.4MHz-QPSK-19193-1RB#0-PASS



Band2-1.4MHz-QPSK-19193-1RB#5-PASS





Band2-1.4MHz-QPSK-19193-6RB#0-PASS





Band2-1.4MHz-16QAM-18607-1RB#0-PASS

Band2-1.4MHz-16QAM-18607-1RB#5-PASS





Band2-1.4MHz-16QAM-18607-6RB#0-PASS

Band2-1.4MHz-16QAM-19193-1RB#0-PASS




Band2-1.4MHz-16QAM-19193-1RB#5-PASS

Band2-1.4MHz-16QAM-19193-6RB#0-PASS





Band2-3MHz-QPSK-18615-1RB#0-PASS

Band2-3MHz-QPSK-18615-1RB#14-PASS





Band2-3MHz-QPSK-18615-15RB#0-PASS

Band2-3MHz-QPSK-19185-1RB#0-PASS





Band2-3MHz-QPSK-19185-1RB#14-PASS

Band2-3MHz-QPSK-19185-15RB#0-PASS





Band2-3MHz-16QAM-18615-1RB#0-PASS

Band2-3MHz-16QAM-18615-1RB#14-PASS





Band2-15MHz-16QAM-18675-75RB#0-PASS

Band2-15MHz-16QAM-19125-1RB#0-PASS





Band2-15MHz-16QAM-19125-1RB#74-PASS

Band2-15MHz-16QAM-19125-75RB#0-PASS





Band2-20MHz-QPSK-18700-1RB#0-PASS

Band2-20MHz-QPSK-18700-1RB#99-PASS





Band2-20MHz-QPSK-18700-100RB#0-PASS

Band2-20MHz-QPSK-19100-1RB#0-PASS





Band2-20MHz-QPSK-19100-1RB#99-PASS

Band2-20MHz-QPSK-19100-100RB#0-PASS





Band2-20MHz-16QAM-18700-1RB#0-PASS

Band2-20MHz-16QAM-18700-1RB#99-PASS





Band2-20MHz-16QAM-18700-100RB#0-PASS

Band2-20MHz-16QAM-19100-1RB#0-PASS



Band2-20MHz-16QAM-19100-1RB#99-PASS

Band2-20MHz-16QAM-19100-100RB#0-PASS



Appendix D: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-62.73	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-12.26	/
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-37.49	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-27.45	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-62.67	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-48.59	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-27.52	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-62.71	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-37.20	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-27.56	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-62.75	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-14.97	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-27.40	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-62.73	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-48.88	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-27.93	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-62.65	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-36.10	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-	PASS

						27.77	
Band2	3MHz	QPSK	18615	1RB#0	30~1000	- 62.60	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	- 11.24	/
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	- 34.26	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	- 27.74	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	- 62.72	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	- 49.11	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	- 27.56	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	- 62.80	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	- 48.56	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	- 27.33	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	- 62.84	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	- 13.66	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	- 27.54	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	- 62.62	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	- 48.42	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	- 27.56	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	- 63.09	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	- 35.41	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	- 27.55	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	- 62.72	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	- 17.06	PASS


Band2	5MHz	QPSK	18625	1RB#0	3000~20000	- 27.72	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	- 62.85	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	- 48.84	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	- 27.68	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	- 62.45	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	- 32.58	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	- 27.55	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	- 62.67	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	- 18.77	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	- 27.43	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	- 62.49	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	- 45.56	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	- 27.72	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	- 62.56	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	- 33.41	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	- 27.71	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	- 62.86	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	- 26.99	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	- 27.94	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	- 62.52	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	- 48.78	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	- 27.75	PASS


Band2	10MHz	QPSK	19150	1RB#0	30~1000	- 62.72	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	- 36.96	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	- 27.45	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	- 62.75	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	- 26.73	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	- 27.41	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	- 62.73	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	- 49.17	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	- 27.18	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	- 62.64	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	- 37.97	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	- 28.02	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	- 63.15	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	- 31.59	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	- 27.67	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	- 62.46	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	- 43.94	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	- 27.61	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	- 62.84	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	- 39.20	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	- 27.54	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	- 62.50	PASS


Band2	15MHz	16QAM	18675	1RB#0	1000~3000	- 33.57	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	- 27.39	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	- 62.65	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	- 45.46	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	- 27.48	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	- 62.48	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	- 44.89	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	- 27.46	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	- 63.08	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	- 28.85	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	- 27.39	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	- 62.84	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	- 44.65	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	- 27.23	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	- 62.79	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	- 41.18	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	- 27.66	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	- 62.65	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	- 27.00	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	- 27.75	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	- 62.90	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	- 45.90	PASS


Band2	20MHz	16QAM	18900	1RB#0	3000~20000	- 27.36	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	- 62.81	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	- 35.17	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	- 27.64	PASS

Test Graphs












Band2-1.4MHz-16QAM-19193-1RB#0-
3000~20000-PASS




Band2-3MHz-QPSK-18615-1RB#0-30~1000-
PASS




Band2-3MHz-QPSK-18615-1RB#0-
1000~3000-/
PASS




Band2-3MHz-QPSK-18615-1RB#0-
1000~3000-PASS




Band2-3MHz-QPSK-18615-1RB#0-
3000~20000-PASS




Band2-3MHz-QPSK-18900-1RB#0-30~1000-
PASS







Band2-3MHz-16QAM-18615-1RB#0-
1000~3000-PASS




Band2-3MHz-16QAM-18615-1RB#0-
3000~20000-PASS




Band2-3MHz-16QAM-18900-1RB#0-30~1000-
PASS




Band2-3MHz-16QAM-18900-1RB#0-
1000~3000-PASS





Band2-3MHz-16QAM-18900-1RB#0-
3000~20000-PASS




Band2-3MHz-16QAM-19185-1RB#0-30~1000-
PASS











13:02:42 24.02.2026

Band2-5MHz-16QAM-19175-1RB#0-
1000~3000-PASS




13:03:26 24.02.2026

Band2-5MHz-16QAM-19175-1RB#0-
3000~20000-PASS




13:03:36 24.02.2026

Band2-10MHz-QPSK-18650-1RB#0-30~1000-
PASS




13:03:46 24.02.2026

Band2-10MHz-QPSK-18650-1RB#0-
1000~3000-PASS




13:22:13 24.02.2026

Band2-10MHz-QPSK-18650-1RB#0-
3000~20000-PASS




13:22:23 24.02.2026


Band2-10MHz-QPSK-18900-1RB#0-30~1000-
PASS




Band2-10MHz-QPSK-18900-1RB#0-
1000~3000-PASS




Band2-10MHz-QPSK-18900-1RB#0-
3000~20000-PASS




Band2-10MHz-QPSK-19150-1RB#0-30~1000-
PASS




Band2-10MHz-QPSK-19150-1RB#0-
1000~3000-PASS




Band2-10MHz-QPSK-19150-1RB#0-
3000~20000-PASS




Band2-10MHz-16QAM-18650-1RB#0-
30~1000-PASS







Band2-10MHz-16QAM-19150-1RB#0-
1000~3000-PASS




Band2-10MHz-16QAM-19150-1RB#0-
3000~20000-PASS




Band2-15MHz-QPSK-18675-1RB#0-30~1000-
PASS




Band2-15MHz-QPSK-18675-1RB#0-
1000~3000-PASS





Band2-15MHz-QPSK-18675-1RB#0-
3000~20000-PASS





Band2-15MHz-QPSK-18900-1RB#0-30~1000-
PASS

















Band2-20MHz-16QAM-19100-1RB#0-
1000~3000-PASS



Band2-20MHz-16QAM-19100-1RB#0-
3000~20000-PASS



Appendix E: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	VN	NT	5.61	0.002984	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	VL	NT	-10.61	-0.005644	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	VH	NT	-28.98	-0.015415	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	VN	NT	-53.16	-0.028277	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	VL	NT	8.51	0.004527	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	VH	NT	43.59	0.023186	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	VN	NT	11.49	0.006112	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	VL	NT	11.44	0.006085	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	VH	NT	29.30	0.015585	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	VN	NT	23.33	0.012410	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	VL	NT	7.60	0.004043	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	VH	NT	40.14	0.021351	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	VN	NT	28.50	0.015160	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	VL	NT	34.16	0.018170	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	VH	NT	47.12	0.025064	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	-11.59	-0.006165	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	25.36	0.013489	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	18.32	0.009745	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	1.4MHz	QPSK	18900	6RB#0	NV	-30	42.31	0.022505	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	-20	-28.57	-0.015197	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	-10	-12.46	-0.006628	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	0	-4.65	-0.002473	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	10	18.02	0.009585	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	20	5.12	0.002723	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	30	-5.58	-0.002968	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	40	-6.44	-0.003426	±2.5	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	NV	50	-20.70	-0.011011	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	-30	-60.45	-0.032154	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	-20	51.41	0.027346	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	-10	50.15	0.026676	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	0	-36.16	-0.019234	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	10	5.56	0.002957	±2.5	PASS

Band2	3MHz	QPSK	18900	15RB#0	NV	20	40.35	0.021463	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	30	-13.07	-0.006952	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	40	-4.48	-0.002383	±2.5	PASS
Band2	3MHz	QPSK	18900	15RB#0	NV	50	6.18	0.003287	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	-30	24.56	0.013064	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	-20	10.71	0.005697	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	-10	-14.55	-0.007739	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	0	35.39	0.018824	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	10	15.71	0.008356	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	20	15.75	0.008378	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	30	-8.27	-0.004399	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	40	5.61	0.002984	±2.5	PASS
Band2	5MHz	QPSK	18900	25RB#0	NV	50	-26.59	-0.014144	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	-30	16.97	0.009027	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	-20	4.76	0.002532	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	-10	-11.54	-0.006138	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	0	5.94	0.003160	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	10	28.01	0.014899	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	20	15.19	0.008080	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	30	21.87	0.011633	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	40	18.32	0.009745	±2.5	PASS
Band2	10MHz	QPSK	18900	50RB#0	NV	50	-8.84	-0.004702	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	-30	33.26	0.017691	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	-20	16.02	0.008521	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	-10	35.56	0.018915	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	0	20.99	0.011165	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	10	46.52	0.024745	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	20	42.72	0.022723	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	30	31.41	0.016707	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	40	37.77	0.020090	±2.5	PASS
Band2	15MHz	QPSK	18900	75RB#0	NV	50	19.04	0.010128	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	-35.97	-0.019133	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	-7.30	-0.003883	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-10	-18.00	-0.009574	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	23.03	0.012250	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	10	43.13	0.022941	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	32.30	0.017181	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	56.95	0.030293	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	26.68	0.014191	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	25.66	0.013649	±2.5	PASS