

Report No.: NCT260051181E1-4
FCC ID:2BVCX-M8800US9
FCC_5.2G_WIFI (Part15.407) Test Data

Table of Contents

1. -26dB Bandwidth	2
2. Occupied Channel Bandwidth	13
3. Duty Cycle	24
4. Maximum Conducted Output Power	35
5. Power Spectral Density	36
6. Bandedge	47
7. Spurious Emission	56
8. Frequency Stability	67

1. -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5180	Ant1	26.44
NVNT	a	5200	Ant1	26.13
NVNT	a	5240	Ant1	25.79
NVNT	n20	5180	Ant1	27.68
NVNT	n20	5200	Ant1	27.3
NVNT	n20	5240	Ant1	27.75
NVNT	n40	5190	Ant1	45.66
NVNT	n40	5230	Ant1	45.22
NVNT	ac20	5180	Ant1	27.91
NVNT	ac20	5200	Ant1	27.62
NVNT	ac20	5240	Ant1	27.6
NVNT	ac40	5190	Ant1	46.92
NVNT	ac40	5230	Ant1	48.13
NVNT	ac80	5210	Ant1	88.41
NVNT	ax20	5180	Ant1	27.44
NVNT	ax20	5200	Ant1	27.37
NVNT	ax20	5240	Ant1	26.32
NVNT	ax40	5190	Ant1	45.83
NVNT	ax40	5230	Ant1	47.16
NVNT	ax80	5210	Ant1	88.41



-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1



-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1



-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1



-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1



-26dB Bandwidth NVNT ax20 5180MHz Ant1



-26dB Bandwidth NVNT ax20 5200MHz Ant1




-26dB Bandwidth NVNT ax20 5240MHz Ant1



-26dB Bandwidth NVNT ax40 5190MHz Ant1



-26dB Bandwidth NVNT ax40 5230MHz Ant1



-26dB Bandwidth NVNT ax80 5210MHz Ant1

2. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.624
NVNT	a	5200	Ant1	16.658
NVNT	a	5240	Ant1	16.633
NVNT	n20	5180	Ant1	17.828
NVNT	n20	5200	Ant1	17.783
NVNT	n20	5240	Ant1	17.798
NVNT	n40	5190	Ant1	36.279
NVNT	n40	5230	Ant1	36.307
NVNT	ac20	5180	Ant1	17.836
NVNT	ac20	5200	Ant1	17.846
NVNT	ac20	5240	Ant1	17.811
NVNT	ac40	5190	Ant1	36.352
NVNT	ac40	5230	Ant1	36.393
NVNT	ac80	5210	Ant1	75.632
NVNT	ax20	5180	Ant1	19.031
NVNT	ax20	5200	Ant1	19.009
NVNT	ax20	5240	Ant1	18.991
NVNT	ax40	5190	Ant1	37.787
NVNT	ax40	5230	Ant1	37.906
NVNT	ax80	5210	Ant1	77.238



OBW NVNT a 5180MHz Ant1



OBW NVNT a 5200MHz Ant1



OBW NVNT a 5240MHz Ant1



OBW NVNT n20 5180MHz Ant1



OBW NVNT n20 5200MHz Ant1



OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1



OBW NVNT ac20 5180MHz Ant1



OBW NVNT ac20 5200MHz Ant1



OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac40 5190MHz Ant1



OBW NVNT ac40 5230MHz Ant1



OBW NVNT ac80 5210MHz Ant1



OBW NVNT ax20 5180MHz Ant1



OBW NVNT ax20 5200MHz Ant1



OBW NVNT ax20 5240MHz Ant1



OBW NVNT ax40 5190MHz Ant1



OBW NVNT ax40 5230MHz Ant1




OBW NVNT ax80 5210MHz Ant1


3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	72.92	1.37
NVNT	ANT1	802.11a	5200.00	72.92	1.37
NVNT	ANT1	802.11a	5240.00	68.63	1.64
NVNT	ANT1	802.11n(HT20)	5180.00	71.43	1.46
NVNT	ANT1	802.11n(HT20)	5200.00	71.43	1.46
NVNT	ANT1	802.11n(HT20)	5240.00	70.65	1.51
NVNT	ANT1	802.11ac(VHT20)	5180.00	88.18	0.55
NVNT	ANT1	802.11ac(VHT20)	5200.00	83.23	0.80
NVNT	ANT1	802.11ac(VHT20)	5240.00	83.23	0.80
NVNT	ANT1	802.11ax(HE20)	5180.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5200.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5240.00	85.84	0.66
NVNT	ANT1	802.11n(HT40)	5190.00	88.18	0.55
NVNT	ANT1	802.11n(HT40)	5230.00	82.67	0.83
NVNT	ANT1	802.11ac(VHT40)	5190.00	82.67	0.83
NVNT	ANT1	802.11ac(VHT40)	5230.00	82.67	0.83
NVNT	ANT1	802.11ax(HE40)	5190.00	88.18	0.55
NVNT	ANT1	802.11ax(HE40)	5230.00	88.18	0.55
NVNT	ANT1	802.11ac(VHT80)	5210.00	89.68	0.47
NVNT	ANT1	802.11ax(HE80)	5210.00	78.33	1.06


Duty Cycle NVNT ANT1 802 11a 5180




Duty Cycle NVNT ANT1 802 11a 5200




Duty_Cycle_NVNT_ANT1_802_11a_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5180




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5200




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5180




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5240




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5190




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210



Duty_Cycle_NVNT_ANT1_802_11ax(HE80)_5210



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	9.85	1.37	11.22	24	Pass
NVNT	ANT1	802.11a	5200.00	15.28	1.37	16.65	24	Pass
NVNT	ANT1	802.11a	5240.00	15.47	1.64	17.11	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	10.31	1.46	11.77	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	15.17	1.46	16.63	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	15.01	1.51	16.52	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	15.19	0.55	15.74	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	15.62	0.80	16.42	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	13.00	0.80	13.80	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	9.70	0.55	10.25	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	16.39	0.55	16.94	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	11.01	0.66	11.67	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	11.72	0.55	12.27	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	12.99	0.83	13.82	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	10.08	0.83	10.91	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	12.96	0.83	13.79	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	10.57	0.55	11.12	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	16.02	0.55	16.57	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	10.14	0.47	10.61	24	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	11.61	1.06	12.67	24	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-17.89	1.37	-16.52	11	Pass
NVNT	ANT1	802.11a	5200.00	-7.86	1.37	-6.49	11	Pass
NVNT	ANT1	802.11a	5240.00	-12.00	1.64	-10.36	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-19.13	1.46	-17.67	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-8.22	1.46	-6.76	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-10.97	1.51	-9.46	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-5.58	0.55	-5.03	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-6.14	0.80	-5.34	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-9.35	0.80	-8.55	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-9.26	0.55	-8.71	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-3.59	0.55	-3.04	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-8.31	0.66	-7.65	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-10.81	0.55	-10.26	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-9.09	0.83	-8.26	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-14.16	0.83	-13.33	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-9.19	0.83	-8.36	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-11.96	0.55	-11.41	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-6.21	0.55	-5.66	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-14.13	0.47	-13.66	11	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	-19.75	1.06	-18.69	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200



Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5240




Power Spectral Density NVNT_ANT1_802_11ax(HE20)_5180



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5200



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230



Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5190




Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5230



Power Spectral Density NVNT ANT1_802_11ac(VHT80)_5210



Power Spectral Density NVNT ANT1_802_11ax(HE80)_5210



6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	Gain(dBi)	Spurious level_final(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5148.60	-31.25	3.57	-27.68	-27	Pass
NVNT	ANT1	802.11a	5240.00	5413.80	-40.13	3.57	-36.56	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5147.80	-32.52	3.57	-28.95	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5408.80	-40.71	3.57	-37.14	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5147.40	-34.86	3.57	-31.29	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5373.80	-48.04	3.57	-44.47	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5146.60	-32.41	3.57	-28.84	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5411.20	-41.19	3.57	-37.62	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5149.94	-33.43	3.57	-29.86	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5398.58	-41.15	3.57	-37.58	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5148.68	-35.60	3.57	-32.03	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5396.69	-40.90	3.57	-37.33	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5148.47	-32.21	3.57	-28.64	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5413.70	-40.63	3.57	-37.06	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5145.32	-32.85	3.57	-29.28	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5358.26	-40.37	3.57	-36.8	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	5144.48	-36.84	3.57	-33.27	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	5373.38	-39.69	3.57	-36.12	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5180



Bandedge_NVNT_ANT1_802_11a_5240



Bandedge_NVNT_ANT1_802_11n(HT20)_5180




Bandedge_NVNT_ANT1_802_11n(HT20)_5240




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240



Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230




Bandedge_NVNT_ANT1_802_11ax(HE40)_5190




Bandedge_NVNT_ANT1_802_11ax(HE40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5210




Bandedge_NVNT_ANT1_802_11ax(HE80)_5210




7. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	Gain(dBi)	Spurious level_final(dBm)	limit(dBm)
NVNT	ANT1	802.11a	5180.00	25705.90	-39.23	3.57	-35.66	-27
NVNT	ANT1	802.11a	5200.00	25070.62	-39.46	3.57	-35.89	-27
NVNT	ANT1	802.11a	5240.00	10485.65	-39.44	3.57	-35.87	-27
NVNT	ANT1	802.11n(HT20)	5180.00	25441.20	-40.09	3.57	-36.52	-27
NVNT	ANT1	802.11n(HT20)	5200.00	25705.90	-39.99	3.57	-36.42	-27
NVNT	ANT1	802.11n(HT20)	5240.00	24991.21	-39.62	3.57	-36.05	-27
NVNT	ANT1	802.11ac(VHT20)	5180.00	25070.62	-40.66	3.57	-37.09	-27
NVNT	ANT1	802.11ac(VHT20)	5200.00	10406.24	-38.30	3.57	-34.73	-27
NVNT	ANT1	802.11ac(VHT20)	5240.00	25044.15	-39.09	3.57	-35.52	-27
NVNT	ANT1	802.11ax(HE20)	5180.00	24991.21	-39.72	3.57	-36.15	-27
NVNT	ANT1	802.11ax(HE20)	5200.00	4159.32	-35.65	3.57	-32.08	-27
NVNT	ANT1	802.11ax(HE20)	5240.00	25652.96	-39.29	3.57	-35.72	-27
NVNT	ANT1	802.11n(HT40)	5190.00	4159.32	-37.21	3.57	-33.64	-27
NVNT	ANT1	802.11n(HT40)	5230.00	24991.21	-40.10	3.57	-36.53	-27
NVNT	ANT1	802.11ac(VHT40)	5190.00	25044.15	-39.22	3.57	-35.65	-27
NVNT	ANT1	802.11ac(VHT40)	5230.00	24991.21	-40.28	3.57	-36.71	-27
NVNT	ANT1	802.11ax(HE40)	5190.00	25044.15	-40.37	3.57	-36.8	-27
NVNT	ANT1	802.11ax(HE40)	5230.00	24938.27	-39.96	3.57	-36.39	-27
NVNT	ANT1	802.11ac(VHT80)	5210.00	25017.68	-39.99	3.57	-36.42	-27
NVNT	ANT1	802.11ax(HE80)	5210.00	25017.68	-40.30	3.57	-40.3	-27




Spurious Emission NVNT_ANT1_802_11a_5200_20M




Spurious Emission_NVNT_ANT1_802_11a_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5240_20M



Spurious Emission NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5240_20M




Spurious Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40) 5190_40M




Spurious Emission NVNT_ANT1_802_11ac(VHT40) 5230_40M



Spurious Emission NVNT_ANT1_802_11ax(HE40)_5190_40M




Spurious Emission NVNT_ANT1_802_11ax(HE40)_5230_40M



Spurious Emission NVNT_ANT1_802_11ac(VHT80)_5210_80M



Spurious Emission NVNT_ANT1_802_11ax(HE80)_5210_80M



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5180.00	5180.002	5170.648	5189.356	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5180.00	5180.058	5171.528	5188.588	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5180.00	5180.044	5171.740	5188.348	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.040	5171.852	5188.228	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.040	5171.924	5188.156	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.044	5171.988	5188.100	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5180.00	5180.042	5172.056	5188.028	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5180.00	5180.048	5172.104	5187.992	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5180.026	5172.144	5187.908	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5180.028	5172.180	5187.876	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5180.030	5172.236	5187.824	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5200.00	5200.172	5191.052	5209.292	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5200.00	5200.202	5191.692	5208.712	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5200.00	5200.208	5191.908	5208.508	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.226	5192.040	5208.412	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.238	5192.132	5208.344	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.238	5192.196	5208.280	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5200.00	5200.248	5192.268	5208.228	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5200.00	5200.252	5192.320	5208.184	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5200.254	5192.376	5208.132	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5200.238	5192.428	5208.048	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.260	5192.480	5208.040	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11a	5240.00	5240.124	5231.012	5249.236	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11a	5240.00	5240.196	5231.720	5248.672	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11a	5240.00	5240.190	5231.908	5248.472	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.202	5232.028	5248.376	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.178	5232.096	5248.260	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.198	5232.168	5248.228	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11a	5240.00	5240.196	5232.232	5248.160	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11a	5240.00	5240.208	5232.300	5248.116	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5240.220	5232.364	5248.076	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5240.220	5232.416	5248.024	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5240.212	5232.476	5247.948	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.178	5170.632	5189.724	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.202	5171.148	5189.256	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.212	5171.332	5189.092	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.214	5171.448	5188.980	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.212	5171.520	5188.904	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.224	5171.580	5188.868	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.214	5171.644	5188.784	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.210	5171.704	5188.716	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5180.210	5171.756	5188.664	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5180.210	5171.820	5188.600	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5180.228	5171.880	5188.576	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.156	5189.760	5210.552	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.090	5190.912	5209.268	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.106	5191.148	5209.064	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.112	5191.288	5208.936	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.106	5191.376	5208.836	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.118	5191.440	5208.796	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.104	5191.488	5208.720	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.948	5191.544	5208.352	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5199.988	5191.608	5208.368	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5200.010	5191.672	5208.348	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5200.044	5191.720	5208.368	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.022	5230.340	5249.704	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.120	5231.052	5249.188	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.130	5231.252	5249.008	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.134	5231.372	5248.896	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.152	5231.452	5248.852	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.138	5231.512	5248.764	5150~5250	Pass

-5degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.152	5231.576	5248.728	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.156	5231.628	5248.684	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5240.162	5231.688	5248.636	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5240.144	5231.752	5248.536	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5240.154	5231.828	5248.480	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.224	5170.348	5190.100	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.224	5170.616	5189.832	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.220	5170.720	5189.720	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.228	5170.792	5189.664	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.162	5170.840	5189.484	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.536	5170.908	5190.164	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.266	5170.968	5189.564	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5180.016	5171.016	5189.016	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5177.406	5171.024	5183.788	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5178.054	5171.048	5185.060	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5178.420	5171.060	5185.780	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.602	5181.068	5218.136	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.584	5183.488	5219.680	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.654	5183.488	5219.820	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.536	5183.488	5219.584	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.544	5183.488	5219.600	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.360	5183.488	5219.232	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.264	5183.488	5219.040	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.204	5183.492	5218.916	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5201.164	5183.492	5218.836	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5201.172	5183.492	5218.852	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5201.230	5183.492	5218.968	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.076	5230.260	5249.892	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.142	5231.012	5249.272	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.134	5231.220	5249.048	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.122	5231.340	5248.904	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.114	5231.396	5248.832	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.116	5231.476	5248.756	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.128	5231.540	5248.716	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.120	5231.600	5248.640	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5240.126	5231.672	5248.580	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.150	5231.728	5248.572	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5240.132	5231.780	5248.484	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.198	5170.328	5190.068	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.260	5170.652	5189.868	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.240	5170.756	5189.724	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5181.046	5170.840	5191.252	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5180.200	5170.904	5189.496	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5183.032	5170.948	5195.116	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5183.986	5170.964	5197.008	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5175.500	5170.996	5180.004	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5180.00	5175.582	5171.000	5180.164	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5180.00	5177.808	5171.020	5184.596	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5180.00	5183.854	5171.020	5196.688	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.050	5190.072	5210.028	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.064	5190.448	5209.680	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.048	5190.548	5209.548	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.078	5190.636	5209.520	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.096	5190.704	5209.488	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.098	5190.760	5209.436	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.000	5190.836	5209.164	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5200.030	5190.900	5209.160	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5200.00	5199.998	5190.944	5209.052	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5200.00	5197.916	5190.992	5204.840	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5200.00	5198.458	5191.024	5205.892	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.160	5230.340	5249.980	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.140	5230.572	5249.708	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.134	5230.668	5249.600	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.136	5230.744	5249.528	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.158	5230.812	5249.504	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.154	5230.892	5249.416	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.170	5230.968	5249.372	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.136	5231.016	5249.256	5150~5250	Pass

25degrees C&&4.37V	ANT1	802.11ax(HE20)	5240.00	5240.162	5231.068	5249.256	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5240.00	5240.154	5231.136	5249.172	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5240.00	5240.154	5231.196	5249.112	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.056	5171.784	5208.328	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.068	5171.968	5208.168	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.076	5172.096	5208.056	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.092	5172.208	5207.976	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.052	5172.304	5207.800	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.092	5172.424	5207.760	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.076	5172.528	5207.624	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.632	5207.568	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5190.124	5172.744	5207.504	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5190.120	5172.880	5207.360	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5190.176	5173.032	5207.320	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.076	5211.760	5248.392	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.076	5211.992	5248.160	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.108	5212.112	5248.104	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.092	5212.248	5247.936	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.124	5212.368	5247.880	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.104	5212.488	5247.720	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.100	5212.576	5247.624	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.148	5212.712	5247.584	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.152	5212.824	5247.480	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.172	5212.968	5247.376	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5230.148	5213.048	5247.248	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.244	5171.448	5209.040	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.172	5171.920	5208.424	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.076	5172.104	5208.048	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.144	5172.256	5208.032	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.100	5172.328	5207.872	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.136	5172.392	5207.880	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.076	5172.464	5207.688	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.056	5172.528	5207.584	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.056	5172.592	5207.520	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5190.024	5172.656	5207.392	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.032	5172.720	5207.344	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.184	5211.776	5248.592	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.172	5212.056	5248.288	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.180	5212.192	5248.168	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.200	5212.320	5248.080	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.200	5212.464	5247.936	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.224	5212.624	5247.824	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.224	5212.752	5247.696	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.288	5212.888	5247.688	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5230.244	5212.984	5247.504	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.280	5213.128	5247.432	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5230.300	5213.248	5247.352	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.192	5171.048	5209.336	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.180	5171.216	5209.144	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.180	5171.368	5208.992	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.192	5171.512	5208.872	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.232	5171.616	5208.848	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.196	5171.736	5208.656	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.140	5171.824	5208.456	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.196	5171.952	5208.440	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5190.00	5190.240	5172.088	5208.392	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5190.00	5190.196	5172.208	5208.184	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5190.00	5190.252	5172.344	5208.160	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.140	5211.032	5249.248	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.164	5211.232	5249.096	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.168	5211.392	5248.944	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.236	5211.552	5248.920	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.224	5211.672	5248.776	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.232	5211.832	5248.632	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.236	5211.936	5248.536	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.228	5212.056	5248.400	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5230.00	5230.244	5212.168	5248.320	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5230.00	5230.244	5212.296	5248.192	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5230.00	5230.272	5212.384	5248.160	5150~5250	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.228	5172.056	5248.400	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.300	5172.452	5248.148	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.318	5172.704	5247.932	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.354	5172.968	5247.740	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.312	5173.244	5247.380	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.438	5173.556	5247.320	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.486	5173.856	5247.116	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.468	5174.228	5246.708	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5210.00	5210.504	5174.492	5246.516	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5210.570	5174.792	5246.348	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5210.00	5210.192	5175.068	5245.316	5150~5250	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.210	5171.312	5249.108	5150~5250	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.360	5171.768	5248.952	5150~5250	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.366	5172.032	5248.700	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.480	5172.428	5248.532	5150~5250	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.450	5172.728	5248.172	5150~5250	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.570	5173.112	5248.028	5150~5250	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.582	5173.412	5247.752	5150~5250	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.594	5173.676	5247.512	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5210.00	5210.648	5173.892	5247.404	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5210.00	5210.702	5174.264	5247.140	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5210.00	5210.822	5174.516	5247.128	5150~5250	Pass