

Report No.: NCT260051181E1-4
FCC ID:2BVCX-M8800US9
FCC_5.3G_WIFI (Part15.407) Test Data

Table of Contents

1. -26dB Bandwidth	2
2. Occupied Channel Bandwidth	13
3. Duty Cycle	24
4. Maximum Conducted Output Power	35
5. Power Spectral Density	36
6. Bandedge	47
7. Spurious Emission	56
8. Frequency Stability	67

1. -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5260	Ant1	29.48
NVNT	a	5300	Ant1	27.59
NVNT	a	5320	Ant1	25.64
NVNT	n20	5260	Ant1	29.06
NVNT	n20	5300	Ant1	28.76
NVNT	n20	5320	Ant1	26.87
NVNT	n40	5270	Ant1	44.59
NVNT	n40	5310	Ant1	45.56
NVNT	ac20	5260	Ant1	29.61
NVNT	ac20	5300	Ant1	29.61
NVNT	ac20	5320	Ant1	28.32
NVNT	ac40	5270	Ant1	58.04
NVNT	ac40	5310	Ant1	47.74
NVNT	ac80	5290	Ant1	104.5
NVNT	ax20	5260	Ant1	29.33
NVNT	ax20	5300	Ant1	29.56
NVNT	ax20	5320	Ant1	27.46
NVNT	ax40	5270	Ant1	55.39
NVNT	ax40	5310	Ant1	47.48
NVNT	ax80	5290	Ant1	88.77



-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5300MHz Ant1



-26dB Bandwidth NVNT a 5320MHz Ant1



-26dB Bandwidth NVNT n20 5260MHz Ant1



-26dB Bandwidth NVNT n20 5300MHz Ant1



-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1



-26dB Bandwidth NVNT n40 5310MHz Ant1



-26dB Bandwidth NVNT ac20 5260MHz Ant1



-26dB Bandwidth NVNT ac20 5300MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1



-26dB Bandwidth NVNT ac40 5270MHz Ant1



-26dB Bandwidth NVNT ac40 5310MHz Ant1



-26dB Bandwidth NVNT ac80 5290MHz Ant1



-26dB Bandwidth NVNT ax20 5260MHz Ant1



-26dB Bandwidth NVNT ax20 5300MHz Ant1



-26dB Bandwidth NVNT ax20 5320MHz Ant1



-26dB Bandwidth NVNT ax40 5270MHz Ant1



-26dB Bandwidth NVNT ax40 5310MHz Ant1



-26dB Bandwidth NVNT ax80 5290MHz Ant1

2. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.669
NVNT	a	5300	Ant1	16.664
NVNT	a	5320	Ant1	16.647
NVNT	n20	5260	Ant1	17.86
NVNT	n20	5300	Ant1	17.826
NVNT	n20	5320	Ant1	17.813
NVNT	n40	5270	Ant1	36.308
NVNT	n40	5310	Ant1	36.27
NVNT	ac20	5260	Ant1	17.898
NVNT	ac20	5300	Ant1	17.868
NVNT	ac20	5320	Ant1	17.842
NVNT	ac40	5270	Ant1	36.465
NVNT	ac40	5310	Ant1	36.358
NVNT	ac80	5290	Ant1	75.8
NVNT	ax20	5260	Ant1	19.059
NVNT	ax20	5300	Ant1	19.048
NVNT	ax20	5320	Ant1	19.019
NVNT	ax40	5270	Ant1	37.852
NVNT	ax40	5310	Ant1	37.795
NVNT	ax80	5290	Ant1	77.316



OBW NVNT a 5260MHz Ant1



OBW NVNT a 5300MHz Ant1



OBW NVNT a 5320MHz Ant1



OBW NVNT n20 5260MHz Ant1



OBW NVNT n20 5300MHz Ant1



OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1



OBW NVNT n40 5310MHz Ant1



OBW NVNT ac20 5260MHz Ant1



OBW NVNT ac20 5300MHz Ant1



OBW NVNT ac20 5320MHz Ant1



OBW NVNT ac40 5270MHz Ant1



OBW NVNT ac40 5310MHz Ant1



OBW NVNT ac80 5290MHz Ant1



OBW NVNT ax20 5260MHz Ant1



OBW NVNT ax20 5300MHz Ant1



OBW NVNT ax20 5320MHz Ant1



OBW NVNT ax40 5270MHz Ant1




OBW NVNT ax40 5310MHz Ant1




OBW NVNT ax80 5290MHz Ant1

3. Duty Cycle


Condition	Antenna	Modulation	Frequency(MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5260.00	72.92	1.37
NVNT	ANT1	802.11a	5300.00	72.92	1.37
NVNT	ANT1	802.11a	5320.00	73.68	1.33
NVNT	ANT1	802.11n(HT20)	5260.00	71.43	1.46
NVNT	ANT1	802.11n(HT20)	5300.00	71.43	1.46
NVNT	ANT1	802.11n(HT20)	5320.00	71.43	1.46
NVNT	ANT1	802.11ac(VHT20)	5260.00	83.77	0.77
NVNT	ANT1	802.11ac(VHT20)	5300.00	83.12	0.80
NVNT	ANT1	802.11ac(VHT20)	5320.00	83.23	0.80
NVNT	ANT1	802.11ax(HE20)	5260.00	88.18	0.55
NVNT	ANT1	802.11ax(HE20)	5300.00	88.13	0.55
NVNT	ANT1	802.11ax(HE20)	5320.00	88.13	0.55
NVNT	ANT1	802.11n(HT40)	5270.00	82.67	0.83
NVNT	ANT1	802.11n(HT40)	5310.00	82.67	0.83
NVNT	ANT1	802.11ac(VHT40)	5270.00	82.55	0.83
NVNT	ANT1	802.11ac(VHT40)	5310.00	82.67	0.83
NVNT	ANT1	802.11ax(HE40)	5270.00	88.13	0.55
NVNT	ANT1	802.11ax(HE40)	5310.00	88.18	0.55
NVNT	ANT1	802.11ac(VHT80)	5290.00	89.68	0.47
NVNT	ANT1	802.11ax(HE80)	5290.00	89.68	0.47




Duty Cycle NVNT ANT1 802 11a 5300




Duty_Cycle_NVNT_ANT1_802_11a_5320




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5260




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5300




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5320




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5260




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5300




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5320




Duty_Cycle_NVNT_ANT1_802_11ax(HE20)_5260




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5300




Duty Cycle_NVNT_ANT1_802_11ax(HE20)_5320



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5270




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5310




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5270




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5310




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5270




Duty Cycle_NVNT_ANT1_802_11ax(HE40)_5310



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5290



Duty_Cycle_NVNT_ANT1_802_11ax(HE80)_5290



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	15.87	1.37	17.24	24	Pass
NVNT	ANT1	802.11a	5300.00	15.49	1.37	16.86	24	Pass
NVNT	ANT1	802.11a	5320.00	10.50	1.33	11.83	24	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	14.68	1.46	16.14	24	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	14.51	1.46	15.97	24	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	9.45	1.46	10.91	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	15.42	0.77	16.19	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	14.80	0.80	15.60	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	9.81	0.80	10.61	24	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	15.65	0.55	16.20	24	Pass
NVNT	ANT1	802.11ax(HE20)	5300.00	15.77	0.55	16.32	24	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	9.98	0.55	10.53	24	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	15.37	0.83	16.20	24	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	10.32	0.83	11.15	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	15.67	0.83	16.50	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	10.44	0.83	11.27	24	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	15.70	0.55	16.25	24	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	11.68	0.55	12.23	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	12.43	0.47	12.90	24	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	12.42	0.47	12.89	24	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	-10.16	1.37	-8.79	11	Pass
NVNT	ANT1	802.11a	5300.00	-11.07	1.37	-9.70	11	Pass
NVNT	ANT1	802.11a	5320.00	-17.41	1.33	-16.08	11	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	-7.23	1.46	-5.77	11	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	-10.27	1.46	-8.81	11	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	-15.04	1.46	-13.58	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	-2.58	0.77	-1.81	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	-6.29	0.80	-5.49	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	-11.65	0.80	-10.85	11	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	-3.00	0.55	-2.45	11	Pass
NVNT	ANT1	802.11ax(HE20)	5300.00	-2.97	0.55	-2.42	11	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	-8.51	0.55	-7.96	11	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	-9.61	0.83	-8.78	11	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	-14.06	0.83	-13.23	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	-8.57	0.83	-7.74	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	-12.96	0.83	-12.13	11	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	-5.89	0.55	-5.34	11	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	-9.89	0.55	-9.34	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	-12.68	0.47	-12.21	11	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	-12.75	0.47	-12.28	11	Pass





Power_Spectral_Density_NVNT_ANT1_802_11a_5320



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5260



Power Spectral Density NVNT ANT1 802_11n(HT20)_5300



Power Spectral Density NVNT ANT1 802_11n(HT20)_5320



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5260



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5300



Power Spectral Density NVNT_ANT1_802_11ax(HE20)_5260



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5300




Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5320



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5270



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5310



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5270



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5310




Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5270



Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5310



Power Spectral Density NVNT_ANT1_802_11ax(HE80)_5290



6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	Gain(dBi)	Spurious level_final(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	5065.80	-39.80	3.57	-36.23	-27	Pass
NVNT	ANT1	802.11a	5320.00	5352.40	-30.75	3.57	-27.18	-27	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	5094.64	-39.79	3.57	-36.22	-27	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	5352.00	-31.72	3.57	-28.15	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	5053.20	-39.56	3.57	-35.99	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	5351.40	-32.57	3.57	-29	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	5083.44	-40.22	3.57	-36.65	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	5352.20	-31.47	3.57	-27.9	-27	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	5149.80	-40.58	3.57	-37.01	-27	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	5350.60	-34.54	3.57	-30.97	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	5129.40	-39.61	3.57	-36.04	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	5351.20	-35.62	3.57	-32.05	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	5149.60	-40.13	3.57	-36.56	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	5351.00	-35.16	3.57	-31.59	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	5052.17	-39.95	3.57	-36.38	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	5373.18	-34.46	3.57	-30.89	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	5048.88	-40.21	3.57	-36.64	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	5352.03	-34.44	3.57	-30.87	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5260



Bandedge_NVNT_ANT1_802_11a_5320



Bandedge_NVNT_ANT1_802_11n(HT20)_5260



Bandedge_NVNT_ANT1_802_11n(HT20)_5320



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5260




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5320



Bandedge_NVNT_ANT1_802_11ax(HE20)_5260




Bandedge_NVNT_ANT1_802_11ax(HE20)_5320



Bandedge_NVNT_ANT1_802_11n(HT40)_5270



Bandedge_NVNT_ANT1_802_11n(HT40)_5310



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5270



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5310



Bandedge_NVNT_ANT1_802_11ax(HE40)_5270




Bandedge_NVNT_ANT1_802_11ax(HE40)_5310



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5290




Bandedge_NVNT_ANT1_802_11ax(HE80)_5290




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	Gain(dBi)	Spurious level_final(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	25600.02	-39.86	3.57	-36.29	-27	Pass
NVNT	ANT1	802.11a	5300.00	25652.96	-40.13	3.57	-36.56	-27	Pass
NVNT	ANT1	802.11a	5320.00	1750.55	-37.83	3.57	-34.26	-27	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	25626.49	-38.89	3.57	-35.32	-27	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	24964.74	-39.35	3.57	-35.78	-27	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	24964.74	-39.64	3.57	-36.07	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	25679.43	-38.97	3.57	-35.4	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	25891.19	-39.32	3.57	-35.75	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	24911.80	-39.32	3.57	-35.75	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5260.00	25017.68	-39.61	3.57	-36.04	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5300.00	25044.15	-39.81	3.57	-36.24	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5320.00	24991.21	-39.12	3.57	-35.55	-27	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	24938.27	-39.70	3.57	-36.13	-27	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	25044.15	-39.45	3.57	-35.88	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	25017.68	-39.87	3.57	-36.3	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	25017.68	-39.74	3.57	-36.17	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5270.00	25017.68	-38.59	3.57	-35.02	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5310.00	25017.68	-38.70	3.57	-35.13	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	24911.80	-39.98	3.57	-36.41	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5290.00	25679.43	-39.91	3.57	-36.34	-27	Pass

Spurious Emission_NVNT_ANT1_802_11a_5260




Spurious Emission_NVNT_ANT1_802_11a_5300



Spurious_Emission_NVNT_ANT1_802_11a_5320



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5260




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5300



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5320




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5260




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5300




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5320




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5260




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5300




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5320




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5270



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5310




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5270



Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5310



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5270



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5310



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5290



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5290



8. Frequency Stability

Condition	Antenna	Modulation	Frequency(MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5260.00	5259.958	5250.440	5269.476	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11a	5260.00	5260.016	5251.456	5268.576	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11a	5260.00	5260.018	5251.676	5268.360	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11a	5260.00	5260.022	5251.816	5268.228	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11a	5260.00	5260.022	5251.900	5268.144	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11a	5260.00	5260.026	5251.964	5268.088	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11a	5260.00	5260.014	5252.020	5268.008	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11a	5260.00	5260.022	5252.084	5267.960	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11a	5260.00	5260.022	5252.132	5267.912	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11a	5260.00	5260.030	5252.180	5267.880	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11a	5260.00	5260.014	5252.236	5267.792	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11a	5300.00	5299.888	5290.496	5309.280	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11a	5300.00	5299.994	5291.472	5308.516	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11a	5300.00	5299.984	5291.684	5308.284	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11a	5300.00	5300.000	5291.804	5308.196	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11a	5300.00	5300.006	5291.892	5308.120	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11a	5300.00	5300.008	5291.956	5308.060	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11a	5300.00	5300.002	5292.020	5307.984	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11a	5300.00	5300.004	5292.072	5307.936	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11a	5300.00	5299.998	5292.124	5307.872	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11a	5300.00	5299.998	5292.176	5307.820	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11a	5300.00	5299.988	5292.224	5307.752	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11a	5320.00	5319.932	5310.832	5329.032	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11a	5320.00	5319.936	5311.468	5328.404	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11a	5320.00	5319.958	5311.668	5328.248	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11a	5320.00	5319.968	5311.792	5328.144	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11a	5320.00	5319.980	5311.876	5328.084	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11a	5320.00	5319.978	5311.936	5328.020	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11a	5320.00	5319.966	5311.988	5327.944	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11a	5320.00	5319.982	5312.044	5327.920	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11a	5320.00	5319.966	5312.088	5327.844	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11a	5320.00	5319.958	5312.132	5327.784	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11a	5320.00	5319.968	5312.184	5327.752	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.056	5250.252	5269.860	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.006	5250.916	5269.096	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.006	5251.116	5268.896	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5259.994	5251.228	5268.760	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.002	5251.300	5268.704	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.020	5251.364	5268.676	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.024	5251.428	5268.620	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.012	5251.492	5268.532	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5260.00	5260.006	5251.556	5268.456	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5260.00	5260.006	5251.620	5268.392	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5260.00	5260.016	5251.680	5268.352	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5299.938	5290.176	5309.700	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5299.988	5290.888	5309.088	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5299.986	5291.084	5308.888	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5300.000	5291.204	5308.796	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5300.004	5291.288	5308.720	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5300.000	5291.356	5308.644	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5299.998	5291.412	5308.584	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5300.012	5291.472	5308.552	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5300.00	5299.988	5291.520	5308.456	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5300.00	5299.970	5291.576	5308.364	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5300.00	5299.972	5291.628	5308.316	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.934	5310.340	5329.528	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.956	5310.888	5329.024	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.968	5311.092	5328.844	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.976	5311.192	5328.760	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.960	5311.268	5328.652	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.958	5311.332	5328.584	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.976	5311.408	5328.544	5250~5350	Pass

-15degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.968	5311.460	5328.476	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5320.00	5319.990	5311.524	5328.456	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5320.00	5319.960	5311.576	5328.344	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5320.00	5319.968	5311.640	5328.296	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5260.044	5250.196	5269.892	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5259.988	5250.880	5269.096	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5259.996	5251.064	5268.928	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5259.984	5251.176	5268.792	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5259.988	5251.260	5268.716	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5259.986	5251.328	5268.644	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5260.002	5251.400	5268.604	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5260.004	5251.468	5268.540	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5260.00	5259.994	5251.540	5268.448	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5260.00	5260.032	5251.604	5268.460	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5260.00	5260.028	5251.676	5268.380	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.004	5290.156	5309.852	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.008	5290.892	5309.124	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.014	5291.100	5308.928	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.040	5291.244	5308.836	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.040	5291.312	5308.768	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.040	5291.380	5308.700	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.028	5291.452	5308.604	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5300.016	5291.516	5308.516	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5300.00	5299.848	5291.568	5308.128	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5300.00	5299.880	5291.632	5308.128	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5300.00	5299.868	5291.680	5308.056	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.928	5310.308	5329.548	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.990	5310.924	5329.056	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.994	5311.108	5328.880	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5320.000	5311.212	5328.788	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.992	5311.288	5328.696	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5320.002	5311.356	5328.648	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.996	5311.416	5328.576	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.972	5311.472	5328.472	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5320.00	5319.984	5311.528	5328.440	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5320.00	5319.988	5311.584	5328.392	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5320.00	5319.980	5311.636	5328.324	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.128	5250.252	5270.004	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.110	5250.540	5269.680	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.092	5250.632	5269.552	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.084	5250.696	5269.472	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.090	5250.768	5269.412	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.094	5250.836	5269.352	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.130	5250.904	5269.356	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.136	5250.972	5269.300	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5260.00	5260.098	5251.028	5269.168	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5260.00	5260.108	5251.096	5269.120	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5260.00	5260.130	5251.164	5269.096	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5300.044	5290.164	5309.924	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5300.076	5290.508	5309.644	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5300.050	5290.560	5309.540	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5300.028	5290.596	5309.460	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5300.014	5290.632	5309.396	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5300.008	5290.672	5309.344	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5299.974	5290.708	5309.240	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5299.986	5290.744	5309.228	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5300.00	5300.016	5290.776	5309.256	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5300.00	5299.944	5290.812	5309.076	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5300.00	5299.914	5290.856	5308.972	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.040	5310.220	5329.860	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.020	5310.476	5329.564	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.038	5310.572	5329.504	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.030	5310.640	5329.420	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.034	5310.700	5329.368	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.014	5310.744	5329.284	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.002	5310.792	5329.212	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.010	5310.852	5329.168	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5320.00	5320.012	5310.912	5329.112	5250~5350	Pass

25degrees C&&3.80V	ANT1	802.11ax(HE20)	5320.00	5320.014	5310.972	5329.056	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5320.00	5320.018	5311.020	5329.016	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.036	5251.728	5288.344	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.052	5251.976	5288.128	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.052	5252.096	5288.008	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.076	5252.232	5287.920	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.052	5252.312	5287.792	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.028	5252.392	5287.664	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.012	5252.496	5287.528	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5270.016	5252.584	5287.448	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5270.00	5270.008	5252.672	5287.344	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5270.00	5269.972	5252.808	5287.136	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5270.00	5269.876	5252.888	5286.864	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5310.016	5291.680	5328.352	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5310.020	5291.896	5328.144	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5310.040	5292.040	5328.040	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5309.976	5292.160	5327.792	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5310.016	5292.240	5327.792	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5310.004	5292.328	5327.680	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5309.988	5292.400	5327.576	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5309.956	5292.488	5327.424	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5310.00	5309.892	5292.568	5327.216	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5310.00	5309.816	5292.632	5327.000	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5310.00	5309.860	5292.736	5326.984	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.124	5251.448	5288.800	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.080	5251.888	5288.272	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.080	5252.040	5288.120	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5269.904	5252.168	5287.640	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.020	5252.312	5287.728	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.068	5252.440	5287.696	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.028	5252.480	5287.576	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5270.020	5252.528	5287.512	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5270.00	5269.956	5252.568	5287.344	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5270.00	5269.916	5252.608	5287.224	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5270.00	5269.884	5252.656	5287.112	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.036	5291.760	5328.312	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.064	5291.984	5328.144	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.044	5292.096	5327.992	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.020	5292.224	5327.816	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.012	5292.328	5327.696	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.032	5292.416	5327.648	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5309.988	5292.512	5327.464	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5309.996	5292.592	5327.400	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5310.00	5309.932	5292.688	5327.176	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5310.00	5310.032	5292.816	5327.248	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5310.00	5310.000	5292.952	5327.048	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.136	5251.016	5289.256	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.124	5251.208	5289.040	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.124	5251.336	5288.912	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.124	5251.440	5288.808	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.116	5251.584	5288.648	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.104	5251.720	5288.488	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.104	5251.856	5288.352	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.128	5251.936	5288.320	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5270.00	5270.116	5252.040	5288.192	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5270.00	5270.044	5252.168	5287.920	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5270.00	5270.176	5252.320	5288.032	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.000	5290.872	5329.128	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.016	5291.056	5328.976	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.036	5291.224	5328.848	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.000	5291.352	5328.648	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.008	5291.504	5328.512	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.024	5291.608	5328.440	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5310.000	5291.696	5328.304	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5309.948	5291.784	5328.112	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5310.00	5309.964	5291.912	5328.016	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5310.00	5309.936	5292.024	5327.848	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5310.00	5309.868	5292.112	5327.624	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5290.108	5252.020	5328.196	5250~5350	Pass

45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5290.048	5252.272	5327.824	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5290.048	5252.536	5327.560	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5290.012	5252.764	5327.260	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5289.904	5252.992	5326.816	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5289.916	5253.184	5326.648	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5289.892	5253.412	5326.372	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5289.868	5253.628	5326.108	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5290.00	5289.814	5253.868	5325.760	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5290.00	5289.766	5254.060	5325.472	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5290.00	5289.718	5254.252	5325.184	5250~5350	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5290.090	5251.984	5328.196	5250~5350	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5290.072	5252.284	5327.860	5250~5350	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5290.084	5252.584	5327.584	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5290.012	5252.752	5327.272	5250~5350	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5289.952	5253.004	5326.900	5250~5350	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5289.952	5253.256	5326.648	5250~5350	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5289.934	5253.484	5326.384	5250~5350	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5289.868	5253.676	5326.060	5250~5350	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5290.00	5289.862	5253.904	5325.820	5250~5350	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5290.00	5289.844	5254.096	5325.592	5250~5350	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5290.00	5289.856	5254.336	5325.376	5250~5350	Pass