

4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency(MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	12.36	1.37	13.73	24	Pass
NVNT	ANT1	802.11a	5600.00	11.65	1.33	12.98	24	Pass
NVNT	ANT1	802.11a	5700.00	9.72	1.37	11.09	24	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	12.35	1.46	13.81	24	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	11.10	1.39	12.49	24	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	9.66	1.44	11.10	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	11.93	0.80	12.73	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	10.17	0.80	10.97	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	7.56	0.80	8.36	24	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	8.64	0.55	9.19	24	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	8.09	0.55	8.64	24	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	9.06	0.55	9.61	24	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	10.58	0.83	11.41	24	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	12.00	0.80	12.80	24	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	11.89	0.83	12.72	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	7.61	0.83	8.44	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	9.15	0.80	9.95	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	8.71	0.53	9.24	24	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	8.68	0.55	9.23	24	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	9.42	0.55	9.97	24	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	8.99	0.55	9.54	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	7.38	0.47	7.85	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	8.68	0.45	9.13	24	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	7.60	1.02	8.62	24	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	7.96	1.06	9.02	24	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	-11.93	1.37	-10.56	11	Pass
NVNT	ANT1	802.11a	5600.00	-14.70	1.33	-13.37	11	Pass
NVNT	ANT1	802.11a	5700.00	-12.57	1.37	-11.20	11	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	-15.58	1.46	-14.12	11	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	-14.26	1.39	-12.87	11	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	-18.40	1.44	-16.96	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	-10.19	0.80	-9.39	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	-9.40	0.80	-8.60	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	-12.75	0.80	-11.95	11	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	-9.42	0.55	-8.87	11	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	-9.40	0.55	-8.85	11	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	-11.46	0.55	-10.90	11	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	-12.51	0.83	-11.68	11	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	-12.73	0.80	-11.93	11	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	-13.23	0.83	-12.40	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	-16.87	0.83	-16.04	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	-14.87	0.80	-14.07	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	-12.97	0.53	-12.44	11	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	-13.38	0.55	-12.83	11	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	-12.23	0.55	-11.68	11	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	-12.29	0.55	-11.74	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	-17.01	0.47	-16.54	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	-15.20	0.45	-14.75	11	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	-20.95	1.02	-19.93	11	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	-20.39	1.06	-19.33	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5500



Power_Spectral_Density_NVNT_ANT1_802_11a_5600



Power_Spectral_Density_NVNT_ANT1_802_11a_5700



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5500



Power Spectral Density NVNT ANT1 802_11n(HT20)_5600



Power Spectral Density NVNT ANT1 802_11n(HT20)_5700



Power Spectral Density NVNT_ANT1_802_11ac(VHT20)_5600



Power Spectral Density NVNT ANT1_802_11ax(HE20)_5500



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5600



Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5700



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5510




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5590



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5670



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5510



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5590



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5670



Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5510



Power Spectral Density_NVNT_ANT1_802_11ax(HE40)_5590



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5670



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5530



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5610



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE80)_5530



Power Spectral Density NVNT_ANT1_802_11ax(HE80)_5610




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	Gain(dBi)	Spurious level_final(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	5468.40	-31.96	2.37	-29.59	-27	Pass
NVNT	ANT1	802.11a	5700.00	5725.98	-33.39	2.37	-31.02	-27	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	5466.96	-34.06	2.37	-31.69	-27	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	5727.30	-34.29	2.37	-31.92	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	5469.12	-32.69	2.37	-30.32	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	5728.40	-34.92	2.37	-32.55	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	5468.64	-33.70	2.37	-31.33	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	5729.06	-33.93	2.37	-31.56	-27	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	5467.95	-33.80	2.37	-31.43	-27	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	5727.20	-32.15	2.37	-29.78	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	5469.00	-34.15	2.37	-31.78	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	5727.74	-32.95	2.37	-30.58	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	5467.95	-33.71	2.37	-31.34	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	5729.63	-34.75	2.37	-32.38	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	5468.25	-34.81	2.37	-32.44	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	5725.60	-38.25	2.37	-35.88	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	5469.51	-36.43	2.37	-34.06	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	5731.20	-38.08	2.37	-35.71	-27	Pass

Bandedge_NVNT_ANT1_802_11a_5500




Bandedge_NVNT_ANT1_802_11a_5700



Bandedge_NVNT_ANT1_802_11n(HT20)_5500



Bandedge_NVNT_ANT1_802_11n(HT20)_5700




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5500




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5700



Bandedge_NVNT_ANT1_802_11ax(HE20)_5500



Bandedge_NVNT_ANT1_802_11ax(HE20)_5700




Bandedge_NVNT_ANT1_802_11n(HT40)_5510



Bandedge_NVNT_ANT1_802_11n(HT40)_5670



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5510



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5670



Bandedge_NVNT_ANT1_802_11ax(HE40)_5510



Bandedge_NVNT_ANT1_802_11ax(HE40)_5670




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5530



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5610



Bandedge_NVNT_ANT1_802_11ax(HE80)_5530



Bandedge_NVNT_ANT1_802_11ax(HE80)_5610



7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	Gain(dBi)	Spurious level_final(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	24938.27	-38.58	2.37	-36.21	-27	Pass
NVNT	ANT1	802.11a	5600.00	24991.21	-39.70	2.37	-37.33	-27	Pass
NVNT	ANT1	802.11a	5700.00	24991.21	-38.57	2.37	-36.2	-27	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	25070.62	-39.65	2.37	-37.28	-27	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	25679.43	-39.87	2.37	-37.5	-27	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	26500.00	-39.07	2.37	-36.7	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	24964.74	-38.70	2.37	-36.33	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	24964.74	-40.17	2.37	-37.8	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	24938.27	-39.19	2.37	-36.82	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5500.00	24991.21	-40.25	2.37	-37.88	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5600.00	25732.37	-39.17	2.37	-36.8	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5700.00	24964.74	-38.38	2.37	-36.01	-27	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	25123.56	-39.18	2.37	-36.81	-27	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	25547.08	-39.30	2.37	-36.93	-27	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	25547.08	-39.16	2.37	-36.79	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	25044.15	-39.58	2.37	-37.21	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	25652.96	-40.05	2.37	-37.68	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	25626.49	-39.08	2.37	-36.71	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5510.00	25070.62	-40.14	2.37	-37.77	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5590.00	25679.43	-40.01	2.37	-37.64	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5670.00	24885.33	-38.34	2.37	-35.97	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	24991.21	-39.35	2.37	-36.98	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	24964.74	-39.35	2.37	-36.98	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5530.00	25044.15	-39.43	2.37	-37.06	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5610.00	24964.74	-38.86	2.37	-36.49	-27	Pass




Spurious_Emission_NVNT_ANT1_802_11a_5600




Spurious_Emission_NVNT_ANT1_802_11a_5700




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5500



Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5600




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5700




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5500




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5600




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5700




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5500



Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5600



Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5700




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5510




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5590




Spurious Emission NVNT_ANT1_802_11n(HT40)_5670



Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5510




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5590




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5670




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5510




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5590




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5670




Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5530




Spurious Emission NVNT_ANT1_802_11ac(VHT80)_5610



Spurious Emission NVNT_ANT1_802_11ax(HE80)_5530



Spurious Emission NVNT_ANT1_802_11ax(HE80)_5610



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5500.00	5499.928	5490.708	5509.148	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11a	5500.00	5499.982	5491.452	5508.512	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11a	5500.00	5499.970	5491.616	5508.324	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5500.00	5499.974	5491.748	5508.200	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11a	5500.00	5499.982	5491.828	5508.136	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11a	5500.00	5499.982	5491.884	5508.080	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11a	5500.00	5499.968	5491.916	5508.020	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11a	5500.00	5499.972	5491.968	5507.976	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11a	5500.00	5499.982	5492.024	5507.940	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5500.00	5499.974	5492.076	5507.872	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11a	5500.00	5499.998	5492.120	5507.876	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11a	5600.00	5599.798	5590.460	5609.136	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11a	5600.00	5599.882	5591.324	5608.440	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11a	5600.00	5599.956	5591.592	5608.320	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5600.00	5599.956	5591.720	5608.192	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11a	5600.00	5599.966	5591.808	5608.124	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11a	5600.00	5599.972	5591.876	5608.068	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11a	5600.00	5599.968	5591.924	5608.012	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11a	5600.00	5599.956	5591.968	5607.944	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11a	5600.00	5599.960	5592.012	5607.908	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5600.00	5599.966	5592.064	5607.868	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11a	5600.00	5599.962	5592.108	5607.816	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11a	5700.00	5699.934	5690.800	5709.068	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11a	5700.00	5699.974	5691.448	5708.500	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11a	5700.00	5699.970	5691.612	5708.328	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5700.00	5699.982	5691.744	5708.220	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11a	5700.00	5699.976	5691.824	5708.128	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11a	5700.00	5699.974	5691.884	5708.064	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11a	5700.00	5699.972	5691.924	5708.020	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11a	5700.00	5699.972	5691.972	5707.972	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11a	5700.00	5699.976	5692.012	5707.940	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5700.00	5699.952	5692.056	5707.848	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11a	5700.00	5699.974	5692.100	5707.848	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.942	5490.228	5509.656	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.974	5490.860	5509.088	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.980	5491.040	5508.920	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.992	5491.148	5508.836	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.974	5491.216	5508.732	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.970	5491.280	5508.660	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.980	5491.336	5508.624	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.988	5491.400	5508.576	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5500.00	5499.976	5491.444	5508.508	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5499.990	5491.496	5508.484	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5500.00	5499.990	5491.540	5508.440	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.914	5590.140	5609.688	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.944	5590.788	5609.100	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.952	5591.000	5608.904	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.938	5591.124	5608.752	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.960	5591.212	5608.708	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.964	5591.276	5608.652	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.974	5591.328	5608.620	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.938	5591.372	5608.504	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5600.00	5599.968	5591.428	5608.508	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5599.954	5591.484	5608.424	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5600.00	5599.976	5591.540	5608.412	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.970	5690.192	5709.748	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.968	5690.840	5709.096	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.966	5691.016	5708.916	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.972	5691.136	5708.808	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.972	5691.212	5708.732	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.974	5691.272	5708.676	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.972	5691.328	5708.616	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.968	5691.380	5708.556	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5700.00	5699.982	5691.432	5708.532	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5699.968	5691.480	5708.456	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5700.00	5699.954	5691.524	5708.384	5470~5725	Pass

55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.026	5490.236	5509.816	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.990	5490.856	5509.124	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.984	5491.028	5508.940	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.986	5491.148	5508.824	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.992	5491.224	5508.760	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.986	5491.284	5508.688	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.968	5491.332	5508.604	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.974	5491.376	5508.572	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5500.00	5499.988	5491.432	5508.544	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.990	5491.496	5508.484	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5500.00	5500.000	5491.544	5508.456	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.902	5589.984	5609.820	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.916	5590.720	5609.112	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.944	5590.968	5608.920	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.966	5591.100	5608.832	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.958	5591.192	5608.724	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.960	5591.260	5608.660	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.960	5591.308	5608.612	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.948	5591.352	5608.544	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5600.00	5599.958	5591.404	5608.512	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.950	5591.456	5608.444	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5600.00	5599.952	5591.508	5608.396	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.976	5690.116	5709.836	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.980	5690.824	5709.136	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.990	5691.040	5708.940	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.988	5691.148	5708.828	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.986	5691.216	5708.756	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.978	5691.272	5708.684	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.972	5691.332	5708.612	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.974	5691.384	5708.564	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5700.00	5699.978	5691.436	5708.520	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5699.980	5691.488	5708.472	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5700.00	5699.988	5691.536	5708.440	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5500.038	5490.112	5509.964	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5499.996	5490.360	5509.632	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5499.974	5490.452	5509.496	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5499.982	5490.532	5509.432	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5499.992	5490.596	5509.388	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5500.010	5490.668	5509.352	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5499.992	5490.724	5509.260	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5499.992	5490.776	5509.208	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5500.00	5500.008	5490.828	5509.188	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5500.00	5500.006	5490.880	5509.132	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5500.00	5499.998	5490.928	5509.068	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.946	5589.988	5609.904	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.954	5590.304	5609.604	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.946	5590.420	5609.472	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.958	5590.492	5609.424	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.956	5590.568	5609.344	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.964	5590.612	5609.316	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.938	5590.652	5609.224	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.952	5590.684	5609.220	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5600.00	5599.948	5590.732	5609.164	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5600.00	5599.942	5590.768	5609.116	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5600.00	5599.940	5590.824	5609.056	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5699.950	5690.072	5709.828	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5699.982	5690.360	5709.604	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5699.988	5690.468	5709.508	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5699.988	5690.552	5709.424	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5699.998	5690.620	5709.376	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5699.986	5690.676	5709.296	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5700.022	5690.744	5709.300	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5700.002	5690.784	5709.220	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE20)	5700.00	5700.012	5690.844	5709.180	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE20)	5700.00	5700.016	5690.912	5709.120	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE20)	5700.00	5700.032	5690.964	5709.100	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.076	5491.680	5528.472	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.028	5491.904	5528.152	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.076	5492.032	5528.120	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.060	5492.136	5527.984	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.084	5492.264	5527.904	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.096	5492.368	5527.824	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.084	5492.456	5527.712	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.080	5492.536	5527.624	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5510.00	5510.104	5492.608	5527.600	5470~5725	Pass

25degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.064	5492.696	5527.432	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5510.00	5510.108	5492.808	5527.408	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.996	5571.592	5608.400	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.972	5571.816	5608.128	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.972	5571.928	5608.016	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.952	5572.008	5607.896	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.940	5572.088	5607.792	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.956	5572.144	5607.768	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.888	5572.208	5607.568	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.832	5572.272	5607.392	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5590.00	5589.844	5572.376	5607.312	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.860	5572.440	5607.280	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5590.00	5589.796	5572.504	5607.088	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.052	5651.616	5688.488	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.088	5651.928	5688.248	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.144	5652.080	5688.208	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.184	5652.208	5688.160	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.164	5652.272	5688.056	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.172	5652.376	5687.968	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.180	5652.448	5687.912	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.152	5652.560	5687.744	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5670.00	5670.204	5652.640	5687.768	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.212	5652.752	5687.672	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5670.00	5670.240	5652.864	5687.616	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.020	5491.520	5528.520	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.028	5491.824	5528.232	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.012	5491.944	5528.080	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.000	5492.056	5527.944	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.012	5492.168	5527.856	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.028	5492.288	5527.768	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.012	5492.384	5527.640	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.024	5492.472	5527.576	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5510.00	5510.052	5492.568	5527.536	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.032	5492.648	5527.416	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5510.00	5510.040	5492.736	5527.344	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.876	5571.296	5608.456	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.912	5571.664	5608.160	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.924	5571.864	5607.984	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.908	5571.952	5607.864	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.896	5572.048	5607.744	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.868	5572.112	5607.624	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.864	5572.200	5607.528	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.848	5572.272	5607.424	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5590.00	5589.828	5572.368	5607.288	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.812	5572.440	5607.184	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5590.00	5589.820	5572.520	5607.120	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.088	5650.832	5689.344	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.128	5651.112	5689.144	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.120	5651.200	5689.040	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.136	5651.328	5688.944	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.148	5651.408	5688.888	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.172	5651.536	5688.808	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.168	5651.624	5688.712	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.160	5651.744	5688.576	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5670.00	5670.208	5651.856	5688.560	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.212	5651.984	5688.440	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5670.00	5670.232	5652.096	5688.368	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.036	5490.872	5529.200	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.032	5491.048	5529.016	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.044	5491.160	5528.928	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.024	5491.280	5528.768	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.028	5491.352	5528.704	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.028	5491.424	5528.632	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5509.988	5491.528	5528.448	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5510.012	5491.632	5528.392	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5510.00	5510.044	5491.720	5528.368	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5510.00	5509.984	5491.824	5528.144	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5510.00	5510.064	5491.912	5528.216	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.976	5570.800	5609.152	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.940	5570.936	5608.944	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.948	5571.064	5608.832	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.940	5571.144	5608.736	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.908	5571.232	5608.584	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.912	5571.288	5608.536	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.840	5571.360	5608.320	5470~5725	Pass

-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.812	5571.424	5608.200	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5590.00	5589.836	5571.504	5608.168	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5590.00	5589.800	5571.560	5608.040	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5590.00	5589.720	5571.664	5607.776	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.080	5650.832	5689.328	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.132	5651.072	5689.192	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.080	5651.168	5688.992	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.128	5651.304	5688.952	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.152	5651.376	5688.928	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.172	5651.512	5688.832	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.140	5651.624	5688.656	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.196	5651.728	5688.664	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE40)	5670.00	5670.168	5651.800	5688.536	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE40)	5670.00	5670.196	5651.928	5688.464	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE40)	5670.00	5670.212	5652.000	5688.424	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.024	5491.888	5568.160	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.018	5492.140	5567.896	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.952	5492.356	5567.548	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.886	5492.548	5567.224	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.964	5492.800	5567.128	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.892	5492.980	5566.804	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.856	5493.196	5566.516	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.838	5493.388	5566.288	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5530.00	5529.826	5493.592	5566.060	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5529.778	5493.784	5565.772	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5530.00	5529.754	5494.000	5565.508	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.994	5571.732	5648.256	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.964	5571.948	5647.980	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.922	5572.104	5647.740	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.856	5572.272	5647.440	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.808	5572.416	5647.200	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.754	5572.548	5646.960	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.754	5572.728	5646.780	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.754	5572.836	5646.672	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5610.00	5609.730	5573.028	5646.432	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5609.616	5573.160	5646.072	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5610.00	5609.658	5573.316	5646.000	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5530.042	5491.132	5568.952	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.952	5491.312	5568.592	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.922	5491.480	5568.364	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.838	5491.660	5568.016	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.886	5491.876	5567.896	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.862	5492.020	5567.704	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.754	5492.236	5567.272	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.766	5492.404	5567.128	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5530.00	5529.820	5492.596	5567.044	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5530.00	5529.622	5492.824	5566.420	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5530.00	5529.736	5493.064	5566.408	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.994	5570.964	5649.024	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.976	5571.132	5648.820	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.970	5571.336	5648.604	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.880	5571.468	5648.292	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.826	5571.636	5648.016	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.808	5571.744	5647.872	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.814	5571.936	5647.692	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.688	5572.068	5647.308	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ax(HE80)	5610.00	5609.874	5572.260	5647.488	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ax(HE80)	5610.00	5609.736	5572.380	5647.092	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ax(HE80)	5610.00	5609.646	5572.512	5646.780	5470~5725	Pass