


Annex A.6 Band Edge

1. LTE_Band25


1.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.98	-13	26.98	Pass	401
1848	1849	1	RMS	1849	-35.88	-13	22.88	Pass	2
1849	1850	0.02	RMS	1850	-23.42	-13	10.42	Pass	401
1850	1852	0.1	RMS	1850.25	20.15	30	9.85	Pass	401




1.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.41	-13	14.41	Pass	401
1848	1849	1	RMS	1849	-20.92	-13	7.92	Pass	2
1849	1850	0.02	RMS	1850	-30.18	-13	17.18	Pass	401
1850	1852	0.1	RMS	1850.645	11.75	30	18.25	Pass	401




1.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.35	-13	27.35	Pass	401
1848	1849	1	RMS	1849	-36.72	-13	23.72	Pass	2
1849	1850	0.02	RMS	1850	-24.2	-13	11.2	Pass	401
1850	1852	0.1	RMS	1850.255	19.03	30	10.97	Pass	401




1.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.21	-13	16.21	Pass	401
1848	1849	1	RMS	1849	-22.04	-13	9.04	Pass	2
1849	1850	0.02	RMS	1850	-30.11	-13	17.11	Pass	401
1850	1852	0.1	RMS	1850.72	10.93	30	19.07	Pass	401



1.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	20.16	30	9.84	Pass	401
1915	1916	0.02	RMS	1915	-22.49	-13	9.49	Pass	401
1916	1917	1	RMS	1916	-36.17	-13	23.17	Pass	2
1917	1925	1	RMS	1917.08	-38.03	-13	25.03	Pass	401




1.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.43	11.88	30	18.12	Pass	401
1915	1916	0.02	RMS	1915	-27.54	-13	14.54	Pass	401
1916	1917	1	RMS	1916	-21.87	-13	8.87	Pass	2
1917	1925	1	RMS	1917	-29.48	-13	16.48	Pass	401



1.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.735	19.1	30	10.9	Pass	401
1915	1916	0.02	RMS	1915	-24.11	-13	11.11	Pass	401
1916	1917	1	RMS	1916	-37.62	-13	24.62	Pass	2
1917	1925	1	RMS	1917	-41.58	-13	28.58	Pass	401




1.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.315	11.02	30	18.98	Pass	401
1915	1916	0.02	RMS	1915	-29.15	-13	16.15	Pass	401
1916	1917	1	RMS	1916	-23.07	-13	10.07	Pass	2
1917	1925	1	RMS	1917	-30.91	-13	17.91	Pass	401




1.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-32.71	-13	19.71	Pass	401
1848	1849	1	RMS	1849	-30.1	-13	17.1	Pass	2
1849	1850	0.002	RMS	1849.998	-31.67	-13	18.67	Pass	1001
1850	1853	0.1	RMS	1850.233	20.19	30	9.81	Pass	401




1.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.3	-13	10.3	Pass	401
1848	1849	1	RMS	1849	-22.93	-13	9.93	Pass	2
1849	1850	0.03	RMS	1849.998	-32.69	-13	19.69	Pass	401
1850	1853	0.1	RMS	1851.44	7.93	30	22.07	Pass	401




1.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.5	-13	28.5	Pass	401
1848	1849	1	RMS	1849	-35.56	-13	22.56	Pass	2
1849	1850	0.002	RMS	1849.999	-32.96	-13	19.96	Pass	1001
1850	1853	0.1	RMS	1850.233	19.29	30	10.71	Pass	401




1.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.41	-13	11.41	Pass	401
1848	1849	1	RMS	1849	-21.78	-13	8.78	Pass	2
1849	1850	0.03	RMS	1850	-32.72	-13	19.72	Pass	401
1850	1853	0.1	RMS	1851.253	6.91	30	23.09	Pass	401



1.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	20.27	30	9.73	Pass	401
1915	1916	0.002	RMS	1915.002	-31.1	-13	18.1	Pass	1001
1916	1917	1	RMS	1916	-34.79	-13	21.79	Pass	2
1917	1925	1	RMS	1917	-41.54	-13	28.54	Pass	401




1.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.883	7.99	30	22.01	Pass	401
1915	1916	0.03	RMS	1915.003	-31.22	-13	18.22	Pass	401
1916	1917	1	RMS	1916	-20.36	-13	7.36	Pass	2
1917	1925	1	RMS	1917	-24.27	-13	11.27	Pass	401



1.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	19.17	30	10.83	Pass	401
1915	1916	0.002	RMS	1915.002	-33.49	-13	20.49	Pass	1001
1916	1917	1	RMS	1916	-36.15	-13	23.15	Pass	2
1917	1925	1	RMS	1917	-41.88	-13	28.88	Pass	401




1.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.793	6.9	30	23.1	Pass	401
1915	1916	0.03	RMS	1915.003	-31.6	-13	18.6	Pass	401
1916	1917	1	RMS	1916	-21.14	-13	8.14	Pass	2
1917	1925	1	RMS	1917	-25.73	-13	12.73	Pass	401




1.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.9	-13	22.9	Pass	401
1848	1849	1	RMS	1849	-34.35	-13	21.35	Pass	2
1849	1850	0.002	RMS	1849.989	-26.75	-13	13.75	Pass	1001
1850	1855	0.1	RMS	1850.338	19.87	30	10.13	Pass	401




1.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.05	-13	12.05	Pass	401
1848	1849	1	RMS	1849	-24.41	-13	11.41	Pass	2
1849	1850	0.051	RMS	1849.995	-27.27	-13	14.27	Pass	401
1850	1855	0.1	RMS	1853.363	5.63	30	24.37	Pass	401




1.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.95	-13	23.95	Pass	401
1848	1849	1	RMS	1849	-35.16	-13	22.16	Pass	2
1849	1850	0.002	RMS	1849.99	-27.28	-13	14.28	Pass	1001
1850	1855	0.1	RMS	1850.338	19.1	30	10.9	Pass	401




1.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.17	-13	11.17	Pass	401
1848	1849	1	RMS	1849	-23.08	-13	10.08	Pass	2
1849	1850	0.051	RMS	1850	-27.54	-13	14.54	Pass	401
1850	1855	0.1	RMS	1852.913	4.71	30	25.29	Pass	401




1.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	20.04	30	9.96	Pass	401
1915	1916	0.02	RMS	1915	-18.49	-13	5.49	Pass	401
1916	1917	1	RMS	1916	-35.05	-13	22.05	Pass	2
1917	1925	1	RMS	1917	-37.84	-13	24.84	Pass	401




1.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1913.663	5.83	30	24.17	Pass	401
1915	1916	0.051	RMS	1915.008	-26.84	-13	13.84	Pass	401
1916	1917	1	RMS	1916	-22.62	-13	9.62	Pass	2
1917	1925	1	RMS	1917	-24.3	-13	11.3	Pass	401



1.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	19.09	30	10.91	Pass	401
1915	1916	0.02	RMS	1915	-18.19	-13	5.19	Pass	401
1916	1917	1	RMS	1916	-34.44	-13	21.44	Pass	2
1917	1925	1	RMS	1917	-38.15	-13	25.15	Pass	401




1.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914	4.94	30	25.06	Pass	401
1915	1916	0.051	RMS	1915.003	-27.39	-13	14.39	Pass	401
1916	1917	1	RMS	1916	-23.08	-13	10.08	Pass	2
1917	1925	1	RMS	1917	-25.1	-13	12.1	Pass	401




1.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.16	-37.55	-13	24.55	Pass	401
1848	1849	1	RMS	1849	-30.1	-13	17.1	Pass	2
1849	1850	0.1	RMS	1850	-17.37	-13	4.37	Pass	401
1850	1860	0.1	RMS	1850.6	20.12	30	9.88	Pass	401




1.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-27.27	-13	14.27	Pass	401
1848	1849	1	RMS	1849	-26.38	-13	13.38	Pass	2
1849	1850	0.1	RMS	1849.998	-30.55	-13	17.55	Pass	401
1850	1860	0.1	RMS	1858.025	2.77	30	27.23	Pass	401




1.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.18	-38.14	-13	25.14	Pass	401
1848	1849	1	RMS	1849	-31.3	-13	18.3	Pass	2
1849	1850	0.1	RMS	1850	-18.38	-13	5.38	Pass	401
1850	1860	0.1	RMS	1850.6	19.26	30	10.74	Pass	401




1.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.07	-13	13.07	Pass	401
1848	1849	1	RMS	1849	-25.34	-13	12.34	Pass	2
1849	1850	0.1	RMS	1849.998	-31.25	-13	18.25	Pass	401
1850	1860	0.1	RMS	1858.375	1.78	30	28.22	Pass	401




1.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	20.15	30	9.85	Pass	401
1915	1916	0.1	RMS	1915	-16.8	-13	3.8	Pass	401
1916	1917	1	RMS	1916	-29.8	-13	16.8	Pass	2
1917	1925	1	RMS	1918.74	-40.41	-13	27.41	Pass	401




1.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.075	3.51	30	26.49	Pass	401
1915	1916	0.1	RMS	1915.008	-31.06	-13	18.06	Pass	401
1916	1917	1	RMS	1916	-26.61	-13	13.61	Pass	2
1917	1925	1	RMS	1917.04	-27.88	-13	14.88	Pass	401




1.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.425	19.05	30	10.95	Pass	401
1915	1916	0.1	RMS	1915.003	-18.01	-13	5.01	Pass	401
1916	1917	1	RMS	1916	-30.99	-13	17.99	Pass	2
1917	1925	1	RMS	1918.78	-41.3	-13	28.3	Pass	401




1.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1913.825	2.52	30	27.48	Pass	401
1915	1916	0.1	RMS	1915.003	-31.36	-13	18.36	Pass	401
1916	1917	1	RMS	1916	-26.6	-13	13.6	Pass	2
1917	1925	1	RMS	1917	-27.71	-13	14.71	Pass	401




1.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.22	-37.67	-13	24.67	Pass	401
1848	1849	1	RMS	1849	-27.24	-13	14.24	Pass	2
1849	1850	0.15	RMS	1850	-18.21	-13	5.21	Pass	401
1850	1865	0.1	RMS	1850.825	19.9	30	10.1	Pass	401




1.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.5	-26.92	-13	13.92	Pass	401
1848	1849	1	RMS	1848	-27.22	-13	14.22	Pass	2
1849	1850	0.15	RMS	1849.998	-32.28	-13	19.28	Pass	401
1850	1865	0.1	RMS	1863.163	1.06	30	28.94	Pass	401




1.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.18	-38.29	-13	25.29	Pass	401
1848	1849	1	RMS	1849	-27.79	-13	14.79	Pass	2
1849	1850	0.15	RMS	1849.998	-18.74	-13	5.74	Pass	401
1850	1865	0.1	RMS	1850.825	19.01	30	10.99	Pass	401




1.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-26.41	-13	13.41	Pass	401
1848	1849	1	RMS	1849	-26.56	-13	13.56	Pass	2
1849	1850	0.15	RMS	1849.993	-32.18	-13	19.18	Pass	401
1850	1865	0.1	RMS	1862.45	0.07	30	29.93	Pass	401




1.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.03	30	9.97	Pass	401
1915	1916	0.15	RMS	1915	-18.56	-13	5.56	Pass	401
1916	1917	1	RMS	1916	-27.91	-13	14.91	Pass	2
1917	1925	1	RMS	1920.76	-41.12	-13	28.12	Pass	401




1.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1900.863	1.94	30	28.06	Pass	401
1915	1916	0.15	RMS	1915	-31.22	-13	18.22	Pass	401
1916	1917	1	RMS	1917	-28.2	-13	15.2	Pass	2
1917	1925	1	RMS	1917	-28.16	-13	15.16	Pass	401



1.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	18.91	30	11.09	Pass	401
1915	1916	0.15	RMS	1915	-19.08	-13	6.08	Pass	401
1916	1917	1	RMS	1916	-28.47	-13	15.47	Pass	2
1917	1925	1	RMS	1917	-41.67	-13	28.67	Pass	401




1.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1900.938	0.93	30	29.07	Pass	401
1915	1916	0.15	RMS	1915	-31.94	-13	18.94	Pass	401
1916	1917	1	RMS	1917	-28.42	-13	15.42	Pass	2
1917	1925	1	RMS	1917.04	-28.33	-13	15.33	Pass	401




1.41. LTE Band Edge_Part22-24-27(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1842.12	-38.01	-13	25.01	Pass	401
1848	1849	1	RMS	1849	-30.9	-13	17.9	Pass	2
1849	1850	0.2	RMS	1849.998	-21.5	-13	8.5	Pass	401
1850	1870	0.1	RMS	1851.1	19.69	30	10.31	Pass	401




1.42. LTE Band Edge_Part22-24-27(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.05	-13	16.05	Pass	401
1848	1849	1	RMS	1849	-28.25	-13	15.25	Pass	2
1849	1850	0.2	RMS	1849.995	-33.28	-13	20.28	Pass	401
1850	1870	0.1	RMS	1865.9	-0.33	30	30.33	Pass	401




1.43. LTE Band Edge_Part22-24-27(Subtest:43, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1842.22	-38.73	-13	25.73	Pass	401
1848	1849	1	RMS	1849	-31.12	-13	18.12	Pass	2
1849	1850	0.2	RMS	1849.995	-21.52	-13	8.52	Pass	401
1850	1870	0.1	RMS	1851.1	18.9	30	11.1	Pass	401




1.44. LTE Band Edge_Part22-24-27(Subtest:44, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.12	-13	15.12	Pass	401
1848	1849	1	RMS	1849	-27.45	-13	14.45	Pass	2
1849	1850	0.2	RMS	1849.993	-32.86	-13	19.86	Pass	401
1850	1870	0.1	RMS	1865.9	-1.32	30	31.32	Pass	401




1.45. LTE Band Edge_Part22-24-27(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.75	30	10.25	Pass	401
1915	1916	0.2	RMS	1915.003	-21.24	-13	8.24	Pass	401
1916	1917	1	RMS	1916	-30.98	-13	17.98	Pass	2
1917	1925	1	RMS	1917	-42.6	-13	29.6	Pass	401




1.46. LTE Band Edge_Part22-24-27(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1896.85	0.96	30	29.04	Pass	401
1915	1916	0.2	RMS	1915.003	-31.87	-13	18.87	Pass	401
1916	1917	1	RMS	1916	-27.52	-13	14.52	Pass	2
1917	1925	1	RMS	1917	-29.09	-13	16.09	Pass	401




1.47. LTE Band Edge_Part22-24-27(Subtest:47, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	18.68	30	11.32	Pass	401
1915	1916	0.2	RMS	1915	-21.58	-13	8.58	Pass	401
1916	1917	1	RMS	1916	-31.37	-13	18.37	Pass	2
1917	1925	1	RMS	1917	-43.02	-13	30.02	Pass	401



1.48. LTE Band Edge_Part22-24-27(Subtest:48, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.15	-0.04	30	30.04	Pass	401
1915	1916	0.2	RMS	1915.003	-32.72	-13	19.72	Pass	401
1916	1917	1	RMS	1916	-28.16	-13	15.16	Pass	2
1917	1925	1	RMS	1917	-29.7	-13	16.7	Pass	401



2. LTE_Band26(part22)


2.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.01	-13	36.01	Pass	401
823	824	0.02	RMS	824	-24.81	-13	11.81	Pass	401
824	826	0.1	RMS	824.245	20.12	30	9.88	Pass	401




2.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-39.79	-13	26.79	Pass	401
823	824	0.02	RMS	824	-31.02	-13	18.02	Pass	401
824	826	0.1	RMS	824.625	11.73	30	18.27	Pass	401




2.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.52	-13	36.52	Pass	401
823	824	0.02	RMS	824	-25.19	-13	12.19	Pass	401
824	826	0.1	RMS	824.26	19.06	30	10.94	Pass	401




2.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-40.21	-13	27.21	Pass	401
823	824	0.02	RMS	824	-31.31	-13	18.31	Pass	401
824	826	0.1	RMS	824.73	10.86	30	19.14	Pass	401




2.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.11	30	9.89	Pass	401
849	850	0.02	RMS	849	-22.97	-13	9.97	Pass	401
850	860	0.1	RMS	850	-49.36	-13	36.36	Pass	401




2.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.425	11.75	30	18.25	Pass	401
849	850	0.02	RMS	849	-30.07	-13	17.07	Pass	401
850	860	0.1	RMS	850	-37.89	-13	24.89	Pass	401



2.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	19.04	30	10.96	Pass	401
849	850	0.02	RMS	849	-24.93	-13	11.93	Pass	401
850	860	0.1	RMS	850	-49.64	-13	36.64	Pass	401




2.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.325	10.97	30	19.03	Pass	401
849	850	0.02	RMS	849	-31.56	-13	18.56	Pass	401
850	860	0.1	RMS	850.025	-38.45	-13	25.45	Pass	401




2.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.04	-13	30.04	Pass	401
823	824	0.03	RMS	824	-23.83	-13	10.83	Pass	401
824	827	0.1	RMS	824.233	20.18	30	9.82	Pass	401




2.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.88	-13	21.88	Pass	401
823	824	0.03	RMS	824	-33.09	-13	20.09	Pass	401
824	827	0.1	RMS	825.425	7.99	30	22.01	Pass	401




2.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-44.01	-13	31.01	Pass	401
823	824	0.03	RMS	824	-24.14	-13	11.14	Pass	401
824	827	0.1	RMS	824.248	19.38	30	10.62	Pass	401




2.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.66	-13	21.66	Pass	401
823	824	0.03	RMS	824	-34.24	-13	21.24	Pass	401
824	827	0.1	RMS	825.253	6.96	30	23.04	Pass	401



2.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.18	30	9.82	Pass	401
849	850	0.03	RMS	849	-21.98	-13	8.98	Pass	401
850	860	0.1	RMS	850.025	-42.98	-13	29.98	Pass	401




2.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.065	7.98	30	22.02	Pass	401
849	850	0.03	RMS	849	-33.91	-13	20.91	Pass	401
850	860	0.1	RMS	850	-34.45	-13	21.45	Pass	401



2.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	19.12	30	10.88	Pass	401
849	850	0.03	RMS	849	-23.53	-13	10.53	Pass	401
850	860	0.1	RMS	850	-44.26	-13	31.26	Pass	401




2.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.095	6.82	30	23.18	Pass	401
849	850	0.03	RMS	849.003	-34.5	-13	21.5	Pass	401
850	860	0.1	RMS	850	-34.8	-13	21.8	Pass	401




2.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-43.61	-13	30.61	Pass	401
823	824	0.051	RMS	823.998	-21.14	-13	8.14	Pass	401
824	829	0.1	RMS	824.338	19.86	30	10.14	Pass	401




2.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-35.38	-13	22.38	Pass	401
823	824	0.051	RMS	824	-32.12	-13	19.12	Pass	401
824	829	0.1	RMS	828.575	5.69	30	24.31	Pass	401




2.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-44.9	-13	31.9	Pass	401
823	824	0.051	RMS	824	-21.38	-13	8.38	Pass	401
824	829	0.1	RMS	824.35	19.18	30	10.82	Pass	401




2.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.55	-13	22.55	Pass	401
823	824	0.051	RMS	824	-33.13	-13	20.13	Pass	401
824	829	0.1	RMS	826.85	4.67	30	25.33	Pass	401



2.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.99	30	10.01	Pass	401
849	850	0.051	RMS	849	-21	-13	8	Pass	401
850	860	0.1	RMS	850.825	-43.86	-13	30.86	Pass	401




2.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	5.61	30	24.39	Pass	401
849	850	0.051	RMS	849	-32.96	-13	19.96	Pass	401
850	860	0.1	RMS	850	-35.9	-13	22.9	Pass	401



2.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.06	30	10.94	Pass	401
849	850	0.051	RMS	849	-20.93	-13	7.93	Pass	401
850	860	0.1	RMS	850.825	-45.5	-13	32.5	Pass	401




2.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.5	4.65	30	25.35	Pass	401
849	850	0.051	RMS	849	-33.59	-13	20.59	Pass	401
850	860	0.1	RMS	850.1	-36.3	-13	23.3	Pass	401




2.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.18	-45.52	-13	32.52	Pass	401
823	824	0.1	RMS	823.998	-23.83	-13	10.83	Pass	401
824	834	0.1	RMS	824.575	20.07	30	9.93	Pass	401




2.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-36.98	-13	23.98	Pass	401
823	824	0.1	RMS	823.998	-34.17	-13	21.17	Pass	401
824	834	0.1	RMS	832	2.73	30	27.27	Pass	401




2.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.16	-46.14	-13	33.14	Pass	401
823	824	0.1	RMS	824	-24.47	-13	11.47	Pass	401
824	834	0.1	RMS	824.6	19.38	30	10.62	Pass	401




2.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-37.51	-13	24.51	Pass	401
823	824	0.1	RMS	823.998	-35.24	-13	22.24	Pass	401
824	834	0.1	RMS	832.375	1.68	30	28.32	Pass	401



2.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.11	30	9.89	Pass	401
849	850	0.1	RMS	849.003	-23.23	-13	10.23	Pass	401
850	860	0.1	RMS	850.025	-50.95	-13	37.95	Pass	401




2.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846.525	2.66	30	27.34	Pass	401
849	850	0.1	RMS	849.005	-35.36	-13	22.36	Pass	401
850	860	0.1	RMS	850.05	-38.03	-13	25.03	Pass	401




2.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.03	30	10.97	Pass	401
849	850	0.1	RMS	849	-24.3	-13	11.3	Pass	401
850	860	0.1	RMS	850	-51.43	-13	38.43	Pass	401




2.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846.575	1.7	30	28.3	Pass	401
849	850	0.1	RMS	849	-36	-13	23	Pass	401
850	860	0.1	RMS	850.05	-38.32	-13	25.32	Pass	401




2.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-45.02	-13	32.02	Pass	401
823	824	0.15	RMS	824	-24.31	-13	11.31	Pass	401
824	839	0.1	RMS	824.825	19.97	30	10.03	Pass	401




2.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.44	-36.95	-13	23.95	Pass	401
823	824	0.15	RMS	823.998	-34.5	-13	21.5	Pass	401
824	839	0.1	RMS	828.575	1.06	30	28.94	Pass	401




2.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.14	-45.99	-13	32.99	Pass	401
823	824	0.15	RMS	823.998	-24.7	-13	11.7	Pass	401
824	839	0.1	RMS	824.825	19.17	30	10.83	Pass	401




2.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.94	-37.89	-13	24.89	Pass	401
823	824	0.15	RMS	823.998	-35.21	-13	22.21	Pass	401
824	839	0.1	RMS	826.025	0.02	30	29.98	Pass	401



2.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.96	30	10.04	Pass	401
849	850	0.15	RMS	849	-24.87	-13	11.87	Pass	401
850	860	0.1	RMS	850.275	-53.09	-13	40.09	Pass	401




2.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	834.9	1.28	30	28.72	Pass	401
849	850	0.15	RMS	849.003	-35.46	-13	22.46	Pass	401
850	860	0.1	RMS	850.25	-38.56	-13	25.56	Pass	401




2.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	18.89	30	11.11	Pass	401
849	850	0.15	RMS	849.008	-25.49	-13	12.49	Pass	401
850	860	0.1	RMS	850.025	-53.02	-13	40.02	Pass	401



2.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	834.938	0.33	30	29.67	Pass	401
849	850	0.15	RMS	849.003	-36.17	-13	23.17	Pass	401
850	860	0.1	RMS	850.125	-39.41	-13	26.41	Pass	401



3. LTE_Band41 full


3.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.713	-36.18	-25	11.18	Pass	401
2490	2495	1	RMS	2495	-26.35	-13	13.35	Pass	11
2495	2496	0.05	RMS	2496	-18.39	-13	5.39	Pass	401
2496	2501	0.1	RMS	2496.35	22.2	30	7.8	Pass	401




3.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.15	-25	11.15	Pass	31
2490	2495	1	RMS	2495	-22.28	-13	9.28	Pass	11
2495	2496	0.05	RMS	2495.985	-28.71	-13	15.71	Pass	401
2496	2501	0.1	RMS	2499.875	7.63	30	22.37	Pass	401




3.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.675	-39.02	-25	14.02	Pass	401
2490	2495	1	RMS	2495	-27.22	-13	14.22	Pass	11
2495	2496	0.05	RMS	2496	-18.48	-13	5.48	Pass	401
2496	2501	0.1	RMS	2496.338	21.5	30	8.5	Pass	401




3.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.7	-35.91	-25	10.91	Pass	401
2490	2495	1	RMS	2495	-24.33	-13	11.33	Pass	11
2495	2496	0.05	RMS	2496	-30.4	-13	17.4	Pass	401
2496	2501	0.1	RMS	2499.65	7.07	30	22.93	Pass	401




3.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	22.32	30	7.68	Pass	401
2690	2691	0.03	RMS	2690	-18.3	-10	8.3	Pass	401
2691	2695	1	RMS	2691	-24.76	-10	14.76	Pass	9
2695	2696	1	RMS	2695.02	-36.79	-13	23.79	Pass	401
2696	2715	1	RMS	2698.28	-34.97	-25	9.97	Pass	401




3.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.513	8.47	30	21.53	Pass	401
2690	2691	0.1	RMS	2690.003	-22.14	-10	12.14	Pass	401
2691	2695	1	RMS	2691	-16.46	-10	6.46	Pass	9
2695	2696	1	RMS	2695.018	-30.01	-13	17.01	Pass	401
2696	2715	1	RMS	2696	-31.28	-25	6.28	Pass	401




3.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	21.12	30	8.88	Pass	401
2690	2691	0.03	RMS	2690.003	-18.64	-10	8.64	Pass	401
2691	2695	1	RMS	2691	-25.17	-10	15.17	Pass	9
2695	2696	1	RMS	2695	-37.66	-13	24.66	Pass	401
2696	2715	1	RMS	2698.28	-36.3	-25	11.3	Pass	401




3.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.75	7.1	30	22.9	Pass	401
2690	2691	0.1	RMS	2690.005	-24.86	-10	14.86	Pass	401
2691	2695	1	RMS	2691	-19.57	-10	9.57	Pass	9
2695	2696	1	RMS	2695.005	-30.41	-13	17.41	Pass	401
2696	2715	1	RMS	2696	-32.75	-25	7.75	Pass	401




3.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2478.9	-36.47	-25	11.47	Pass	401
2490	2495	1	RMS	2495	-27.52	-13	14.52	Pass	11
2495	2496	0.1	RMS	2496	-21.03	-13	8.03	Pass	21
2496	2506	0.1	RMS	2496.6	22.07	30	7.93	Pass	401




3.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.35	-25	3.35	Pass	31
2490	2495	1	RMS	2495	-24.71	-13	11.71	Pass	11
2495	2496	0.1	RMS	2495.995	-31.61	-13	18.61	Pass	401
2496	2506	0.1	RMS	2503.95	5.23	30	24.77	Pass	401




3.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.013	-37.19	-25	12.19	Pass	401
2490	2495	1	RMS	2495	-29.68	-13	16.68	Pass	11
2495	2496	0.1	RMS	2496	-22.57	-13	9.57	Pass	21
2496	2506	0.1	RMS	2496.575	21.3	30	8.7	Pass	401




3.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.42	-25	5.42	Pass	31
2490	2495	1	RMS	2495	-26.8	-13	13.8	Pass	11
2495	2496	0.1	RMS	2495.97	-32.84	-13	19.84	Pass	401
2496	2506	0.1	RMS	2504.45	3.51	30	26.49	Pass	401




3.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	22.54	30	7.46	Pass	401
2690	2691	0.1	RMS	2690.003	-19.25	-10	9.25	Pass	401
2691	2695	1	RMS	2691	-28.17	-10	18.17	Pass	9
2695	2700	1	RMS	2698.188	-32.59	-13	19.59	Pass	401
2700	2715	1	RMS	2707.05	-36.28	-25	11.28	Pass	401




3.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2682.8	5.52	30	24.48	Pass	401
2690	2691	0.2	RMS	2690.04	-23.14	-10	13.14	Pass	401
2691	2695	1	RMS	2691	-19.23	-10	9.23	Pass	9
2695	2700	1	RMS	2695.013	-21.81	-13	8.81	Pass	401
2700	2715	1	RMS	2703.45	-34.24	-25	9.24	Pass	401




3.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	21.56	30	8.44	Pass	401
2690	2691	0.1	RMS	2690.003	-21.31	-10	11.31	Pass	401
2691	2695	1	RMS	2691	-29.87	-10	19.87	Pass	9
2695	2700	1	RMS	2698.213	-34.23	-13	21.23	Pass	401
2700	2715	1	RMS	2707.05	-38.12	-25	13.12	Pass	401




3.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.3	4.34	30	25.66	Pass	401
2690	2691	0.2	RMS	2690.003	-26.03	-10	16.03	Pass	401
2691	2695	1	RMS	2691	-22	-10	12	Pass	9
2695	2700	1	RMS	2695.013	-24.65	-13	11.65	Pass	401
2700	2715	1	RMS	2700.075	-34.36	-25	9.36	Pass	401




3.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.95	-25	11.95	Pass	401
2490	2495	1	RMS	2495	-28.72	-13	15.72	Pass	11
2495	2496	0.15	RMS	2496	-21.25	-13	8.25	Pass	401
2496	2511	0.1	RMS	2496.825	21.9	30	8.1	Pass	401




3.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.5	-26.98	-25	1.98	Pass	31
2490	2495	1	RMS	2494	-25.14	-13	12.14	Pass	11
2495	2496	0.15	RMS	2495.998	-31.3	-13	18.3	Pass	401
2496	2511	0.1	RMS	2508.338	3.17	30	26.83	Pass	401




3.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.2	-25	13.2	Pass	401
2490	2495	1	RMS	2495	-30.64	-13	17.64	Pass	11
2495	2496	0.15	RMS	2496	-22.92	-13	9.92	Pass	401
2496	2511	0.1	RMS	2496.863	21.32	30	8.68	Pass	401




3.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.5	-29.28	-25	4.28	Pass	31
2490	2495	1	RMS	2494	-27.39	-13	14.39	Pass	11
2495	2496	0.15	RMS	2495.988	-33.99	-13	20.99	Pass	401
2496	2511	0.1	RMS	2509.238	2.79	30	27.21	Pass	401




3.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	22.07	30	7.93	Pass	401
2690	2691	0.3	RMS	2690.003	-17.67	-10	7.67	Pass	401
2691	2695	1	RMS	2691	-29.37	-10	19.37	Pass	9
2695	2705	1	RMS	2695.8	-36.3	-13	23.3	Pass	401
2705	2715	1	RMS	2715	-42.24	-25	17.24	Pass	401




3.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.113	3.22	30	26.78	Pass	401
2690	2691	0.3	RMS	2690.37	-24.5	-10	14.5	Pass	401
2691	2695	1	RMS	2691	-21.51	-10	11.51	Pass	9
2695	2705	1	RMS	2695.175	-21.91	-13	8.91	Pass	401
2705	2715	1	RMS	2705.4	-34.99	-25	9.99	Pass	401




3.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	21	30	9	Pass	401
2690	2691	0.3	RMS	2690	-19.4	-10	9.4	Pass	401
2691	2695	1	RMS	2691	-30.17	-10	20.17	Pass	9
2695	2705	1	RMS	2695.775	-36.6	-13	23.6	Pass	401
2705	2715	1	RMS	2715	-44.3	-25	19.3	Pass	401




3.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.4	2.62	30	27.38	Pass	401
2690	2691	0.3	RMS	2690.013	-26.38	-10	16.38	Pass	401
2691	2695	1	RMS	2692	-22.93	-10	12.93	Pass	9
2695	2705	1	RMS	2695	-24.22	-13	11.22	Pass	401
2705	2715	1	RMS	2705.2	-34.53	-25	9.53	Pass	401




3.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.125	-37.81	-25	12.81	Pass	401
2490	2495	1	RMS	2495	-28.48	-13	15.48	Pass	11
2495	2496	0.2	RMS	2495.993	-24.09	-13	11.09	Pass	401
2496	2516	0.1	RMS	2497.1	21.49	30	8.51	Pass	401




3.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.51	-25	6.51	Pass	31
2490	2495	1	RMS	2495	-28.37	-13	15.37	Pass	11
2495	2496	0.2	RMS	2495.99	-33.19	-13	20.19	Pass	401
2496	2516	0.1	RMS	2505	1.89	30	28.11	Pass	401




3.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-38.4	-25	13.4	Pass	401
2490	2495	1	RMS	2495	-29.71	-13	16.71	Pass	11
2495	2496	0.2	RMS	2496	-23.79	-13	10.79	Pass	401
2496	2516	0.1	RMS	2497.05	20.53	30	9.47	Pass	401




3.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.1	-25	7.1	Pass	31
2490	2495	1	RMS	2494.913	-29.33	-13	16.33	Pass	401
2495	2496	0.2	RMS	2495.97	-34.09	-13	21.09	Pass	401
2496	2516	0.1	RMS	2512.5	0.9	30	29.1	Pass	401




3.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	22.03	30	7.97	Pass	401
2690	2691	0.5	RMS	2690.008	-17.89	-10	7.89	Pass	401
2691	2695	1	RMS	2691	-32.15	-10	22.15	Pass	9
2695	2710	1	RMS	2697.738	-36.55	-13	23.55	Pass	401
2710	2715	1	RMS	2710.088	-45.56	-25	20.56	Pass	401




3.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.25	1.57	30	28.43	Pass	401
2690	2691	0.5	RMS	2690.025	-25.56	-10	15.56	Pass	401
2691	2695	1	RMS	2691	-24.66	-10	14.66	Pass	9
2695	2710	1	RMS	2695.15	-25.79	-13	12.79	Pass	401
2710	2715	1	RMS	2710.163	-38.8	-25	13.8	Pass	401




3.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	20.94	30	9.06	Pass	401
2690	2691	0.5	RMS	2690	-18.31	-10	8.31	Pass	401
2691	2695	1	RMS	2691	-30.99	-10	20.99	Pass	9
2695	2710	1	RMS	2697.775	-37.48	-13	24.48	Pass	401
2710	2715	1	RMS	2710.05	-45.59	-25	20.59	Pass	401



3.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2682.85	0.74	30	29.26	Pass	401
2690	2691	0.5	RMS	2690.003	-27.95	-10	17.95	Pass	401
2691	2695	1	RMS	2691	-27.28	-10	17.28	Pass	9
2695	2710	1	RMS	2695.15	-27.71	-13	14.71	Pass	401
2710	2715	1	RMS	2710.013	-38.81	-25	13.81	Pass	401



1. LTE_Band26(part90)


1.1. LTE Band Edge_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-28.56	-13	15.56	Pass	51
813.9625	814	0.002	RMS	813.999	-32.39	-20	12.39	Pass	401
814	819	0.1	RMS	814.25	20.1	30	9.9	Pass	401




1.2. LTE Band Edge_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.83	-13	12.83	Pass	51
813.9625	814	0.02	RMS	813.963	-26.48	-20	6.48	Pass	3
814	819	0.1	RMS	814.638	11.73	30	18.27	Pass	401




1.3. LTE Band Edge_Part90(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-30.08	-13	17.08	Pass	51
813.9625	814	0.002	RMS	813.994	-32.79	-20	12.79	Pass	401
814	819	0.1	RMS	814.25	19.02	30	10.98	Pass	401




1.4. LTE Band Edge_Part90(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.54	-13	13.54	Pass	51
813.9725	814	0.02	RMS	814	-32.2	-20	12.2	Pass	3
814	819	0.1	RMS	814.75	10.81	30	19.19	Pass	401




1.5. LTE Band Edge_Part90(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	20.13	30	9.87	Pass	401
824	824.0375	0.002	RMS	824.004	-33.25	-20	13.25	Pass	401
824.0875	829	0.1	RMS	824.088	-29.72	-13	16.72	Pass	51




1.6. LTE Band Edge_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	11.88	30	18.12	Pass	401
824	824.0375	0.02	RMS	824	-31.05	-20	11.05	Pass	401
824.0375	829	0.1	RMS	824.038	-25.02	-13	12.02	Pass	401




1.7. LTE Band Edge_Part90(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.19	30	10.81	Pass	401
824	824.0375	0.002	RMS	824.008	-34.75	-20	14.75	Pass	401
824.0375	829	0.1	RMS	824.038	-22.94	-13	9.94	Pass	51




1.8. LTE Band Edge_Part90(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.35	10.99	30	19.01	Pass	401
824	824.0375	0.02	RMS	824.001	-32.23	-20	12.23	Pass	401
824.0375	829	0.1	RMS	824.038	-26.07	-13	13.07	Pass	401




1.9. LTE Band Edge_Part90(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.75	-13	8.75	Pass	51
813.9625	814	0.002	RMS	813.998	-34.11	-20	14.11	Pass	20
814	819	0.1	RMS	814.238	20.22	30	9.78	Pass	401




1.10. LTE Band Edge_Part90(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.21	-13	16.21	Pass	51
813.9625	814	0.03	RMS	814	-33.04	-20	13.04	Pass	3
814	819	0.1	RMS	815.438	8.07	30	21.93	Pass	401



1.11. LTE Band Edge_Part90(Subtest:11, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.02	-13	9.02	Pass	51
813.9625	814	0.002	RMS	814	-34	-20	14	Pass	20
814	819	0.1	RMS	814.25	19.31	30	10.69	Pass	401




1.12. LTE Band Edge_Part90(Subtest:12, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.63	-13	16.63	Pass	401
813.9625	814	0.03	RMS	814	-34.42	-20	14.42	Pass	3
814	819	0.1	RMS	815.225	7.07	30	22.93	Pass	401



1.13. LTE Band Edge_Part90(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.22	30	9.78	Pass	401
824	824.0375	0.002	RMS	824.003	-34.3	-20	14.3	Pass	401
824.0375	829	0.1	RMS	824.038	-22.51	-13	9.51	Pass	51




1.14. LTE Band Edge_Part90(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.075	8.03	30	21.97	Pass	401
824	824.0375	0.03	RMS	824	-34.05	-20	14.05	Pass	3
824.0375	829	0.1	RMS	824.038	-29.17	-13	16.17	Pass	401




1.15. LTE Band Edge_Part90(Subtest:15, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	19.24	30	10.76	Pass	401
824	824.0375	0.002	RMS	824.003	-34.58	-20	14.58	Pass	401
824.0375	829	0.1	RMS	824.038	-23.26	-13	10.26	Pass	51




1.16. LTE Band Edge_Part90(Subtest:16, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.638	6.85	30	23.15	Pass	401
824	824.0375	0.03	RMS	824	-34.09	-20	14.09	Pass	401
824.0375	829	0.1	RMS	824.038	-29.68	-13	16.68	Pass	401




1.17. LTE Band Edge_Part90(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.95	-13	8.95	Pass	51
813.9625	814	0.002	RMS	813.998	-34.3	-20	14.3	Pass	401
814	819	0.1	RMS	814.338	19.87	30	10.13	Pass	401




1.18. LTE Band Edge_Part90(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.45	-13	17.45	Pass	401
813.9625	814	0.05	RMS	814	-32.57	-20	12.57	Pass	2
814	819	0.1	RMS	815.663	5.74	30	24.26	Pass	401




1.19. LTE Band Edge_Part90(Subtest:19, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.57	-13	8.57	Pass	51
813.9625	814	0.002	RMS	813.998	-34.61	-20	14.61	Pass	401
814	819	0.1	RMS	814.338	19.19	30	10.81	Pass	401




1.20. LTE Band Edge_Part90(Subtest:20, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.4	-13	18.4	Pass	401
813.9625	814	0.051	RMS	814	-32.9	-20	12.9	Pass	401
814	819	0.1	RMS	815.688	4.8	30	25.2	Pass	401



1.21. LTE Band Edge_Part90(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	19.92	30	10.08	Pass	51
824	824.0375	0.002	RMS	824.003	-34.08	-20	14.08	Pass	401
824.0375	829	0.1	RMS	824.038	-20.4	-13	7.4	Pass	401




1.22. LTE Band Edge_Part90(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.625	5.73	30	24.27	Pass	401
824	824.0375	0.05	RMS	824	-32.72	-20	12.72	Pass	2
824.0375	829	0.1	RMS	824.038	-30.67	-13	17.67	Pass	401



1.23. LTE Band Edge_Part90(Subtest:23, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	18.54	30	11.46	Pass	51
824	824.0375	0.002	RMS	824.011	-33.51	-20	13.51	Pass	401
824.0375	829	0.1	RMS	824.038	-20.32	-13	7.32	Pass	401




1.24. LTE Band Edge_Part90(Subtest:24, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.475	4.66	30	25.34	Pass	401
824	824.0375	0.05	RMS	824	-33.69	-20	13.69	Pass	2
824.0375	829	0.1	RMS	824.038	-31.34	-13	18.34	Pass	401




1.25. LTE Band Edge_Part90(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.4	-13	12.4	Pass	401
813.9625	814	0.02	RMS	814	-31.01	-20	11.01	Pass	401
814	819	0.1	RMS	814.588	20.04	30	9.96	Pass	401




1.26. LTE Band Edge_Part90(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.63	-13	22.63	Pass	401
813.9625	814	0.1	RMS	814	-34.99	-20	14.99	Pass	401
814	819	0.1	RMS	815.938	2.92	30	27.08	Pass	401




1.27. LTE Band Edge_Part90(Subtest:27, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.04	-13	13.04	Pass	401
813.9625	814	0.02	RMS	814	-31.74	-20	11.74	Pass	401
814	819	0.1	RMS	814.6	19.29	30	10.71	Pass	401




1.28. LTE Band Edge_Part90(Subtest:28, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.61	-13	23.61	Pass	401
813.9625	814	0.1	RMS	813.999	-35.82	-20	15.82	Pass	401
814	819	0.1	RMS	815.363	1.8	30	28.2	Pass	401




1.29. LTE Band Edge_Part90(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.03	30	9.97	Pass	401
824	824.0375	0.02	RMS	824	-30.43	-20	10.43	Pass	401
824.0375	829	0.1	RMS	824.038	-25.02	-13	12.02	Pass	401




1.30. LTE Band Edge_Part90(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.363	2.59	30	27.41	Pass	401
824	824.0375	0.1	RMS	824	-34.87	-20	14.87	Pass	401
824.0375	829	0.1	RMS	824.038	-35.33	-13	22.33	Pass	401




1.31. LTE Band Edge_Part90(Subtest:31, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	19.28	30	10.72	Pass	401
824	824.0375	0.02	RMS	824.002	-30.5	-20	10.5	Pass	401
824.0375	829	0.1	RMS	824.05	-24.99	-13	11.99	Pass	401



1.32. LTE Band Edge_Part90(Subtest:32, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.025	1.59	30	28.41	Pass	401
824	824.0375	0.1	RMS	824	-35.46	-20	15.46	Pass	401
824.0375	829	0.1	RMS	824.038	-35.95	-13	22.95	Pass	401



--BLANK BELOW--