





Bandedge_NVNT_ANT1_802_11ac(VHT80)_5210



6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	25070.62	-27.43	-27	Pass
NVNT	ANT1	802.11a	5200.00	25044.15	-27.11	-27	Pass
NVNT	ANT1	802.11a	5240.00	25044.15	-27.40	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25097.09	-37.66	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25097.09	-37.31	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	25044.15	-37.84	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	25044.15	-37.51	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	24991.21	-27.41	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	25070.62	-37.66	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	24991.21	-37.56	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25070.62	-37.00	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	25017.68	-37.29	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	25017.68	-37.33	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	25097.09	-36.40	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5180_20M




Spurious_Emission_NVNT_ANT1_802_11a_5200_20M




Spurious_Emission_NVNT_ANT1_802_11a_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5240_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5210_80M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5180.00	5179.850	5170.780	5188.920	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5180.00	5179.900	5171.416	5188.384	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.936	5171.636	5188.236	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.940	5171.764	5188.116	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.942	5171.844	5188.040	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5180.00	5179.944	5171.916	5187.972	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.946	5171.968	5187.924	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.928	5172.012	5187.844	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.940	5172.072	5187.808	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.934	5172.120	5187.748	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.932	5172.176	5187.688	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.946	5172.228	5187.664	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5200.00	5199.882	5190.716	5209.048	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5200.00	5199.906	5191.408	5208.404	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.930	5191.604	5208.256	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.940	5191.744	5208.136	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.936	5191.824	5208.048	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5200.00	5199.940	5191.880	5208.000	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.940	5191.940	5207.940	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.942	5191.992	5207.892	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.942	5192.048	5207.836	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.944	5192.108	5207.780	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.940	5192.156	5207.724	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5199.944	5192.216	5207.672	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5240.00	5239.894	5230.864	5248.924	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5240.00	5239.942	5231.464	5248.420	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.954	5231.644	5248.264	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.962	5231.776	5248.148	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.942	5231.836	5248.048	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5240.00	5239.936	5231.888	5247.984	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.948	5231.956	5247.940	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.934	5232.004	5247.864	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.946	5232.060	5247.832	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.942	5232.112	5247.772	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.948	5232.168	5247.728	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.938	5232.212	5247.664	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.926	5170.336	5189.516	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.922	5170.868	5188.976	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.940	5171.052	5188.828	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.936	5171.160	5188.712	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.922	5171.236	5188.608	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.930	5171.292	5188.568	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.930	5171.360	5188.500	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.926	5171.408	5188.444	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.902	5171.456	5188.348	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5180.00	5179.914	5171.512	5188.316	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5180.00	5179.886	5171.560	5188.212	5150~5250	Pass

25degrees C&&3.23V	ANT1	802.11n(HT20)	5180.00	5179.884	5171.608	5188.160	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.910	5190.264	5209.556	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.936	5190.864	5209.008	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.956	5191.056	5208.856	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.940	5191.152	5208.728	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.940	5191.232	5208.648	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.944	5191.292	5208.596	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.938	5191.344	5208.532	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.924	5191.396	5208.452	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.918	5191.440	5208.396	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5200.00	5199.934	5191.488	5208.380	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5200.00	5199.912	5191.536	5208.288	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5200.00	5199.908	5191.592	5208.224	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.914	5230.320	5249.508	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.968	5230.932	5249.004	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.980	5231.120	5248.840	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.978	5231.224	5248.732	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.982	5231.304	5248.660	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.986	5231.364	5248.608	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.990	5231.420	5248.560	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.980	5231.476	5248.484	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.966	5231.536	5248.396	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5240.00	5239.964	5231.596	5248.332	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5240.00	5239.974	5231.648	5248.300	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5240.00	5239.968	5231.700	5248.236	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.952	5170.384	5189.520	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.948	5170.908	5188.988	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.964	5171.100	5188.828	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.958	5171.196	5188.720	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.954	5171.268	5188.640	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.942	5171.336	5188.548	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.948	5171.396	5188.500	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.938	5171.448	5188.428	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.960	5171.508	5188.412	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5180.00	5179.934	5171.556	5188.312	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5180.00	5179.944	5171.624	5188.264	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5180.00	5179.918	5171.688	5188.148	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.896	5190.228	5209.564	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.924	5190.824	5209.024	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.942	5191.036	5208.848	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.944	5191.148	5208.740	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.950	5191.228	5208.672	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.938	5191.288	5208.588	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.938	5191.352	5208.524	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.930	5191.408	5208.452	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.944	5191.468	5208.420	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5200.00	5199.936	5191.528	5208.344	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5200.00	5199.964	5191.588	5208.340	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5200.00	5199.946	5191.632	5208.260	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5240.042	5230.500	5249.584	5150~5250	Pass

40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.982	5230.936	5249.028	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.996	5231.116	5248.876	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.972	5231.204	5248.740	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.966	5231.272	5248.660	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.980	5231.340	5248.620	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.968	5231.408	5248.528	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.978	5231.472	5248.484	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.964	5231.532	5248.396	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5240.00	5239.982	5231.592	5248.372	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5240.00	5239.956	5231.644	5248.268	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5240.00	5239.966	5231.704	5248.228	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.960	5171.536	5208.384	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.948	5171.800	5208.096	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.916	5171.920	5207.912	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.912	5172.048	5207.776	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.912	5172.184	5207.640	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.916	5172.288	5207.544	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.936	5172.408	5207.464	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.892	5172.488	5207.296	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.888	5172.576	5207.200	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5190.00	5189.884	5172.664	5207.104	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5190.00	5189.880	5172.784	5206.976	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5190.00	5189.828	5172.856	5206.800	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.948	5211.576	5248.320	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.992	5211.872	5248.112	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5229.984	5212.024	5247.944	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.008	5212.160	5247.856	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.020	5212.304	5247.736	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.012	5212.432	5247.592	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.016	5212.528	5247.504	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.048	5212.672	5247.424	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.784	5247.296	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5230.00	5230.052	5212.880	5247.224	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5230.00	5230.056	5213.000	5247.112	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5230.00	5230.064	5213.152	5246.976	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.988	5171.848	5208.128	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.984	5172.056	5207.912	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.992	5172.208	5207.776	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.988	5172.368	5207.608	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.988	5172.496	5207.480	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.976	5172.616	5207.336	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.968	5172.728	5207.208	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.968	5172.880	5207.056	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.960	5173.032	5206.888	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5190.00	5190.008	5173.200	5206.816	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5190.00	5189.992	5173.360	5206.624	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5190.00	5190.008	5173.504	5206.512	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.004	5211.592	5248.416	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.020	5211.896	5248.144	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.008	5212.064	5247.952	5150~5250	Pass

20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.056	5212.240	5247.872	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.040	5212.360	5247.720	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.060	5212.496	5247.624	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.616	5247.520	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.060	5212.744	5247.376	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.092	5212.872	5247.312	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5230.00	5230.120	5212.992	5247.248	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5230.00	5230.136	5213.120	5247.152	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5230.00	5230.140	5213.264	5247.016	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.970	5172.020	5247.920	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.994	5172.428	5247.560	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.976	5172.740	5247.212	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5208.038	5173.184	5242.892	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.046	5173.484	5244.608	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.982	5173.832	5246.132	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.784	5173.880	5245.688	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.598	5173.928	5245.268	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.412	5173.964	5244.860	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5210.00	5209.322	5174.024	5244.620	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5210.00	5209.154	5174.096	5244.212	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5210.00	5209.064	5174.168	5243.960	5150~5250	Pass

Appendix-5.8G

HT260813008-XM-8600A-FCC-5.8GWIFI FCC_5.8G_WIFI (Part15.407) Test Data

1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.376	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.360	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.344	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.564	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.785	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.529	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	16.561	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	16.316	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	16.960	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.096	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.123	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.154	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.152	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.083	0.500	Pass

-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M





-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M







-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5795_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5755_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT80)_5775_80M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	18.58	16.46
NVNT	ANT1	802.11a	5785.00	18.33	16.54
NVNT	ANT1	802.11a	5825.00	18.59	16.57
NVNT	ANT1	802.11n(HT20)	5745.00	22.59	17.61
NVNT	ANT1	802.11n(HT20)	5785.00	25.99	17.63
NVNT	ANT1	802.11n(HT20)	5825.00	29.11	17.66
NVNT	ANT1	802.11ac(VHT20)	5745.00	25.80	17.64
NVNT	ANT1	802.11ac(VHT20)	5785.00	32.75	17.70
NVNT	ANT1	802.11ac(VHT20)	5825.00	27.80	17.67
NVNT	ANT1	802.11n(HT40)	5755.00	40.69	35.90
NVNT	ANT1	802.11n(HT40)	5795.00	42.11	36.04
NVNT	ANT1	802.11ac(VHT40)	5755.00	45.63	35.96
NVNT	ANT1	802.11ac(VHT40)	5795.00	51.93	36.09
NVNT	ANT1	802.11ac(VHT80)	5775.00	83.32	75.15

99%_OCB_NVNT_ANT1_802_11a_5745




-26BW_NVNT_ANT1_802_11a_5745



99%_OCB_NVNT_ANT1_802_11a_5785



-26BW_NVNT_ANT1_802_11a_5785




99%_OCB_NVNT_ANT1_802_11a_5825




-26BW_NVNT_ANT1_802_11a_5825




99%_OCB_NVNT_ANT1_802_11n(HT20)_5745



-26BW_NVNT_ANT1_802_11n(HT20)_5745




99%_OCB_NVNT_ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5745



-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5825



-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99%_OCB_NVNT_ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755



99%_OCB_NVNT_ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795



99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5775




-26BW_NVNT_ANT1_802_11ac(VHT80)_5775




3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	76.92	1.14
NVNT	ANT1	802.11a	5785.00	76.92	1.14
NVNT	ANT1	802.11a	5825.00	75.00	1.25
NVNT	ANT1	802.11n(HT20)	5745.00	95.59	0.20
NVNT	ANT1	802.11n(HT20)	5785.00	95.59	0.20
NVNT	ANT1	802.11n(HT20)	5825.00	97.06	0.13
NVNT	ANT1	802.11ac(VHT20)	5745.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT20)	5785.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT20)	5825.00	91.89	0.37
NVNT	ANT1	802.11n(HT40)	5755.00	94.29	0.26
NVNT	ANT1	802.11n(HT40)	5795.00	91.67	0.38
NVNT	ANT1	802.11ac(VHT40)	5755.00	85.71	0.67
NVNT	ANT1	802.11ac(VHT40)	5795.00	85.00	0.71
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.00	1.25


Duty_Cycle_NVNT_ANT1_802_11a_5745




Duty_Cycle_NVNT_ANT1_802_11a_5785




Duty_Cycle_NVNT_ANT1_802_11a_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5745




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5785




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5825




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5745




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5785




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5825




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5755




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5795




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5755



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5795



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5775




4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	13.44	1.14	14.58	30	Pass
NVNT	ANT1	802.11a	5785.00	13.16	1.14	14.30	30	Pass
NVNT	ANT1	802.11a	5825.00	13.39	1.25	14.64	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	13.24	0.20	13.44	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	12.93	0.20	13.13	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	13.12	0.13	13.25	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	13.62	0.37	13.99	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	13.79	0.37	14.16	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	13.48	0.37	13.85	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	13.41	0.00	13.41	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	13.24	0.38	13.62	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	13.53	0.67	14.20	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	13.40	0.71	14.11	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	12.61	1.25	13.86	30	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5745



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5825



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5745




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5785



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5825




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5795




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5755



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5795



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT80)_5775



5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-10.48	1.14	-0.09	-9.43	30	Pass
NVNT	ANT1	802.11a	5785.00	-11.02	1.14	-0.09	-9.97	30	Pass
NVNT	ANT1	802.11a	5825.00	-10.40	1.25	-0.09	-9.23	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-4.00	0.20	-0.09	-3.89	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-3.93	0.20	-0.09	-3.81	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-4.17	0.13	-0.09	-4.12	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-3.35	0.37	-0.09	-3.07	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-3.58	0.37	-0.09	-3.29	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-5.13	0.37	-0.09	-4.85	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-8.33	0.26	-0.09	-8.16	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-8.25	0.38	-0.09	-7.96	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-10.23	0.67	-0.09	-9.64	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-10.15	0.71	-0.09	-9.52	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-19.03	1.25	-0.09	-17.86	30	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5745



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5639.070	-47.95	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5660.400	-48.31	-22.56	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5718.380	-44.16	15.15	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5724.020	-33.24	24.77	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5852.300	-46.21	21.76	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5872.380	-46.73	10.73	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5913.025	-47.52	-21.26	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5920.680	-43.84	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5622.330	-47.28	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5658.870	-47.95	-23.82	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5702.580	-46.72	10.72	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.840	-37.98	26.64	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5852.805	-43.55	20.60	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5872.720	-47.19	10.64	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5911.405	-47.13	-19.93	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5921.785	-42.81	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5640.330	-47.81	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5663.640	-47.57	-19.90	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5708.200	-46.19	12.30	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5723.240	-33.70	22.99	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5850.405	-41.37	26.08	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5873.160	-47.33	10.52	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5917.840	-46.96	-25.22	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5921.785	-43.19	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5635.740	-47.32	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5659.815	-48.01	-23.04	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5717.480	-38.89	14.89	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5720.320	-36.10	16.33	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.415	-46.59	19.21	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5874.740	-47.01	10.07	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5913.160	-47.42	-21.38	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5922.135	-42.86	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5618.640	-48.03	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5658.150	-47.75	-24.41	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.460	-36.88	15.17	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5720.960	-34.11	17.79	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.740	-46.29	18.47	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5869.060	-47.17	11.66	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5907.625	-47.31	-16.82	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5945.410	-43.16	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5651.905	-48.19	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5691.540	-43.92	3.04	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5718.940	-35.27	15.30	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.625	-34.90	17.02	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5851.265	-35.02	24.12	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5859.580	-37.02	14.32	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5876.935	-44.75	8.41	Pass

NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5923.680	-42.40	-27.00	Pass
------	------	-----------------	-----	-----------	----------	--------	--------	------


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825



Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25052.09	-35.85	-27	Pass
NVNT	ANT1	802.11a	5785.00	25060.03	-36.89	-27	Pass
NVNT	ANT1	802.11a	5825.00	24977.97	-36.83	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25017.68	-37.47	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	25091.80	-37.24	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25150.03	-37.78	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	24977.97	-37.02	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25107.68	-37.20	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	25046.80	-36.33	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	25022.97	-37.05	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25020.33	-37.25	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25592.08	-37.00	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25097.09	-37.49	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25049.44	-37.19	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755



Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5744.988	5736.612	5753.364	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5744.988	5736.752	5753.224	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.972	5736.840	5753.104	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.980	5736.916	5753.044	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.990	5736.976	5753.004	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5744.984	5737.024	5752.944	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.984	5737.080	5752.888	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.966	5737.136	5752.796	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.982	5737.192	5752.772	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.964	5737.248	5752.680	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.978	5737.312	5752.644	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.988	5737.360	5752.616	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5784.976	5776.600	5793.352	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5784.972	5776.736	5793.208	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.984	5776.824	5793.144	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.968	5776.892	5793.044	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.972	5776.960	5792.984	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5784.972	5777.020	5792.924	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.990	5777.092	5792.888	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.986	5777.136	5792.836	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.998	5777.184	5792.812	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.974	5777.228	5792.720	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.994	5777.284	5792.704	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.988	5777.348	5792.628	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5824.978	5816.564	5833.392	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5824.974	5816.740	5833.208	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.984	5816.840	5833.128	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.960	5816.892	5833.028	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.956	5816.944	5832.968	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.958	5817.004	5832.912	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.976	5817.064	5832.888	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.964	5817.112	5832.816	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.970	5817.164	5832.776	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.956	5817.228	5832.684	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.968	5817.284	5832.652	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.964	5817.340	5832.588	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.986	5736.076	5753.896	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.978	5736.204	5753.752	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.978	5736.284	5753.672	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.972	5736.352	5753.592	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.976	5736.424	5753.528	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.982	5736.500	5753.464	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.972	5736.564	5753.380	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.624	5753.308	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.968	5736.676	5753.260	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5744.972	5736.732	5753.212	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.972	5736.788	5753.156	5725~5850	Pass

25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5744.978	5736.848	5753.108	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.990	5776.028	5793.952	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.982	5776.196	5793.768	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.972	5776.284	5793.660	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.974	5776.356	5793.592	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.978	5776.420	5793.536	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.960	5776.488	5793.432	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.974	5776.560	5793.388	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.970	5776.620	5793.320	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.980	5776.672	5793.288	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5784.968	5776.720	5793.216	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.992	5776.776	5793.208	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5784.968	5776.828	5793.108	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.954	5815.940	5833.968	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.958	5816.152	5833.764	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.954	5816.248	5833.660	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.954	5816.328	5833.580	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.956	5816.400	5833.512	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.958	5816.456	5833.460	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.946	5816.520	5833.372	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.954	5816.588	5833.320	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.964	5816.640	5833.288	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5824.942	5816.696	5833.188	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.946	5816.748	5833.144	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5824.948	5816.804	5833.092	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5745.008	5736.052	5753.964	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.984	5736.204	5753.764	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.982	5736.292	5753.672	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.984	5736.372	5753.596	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.980	5736.428	5753.532	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.974	5736.504	5753.444	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.990	5736.576	5753.404	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.636	5753.308	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.984	5736.696	5753.272	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5744.982	5736.752	5753.212	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.984	5736.804	5753.164	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.852	5753.092	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5785.024	5775.932	5794.116	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.978	5776.156	5793.800	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.974	5776.252	5793.696	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.968	5776.324	5793.612	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.964	5776.396	5793.532	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.966	5776.472	5793.460	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.966	5776.540	5793.392	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.962	5776.600	5793.324	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.968	5776.648	5793.288	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5784.942	5776.696	5793.188	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.960	5776.744	5793.176	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5784.944	5776.784	5793.104	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.942	5815.908	5833.976	5725~5850	Pass

40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.962	5816.148	5833.776	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.968	5816.248	5833.688	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.960	5816.316	5833.604	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.960	5816.392	5833.528	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.962	5816.480	5833.444	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.962	5816.544	5833.380	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.962	5816.604	5833.320	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.958	5816.656	5833.260	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5824.966	5816.704	5833.228	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.962	5816.764	5833.160	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5824.954	5816.812	5833.096	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.016	5736.888	5773.144	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.004	5737.096	5772.912	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.004	5737.280	5772.728	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.020	5737.432	5772.608	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.016	5737.584	5772.448	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.016	5737.736	5772.296	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.008	5737.864	5772.152	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.036	5738.032	5772.040	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.040	5738.168	5771.912	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5755.000	5738.288	5771.712	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.028	5738.440	5771.616	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5755.052	5738.592	5771.512	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.992	5776.816	5813.168	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.984	5777.032	5812.936	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.000	5777.232	5812.768	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.972	5777.400	5812.544	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.972	5777.536	5812.408	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.688	5812.264	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.996	5777.848	5812.144	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.992	5777.976	5812.008	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.992	5778.168	5811.816	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5795.012	5778.304	5811.720	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.988	5778.456	5811.520	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5795.000	5778.592	5811.408	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.012	5736.872	5773.152	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.008	5737.088	5772.928	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.000	5737.248	5772.752	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.992	5737.392	5772.592	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.996	5737.528	5772.464	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.016	5737.688	5772.344	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.972	5737.816	5772.128	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.996	5737.992	5772.000	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.004	5738.136	5771.872	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5754.996	5738.256	5771.736	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.964	5738.424	5771.504	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5755.008	5738.608	5771.408	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.980	5776.768	5813.192	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.000	5777.040	5812.960	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.248	5812.760	5725~5850	Pass

20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.416	5812.624	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.996	5777.552	5812.440	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.688	5812.320	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5795.016	5777.840	5812.192	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.972	5777.968	5811.976	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.988	5778.120	5811.856	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5794.996	5778.280	5811.712	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.960	5778.400	5811.520	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5794.976	5778.544	5811.408	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.042	5737.104	5812.980	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.024	5737.476	5812.572	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5737.812	5812.284	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.042	5738.184	5811.900	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5738.556	5811.540	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.030	5738.856	5811.204	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5739.180	5810.916	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.928	5739.492	5810.364	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.946	5739.804	5810.088	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5775.00	5774.928	5740.080	5809.776	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.970	5740.380	5809.560	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5775.00	5774.892	5740.680	5809.104	5725~5850	Pass

***** End of Report *****