



Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	30
3. Maximum Conducted Output Power	46
4. Power Spectral Density	47
5. Frequency Stability	62


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5260.00	18.37	16.34
NVNT	ANT1	802.11a	5300.00	18.46	16.36
NVNT	ANT1	802.11a	5320.00	18.25	16.32
NVNT	ANT1	802.11n(HT20)	5260.00	19.38	17.52
NVNT	ANT1	802.11n(HT20)	5300.00	19.33	17.54
NVNT	ANT1	802.11n(HT20)	5320.00	19.38	17.53
NVNT	ANT1	802.11ac(VHT20)	5260.00	19.51	17.55
NVNT	ANT1	802.11ac(VHT20)	5300.00	19.41	17.53
NVNT	ANT1	802.11ac(VHT20)	5320.00	19.36	17.54
NVNT	ANT1	802.11n(HT40)	5270.00	41.21	36.09
NVNT	ANT1	802.11n(HT40)	5310.00	41.37	36.19
NVNT	ANT1	802.11ac(VHT40)	5270.00	40.75	36.04
NVNT	ANT1	802.11ac(VHT40)	5310.00	41.24	36.11
NVNT	ANT1	802.11ac(VHT80)	5290.00	81.43	74.90
NVNT	ANT2	802.11a	5260.00	18.43	16.33
NVNT	ANT2	802.11a	5300.00	18.43	16.35
NVNT	ANT2	802.11a	5320.00	18.29	16.34
NVNT	ANT2	802.11n(HT20)	5260.00	19.37	17.54
NVNT	ANT2	802.11n(HT20)	5300.00	19.35	17.53
NVNT	ANT2	802.11n(HT20)	5320.00	19.47	17.54
NVNT	ANT2	802.11ac(VHT20)	5260.00	19.31	17.54
NVNT	ANT2	802.11ac(VHT20)	5300.00	19.44	17.54
NVNT	ANT2	802.11ac(VHT20)	5320.00	19.34	17.53
NVNT	ANT2	802.11n(HT40)	5270.00	41.28	36.07
NVNT	ANT2	802.11n(HT40)	5310.00	40.73	36.13
NVNT	ANT2	802.11ac(VHT40)	5270.00	40.80	36.08
NVNT	ANT2	802.11ac(VHT40)	5310.00	41.04	36.14
NVNT	ANT2	802.11ac(VHT80)	5290.00	80.87	74.91







99% OCB NVNT ANT1 802 11a 5300




-26BW NVNT ANT1 802 11a 5300




99% OCB NVNT ANT1 802 11a 5320




-26BW NVNT ANT1 802 11a 5320




99% OCB NVNT ANT1_802_11n(HT20)_5260




-26BW_NVNT_ANT1_802_11n(HT20)_5260




99% OCB NVNT ANT1 802 11n(HT20) 5300




-26BW NVNT ANT1 802 11n(HT20) 5300




99% OCB NVNT ANT1 802 11n(HT20) 5320




-26BW NVNT ANT1 802 11n(HT20) 5320




99% OCB NVNT ANT1 802 11ac(VHT20) 5260




-26BW_NVNT_ANT1_802_11ac(VHT20)_5260




99% OCB NVNT ANT1 802 11ac(VHT20) 5300




-26BW_NVNT_ANT1_802_11ac(VHT20)_5300




99% OCB NVNT ANT1 802 11ac(VHT20) 5320




-26BW_NVNT_ANT1_802_11ac(VHT20)_5320




99% OCB NVNT ANT1_802_11n(HT40)_5270




-26BW_NVNT_ANT1_802_11n(HT40)_5270




99% OCB NVNT ANT1 802 11n(HT40) 5310




-26BW NVNT ANT1 802 11n(HT40) 5310




99% OCB NVNT ANT1 802 11ac(VHT40) 5270




-26BW_NVNT_ANT1_802_11ac(VHT40)_5270




99% OCB NVNT ANT1 802 11ac(VHT40) 5310




-26BW_NVNT_ANT1_802_11ac(VHT40)_5310




99% OCB NVNT ANT1 802 11ac(VHT80) 5290




-26BW_NVNT_ANT1_802_11ac(VHT80)_5290




99%_OCB_NVNT_ANT2_802_11a_5260



-26BW_NVNT_ANT2_802_11a_5260




99%_OCB_NVNT_ANT2_802_11a_5300




-26BW NVNT ANT2 802 11a 5300




99% OCB NVNT ANT2 802 11a 5320




-26BW NVNT ANT2 802 11a 5320




99% OCB NVNT ANT2 802 11n(HT20) 5260




-26BW NVNT ANT2 802 11n(HT20) 5260




99% OCB NVNT ANT2 802 11n(HT20) 5300




-26BW NVNT ANT2 802 11n(HT20) 5300




99% OCB NVNT ANT2 802 11n(HT20) 5320




-26BW NVNT ANT2 802 11n(HT20) 5320




99% OCB NVNT ANT2 802 11ac(VHT20) 5260




-26BW_NVNT_ANT2_802_11ac(VHT20)_5260




99%_OCB_NVNT_ANT2_802_11ac(VHT20)_5300




-26BW_NVNT_ANT2_802_11ac(VHT20)_5300




99%_OCB_NVNT_ANT2_802_11ac(VHT20)_5320




-26BW NVNT ANT2 802 11ac(VHT20) 5320




99% OCB NVNT ANT2 802 11n(HT40) 5270




-26BW NVNT ANT2 802 11n(HT40) 5270




99% OCB NVNT ANT2 802 11n(HT40) 5310




-26BW NVNT ANT2 802 11n(HT40) 5310




99% OCB NVNT ANT2 802 11ac(VHT40) 5270




-26BW_NVNT_ANT2_802_11ac(VHT40)_5270




99%_OCB_NVNT_ANT2_802_11ac(VHT40)_5310



-26BW_NVNT_ANT2_802_11ac(VHT40)_5310




99%_OCB_NVNT_ANT2_802_11ac(VHT80)_5290




2. Duty Cycle

Condition	Antenna	Modulation	Frequency(MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5260.00	91.15	0.40
NVNT	ANT1	802.11a	5300.00	91.96	0.36
NVNT	ANT1	802.11a	5320.00	91.96	0.36
NVNT	ANT1	802.11n(HT20)	5260.00	91.43	0.39
NVNT	ANT1	802.11n(HT20)	5300.00	91.43	0.39
NVNT	ANT1	802.11n(HT20)	5320.00	90.57	0.43
NVNT	ANT1	802.11ac(VHT20)	5260.00	93.27	0.30
NVNT	ANT1	802.11ac(VHT20)	5300.00	94.17	0.26
NVNT	ANT1	802.11ac(VHT20)	5320.00	93.27	0.30
NVNT	ANT1	802.11n(HT40)	5270.00	88.68	0.52


NVNT	ANT1	802.11n(HT40)	5310.00	88.68	0.52
NVNT	ANT1	802.11ac(VHT40)	5270.00	82.76	0.82
NVNT	ANT1	802.11ac(VHT40)	5310.00	82.46	0.84
NVNT	ANT1	802.11ac(VHT80)	5290.00	82.76	0.82
NVNT	ANT2	802.11a	5260.00	93.69	0.28
NVNT	ANT2	802.11a	5300.00	92.79	0.32
NVNT	ANT2	802.11a	5320.00	93.64	0.29
NVNT	ANT2	802.11n(HT20)	5260.00	92.31	0.35
NVNT	ANT2	802.11n(HT20)	5300.00	93.20	0.31
NVNT	ANT2	802.11n(HT20)	5320.00	92.31	0.35
NVNT	ANT2	802.11ac(VHT20)	5260.00	91.51	0.39
NVNT	ANT2	802.11ac(VHT20)	5300.00	92.38	0.34
NVNT	ANT2	802.11ac(VHT20)	5320.00	91.43	0.39
NVNT	ANT2	802.11n(HT40)	5270.00	87.04	0.60
NVNT	ANT2	802.11n(HT40)	5310.00	87.04	0.60
NVNT	ANT2	802.11ac(VHT40)	5270.00	84.21	0.75
NVNT	ANT2	802.11ac(VHT40)	5310.00	84.21	0.75
NVNT	ANT2	802.11ac(VHT80)	5290.00	76.67	1.15




Duty Cycle NVNT ANT1 802 11a 5300




Duty Cycle NVNT ANT1 802_11a 5320




Duty Cycle NVNT ANT1 802_11n(HT20)_5260




Duty Cycle NVNT ANT1_802_11n(HT20)_5300




Duty Cycle NVNT ANT1_802_11n(HT20)_5320




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5260




Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5300




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5320






Duty Cycle NVNT ANT1 802_11n(HT40) 5270





Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5310




Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5270







Duty Cycle NVNT ANT2 802 11a 5300




Duty Cycle NVNT ANT2_802_11a_5320




Duty Cycle NVNT ANT2_802_11n(HT20)_5260




Duty Cycle NVNT ANT2 802 11n(HT20) 5300




Duty Cycle NVNT ANT2 802 11n(HT20) 5320




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5260




Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5300




Duty Cycle NVNT ANT2_802_11ac(VHT20)_5320




Duty Cycle NVNT ANT2_802_11n(HT40)_5270




Duty Cycle NVNT ANT2 802_11n(HT40)_5310




Duty Cycle NVNT ANT2 802_11ac(VHT40)_5270



Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5310



Duty_Cycle_NVNT_ANT2_802_11ac(VHT80)_5290



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	IC Conducted limit(dBm)	FCC Conducted limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	13.85	16.12	29.13	23.13	23.98	Pass
NVNT	ANT1	802.11a	5300.00	14.01	16.28	29.14	23.14	23.98	Pass
NVNT	ANT1	802.11a	5320.00	14.08	16.35	29.13	23.13	23.98	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	12.73	15.00	29.44	23.44	23.98	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	12.73	15.00	29.44	23.44	23.98	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	12.59	14.86	29.44	23.44	23.98	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	12.83	15.10	29.44	23.44	23.98	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	12.63	14.90	29.44	23.44	23.98	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	12.64	14.91	29.44	23.44	23.98	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	11.93	14.20	30	23.98	23.98	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	11.82	14.09	30	23.98	23.98	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	11.79	14.06	30	23.98	23.98	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	11.75	14.02	30	23.98	23.98	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	10.74	13.01	30	23.98	23.98	Pass
NVNT	ANT2	802.11a	5260.00	13.51	15.73	29.13	23.13	23.98	Pass
NVNT	ANT2	802.11a	5300.00	13.56	15.78	29.14	23.14	23.98	Pass
NVNT	ANT2	802.11a	5320.00	13.58	15.80	29.13	23.13	23.98	Pass
NVNT	ANT2	802.11n(HT20)	5260.00	12.44	14.66	29.44	23.44	23.98	Pass
NVNT	ANT2	802.11n(HT20)	5300.00	12.63	14.85	29.44	23.44	23.98	Pass
NVNT	ANT2	802.11n(HT20)	5320.00	12.56	14.78	29.44	23.44	23.98	Pass
NVNT	ANT2	802.11ac(VHT20)	5260.00	12.50	14.72	29.44	23.44	23.98	Pass
NVNT	ANT2	802.11ac(VHT20)	5300.00	12.58	14.80	29.44	23.44	23.98	Pass
NVNT	ANT2	802.11ac(VHT20)	5320.00	12.51	14.73	29.44	23.44	23.98	Pass
NVNT	ANT2	802.11n(HT40)	5270.00	11.47	13.69	30	23.98	23.98	Pass
NVNT	ANT2	802.11n(HT40)	5310.00	11.46	13.68	30	23.98	23.98	Pass
NVNT	ANT2	802.11ac(VHT40)	5270.00	11.60	13.82	30	23.98	23.98	Pass
NVNT	ANT2	802.11ac(VHT40)	5310.00	11.45	13.67	30	23.98	23.98	Pass
NVNT	ANT2	802.11ac(VHT80)	5290.00	10.48	12.70	30	23.98	23.98	Pass

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	IC Conducted limit(dBm)	FCC Conducted limit(dBm)	Result
NVNT	MIMO	802.11n(HT20)	5260.00	15.60	20.86	29.44	23.44	23.98	Pass
NVNT	MIMO	802.11n(HT20)	5300.00	15.69	20.95	29.44	23.44	23.98	Pass
NVNT	MIMO	802.11n(HT20)	5320.00	15.59	20.85	29.44	23.44	23.98	Pass
NVNT	MIMO	802.11ac(VHT20)	5260.00	15.68	20.94	29.44	23.44	23.98	Pass
NVNT	MIMO	802.11ac(VHT20)	5300.00	15.62	20.88	29.44	23.44	23.98	Pass
NVNT	MIMO	802.11ac(VHT20)	5320.00	15.59	20.85	29.44	23.44	23.98	Pass
NVNT	MIMO	802.11n(HT40)	5270.00	14.72	19.98	30	23.98	23.98	Pass
NVNT	MIMO	802.11n(HT40)	5310.00	14.65	19.91	30	23.98	23.98	Pass
NVNT	MIMO	802.11ac(VHT40)	5270.00	14.71	19.97	30	23.98	23.98	Pass
NVNT	MIMO	802.11ac(VHT40)	5310.00	14.61	19.87	30	23.98	23.98	Pass
NVNT	MIMO	802.11ac(VHT80)	5290.00	13.62	18.88	30	23.98	23.98	Pass

Note 1: EIRP= Output Power + Antenna Gain, Ant 1 Gain=2.27dBi, Ant 2 Gain=2.22dBi, Directional gain: 5.26dBi

Note 2: MIMO=Ant 1 + Ant 2

Note 3: The maximum conducted output power shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 99% EBW emission bandwidth in megahertz.

Note 4: The maximum e.i.r.p. shall not exceed 1.0 W or 17 + 10 log10B, dBm, whichever is less. B is the 99% emission bandwidth in megahertz.


4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	Duty factor(dB)	Total PSD (dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5260.00	-0.54	0.40	-0.14	11	Pass
NVNT	ANT1	802.11a	5300.00	-2.40	0.36	-2.04	11	Pass
NVNT	ANT1	802.11a	5320.00	-1.63	0.36	-1.27	11	Pass
NVNT	ANT1	802.11n(HT20)	5260.00	-2.46	0.39	-2.07	11	Pass
NVNT	ANT1	802.11n(HT20)	5300.00	-4.95	0.39	-4.56	11	Pass
NVNT	ANT1	802.11n(HT20)	5320.00	-5.73	0.43	-5.30	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5260.00	-4.67	0.30	-4.38	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5300.00	-4.68	0.26	-4.42	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5320.00	-4.49	0.30	-4.19	11	Pass
NVNT	ANT1	802.11n(HT40)	5270.00	-10.79	0.52	-10.28	11	Pass
NVNT	ANT1	802.11n(HT40)	5310.00	-9.27	0.52	-8.75	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5270.00	-12.44	0.82	-11.62	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5310.00	-12.57	0.84	-11.73	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5290.00	-21.59	0.82	-20.77	11	Pass
NVNT	ANT2	802.11a	5260.00	-2.91	0.28	-2.63	11	Pass
NVNT	ANT2	802.11a	5300.00	-1.68	0.32	-1.36	11	Pass
NVNT	ANT2	802.11a	5320.00	-2.21	0.29	-1.92	11	Pass
NVNT	ANT2	802.11n(HT20)	5260.00	-3.24	0.35	-2.89	11	Pass
NVNT	ANT2	802.11n(HT20)	5300.00	-2.53	0.31	-2.22	11	Pass
NVNT	ANT2	802.11n(HT20)	5320.00	-5.29	0.35	-4.95	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5260.00	-5.03	0.39	-4.64	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5300.00	-5.91	0.34	-5.57	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5320.00	-5.25	0.39	-4.86	11	Pass
NVNT	ANT2	802.11n(HT40)	5270.00	-11.44	0.60	-10.84	11	Pass
NVNT	ANT2	802.11n(HT40)	5310.00	-10.26	0.60	-9.66	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5270.00	-10.98	0.75	-10.23	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5310.00	-11.65	0.75	-10.90	11	Pass
NVNT	ANT2	802.11ac(VHT80)	5290.00	-21.39	1.15	-20.24	11	Pass


Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	Conducted limit(dBm)	Result
NVNT	MIMO	802.11n(HT20)	5260.00	0.55	11	Pass
NVNT	MIMO	802.11n(HT20)	5300.00	-0.22	11	Pass
NVNT	MIMO	802.11n(HT20)	5320.00	-2.11	11	Pass
NVNT	MIMO	802.11ac(VHT20)	5260.00	-1.50	11	Pass
NVNT	MIMO	802.11ac(VHT20)	5300.00	-1.95	11	Pass
NVNT	MIMO	802.11ac(VHT20)	5320.00	-1.50	11	Pass
NVNT	MIMO	802.11n(HT40)	5270.00	-7.54	11	Pass
NVNT	MIMO	802.11n(HT40)	5310.00	-6.17	11	Pass
NVNT	MIMO	802.11ac(VHT40)	5270.00	-7.86	11	Pass
NVNT	MIMO	802.11ac(VHT40)	5310.00	-8.28	11	Pass
NVNT	MIMO	802.11ac(VHT80)	5290.00	-17.49	11	Pass

Note 2: MIMO=Ant 1 + Ant 2


Power_Spectral_Density_NVNT_ANT1_802_11a_5260




Power Spectral Density NVNT ANT1_802_11a_5300




Power Spectral Density NVNT ANT1_802_11a_5320




Power Spectral Density NVNT ANT1 802 11n(HT20) 5260




Power Spectral Density NVNT ANT1 802 11n(HT20) 5300




Power Spectral Density NVNT ANT1 802 11n(HT20) 5320



Power Spectral Density NVNT ANT1 802 11ac(VHT20) 5260




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5300




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5320




Power Spectral Density NVNT ANT1 802 11n(HT40) 5270



Power Spectral Density NVNT ANT1 802 11n(HT40) 5310




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5270




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5310




Power Spectral Density NVNT ANT1 802 11ac(VHT80) 5290




Power Spectral Density NVNT ANT2 802 11a 5260




Power Spectral Density NVNT ANT2_802_11a_5300




Power Spectral Density NVNT ANT2_802_11a_5320




Power Spectral Density NVNT ANT2_802_11n(HT20)_5260




Power Spectral Density NVNT ANT2_802_11n(HT20)_5300




Power Spectral Density NVNT ANT2_802_11n(HT20)_5320




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5260




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5300




Power Spectral Density NVNT ANT2_802_11ac(VHT20)_5320




Power Spectral Density NVNT ANT2_802_11n(HT40)_5270



Power Spectral Density NVNT ANT2_802_11n(HT40)_5310



Power Spectral Density NVNT ANT2_802_11ac(VHT80) 5290



5. Frequency Stability

Condition	Antenna	Modulation	Frequency(MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
45degrees C&&12.0V	ANT1	802.11a	5260.00	5260.014	5251.812	5268.216	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11a	5260.00	5260.010	5251.892	5268.128	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11a	5260.00	5260.014	5251.964	5268.064	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11a	5260.00	5260.012	5252.024	5268.000	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11a	5260.00	5260.018	5252.080	5267.956	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11a	5260.00	5260.012	5252.132	5267.892	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11a	5260.00	5260.012	5252.192	5267.832	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11a	5260.00	5260.016	5252.236	5267.796	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11a	5260.00	5260.012	5252.284	5267.740	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11a	5260.00	5260.002	5252.336	5267.668	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11a	5300.00	5300.028	5291.736	5308.320	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11a	5300.00	5300.018	5291.852	5308.184	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11a	5300.00	5300.016	5291.924	5308.108	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11a	5300.00	5300.014	5291.992	5308.036	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11a	5300.00	5300.016	5292.052	5307.980	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11a	5300.00	5300.010	5292.108	5307.912	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11a	5300.00	5300.004	5292.156	5307.852	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11a	5300.00	5299.998	5292.208	5307.788	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11a	5300.00	5299.996	5292.256	5307.736	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11a	5300.00	5300.002	5292.308	5307.696	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11a	5320.00	5320.084	5311.588	5328.580	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11a	5320.00	5320.042	5311.780	5328.304	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11a	5320.00	5320.018	5311.872	5328.164	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11a	5320.00	5320.022	5311.940	5328.104	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11a	5320.00	5320.016	5312.000	5328.032	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11a	5320.00	5320.018	5312.060	5327.976	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11a	5320.00	5320.016	5312.112	5327.920	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11a	5320.00	5320.006	5312.164	5327.848	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11a	5320.00	5320.010	5312.216	5327.804	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11a	5320.00	5320.018	5312.268	5327.768	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5260.004	5251.220	5268.788	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5260.012	5251.308	5268.716	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5260.014	5251.376	5268.652	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5260.012	5251.444	5268.580	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5260.010	5251.500	5268.520	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5260.006	5251.552	5268.460	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5259.998	5251.600	5268.396	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11n(HT20)	5260.00	5260.008	5251.640	5268.376	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5260.00	5259.988	5251.692	5268.284	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5260.00	5259.982	5251.744	5268.220	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5300.002	5291.200	5308.804	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5300.002	5291.288	5308.716	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5299.998	5291.352	5308.644	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5299.998	5291.424	5308.572	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5299.990	5291.480	5308.500	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5300.000	5291.544	5308.456	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5300.004	5291.592	5308.416	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11n(HT20)	5300.00	5299.990	5291.648	5308.332	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5300.00	5299.994	5291.692	5308.296	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5300.00	5300.018	5291.752	5308.284	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.030	5311.144	5328.916	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.028	5311.248	5328.808	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.016	5311.320	5328.712	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.016	5311.388	5328.644	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.000	5311.448	5328.552	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.004	5311.504	5328.504	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.000	5311.560	5328.440	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11n(HT20)	5320.00	5319.998	5311.616	5328.380	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT20)	5320.00	5320.018	5311.668	5328.368	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11n(HT20)	5320.00	5320.000	5311.720	5328.280	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5260.006	5251.228	5268.784	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5260.004	5251.308	5268.700	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5260.006	5251.372	5268.640	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5260.004	5251.436	5268.572	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5259.994	5251.492	5268.496	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5259.994	5251.548	5268.440	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5259.994	5251.600	5268.388	5250~5350	Pass

25degrees C&&13.1V	ANT1	802.11ac(VHT20)	5260.00	5259.984	5251.648	5268.320	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5260.00	5260.000	5251.704	5268.296	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5260.00	5259.994	5251.752	5268.236	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5300.000	5291.220	5308.780	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.996	5291.304	5308.688	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.990	5291.364	5308.616	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.994	5291.428	5308.560	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.996	5291.484	5308.508	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.994	5291.548	5308.440	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.992	5291.600	5308.384	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT20)	5300.00	5300.000	5291.656	5308.344	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5300.00	5299.990	5291.696	5308.284	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5300.00	5299.970	5291.748	5308.192	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5320.004	5311.228	5328.780	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5320.000	5311.308	5328.692	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5319.988	5311.368	5328.608	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5320.002	5311.432	5328.572	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5319.990	5311.484	5328.496	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5319.998	5311.540	5328.456	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5319.994	5311.600	5328.388	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT20)	5320.00	5320.008	5311.660	5328.356	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT20)	5320.00	5319.998	5311.708	5328.288	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT20)	5320.00	5319.998	5311.760	5328.236	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5270.028	5252.040	5288.016	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5270.032	5252.240	5287.824	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5270.044	5252.400	5287.688	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5270.044	5252.528	5287.560	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5270.008	5252.624	5287.392	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5269.988	5252.752	5287.224	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5269.944	5252.864	5287.024	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11n(HT40)	5270.00	5269.976	5253.016	5286.936	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5270.00	5269.936	5253.128	5286.744	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11n(HT40)	5270.00	5269.992	5253.264	5286.720	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.988	5291.976	5328.000	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.968	5292.136	5327.800	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.956	5292.240	5327.672	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.964	5292.392	5327.536	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.980	5292.536	5327.424	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.960	5292.672	5327.248	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.900	5292.792	5327.008	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11n(HT40)	5310.00	5309.932	5292.896	5326.968	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11n(HT40)	5310.00	5309.904	5293.000	5326.808	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11n(HT40)	5310.00	5309.936	5293.128	5326.744	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5270.000	5252.016	5287.984	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5269.996	5252.160	5287.832	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5270.004	5252.320	5287.688	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5270.012	5252.472	5287.552	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5269.964	5252.584	5287.344	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5269.988	5252.704	5287.272	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5269.928	5252.816	5287.040	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT40)	5270.00	5269.992	5252.968	5287.016	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5270.00	5269.936	5253.096	5286.776	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT40)	5270.00	5269.916	5253.240	5286.592	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5310.028	5292.032	5328.024	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5310.024	5292.176	5327.872	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5310.008	5292.312	5327.704	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5309.980	5292.456	5327.504	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5309.980	5292.560	5327.400	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5309.976	5292.680	5327.272	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5309.972	5292.824	5327.120	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT40)	5310.00	5310.004	5292.960	5327.048	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT40)	5310.00	5309.996	5293.096	5326.896	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT40)	5310.00	5309.952	5293.200	5326.704	5250~5350	Pass
45degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.928	5252.572	5327.284	5250~5350	Pass
35degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.892	5253.028	5326.756	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.862	5253.400	5326.324	5250~5350	Pass
15degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.802	5253.760	5325.844	5250~5350	Pass
5degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.772	5254.108	5325.436	5250~5350	Pass
-5degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.796	5254.468	5325.124	5250~5350	Pass
-15degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.694	5254.756	5324.632	5250~5350	Pass
25degrees C&&13.1V	ANT1	802.11ac(VHT80)	5290.00	5289.658	5255.032	5324.284	5250~5350	Pass
25degrees C&&12.0V	ANT1	802.11ac(VHT80)	5290.00	5289.616	5255.260	5323.972	5250~5350	Pass
25degrees C&&10.8V	ANT1	802.11ac(VHT80)	5290.00	5289.598	5255.608	5323.588	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11a	5260.00	5260.010	5251.812	5268.208	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11a	5260.00	5260.008	5251.892	5268.124	5250~5350	Pass

25degrees C&&12.0V	ANT2	802.11a	5260.00	5260.000	5251.952	5268.048	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11a	5260.00	5259.998	5252.008	5267.988	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11a	5260.00	5260.000	5252.072	5267.928	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11a	5260.00	5259.998	5252.124	5267.872	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11a	5260.00	5260.006	5252.176	5267.836	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11a	5260.00	5259.984	5252.228	5267.740	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11a	5260.00	5260.000	5252.268	5267.732	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11a	5260.00	5259.990	5252.308	5267.672	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11a	5300.00	5300.012	5291.784	5308.240	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11a	5300.00	5300.008	5291.872	5308.144	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11a	5300.00	5300.004	5291.936	5308.072	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11a	5300.00	5300.006	5292.000	5308.012	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11a	5300.00	5300.004	5292.056	5307.952	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11a	5300.00	5300.002	5292.116	5307.888	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11a	5300.00	5300.008	5292.168	5307.848	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11a	5300.00	5300.002	5292.220	5307.784	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11a	5300.00	5299.992	5292.264	5307.720	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11a	5300.00	5300.004	5292.308	5307.700	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11a	5320.00	5320.038	5311.676	5328.400	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11a	5320.00	5320.012	5311.816	5328.208	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11a	5320.00	5320.008	5311.892	5328.124	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11a	5320.00	5320.000	5311.960	5328.040	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11a	5320.00	5320.000	5312.020	5327.980	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11a	5320.00	5319.996	5312.068	5327.924	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11a	5320.00	5319.998	5312.124	5327.872	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11a	5320.00	5319.988	5312.172	5327.804	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11a	5320.00	5319.994	5312.216	5327.772	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11a	5320.00	5319.992	5312.260	5327.724	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.998	5251.216	5268.780	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.996	5251.296	5268.696	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.996	5251.368	5268.624	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.996	5251.432	5268.560	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.994	5251.488	5268.500	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.998	5251.548	5268.448	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.986	5251.600	5268.372	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11n(HT20)	5260.00	5259.996	5251.644	5268.348	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5260.00	5259.978	5251.684	5268.272	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11n(HT20)	5260.00	5259.972	5251.728	5268.216	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.006	5291.216	5308.796	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.008	5291.308	5308.708	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.010	5291.376	5308.644	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.012	5291.440	5308.584	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.012	5291.492	5308.532	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.006	5291.544	5308.468	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.008	5291.600	5308.416	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11n(HT20)	5300.00	5300.016	5291.664	5308.368	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5300.00	5300.012	5291.724	5308.300	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11n(HT20)	5300.00	5300.018	5291.768	5308.268	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.022	5311.184	5328.860	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.016	5311.280	5328.752	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.016	5311.352	5328.680	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.018	5311.424	5328.612	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.008	5311.484	5328.532	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.008	5311.544	5328.472	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.012	5311.608	5328.416	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11n(HT20)	5320.00	5320.014	5311.668	5328.360	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT20)	5320.00	5320.026	5311.720	5328.332	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11n(HT20)	5320.00	5320.036	5311.780	5328.292	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.996	5251.212	5268.780	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.996	5251.292	5268.700	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.992	5251.360	5268.624	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.994	5251.420	5268.568	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.982	5251.480	5268.484	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.992	5251.544	5268.440	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.996	5251.600	5268.392	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT20)	5260.00	5259.986	5251.648	5268.324	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5260.00	5259.996	5251.708	5268.284	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT20)	5260.00	5259.992	5251.764	5268.220	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5300.010	5291.216	5308.804	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5300.004	5291.300	5308.708	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5299.988	5291.360	5308.616	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5299.994	5291.428	5308.560	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5299.992	5291.488	5308.496	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5299.998	5291.548	5308.448	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5299.980	5291.596	5308.364	5250~5350	Pass

25degrees C&&13.1V	ANT2	802.11ac(VHT20)	5300.00	5299.996	5291.656	5308.336	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5300.00	5299.992	5291.712	5308.272	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT20)	5300.00	5299.992	5291.772	5308.212	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.020	5311.176	5328.864	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.010	5311.272	5328.748	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.000	5311.340	5328.660	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.000	5311.412	5328.588	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.000	5311.476	5328.524	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.002	5311.536	5328.468	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5320.002	5311.596	5328.408	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT20)	5320.00	5320.004	5311.644	5328.364	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT20)	5320.00	5319.994	5311.700	5328.288	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT20)	5320.00	5319.996	5311.748	5328.244	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.040	5252.040	5288.040	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.020	5252.184	5287.856	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.012	5252.344	5287.680	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.036	5252.496	5287.576	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.004	5252.600	5287.408	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.032	5252.728	5287.336	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.000	5252.848	5287.152	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11n(HT40)	5270.00	5270.028	5253.016	5287.040	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5270.00	5270.020	5253.176	5286.864	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11n(HT40)	5270.00	5270.052	5253.320	5286.784	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5310.028	5292.000	5328.056	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5310.012	5292.160	5327.864	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5310.032	5292.296	5327.768	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5309.992	5292.432	5327.552	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5310.012	5292.536	5327.488	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5310.016	5292.648	5327.384	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5309.992	5292.760	5327.224	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11n(HT40)	5310.00	5309.988	5292.888	5327.088	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11n(HT40)	5310.00	5309.996	5293.008	5326.984	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11n(HT40)	5310.00	5309.928	5293.136	5326.720	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5270.020	5252.008	5288.032	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5270.020	5252.184	5287.856	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5270.004	5252.344	5287.664	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5270.008	5252.480	5287.536	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5269.996	5252.584	5287.408	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5269.992	5252.704	5287.280	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5270.008	5252.824	5287.192	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT40)	5270.00	5269.960	5252.960	5286.960	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5270.00	5269.988	5253.112	5286.864	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT40)	5270.00	5269.964	5253.248	5286.680	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.020	5292.024	5328.016	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.048	5292.192	5327.904	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.064	5292.352	5327.776	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.080	5292.488	5327.672	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.032	5292.584	5327.480	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.040	5292.712	5327.368	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.020	5292.816	5327.224	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT40)	5310.00	5309.972	5292.960	5326.984	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT40)	5310.00	5310.008	5293.088	5326.928	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT40)	5310.00	5309.980	5293.224	5326.736	5250~5350	Pass
45degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.892	5252.596	5327.188	5250~5350	Pass
35degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.952	5253.040	5326.864	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.868	5253.412	5326.324	5250~5350	Pass
15degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.868	5253.796	5325.940	5250~5350	Pass
5degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.796	5254.060	5325.532	5250~5350	Pass
-5degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.760	5254.372	5325.148	5250~5350	Pass
-15degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.766	5254.660	5324.872	5250~5350	Pass
25degrees C&&13.1V	ANT2	802.11ac(VHT80)	5290.00	5289.646	5255.020	5324.272	5250~5350	Pass
25degrees C&&12.0V	ANT2	802.11ac(VHT80)	5290.00	5289.580	5255.308	5323.852	5250~5350	Pass
25degrees C&&10.8V	ANT2	802.11ac(VHT80)	5290.00	5289.652	5255.680	5323.624	5250~5350	Pass