



E.3 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0989	1.260	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1097	1.257	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0995	1.255	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1027	1.260	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0985	1.263	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.0951	1.257	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7022	2.895	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6887	2.909	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7005	2.896	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6961	2.913	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7010	2.912	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.6907	2.911	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5067	4.853	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.4864	4.854	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5000	4.842	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.4930	4.838	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.4864	4.837	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.4984	4.866	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9582	9.696	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9751	9.655	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.9739	9.688	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.9349	9.644	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.9440	9.643	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.9549	9.666	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.467	14.50	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.465	14.50	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.444	14.47	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.445	14.49	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.439	14.50	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.425	14.46	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.931	19.47	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.976	19.66	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.933	19.47	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.885	19.52	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.920	19.39	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.980	19.59	PASS

Test Graphs







Band2-1.4MHz-QPSK-18900-6RB#0-PASS




Band2-1.4MHz-16QAM-18900-6RB#0-PASS




Band2-1.4MHz-QPSK-19193-6RB#0-PASS




Band2-1.4MHz-16QAM-19193-6RB#0-PASS




Band2-3MHz-QPSK-18615-15RB#0-PASS




Band2-3MHz-16QAM-18615-15RB#0-PASS




Band2-3MHz-QPSK-18900-15RB#0-PASS




Band2-3MHz-16QAM-18900-15RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-16QAM-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-16QAM-18625-25RB#0-PASS




Band2-5MHz-QPSK-18900-25RB#0-PASS




Band2-5MHz-16QAM-18900-25RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-5MHz-16QAM-19175-25RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS




Band2-10MHz-16QAM-18650-50RB#0-PASS







Band2-10MHz-QPSK-19150-50RB#0-PASS




Band2-10MHz-16QAM-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-16QAM-18675-75RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS




Band2-15MHz-16QAM-18900-75RB#0-PASS




Band2-15MHz-QPSK-19125-75RB#0-PASS




Band2-15MHz-16QAM-19125-75RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS

KeySight Spectrum Analyzer - Occupied BW

RL

RF

50 G

AC

SENSE: PULSE

ALIGN: AUTO

09-29-23 PM 3:13, 2026

Center Freq 1.880000000 GHz

Center Freq: 1.880000000 GHz

Radio Std: None

#F Gain: Low

Trig: Free Run


Avg/Hold: 100/100

Radio Device: BTS

10 dB/div

Ref 30.00 dBm

Log



Center 1.88 GHz

Res BW 390 kHz

#VBW 2 MHz

Span 40 MHz

#Sweep 20 ms

Occupied Bandwidth

17.885 MHz

Total Power

33.1 dBm

Transmit Freq Error

-3.143 kHz

OBW Power

99.00 %

x dB Bandwidth

19.52 MHz

x dB

-26.00 dB

Frequency

Center Freq

1.880000000 GHz

CF Step

4.0000000 MHz

Auto

Man


Freq Offset

0 Hz


MSG

STATUS

Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS




Band2-20MHz-16QAM-19100-100RB#0-PASS


E.4 Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	-32.10	19.10	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-32.85	19.85	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-31.27	18.27	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-28.72	15.72	PASS
Band2	3MHz	QPSK	18615	15RB#0	-39.94	26.94	PASS
Band2	3MHz	16QAM	18615	15RB#0	-39.12	26.12	PASS
Band2	3MHz	QPSK	19185	15RB#0	-38.63	25.63	PASS
Band2	3MHz	16QAM	19185	15RB#0	-37.38	24.38	PASS
Band2	5MHz	QPSK	18625	25RB#0	-42.08	29.08	PASS
Band2	5MHz	16QAM	18625	25RB#0	-40.59	27.59	PASS
Band2	5MHz	QPSK	19175	25RB#0	-40.01	27.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	-38.63	25.63	PASS
Band2	10MHz	QPSK	18650	50RB#0	-43.20	30.20	PASS
Band2	10MHz	16QAM	18650	50RB#0	-41.98	28.98	PASS
Band2	10MHz	QPSK	19150	50RB#0	-42.41	29.41	PASS
Band2	10MHz	16QAM	19150	50RB#0	-40.53	27.53	PASS
Band2	15MHz	QPSK	18675	75RB#0	-42.85	29.85	PASS
Band2	15MHz	16QAM	18675	75RB#0	-41.52	28.52	PASS
Band2	15MHz	QPSK	19125	75RB#0	-42.39	29.39	PASS
Band2	15MHz	16QAM	19125	75RB#0	-40.35	27.35	PASS
Band2	20MHz	QPSK	18700	100RB#0	-42.23	29.23	PASS
Band2	20MHz	16QAM	18700	100RB#0	-41.21	28.21	PASS
Band2	20MHz	QPSK	19100	100RB#0	-41.80	28.80	PASS
Band2	20MHz	16QAM	19100	100RB#0	-40.36	27.36	PASS


Test Graphs









Band2-3MHz-QPSK-18615-15RB#0-PASS




Band2-3MHz-16QAM-18615-15RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-3MHz-16QAM-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-16QAM-18625-25RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-5MHz-16QAM-19175-25RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS




Band2-10MHz-16QAM-18650-50RB#0-PASS







Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-16QAM-18675-75RB#0-PASS




Band2-15MHz-QPSK-19125-75RB#0-PASS




Band2-15MHz-16QAM-19125-75RB#0-PASS




Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-19100-100RB#0-PASS

E.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-51.22	-43.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-63.59	-33.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-61.54	-23.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-20.92	-13.0	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-28.43	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-51.51	-43.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-63.29	-33.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-61.87	-23.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-22.85	-13.0	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-28.05	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-54.01	-43.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-64.44	-33.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-61.40	-23.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-50.06	-13.0	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-28.24	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-54.48	-43.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-63.78	-33.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-62.12	-23.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-50.03	-13.0	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-28.13	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-52.91	-43.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-62.53	-33.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-61.88	-23.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-32.30	-13.0	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-27.82	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-53.83	-43.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-62.48	-33.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-61.43	-23.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-32.75	-13.0	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-28.40	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-52.97	-43.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-64.44	-33.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-61.48	-23.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-21.04	-13.0	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-28.08	-13.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-54.04	-43.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-62.95	-33.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-61.48	-23.0	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-22.83	-13.0	PASS


Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-28.06	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-53.54	-43.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-63.30	-33.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-61.61	-23.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-50.04	-13.0	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-28.08	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-53.78	-43.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-61.45	-33.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-61.22	-23.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-50.14	-13.0	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-28.44	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-52.96	-43.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-63.93	-33.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-60.87	-23.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-29.21	-13.0	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-28.19	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-53.30	-43.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-61.67	-33.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-61.40	-23.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-29.71	-13.0	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-28.27	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-53.50	-43.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-62.32	-33.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-61.83	-23.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-27.46	-13.0	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-28.56	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-53.57	-43.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-64.51	-33.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-61.95	-23.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-26.46	-13.0	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-28.44	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-54.05	-43.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-64.56	-33.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-61.11	-23.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-50.23	-13.0	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-27.89	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-53.61	-43.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-63.07	-33.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-61.18	-23.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-50.10	-13.0	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-28.45	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-52.82	-43.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-64.12	-33.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-60.13	-23.0	PASS


Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-30.09	-13.0	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-27.76	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-53.54	-43.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-63.10	-33.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-61.14	-23.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-29.23	-13.0	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-28.30	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-54.26	-43.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-63.77	-33.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-61.71	-23.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-31.16	-13.0	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-28.20	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-52.74	-43.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-63.11	-33.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-61.24	-23.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-32.34	-13.0	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-28.36	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-55.11	-43.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-63.51	-33.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-61.47	-23.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-49.88	-13.0	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-28.24	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-54.17	-43.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-61.95	-33.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-62.08	-23.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-49.94	-13.0	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-28.28	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-53.17	-43.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-62.52	-33.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-61.24	-23.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-30.62	-13.0	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-28.25	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-54.71	-43.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-63.60	-33.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	30~1000	-61.40	-23.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-30.22	-13.0	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-27.94	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-54.63	-43.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-61.93	-33.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-61.85	-23.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-32.36	-13.0	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-28.29	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-53.81	-43.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-63.71	-33.0	PASS

Band2	15MHz	16QAM	18675	1RB#0	30~1000	-61.85	-23.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-32.55	-13.0	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-28.26	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-55.01	-43.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-61.33	-33.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-61.00	-23.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-47.01	-13.0	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-28.35	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-54.46	-43.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-64.01	-33.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-61.33	-23.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-46.74	-13.0	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-27.94	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-52.77	-43.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-63.07	-33.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-61.91	-23.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-39.27	-13.0	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-28.11	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-52.62	-43.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-64.44	-33.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-61.53	-23.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-39.19	-13.0	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-27.47	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-53.68	-43.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-62.74	-33.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-61.87	-23.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-23.91	-13.0	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-28.05	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-52.56	-43.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-62.47	-33.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-61.50	-23.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-24.78	-13.0	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-28.25	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-54.23	-43.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-62.85	-33.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-61.64	-23.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-47.50	-13.0	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-27.98	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-53.49	-43.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-62.19	-33.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-61.92	-23.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-47.54	-13.0	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-28.12	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-54.82	-43.0	PASS


Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-64.41	-33.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-61.58	-23.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-42.13	-13.0	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-28.16	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-53.93	-43.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-61.79	-33.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-61.97	-23.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-42.94	-13.0	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-28.28	-13.0	PASS

Test Graphs







Band2-1.4MHz-QPSK-18607-1RB#0-30~1000-PASS




Band2-1.4MHz-QPSK-18607-1RB#0-1000~3000-PASS




Band2-1.4MHz-QPSK-18607-1RB#0-3000~20000-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-0.009~0.15-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-0.15~30-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-30~1000-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-1000~3000-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-3000~20000-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-0.009~0.15-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-0.15~30-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-30~1000-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-1000~3000-PASS



Band2-1.4MHz-QPSK-18900-1RB#0-3000~20000-PASS



Band2-1.4MHz-16QAM-18900-1RB#0-0.009~0.15-PASS