

Data Appendix

FCC ID: 2BXKL-6606

Model: 6606

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
Band41	5	39675	1	#0	QPSK	21.75	-0.84	20.91	123.31	2000	PASS
Band41	5	39675	1	#Mid	QPSK	21.76	-0.84	20.92	123.59	2000	PASS
Band41	5	39675	1	#Max	QPSK	21.90	-0.84	21.06	127.64	2000	PASS
Band41	5	39675	12	#0	QPSK	20.62	-0.84	19.78	95.06	2000	PASS
Band41	5	39675	12	#Max	QPSK	20.81	-0.84	19.97	99.31	2000	PASS
Band41	5	39675	25	#0	QPSK	20.77	-0.84	19.93	98.40	2000	PASS
Band41	5	39675	1	#0	QAM16	21.06	-0.84	20.22	105.20	2000	PASS
Band41	5	39675	1	#Mid	QAM16	21.21	-0.84	20.37	108.89	2000	PASS
Band41	5	39675	1	#Max	QAM16	21.22	-0.84	20.38	109.14	2000	PASS
Band41	5	39675	12	#0	QAM16	21.04	-0.84	20.20	104.71	2000	PASS
Band41	5	39675	12	#Max	QAM16	21.17	-0.84	20.33	107.89	2000	PASS
Band41	5	39675	25	#0	QAM16	20.85	-0.84	20.01	100.23	2000	PASS
Band41	5	40620	1	#0	QPSK	22.84	-0.84	22.00	158.49	2000	PASS
Band41	5	40620	1	#Mid	QPSK	22.81	-0.84	21.97	157.40	2000	PASS
Band41	5	40620	1	#Max	QPSK	22.83	-0.84	21.99	158.12	2000	PASS
Band41	5	40620	12	#0	QPSK	21.69	-0.84	20.85	121.62	2000	PASS
Band41	5	40620	12	#Max	QPSK	21.72	-0.84	20.88	122.46	2000	PASS
Band41	5	40620	25	#0	QPSK	21.72	-0.84	20.88	122.46	2000	PASS
Band41	5	40620	1	#0	QAM16	22.13	-0.84	21.29	134.59	2000	PASS
Band41	5	40620	1	#Mid	QAM16	22.20	-0.84	21.36	136.77	2000	PASS
Band41	5	40620	1	#Max	QAM16	22.20	-0.84	21.36	136.77	2000	PASS
Band41	5	40620	12	#0	QAM16	20.73	-0.84	19.89	97.50	2000	PASS
Band41	5	40620	12	#Max	QAM16	20.80	-0.84	19.96	99.08	2000	PASS
Band41	5	40620	25	#0	QAM16	20.84	-0.84	20.00	100.00	2000	PASS
Band41	5	41565	1	#0	QPSK	22.63	-0.84	21.79	151.01	2000	PASS
Band41	5	41565	1	#Mid	QPSK	22.50	-0.84	21.66	146.55	2000	PASS
Band41	5	41565	1	#Max	QPSK	22.57	-0.84	21.73	148.94	2000	PASS
Band41	5	41565	12	#0	QPSK	21.52	-0.84	20.68	116.95	2000	PASS
Band41	5	41565	12	#Max	QPSK	21.54	-0.84	20.70	117.49	2000	PASS
Band41	5	41565	25	#0	QPSK	21.54	-0.84	20.70	117.49	2000	PASS
Band41	5	41565	1	#0	QAM16	21.84	-0.84	21.00	125.89	2000	PASS
Band41	5	41565	1	#Mid	QAM16	21.79	-0.84	20.95	124.45	2000	PASS
Band41	5	41565	1	#Max	QAM16	21.79	-0.84	20.95	124.45	2000	PASS
Band41	5	41565	12	#0	QAM16	20.54	-0.84	19.70	93.33	2000	PASS
Band41	5	41565	12	#Max	QAM16	20.55	-0.84	19.71	93.54	2000	PASS
Band41	5	41565	25	#0	QAM16	20.55	-0.84	19.71	93.54	2000	PASS
Band41	10	39700	1	#0	QPSK	21.88	-0.84	21.04	127.06	2000	PASS

Band41	10	39700	1	#Mid	QPSK	22.01	-0.84	21.17	130.92	2000	PASS
Band41	10	39700	1	#Max	QPSK	22.22	-0.84	21.38	137.40	2000	PASS
Band41	10	39700	25	#0	QPSK	20.82	-0.84	19.98	99.54	2000	PASS
Band41	10	39700	25	#Max	QPSK	20.92	-0.84	20.08	101.86	2000	PASS
Band41	10	39700	50	#0	QPSK	20.83	-0.84	19.99	99.77	2000	PASS
Band41	10	39700	1	#0	QAM16	21.23	-0.84	20.39	109.40	2000	PASS
Band41	10	39700	1	#Mid	QAM16	21.32	-0.84	20.48	111.69	2000	PASS
Band41	10	39700	1	#Max	QAM16	21.53	-0.84	20.69	117.22	2000	PASS
Band41	10	39700	25	#0	QAM16	19.80	-0.84	18.96	78.70	2000	PASS
Band41	10	39700	25	#Max	QAM16	20.15	-0.84	19.31	85.31	2000	PASS
Band41	10	40620	1	#0	QPSK	22.87	-0.84	22.03	159.59	2000	PASS
Band41	10	40620	1	#Mid	QPSK	22.97	-0.84	22.13	163.31	2000	PASS
Band41	10	40620	1	#Max	QPSK	23.00	-0.84	22.16	164.44	2000	PASS
Band41	10	40620	25	#0	QPSK	21.81	-0.84	20.97	125.03	2000	PASS
Band41	10	40620	25	#Max	QPSK	21.53	-0.84	20.69	117.22	2000	PASS
Band41	10	40620	50	#0	QPSK	21.17	-0.84	20.33	107.89	2000	PASS
Band41	10	40620	1	#0	QAM16	22.68	-0.84	21.84	152.76	2000	PASS
Band41	10	40620	1	#Mid	QAM16	22.47	-0.84	21.63	145.55	2000	PASS
Band41	10	40620	1	#Max	QAM16	22.56	-0.84	21.72	148.59	2000	PASS
Band41	10	40620	25	#0	QAM16	21.74	-0.84	20.90	123.03	2000	PASS
Band41	10	40620	25	#Max	QAM16	21.53	-0.84	20.69	117.22	2000	PASS
Band41	10	41540	1	#0	QPSK	22.85	-0.84	22.01	158.85	2000	PASS
Band41	10	41540	1	#Mid	QPSK	22.68	-0.84	21.84	152.76	2000	PASS
Band41	10	41540	1	#Max	QPSK	22.84	-0.84	22.00	158.49	2000	PASS
Band41	10	41540	25	#0	QPSK	21.61	-0.84	20.77	119.40	2000	PASS
Band41	10	41540	25	#Max	QPSK	21.64	-0.84	20.80	120.23	2000	PASS
Band41	10	41540	50	#0	QPSK	21.28	-0.84	20.44	110.66	2000	PASS
Band41	10	41540	1	#0	QAM16	22.41	-0.84	21.57	143.55	2000	PASS
Band41	10	41540	1	#Mid	QAM16	22.35	-0.84	21.51	141.58	2000	PASS
Band41	10	41540	1	#Max	QAM16	22.17	-0.84	21.33	135.83	2000	PASS
Band41	10	41540	25	#0	QAM16	21.85	-0.84	21.01	126.18	2000	PASS
Band41	10	41540	25	#Max	QAM16	21.94	-0.84	21.10	128.82	2000	PASS
Band41	15	39725	1	#0	QPSK	21.91	-0.84	21.07	127.94	2000	PASS
Band41	15	39725	1	#Mid	QPSK	22.10	-0.84	21.26	133.66	2000	PASS
Band41	15	39725	1	#Max	QPSK	22.25	-0.84	21.41	138.36	2000	PASS
Band41	15	39725	36	#0	QPSK	20.91	-0.84	20.07	101.62	2000	PASS
Band41	15	39725	36	#Max	QPSK	20.85	-0.84	20.01	100.23	2000	PASS
Band41	15	39725	75	#0	QPSK	20.47	-0.84	19.63	91.83	2000	PASS
Band41	15	39725	1	#0	QAM16	22.14	-0.84	21.30	134.90	2000	PASS
Band41	15	39725	1	#Mid	QAM16	21.98	-0.84	21.14	130.02	2000	PASS
Band41	15	39725	1	#Max	QAM16	22.04	-0.84	21.20	131.83	2000	PASS
Band41	15	39725	27	#0	QAM16	21.59	-0.84	20.75	118.85	2000	PASS
Band41	15	39725	27	#Max	QAM16	21.42	-0.84	20.58	114.29	2000	PASS
Band41	15	40620	1	#0	QPSK	22.81	-0.84	21.97	157.40	2000	PASS
Band41	15	40620	1	#Mid	QPSK	22.96	-0.84	22.12	162.93	2000	PASS
Band41	15	40620	1	#Max	QPSK	22.97	-0.84	22.13	163.31	2000	PASS
Band41	15	40620	36	#0	QPSK	21.81	-0.84	20.97	125.03	2000	PASS
Band41	15	40620	36	#Max	QPSK	21.91	-0.84	21.07	127.94	2000	PASS

Band41	15	40620	75	#0	QPSK	21.27	-0.84	20.43	110.41	2000	PASS
Band41	15	40620	1	#0	QAM16	22.18	-0.84	21.34	136.14	2000	PASS
Band41	15	40620	1	#Mid	QAM16	22.10	-0.84	21.26	133.66	2000	PASS
Band41	15	40620	1	#Max	QAM16	22.08	-0.84	21.24	133.05	2000	PASS
Band41	15	40620	27	#0	QAM16	20.89	-0.84	20.05	101.16	2000	PASS
Band41	15	40620	27	#Max	QAM16	20.99	-0.84	20.15	103.51	2000	PASS
Band41	15	41515	1	#0	QPSK	22.67	-0.84	21.83	152.41	2000	PASS
Band41	15	41515	1	#Mid	QPSK	22.45	-0.84	21.61	144.88	2000	PASS
Band41	15	41515	1	#Max	QPSK	22.58	-0.84	21.74	149.28	2000	PASS
Band41	15	41515	36	#0	QPSK	21.99	-0.84	21.15	130.32	2000	PASS
Band41	15	41515	36	#Max	QPSK	21.83	-0.84	20.99	125.60	2000	PASS
Band41	15	41515	75	#0	QPSK	21.41	-0.84	20.57	114.02	2000	PASS
Band41	15	41515	1	#0	QAM16	21.84	-0.84	21.00	125.89	2000	PASS
Band41	15	41515	1	#Mid	QAM16	21.73	-0.84	20.89	122.74	2000	PASS
Band41	15	41515	1	#Max	QAM16	21.51	-0.84	20.67	116.68	2000	PASS
Band41	15	41515	27	#0	QAM16	20.66	-0.84	19.82	95.94	2000	PASS
Band41	15	41515	27	#Max	QAM16	20.76	-0.84	19.92	98.17	2000	PASS
Band41	20	39750	1	#0	QPSK	22.51	-0.84	21.67	146.89	2000	PASS
Band41	20	39750	1	#Mid	QPSK	22.47	-0.84	21.63	145.55	2000	PASS
Band41	20	39750	1	#Max	QPSK	22.35	-0.84	21.51	141.58	2000	PASS
Band41	20	39750	50	#0	QPSK	21.95	-0.84	21.11	129.12	2000	PASS
Band41	20	39750	50	#Max	QPSK	21.77	-0.84	20.93	123.88	2000	PASS
Band41	20	39750	100	#0	QPSK	21.16	-0.84	20.32	107.65	2000	PASS
Band41	20	39750	1	#0	QAM16	21.42	-0.84	20.58	114.29	2000	PASS
Band41	20	39750	1	#Mid	QAM16	21.17	-0.84	20.33	107.89	2000	PASS
Band41	20	39750	1	#Max	QAM16	21.45	-0.84	20.61	115.08	2000	PASS
Band41	20	39750	27	#0	QAM16	19.69	-0.84	18.85	76.74	2000	PASS
Band41	20	39750	27	#Max	QAM16	20.23	-0.84	19.39	86.90	2000	PASS
Band41	20	40620	1	#0	QPSK	22.65	-0.84	21.81	151.71	2000	PASS
Band41	20	40620	1	#Mid	QPSK	22.98	-0.84	22.14	163.68	2000	PASS
Band41	20	40620	1	#Max	QPSK	22.76	-0.84	21.92	155.60	2000	PASS
Band41	20	40620	50	#0	QPSK	22.17	-0.84	21.33	135.83	2000	PASS
Band41	20	40620	50	#Max	QPSK	22.23	-0.84	21.39	137.72	2000	PASS
Band41	20	40620	100	#0	QPSK	21.96	-0.84	21.12	129.42	2000	PASS
Band41	20	40620	1	#0	QAM16	22.47	-0.84	21.63	145.55	2000	PASS
Band41	20	40620	1	#Mid	QAM16	22.12	-0.84	21.28	134.28	2000	PASS
Band41	20	40620	1	#Max	QAM16	22.28	-0.84	21.44	139.32	2000	PASS
Band41	20	40620	27	#0	QAM16	21.89	-0.84	21.05	127.35	2000	PASS
Band41	20	40620	27	#Max	QAM16	20.84	-0.84	20.00	100.00	2000	PASS
Band41	20	41490	1	#0	QPSK	22.56	-0.84	21.72	148.59	2000	PASS
Band41	20	41490	1	#Mid	QPSK	22.65	-0.84	21.81	151.71	2000	PASS
Band41	20	41490	1	#Max	QPSK	22.79	-0.84	21.95	156.68	2000	PASS
Band41	20	41490	50	#0	QPSK	21.57	-0.84	20.73	118.30	2000	PASS
Band41	20	41490	50	#Max	QPSK	21.48	-0.84	20.64	115.88	2000	PASS
Band41	20	41490	100	#0	QPSK	21.17	-0.84	20.33	107.89	2000	PASS
Band41	20	41490	1	#0	QAM16	22.46	-0.84	21.62	145.21	2000	PASS
Band41	20	41490	1	#Mid	QAM16	22.19	-0.84	21.35	136.46	2000	PASS
Band41	20	41490	1	#Max	QAM16	22.35	-0.84	21.51	141.58	2000	PASS

Band41	20	41490	27	#0	QAM16	21.87	-0.84	21.03	126.77	2000	PASS
Band41	20	41490	27	#Max	QAM16	21.68	-0.84	20.84	121.34	2000	PASS

2 Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band4 1	20	39750	100	#0	QPSK	VL	NT	-25.57	-0.010	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	VN	NT	-22.02	-0.009	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	VH	NT	-23.20	-0.009	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	50	-18.52	-0.007	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	40	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	30	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	20	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	10	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	0	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	-10	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	-20	0.00	0.000	±2.5	PASS
Band4 1	20	39750	100	#0	QPSK	NV	-30	0.00	0.000	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	VL	NT	0.00	0.000	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	VN	NT	0.00	0.000	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	VH	NT	0.00	0.000	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	50	-21.81	-0.009	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	40	-25.17	-0.010	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	30	-22.15	-0.009	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	20	-23.00	-0.009	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	10	-22.21	-0.009	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	0	-22.27	-0.009	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	-10	0.00	0.000	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	-20	0.00	0.000	±2.5	PASS
Band4 1	20	39750	27	#0	QAM16	NV	-30	0.00	0.000	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	VL	NT	-26.45	-0.010	±2.5	PASS
Band4	20	40620	100	#0	QPSK	VN	NT	-24.41	-	±2.5	PASS

1									0.009		
Band4 1	20	40620	100	#0	QPSK	VH	NT	-23.51	- 0.009	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	50	-20.17	- 0.008	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	40	-21.38	- 0.008	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	30	-20.48	- 0.008	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	20	-18.86	- 0.007	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	10	-19.74	- 0.008	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	0	-20.09	- 0.008	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	-10	-17.75	- 0.007	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	-20	-27.55	- 0.011	±2.5	PASS
Band4 1	20	40620	100	#0	QPSK	NV	-30	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	VL	NT	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	VN	NT	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	VH	NT	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	50	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	40	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	30	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	20	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	10	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	0	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	-10	0.00	0.000	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	-20	-26.40	- 0.010	±2.5	PASS
Band4 1	20	40620	27	#0	QAM16	NV	-30	-24.91	- 0.010	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	VL	NT	-22.33	- 0.008	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	VN	NT	-21.12	- 0.008	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	VH	NT	-22.51	- 0.008	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	50	-19.74	- 0.007	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	40	-18.35	- 0.007	±2.5	PASS
Band4	20	41490	100	#0	QPSK	NV	30	-19.11	-	±2.5	PASS

1									0.007		
Band4 1	20	41490	100	#0	QPSK	NV	20	-20.48	- 0.008	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	10	-20.39	- 0.008	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	0	-19.26	- 0.007	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	-10	-17.76	- 0.007	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	-20	0.00	0.000	±2.5	PASS
Band4 1	20	41490	100	#0	QPSK	NV	-30	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	VL	NT	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	VN	NT	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	VH	NT	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	50	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	40	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	30	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	20	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	10	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	0	0.00	0.000	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	-10	-26.77	- 0.010	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	-20	-23.53	- 0.009	±2.5	PASS
Band4 1	20	41490	27	#0	QAM16	NV	-30	-23.26	- 0.009	±2.5	PASS

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	9.28	13	PASS
Band41	5	40620	1	#0	QAM16	9.20	13	PASS
Band41	10	40620	1	#0	QPSK	8.55	13	PASS
Band41	10	40620	1	#0	QAM16	8.47	13	PASS
Band41	15	40620	1	#0	QPSK	9.96	13	PASS
Band41	15	40620	1	#0	QAM16	8.84	13	PASS
Band41	20	40620	1	#0	QPSK	8.72	13	PASS
Band41	20	40620	1	#0	QAM16	8.05	13	PASS

Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0



Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0



Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0



Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41	5	40620	25	#0	QPSK	4.517	4.871	PASS
Band41	5	40620	25	#0	QAM16	4.484	4.892	PASS
Band41	10	40620	50	#0	QPSK	9.004	9.672	PASS
Band41	10	40620	27	#0	QAM16	4.922	5.483	PASS
Band41	15	40620	75	#0	QPSK	13.473	14.378	PASS
Band41	15	40620	27	#0	QAM16	5.068	5.772	PASS
Band41	20	40620	100	#0	QPSK	17.906	19.216	PASS
Band41	20	40620	27	#0	QAM16	5.204	5.916	PASS


Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=27 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=27 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0



Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=27 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2494.96	-18.50	-13	PASS
Band41	5	39675	25	#0	QAM16	2495.00	-18.76	-13	PASS
Band41	5	41565	25	#0	QPSK	2691.00	-21.05	-10	PASS
Band41	5	41565	25	#0	QAM16	2696.02	-37.39	-25	PASS
Band41	10	39700	50	#0	QPSK	2485.66	-40.29	-25	PASS
Band41	10	39700	27	#0	QAM16	2485.50	-40.23	-25	PASS
Band41	10	41540	50	#0	QPSK	2700.02	-38.70	-25	PASS
Band41	10	41540	27	#0	QAM16	2700.24	-41.35	-25	PASS
Band41	15	39725	75	#0	QPSK	2478.20	-40.60	-25	PASS
Band41	15	39725	27	#0	QAM16	2480.91	-41.52	-25	PASS
Band41	15	41515	75	#0	QPSK	2705.30	-39.36	-25	PASS
Band41	15	41515	27	#0	QAM16	2708.17	-41.20	-25	PASS
Band41	20	39750	100	#0	QPSK	2475.31	-41.04	-25	PASS
Band41	20	39750	27	#0	QAM16	2472.23	-41.80	-25	PASS
Band41	20	41490	100	#0	QPSK	2710.34	-39.73	-25	PASS
Band41	20	41490	27	#0	QAM16	2711.31	-41.26	-25	PASS


Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=27 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=27 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=27 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=27 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=27 Position=#0



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Band41 QAM16 BW=20MHz Channel=41490 RB Size=27 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	430	2690.119	-44.38	-10
2	2691	2695	1000	2693.812	-41.54	-10
3	2695	2710	1000	2709.865	-41.48	-13
4	2710	2715	1000	2711.305	-41.26	-25


6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	25815.00	-31.32	-25	PASS
Band41	5	39675	25	#0	QAM16	25831.88	-30.98	-25	PASS
Band41	5	41565	25	#0	QPSK	25800.00	-30.97	-25	PASS
Band41	5	41565	25	#0	QAM16	25786.25	-30.74	-25	PASS
Band41	10	39700	50	#0	QPSK	25780.00	-31.12	-25	PASS
Band41	10	39700	27	#0	QAM16	25679.38	-30.95	-25	PASS
Band41	10	41540	50	#0	QPSK	25730.00	-30.67	-25	PASS
Band41	10	41540	27	#0	QAM16	25805.63	-30.81	-25	PASS
Band41	15	39725	75	#0	QPSK	25766.25	-31.17	-25	PASS
Band41	15	39725	27	#0	QAM16	25716.25	-31.11	-25	PASS
Band41	15	41515	75	#0	QPSK	25379.38	-30.96	-25	PASS
Band41	15	41515	27	#0	QAM16	25663.13	-29.65	-25	PASS
Band41	20	39750	100	#0	QPSK	25658.13	-31.34	-25	PASS
Band41	20	39750	27	#0	QAM16	25743.13	-30.64	-25	PASS
Band41	20	41490	100	#0	QPSK	25785.63	-30.49	-25	PASS
Band41	20	41490	27	#0	QAM16	25798.75	-30.77	-25	PASS

Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=39700 RB Size=27 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=27 Position=#0



Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Band41 QAM16 BW=15MHz Channel=39725 RB Size=27 Position=#0



Band41 QAM16 BW=15MHz Channel=41515 RB Size=27 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=27 Position=#0



Band41 QAM16 BW=20MHz Channel=41490 RB Size=27 Position=#0



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-40.71	-25
2	0.15	30	10	0.4619325	-41.89	-25
3	30	1000	100	855.88225	-56.69	-25
4	1000	26000	1000	25785.625	-30.49	-25