



Mode	13	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2404MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 VERTICAL



	14																																																																																																							
Mode	Band Edge - L																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																							
ANT	3+4																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) Site : 03CH15-HY Condition: PEAK_BE_74 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2385.92</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>44.18</td><td>27.26</td><td>8.57</td><td>36.88</td><td>9.92</td><td>111</td><td>326 Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2385.92	53.05	74.00	-20.95	44.18	27.26	8.57	36.88	9.92	111	326 Peak	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) Site : 03CH15-HY Condition: PEAK_74 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>113.48</td><td>-----</td><td>104.26</td><td>27.50</td><td>8.67</td><td>36.87</td><td>9.92</td><td>111</td><td>326</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	113.48	-----	104.26	27.50	8.67	36.87	9.92	111	326	Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2385.92	53.05	74.00	-20.95	44.18	27.26	8.57	36.88	9.92	111	326 Peak																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2440.00	113.48	-----	104.26	27.50	8.67	36.87	9.92	111	326	Peak																																																																																													
Avg	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) Site : 03CH15-HY Condition: AVG_BE_54 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.90</td><td>42.69</td><td>54.00</td><td>-11.31</td><td>33.77</td><td>27.30</td><td>8.58</td><td>36.88</td><td>9.92</td><td>111</td><td>326 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.90	42.69	54.00	-11.31	33.77	27.30	8.58	36.88	9.92	111	326 Average	Level (dBuV/m) Date: 2025-11-27 Frequency (MHz) Site : 03CH15-HY Condition: AVG_54 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>111.82</td><td>-----</td><td>102.60</td><td>27.50</td><td>8.67</td><td>36.87</td><td>9.92</td><td>111</td><td>326</td><td>Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	111.82	-----	102.60	27.50	8.67	36.87	9.92	111	326	Average
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2389.90	42.69	54.00	-11.31	33.77	27.30	8.58	36.88	9.92	111	326 Average																																																																																													
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	2440.00	111.82	-----	102.60	27.50	8.67	36.87	9.92	111	326	Average																																																																																													





Mode	14										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz										
ANT	3+4										
Pol.	Horizontal						Fundamental				
Peak											



	14									
Mode	Band Edge - L									
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz									
ANT	3+4									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-11-27 <									



Mode	14																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																							
ANT	3+4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Date: 2025-11-27  Site : 03CH15-HY Condition: PEAK_BE_74 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2439.00</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>43.92</td><td>27.78</td><td>8.76</td><td>36.86</td><td>9.92</td><td>106</td><td>291 Peak</td></tr></table>						Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2439.00	53.52	74.00	-20.48	43.92	27.78	8.76	36.86	9.92	106	291 Peak	Blank				
Freq	Level	Limit		Read	Ant	Cable			Preamp	Aux	APos	TPos	Remark																																											
		Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2439.00	53.52	74.00	-20.48	43.92	27.78	8.76	36.86	9.92	106	291 Peak																																													
Avg	Date: 2025-11-27  Site : 03CH15-HY Condition: AVG_BE_54 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.13</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>34.00</td><td>27.68</td><td>8.75</td><td>36.86</td><td>9.92</td><td>106</td><td>291 Average</td></tr></table>						Freq	Level	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.13	43.49	54.00	-10.51	34.00	27.68	8.75	36.86	9.92	106	291 Average	Blank				
Freq	Level	Limit		Read	Ant	Cable			Preamp	Aux	APos	TPos	Remark																																											
		Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2484.13	43.49	54.00	-10.51	34.00	27.68	8.75	36.86	9.92	106	291 Average																																													



Mode	14																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																															
ANT	3+4																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: PEAK_74 3m 91280-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.89</td><td>74.00</td><td>-33.11</td><td>53.47</td><td>32.72</td><td>12.36</td><td>58.19</td><td>0.53</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>52.35</td><td>36.82</td><td>15.27</td><td>59.04</td><td>0.33</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.89	74.00	-33.11	53.47	32.72	12.36	58.19	0.53	--	Peak	2	7320.00	45.73	74.00	-28.27	52.35	36.82	15.27	59.04	0.33	--	Peak	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: PEAK_74 3m 91280-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.85</td><td>74.00</td><td>-33.15</td><td>53.43</td><td>32.72</td><td>12.36</td><td>58.19</td><td>0.53</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>51.84</td><td>36.82</td><td>15.27</td><td>59.04</td><td>0.33</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.85	74.00	-33.15	53.43	32.72	12.36	58.19	0.53	--	Peak	2	7320.00	45.22	74.00	-28.78	51.84	36.82	15.27	59.04	0.33	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	40.89	74.00	-33.11	53.47	32.72	12.36	58.19	0.53	--	Peak																																																																																																					
2	7320.00	45.73	74.00	-28.27	52.35	36.82	15.27	59.04	0.33	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	40.85	74.00	-33.15	53.43	32.72	12.36	58.19	0.53	--	Peak																																																																																																					
2	7320.00	45.22	74.00	-28.78	51.84	36.82	15.27	59.04	0.33	--	Peak																																																																																																					



Mode	14	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 VERTICAL



Mode	15																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																			
ANT	3+4																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: PEAK_BE_74 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.70</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>45.04</td><td>27.67</td><td>8.75</td><td>36.86</td><td>9.92</td><td>100</td><td>325</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.70	54.52	74.00	-19.48	45.04	27.67	8.75	36.86	9.92	100	325	Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: PEAK_74 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>114.63</td><td>-----</td><td>-----</td><td>105.25</td><td>27.58</td><td>8.74</td><td>36.86</td><td>9.92</td><td>100</td><td>325</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	114.63	-----	-----	105.25	27.58	8.74	36.86	9.92	100	325	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.70	54.52	74.00	-19.48	45.04	27.67	8.75	36.86	9.92	100	325	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	114.63	-----	-----	105.25	27.58	8.74	36.86	9.92	100	325	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: AVG_BE_54 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2483.57</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>35.18</td><td>27.67</td><td>8.75</td><td>36.86</td><td>9.92</td><td>100</td><td>325</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2483.57	44.66	54.00	-9.34	35.18	27.67	8.75	36.86	9.92	100	325	Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: AVG_54 3m 91200-02294_250606 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2478.00</td><td>113.10</td><td>-----</td><td>-----</td><td>103.72</td><td>27.58</td><td>8.74</td><td>36.86</td><td>9.92</td><td>100</td><td>325</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2478.00	113.10	-----	-----	103.72	27.58	8.74	36.86	9.92	100	325	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2483.57	44.66	54.00	-9.34	35.18	27.67	8.75	36.86	9.92	100	325	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 2478.00	113.10	-----	-----	103.72	27.58	8.74	36.86	9.92	100	325	Average																																																																									



Mode	15																																																																								
	Band Edge																																																																								
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																								
ANT	3+4																																																																								
Pol.	Vertical						Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: PEAK_BE_74 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 2485.77</td><td>54.79</td><td>74.00</td><td>-19.21</td><td>45.26</td><td>27.72</td><td>8.75</td><td>36.86</td><td>9.92</td><td>100</td><td>271 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 2485.77	54.79	74.00	-19.21	45.26	27.72	8.75	36.86	9.92	100	271 Peak	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: PEAK_74 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>113.98</td><td>-----</td><td>-----</td><td>104.60</td><td>27.58</td><td>8.74</td><td>36.86</td><td>9.92</td><td>100</td><td>271 Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 2478.00	113.98	-----	-----	104.60	27.58	8.74	36.86	9.92	100	271 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 2485.77	54.79	74.00	-19.21	45.26	27.72	8.75	36.86	9.92	100	271 Peak																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 2478.00	113.98	-----	-----	104.60	27.58	8.74	36.86	9.92	100	271 Peak																																																															
Avg	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: AVG_BE_54 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.63</td><td>44.59</td><td>54.00</td><td>-9.41</td><td>35.11</td><td>27.67</td><td>8.75</td><td>36.86</td><td>9.92</td><td>100</td><td>271 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 2483.63	44.59	54.00	-9.41	35.11	27.67	8.75	36.86	9.92	100	271 Average	Level (dBuV/m) Date: 2025-11-27 Site : 03CH15-HY Condition: AVG_54 3m 91200-02294_250606 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>112.45</td><td>-----</td><td>-----</td><td>103.07</td><td>27.58</td><td>8.74</td><td>36.86</td><td>9.92</td><td>100</td><td>271 Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 2478.00	112.45	-----	-----	103.07	27.58	8.74	36.86	9.92	100	271 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 2483.63	44.59	54.00	-9.41	35.11	27.67	8.75	36.86	9.92	100	271 Average																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																															
1 2478.00	112.45	-----	-----	103.07	27.58	8.74	36.86	9.92	100	271 Average																																																															





	15																																																																																																					
Mode	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																					
ANT	3+4																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: PEAK_74 3m 91280-02294_250606 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>53.28</td><td>33.02</td><td>12.44</td><td>58.18</td><td>0.52 -- -- Peak</td></tr><tr><td>2</td><td>7434.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>52.71</td><td>36.33</td><td>15.39</td><td>59.16</td><td>0.33 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4956.00	41.08	74.00	-32.92	53.28	33.02	12.44	58.18	0.52 -- -- Peak	2	7434.00	45.60	74.00	-28.40	52.71	36.33	15.39	59.16	0.33 -- -- Peak	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: PEAK_74 3m 91280-02294_250606 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4956.00</td><td>41.59</td><td>74.00</td><td>-32.41</td><td>53.79</td><td>33.02</td><td>12.44</td><td>58.18</td><td>0.52 -- -- Peak</td></tr><tr><td>2</td><td>7434.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>51.47</td><td>36.33</td><td>15.39</td><td>59.16</td><td>0.33 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4956.00	41.59	74.00	-32.41	53.79	33.02	12.44	58.18	0.52 -- -- Peak	2	7434.00	44.36	74.00	-29.64	51.47	36.33	15.39	59.16	0.33 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4956.00	41.08	74.00	-32.92	53.28	33.02	12.44	58.18	0.52 -- -- Peak																																																																																													
2	7434.00	45.60	74.00	-28.40	52.71	36.33	15.39	59.16	0.33 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4956.00	41.59	74.00	-32.41	53.79	33.02	12.44	58.18	0.52 -- -- Peak																																																																																													
2	7434.00	44.36	74.00	-29.64	51.47	36.33	15.39	59.16	0.33 -- -- Peak																																																																																													



Mode	15	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz	
ANT	3+4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 VERTICAL
	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 HORIZONTAL	Level (dBuV/m) Date: 2025-12-15 Site : 03CH15-HY Condition: AVG_54 3m 91280-02294_250606 VERTICAL



Mode	16																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																																																																																					
ANT	3+4																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	Level (dBuV/m) Date: 2025-12-23  Site : 03CH15-HY Condition: QP 3m Bilog_41912 & 05_250301 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>48.43</td><td>25.91</td><td>40.00</td><td>-14.09</td><td>41.84</td><td>15.22</td><td>1.20</td><td>32.46</td><td>0.11 -- -- Peak</td></tr><tr><td>2</td><td>169.68</td><td>32.37</td><td>43.50</td><td>-11.13</td><td>46.41</td><td>15.81</td><td>2.30</td><td>32.38</td><td>0.23 -- -- Peak</td></tr><tr><td>3</td><td>216.24</td><td>31.84</td><td>46.00</td><td>-14.16</td><td>46.49</td><td>15.02</td><td>2.58</td><td>32.34</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>300.63</td><td>25.53</td><td>46.00</td><td>-20.47</td><td>35.38</td><td>19.24</td><td>3.03</td><td>32.30</td><td>0.18 -- -- Peak</td></tr><tr><td>5</td><td>731.31</td><td>35.11</td><td>46.00</td><td>-10.89</td><td>34.59</td><td>27.89</td><td>4.74</td><td>32.27</td><td>0.16 -- -- Peak</td></tr><tr><td>6</td><td>954.41</td><td>33.41</td><td>46.00</td><td>-12.59</td><td>27.61</td><td>31.07</td><td>5.39</td><td>31.01</td><td>0.35 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	48.43	25.91	40.00	-14.09	41.84	15.22	1.20	32.46	0.11 -- -- Peak	2	169.68	32.37	43.50	-11.13	46.41	15.81	2.30	32.38	0.23 -- -- Peak	3	216.24	31.84	46.00	-14.16	46.49	15.02	2.58	32.34	0.09 -- -- Peak	4	300.63	25.53	46.00	-20.47	35.38	19.24	3.03	32.30	0.18 -- -- Peak	5	731.31	35.11	46.00	-10.89	34.59	27.89	4.74	32.27	0.16 -- -- Peak	6	954.41	33.41	46.00	-12.59	27.61	31.07	5.39	31.01	0.35 -- -- Peak	Level (dBuV/m) Date: 2025-12-23  Site : 03CH15-HY Condition: QP 3m Bilog_41912 & 05_250301 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>49.40</td><td>33.88</td><td>40.00</td><td>-6.12</td><td>50.24</td><td>14.77</td><td>1.21</td><td>32.46</td><td>0.12 -- -- Peak</td></tr><tr><td>2</td><td>193.93</td><td>28.79</td><td>43.50</td><td>-14.71</td><td>43.58</td><td>14.96</td><td>2.46</td><td>32.34</td><td>0.13 -- -- Peak</td></tr><tr><td>3</td><td>215.27</td><td>28.04</td><td>43.50</td><td>-15.46</td><td>42.69</td><td>15.03</td><td>2.57</td><td>32.34</td><td>0.09 -- -- Peak</td></tr><tr><td>4</td><td>328.76</td><td>25.20</td><td>46.00</td><td>-20.80</td><td>34.39</td><td>19.75</td><td>3.17</td><td>32.28</td><td>0.17 -- -- Peak</td></tr><tr><td>5</td><td>718.70</td><td>35.04</td><td>46.00</td><td>-10.96</td><td>35.26</td><td>27.21</td><td>4.70</td><td>32.29</td><td>0.16 -- -- Peak</td></tr><tr><td>6</td><td>946.65</td><td>33.09</td><td>46.00</td><td>-12.91</td><td>27.73</td><td>30.72</td><td>5.37</td><td>31.08</td><td>0.35 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	49.40	33.88	40.00	-6.12	50.24	14.77	1.21	32.46	0.12 -- -- Peak	2	193.93	28.79	43.50	-14.71	43.58	14.96	2.46	32.34	0.13 -- -- Peak	3	215.27	28.04	43.50	-15.46	42.69	15.03	2.57	32.34	0.09 -- -- Peak	4	328.76	25.20	46.00	-20.80	34.39	19.75	3.17	32.28	0.17 -- -- Peak	5	718.70	35.04	46.00	-10.96	35.26	27.21	4.70	32.29	0.16 -- -- Peak	6	946.65	33.09	46.00	-12.91	27.73	30.72	5.37	31.08	0.35 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	48.43	25.91	40.00	-14.09	41.84	15.22	1.20	32.46	0.11 -- -- Peak																																																																																																																																																																													
2	169.68	32.37	43.50	-11.13	46.41	15.81	2.30	32.38	0.23 -- -- Peak																																																																																																																																																																													
3	216.24	31.84	46.00	-14.16	46.49	15.02	2.58	32.34	0.09 -- -- Peak																																																																																																																																																																													
4	300.63	25.53	46.00	-20.47	35.38	19.24	3.03	32.30	0.18 -- -- Peak																																																																																																																																																																													
5	731.31	35.11	46.00	-10.89	34.59	27.89	4.74	32.27	0.16 -- -- Peak																																																																																																																																																																													
6	954.41	33.41	46.00	-12.59	27.61	31.07	5.39	31.01	0.35 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	49.40	33.88	40.00	-6.12	50.24	14.77	1.21	32.46	0.12 -- -- Peak																																																																																																																																																																													
2	193.93	28.79	43.50	-14.71	43.58	14.96	2.46	32.34	0.13 -- -- Peak																																																																																																																																																																													
3	215.27	28.04	43.50	-15.46	42.69	15.03	2.57	32.34	0.09 -- -- Peak																																																																																																																																																																													
4	328.76	25.20	46.00	-20.80	34.39	19.75	3.17	32.28	0.17 -- -- Peak																																																																																																																																																																													
5	718.70	35.04	46.00	-10.96	35.26	27.21	4.70	32.29	0.16 -- -- Peak																																																																																																																																																																													
6	946.65	33.09	46.00	-12.91	27.73	30.72	5.37	31.08	0.35 -- -- Peak																																																																																																																																																																													




Mode	17																																																																																							
	SHF																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																							
ANT	3+4																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII) 1m 88HA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24341.00</td><td>39.19</td><td>68.20</td><td>-29.01</td><td>56.52</td><td>39.30</td><td>6.40</td><td>53.49</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24341.00	39.19	68.20	-29.01	56.52	39.30	6.40	53.49	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-22 Site : 03CH15-HY Condition: PEAK(UNII) 1m 88HA9170_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>18824.50</td><td>38.43</td><td>74.00</td><td>-35.57</td><td>59.37</td><td>38.40</td><td>5.82</td><td>55.62</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	18824.50	38.43	74.00	-35.57	59.37	38.40	5.82	55.62	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	24341.00	39.19	68.20	-29.01	56.52	39.30	6.40	53.49	-9.54	--	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	18824.50	38.43	74.00	-35.57	59.37	38.40	5.82	55.62	-9.54	--	Peak																																																																													



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
3+4	Bluetooth - LE for 1Mbps	60.32	380	2.63	2.7kHz
3+4	Bluetooth - LE for 2Mbps	56.68	1060	0.94	1kHz

MIMO <Ant. 3+4>



—THE END—