




Ant. 2

Part 27D Mode 2

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -40 3m 9120D-02114-250702 Horizontal

: SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4612.00	-61.28	RMS		31.82	-56.83	0.61	-95.23		58.35	-40.00	-21.28	Horizontal
2	6917.00	-51.03	RMS		36.03	-53.42	0.26	-95.23		61.33	-40.00	-11.03	Horizontal
3	9223.00	-56.99	RMS		38.10	-53.00	0.22	-95.23		52.92	-40.00	-16.99	Horizontal

Date: 2025-12-27



Site : 03CH12-HY

Condition: -40 3m 9120D-02114-250702 Vertical

: SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB		dB	dB	dBuV	dBm	dB	
1	4612.00	-54.04	RMS		31.85	-56.79	0.60	-95.23		65.53	-40.00	-14.04	Horizontal
2	6917.00	-46.21	RMS		36.03	-53.42	0.26	-95.23		66.15	-40.00	-6.21	Horizontal
3	9223.00	-56.36	RMS		38.10	-53.00	0.22	-95.23		53.55	-40.00	-16.36	Horizontal




Ant. 0

Part 27D Mode 3


NR SA n30 5M Ch461500 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -40 1m SHF_1225_250701 Horizontal
: SA NR n30 BW5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-60.13	RMS	31.84	-56.80	0.60	-95.23	59.46	-40.00	-20.13	Horizontal
2	6917.00	-46.88	RMS	36.03	-53.42	0.26	-95.23	65.48	-40.00	-6.88	Horizontal
3	9222.00	-57.70	RMS	38.10	-53.00	0.22	-95.23	52.21	-40.00	-17.70	Horizontal



Site : 03CH12-HY
Condition: -40 1m SHF_1225_250701 Vertical
: SA NR n30 BW5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-59.50	RMS	31.84	-56.80	0.60	-95.23	60.09	-40.00	-19.50	Vertical
2	6917.00	-45.64	RMS	36.03	-53.42	0.26	-95.23	66.72	-40.00	-5.64	Vertical
3	9222.00	-57.97	RMS	38.10	-53.00	0.22	-95.23	51.94	-40.00	-17.97	Vertical




Ant. 0

Part 27D Mode 3


NR SA n30 5M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -40 1m SHF_1225_250701 Horizontal
: SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-57.88	RMS	31.86	-56.77	0.60	-95.23	61.66	-40.00	-17.88	Horizontal
2	6924.00	-45.99	RMS	36.05	-53.42	0.27	-95.23	66.34	-40.00	-5.99	Horizontal
3	9232.00	-57.28	RMS	38.10	-53.00	0.21	-95.23	52.64	-40.00	-17.28	Horizontal



Site : 03CH12-HY
Condition: -40 1m SHF_1225_250701 Vertical
: SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-58.30	RMS	31.86	-56.77	0.60	-95.23	61.24	-40.00	-18.30	Vertical
2	6924.00	-44.38	RMS	36.05	-53.42	0.27	-95.23	67.95	-40.00	-4.38	Vertical
3	9232.00	-57.29	RMS	38.10	-53.00	0.21	-95.23	52.63	-40.00	-17.29	Vertical




Ant. 0

Part 27D Mode 3


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -40 1m SHF_1225_250701 Horizontal
: SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-59.01	RMS	31.88	-56.75	0.59	-95.23	60.50	-40.00	-19.01	Horizontal
2	6931.00	-44.94	RMS	36.06	-53.42	0.27	-95.23	67.38	-40.00	-4.94	Horizontal
3	9242.00	-57.70	RMS	38.10	-53.00	0.20	-95.23	52.23	-40.00	-17.70	Horizontal



Site : 03CH12-HY
Condition: -40 1m SHF_1225_250701 Vertical
: SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Reading	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-59.34	RMS	31.88	-56.75	0.59	-95.23	60.17	-40.00	-19.34	Vertical
2	6931.00	-46.42	RMS	36.06	-53.42	0.27	-95.23	65.90	-40.00	-6.42	Vertical
3	9242.00	-57.67	RMS	38.10	-53.00	0.20	-95.23	52.26	-40.00	-17.67	Vertical




Ant. 0

Part 27D Mode 4

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -40 1m SHF_1225_250701 Horizontal

: SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-59.37	RMS	31.85	-56.79	0.60	-95.23	60.20	-40.00	-19.37	Horizontal
2	6917.00	-46.47	RMS	36.03	-53.42	0.26	-95.23	65.89	-40.00	-6.47	Horizontal
3	9223.00	-57.72	RMS	38.10	-53.00	0.22	-95.23	52.19	-40.00	-17.72	Horizontal



Site : 03CH12-HY

Condition: -40 1m SHF_1225_250701 Vertical

: SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-60.50	RMS	31.85	-56.79	0.60	-95.23	59.07	-40.00	-20.50	Vertical
2	6917.00	-43.71	RMS	36.03	-53.42	0.26	-95.23	68.65	-40.00	-3.71	Vertical
3	9223.00	-57.25	RMS	38.10	-53.00	0.22	-95.23	52.66	-40.00	-17.25	Vertical




Ant. 0+2

Part 27D Mode 5


EN-DC B5+n30 10M + 10M Ch20525 1RB0 QPSK + Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-250702 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4612.00	-62.90	RMS		31.85	-45.03	0.60	-95.23	44.91	-40.00	-22.90		Horizontal
2	6917.00	-52.68	RMS		36.03	-43.33	0.26	-95.23	49.59	-40.00	-12.68		Horizontal
3	9223.00	-57.70	RMS		38.10	-41.21	0.22	-95.23	40.42	-40.00	-17.70		Horizontal



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-250702 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n30 10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	4612.00	-62.54	RMS		31.85	-45.03	0.60	-95.23	45.27	-40.00	-22.54		Vertical
2	6917.00	-52.95	RMS		36.03	-43.33	0.26	-95.23	49.32	-40.00	-12.95		Vertical
3	9223.00	-57.90	RMS		38.10	-41.21	0.22	-95.23	40.22	-40.00	-17.90		Vertical




Ant. 2

Part 27M Mode 1

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

NR SA n7 20M Ch502000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5002.00	-60.78	RMS	33.60	-56.30	0.63	-95.23	56.52	-25.00	-35.78	Horizontal	
2	7503.00	-54.43	RMS	36.59	-53.13	0.14	-95.23	57.20	-25.00	-29.43	Horizontal	
3	10005.00	-57.80	RMS	38.32	-52.67	0.04	-95.23	51.74	-25.00	-32.80	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

NR SA n7 20M Ch502000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	5002.00	-60.92	RMS	33.60	-56.30	0.63	-95.23	56.38	-25.00	-35.92	Vertical	
2	7503.00	-56.77	RMS	36.59	-53.13	0.14	-95.23	54.86	-25.00	-31.77	Vertical	
3	10005.00	-57.22	RMS	38.32	-52.67	0.04	-95.23	52.32	-25.00	-32.22	Vertical	




Ant. 2

Part 27M Mode 1

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-60.76	RMS	33.48	-56.17	0.68	-95.23	56.48	-25.00	-35.76 Horizontal
2	7579.00	-55.95	RMS	36.40	-53.13	0.06	-95.23	55.95	-25.00	-30.95 Horizontal
3	10105.00	-57.47	RMS	38.42	-52.52	0.04	-95.23	51.82	-25.00	-32.47 Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-61.01	RMS	33.48	-56.17	0.68	-95.23	56.23	-25.00	-36.01 Vertical
2	7579.00	-58.64	RMS	36.40	-53.13	0.06	-95.23	53.26	-25.00	-33.64 Vertical
3	10105.00	-57.20	RMS	38.42	-52.52	0.04	-95.23	52.09	-25.00	-32.20 Vertical




Ant. 2

Part 27M Mode 1


NR SA n7 20M Ch512000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Horizontal
: NR SA n7 20M Ch512000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	5102.00	-60.92	RMS	33.20	-56.04	0.73	-95.23	56.42	-25.00	-35.92	Horizontal	
2	7653.00	-57.48	RMS	36.60	-53.15	0.09	-95.23	54.21	-25.00	-32.48	Horizontal	
3	10205.00	-56.68	RMS	38.79	-52.37	0.05	-95.23	52.08	-25.00	-31.68	Horizontal	



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Vertical
: NR SA n7 20M Ch512000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	5102.00	-60.51	RMS	33.20	-56.04	0.73	-95.23	56.83	-25.00	-35.51	Vertical	
2	7653.00	-58.06	RMS	36.60	-53.15	0.09	-95.23	53.63	-25.00	-33.06	Vertical	
3	10205.00	-57.00	RMS	38.79	-52.37	0.05	-95.23	51.76	-25.00	-32.00	Vertical	




Ant. 2

Part 27M Mode 5


NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Horizontal
: SA NR n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	4994.00	-57.71	RMS	33.58	-56.30	0.62	-95.23	59.62	-25.00	-32.71	Horizontal	
2	7491.00	-49.75	RMS	36.62	-53.13	0.15	-95.23	61.84	-25.00	-24.75	Horizontal	
3	9989.00	-58.02	RMS	38.28	-52.67	0.05	-95.23	51.55	-25.00	-33.02	Horizontal	



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Vertical
: SA NR n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	4994.00	-59.18	RMS	33.58	-56.30	0.62	-95.23	58.15	-25.00	-34.18	Vertical	
2	7491.00	-52.35	RMS	36.62	-53.13	0.15	-95.23	59.24	-25.00	-27.35	Vertical	
3	9989.00	-58.32	RMS	38.28	-52.67	0.05	-95.23	51.25	-25.00	-33.32	Vertical	




Ant. 2

Part 27M Mode 5


NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Horizontal
: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		dBuV	dBm		
1	5168.00	-57.49	RMS	33.34	-55.87	0.80	-95.23	59.47	-25.00	-32.49 Horizontal
2	7752.00	-44.52	RMS	36.81	-53.17	0.17	-95.23	66.90	-25.00	-19.52 Horizontal
3	10337.00	-57.14	RMS	38.75	-52.18	0.05	-95.23	51.47	-25.00	-32.14 Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Vertical
: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		dBuV	dBm		
1	5168.00	-55.53	RMS	33.34	-55.87	0.80	-95.23	61.43	-25.00	-30.53 Vertical
2	7752.00	-43.19	RMS	36.81	-53.17	0.17	-95.23	68.23	-25.00	-18.19 Vertical
3	10337.00	-56.84	RMS	38.75	-52.18	0.05	-95.23	51.77	-25.00	-31.84 Vertical




Ant. 2

Part 27M Mode 5

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: SA NR n41 20M Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5342.00	-61.47	RMS	33.10	-55.45	0.56	-95.23	55.55	-25.00	-36.47	Horizontal
2	8013.00	-52.45	RMS	37.23	-53.28	0.14	-95.23	58.69	-25.00	-27.45	Horizontal
3	10685.00	-57.51	RMS	39.20	-51.69	0.06	-95.23	50.15	-25.00	-32.51	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: SA NR n41 20M Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5342.00	-61.22	RMS	33.10	-55.45	0.56	-95.23	55.80	-25.00	-36.22	Vertical
2	8013.00	-55.50	RMS	37.23	-53.28	0.14	-95.23	55.64	-25.00	-30.50	Vertical
3	10685.00	-57.19	RMS	39.20	-51.69	0.06	-95.23	50.47	-25.00	-32.19	Vertical




Ant. 2

Part 27M Mode 10

NR CA n41C Ch509202 + Ch528186

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 100M Ch509202 1RB272 BPSK

: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5192.00	-61.85	RMS	33.38	-44.66	0.82	-95.23	43.84	-25.00	-36.85	Horizontal	
2	7788.00	-59.07	RMS	36.95	-42.65	0.20	-95.23	41.66	-25.00	-34.07	Horizontal	
3	10384.00	-57.66	RMS	38.73	-40.02	0.05	-95.23	38.81	-25.00	-32.66	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 100M Ch509202 1RB272 BPSK

: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	5192.00	-61.80	RMS	33.38	-44.66	0.82	-95.23	43.89	-25.00	-36.80	Vertical	
2	7788.00	-58.85	RMS	36.95	-42.65	0.20	-95.23	41.88	-25.00	-33.85	Vertical	
3	10384.00	-57.55	RMS	38.73	-40.02	0.05	-95.23	38.92	-25.00	-32.55	Vertical	




Ant. 2

Part 27M Mode 10


NR CA n41C Ch509604 + Ch528588

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Horizontal
: NR Band 41 100M Ch509604 1RB272 BPSK
: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g				
	MHz	dBm			1						
1	5196.00	-61.28	RMS	33.39	-44.65	0.83	-95.23	44.38	-25.00	-36.28	Horizontal
2	7794.00	-58.89	RMS	36.98	-42.64	0.20	-95.23	41.80	-25.00	-33.89	Horizontal
3	10392.00	-57.35	RMS	38.72	-40.01	0.05	-95.23	39.12	-25.00	-32.35	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Vertical
: NR Band 41 100M Ch509604 1RB272 BPSK
: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g				
	MHz	dBm			1						
1	5196.00	-61.67	RMS	33.39	-44.65	0.83	-95.23	43.99	-25.00	-36.67	Vertical
2	7794.00	-58.70	RMS	36.98	-42.64	0.20	-95.23	41.99	-25.00	-33.70	Vertical
3	10392.00	-57.74	RMS	38.72	-40.01	0.05	-95.23	38.73	-25.00	-32.74	Vertical




Ant. 2

Part 27M Mode 10

NR CA n41C Ch510012 + Ch528996

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 100M Ch510012 1RB272 BPSK

: NR Band 41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5200.00	-62.11	RMS	33.40	-44.65	0.83	-95.23	43.54	-25.00	-37.11	Horizontal	
2	7800.00	-59.18	RMS	37.00	-42.64	0.21	-95.23	41.48	-25.00	-34.18	Horizontal	
3	10400.00	-57.88	RMS	38.70	-40.00	0.05	-95.23	38.60	-25.00	-32.88	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 100M Ch510012 1RB272 BPSK

: NR Band 41 90M Ch528996 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5200.00	-62.03	RMS	33.40	-44.65	0.83	-95.23	43.62	-25.00	-37.03	Vertical	
2	7800.00	-59.01	RMS	37.00	-42.64	0.21	-95.23	41.65	-25.00	-34.01	Vertical	
3	10400.00	-57.66	RMS	38.70	-40.00	0.05	-95.23	38.82	-25.00	-32.66	Vertical	




Ant. 0

Part 27M Mode 2

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-60.06	RMS	33.48	-56.17	0.68	-95.23	57.18	-25.00	-35.06 Horizontal
2	7579.00	-56.14	RMS	36.40	-53.13	0.06	-95.23	55.76	-25.00	-31.14 Horizontal
3	10105.00	-57.77	RMS	38.42	-52.52	0.04	-95.23	51.52	-25.00	-32.77 Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5053.00	-58.45	RMS	33.48	-56.17	0.68	-95.23	58.79	-25.00	-33.45 Vertical
2	7579.00	-55.19	RMS	36.40	-53.13	0.06	-95.23	56.71	-25.00	-30.19 Vertical
3	10105.00	-57.72	RMS	38.42	-52.52	0.04	-95.23	51.57	-25.00	-32.72 Vertical




Ant. 0

Part 27M Mode 6

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB		dBuV	dBm	dB	
1	5168.00	-56.00	RMS	33.34	-55.87	0.80	-95.23	60.96	-25.00	-31.00	Horizontal	
2	7752.00	-35.59	RMS	36.81	-53.17	0.17	-95.23	75.83	-25.00	-10.59	Horizontal	
3	10337.00	-57.77	RMS	38.75	-52.18	0.05	-95.23	50.84	-25.00	-32.77	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB		dBuV	dBm	dB	
1	5168.00	-55.67	RMS	33.34	-55.87	0.80	-95.23	61.29	-25.00	-30.67	Vertical	
2	7752.00	-41.98	RMS	36.81	-53.17	0.17	-95.23	69.44	-25.00	-16.98	Vertical	
3	10337.00	-57.64	RMS	38.75	-52.18	0.05	-95.23	50.97	-25.00	-32.64	Vertical	




Ant. 0

Part 27M Mode 11


NR CA n41C Ch509604 + Ch528588

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Horizontal
: NR Band 41 100M Ch509604 1RB272 BPSK
: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5196.00	-60.06	RMS	33.39	-44.65	0.83	-95.23	45.60	-25.00	-35.06 Horizontal
2	7794.00	-56.15	RMS	36.98	-42.64	0.20	-95.23	44.54	-25.00	-31.15 Horizontal
3	10392.00	-57.83	RMS	38.72	-40.01	0.05	-95.23	38.64	-25.00	-32.83 Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Vertical
: NR Band 41 100M Ch509604 1RB272 BPSK
: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5196.00	-59.38	RMS	33.39	-44.65	0.83	-95.23	46.28	-25.00	-34.38 Vertical
2	7794.00	-55.67	RMS	36.98	-42.64	0.20	-95.23	45.02	-25.00	-30.67 Vertical
3	10392.00	-57.92	RMS	38.72	-40.01	0.05	-95.23	38.55	-25.00	-32.92 Vertical




Ant. 1

Part 27M Mode 3

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5053.00	-59.52	RMS	33.48	-56.17	0.68	-95.23	57.72	-25.00	-34.52	Horizontal
2	7579.00	-51.07	RMS	36.40	-53.13	0.06	-95.23	60.83	-25.00	-26.07	Horizontal
3	10105.00	-57.81	RMS	38.42	-52.52	0.04	-95.23	51.48	-25.00	-32.81	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5053.00	-58.62	RMS	33.48	-56.17	0.68	-95.23	58.62	-25.00	-33.62	Vertical
2	7579.00	-52.38	RMS	36.40	-53.13	0.06	-95.23	59.52	-25.00	-27.38	Vertical
3	10105.00	-57.50	RMS	38.42	-52.52	0.04	-95.23	51.79	-25.00	-32.50	Vertical




Ant. 1

Part 27M Mode 7

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5168.00	-50.86	RMS	33.34	-55.87	0.80	-95.23	66.10	-25.00	-25.86	Horizontal
2	7752.00	-40.04	RMS	36.81	-53.17	0.17	-95.23	71.38	-25.00	-15.04	Horizontal
3	10337.00	-57.89	RMS	38.75	-52.18	0.05	-95.23	50.72	-25.00	-32.89	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5168.00	-53.99	RMS	33.34	-55.87	0.80	-95.23	62.97	-25.00	-28.99	Vertical
2	7752.00	-42.27	RMS	36.81	-53.17	0.17	-95.23	69.15	-25.00	-17.27	Vertical
3	10337.00	-57.89	RMS	38.75	-52.18	0.05	-95.23	50.72	-25.00	-32.89	Vertical




Ant. 1

Part 27M Mode 12

NR CA n41C Ch509604 + Ch528588

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 100M Ch509604 1RB272 BPSK

: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5196.00	-60.98	RMS	33.39	-44.65	0.83	-95.23	44.68	-25.00	-35.98	Horizontal	
2	7794.00	-41.74	RMS	36.98	-42.64	0.20	-95.23	58.95	-25.00	-16.74	Horizontal	
3	10392.00	-57.68	RMS	38.72	-40.01	0.05	-95.23	38.79	-25.00	-32.68	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 100M Ch509604 1RB272 BPSK

: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5196.00	-61.23	RMS	33.39	-44.65	0.83	-95.23	44.43	-25.00	-36.23	Vertical	
2	7794.00	-49.40	RMS	36.98	-42.64	0.20	-95.23	51.29	-25.00	-24.40	Vertical	
3	10392.00	-57.67	RMS	38.72	-40.01	0.05	-95.23	38.80	-25.00	-32.67	Vertical	




Ant. 5

Part 27M Mode 4

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-60.15	RMS	33.49	-56.17	0.68	-95.23	57.08	-25.00	-35.15	Horizontal	
2	7578.00	-53.41	RMS	36.40	-53.13	0.06	-95.23	58.49	-25.00	-28.41	Horizontal	
3	10105.00	-57.64	RMS	38.42	-52.52	0.04	-95.23	51.65	-25.00	-32.64	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-59.05	RMS	33.49	-56.17	0.68	-95.23	58.18	-25.00	-34.05	Vertical	
2	7578.00	-54.06	RMS	36.40	-53.13	0.06	-95.23	57.84	-25.00	-29.06	Vertical	
3	10105.00	-58.05	RMS	38.42	-52.52	0.04	-95.23	51.24	-25.00	-33.05	Vertical	




Ant. 5

Part 27M Mode 8

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1	dB	dB		dBuV	dBm	dB	
1	5168.00	-53.14	RMS	33.34	-55.87	0.80	-95.23	63.82	-25.00	-28.14	Horizontal	
2	7752.00	-39.10	RMS	36.81	-53.17	0.17	-95.23	72.32	-25.00	-14.10	Horizontal	
3	10337.00	-57.30	RMS	38.75	-52.18	0.05	-95.23	51.31	-25.00	-32.30	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: SA NR n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1	dB	dB		dBuV	dBm	dB	
1	5168.00	-54.06	RMS	33.34	-55.87	0.80	-95.23	62.90	-25.00	-29.06	Vertical	
2	7752.00	-40.14	RMS	36.81	-53.17	0.17	-95.23	71.28	-25.00	-15.14	Vertical	
3	10337.00	-57.66	RMS	38.75	-52.18	0.05	-95.23	50.95	-25.00	-32.66	Vertical	




Ant. 5

Part 27M Mode 13

NR CA n41C Ch509604 + Ch528588

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 100M Ch509604 1RB272 BPSK

: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	5196.00	-61.48	RMS	33.39	-44.65	0.83	-95.23	44.18	-25.00	-36.48	Horizontal	
2	7794.00	-56.78	RMS	36.98	-42.64	0.20	-95.23	43.91	-25.00	-31.78	Horizontal	
3	10392.00	-57.49	RMS	38.72	-40.01	0.05	-95.23	38.98	-25.00	-32.49	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 100M Ch509604 1RB272 BPSK

: NR Band 41 90M Ch528588 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	5196.00	-60.91	RMS	33.39	-44.65	0.83	-95.23	44.75	-25.00	-35.91	Vertical	
2	7794.00	-55.73	RMS	36.98	-42.64	0.20	-95.23	44.96	-25.00	-30.73	Vertical	
3	10392.00	-57.74	RMS	38.72	-40.01	0.05	-95.23	38.73	-25.00	-32.74	Vertical	




Ant. 0+2

Part 27M Mode 9


EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Horizontal
: LTE Band B5 10M Ch20525 1RB0 QPSK
: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5168.00	-61.63	RMS	33.34	-44.68	0.80	-95.23	44.14	-25.00	-36.63	Horizontal	
2	7752.00	-47.47	RMS	36.81	-42.69	0.17	-95.23	53.47	-25.00	-22.47	Horizontal	
3	10337.00	-57.74	RMS	38.75	-40.10	0.05	-95.23	38.79	-25.00	-32.74	Horizontal	



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-250702 Vertical
: LTE Band B5 10M Ch20525 1RB0 QPSK
: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5168.00	-61.64	RMS	33.34	-44.68	0.80	-95.23	44.13	-25.00	-36.64	Vertical	
2	7752.00	-51.56	RMS	36.81	-42.69	0.17	-95.23	49.38	-25.00	-26.56	Vertical	
3	10337.00	-57.80	RMS	38.75	-40.10	0.05	-95.23	38.73	-25.00	-32.80	Vertical	




Ant. 2+1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Horizontal

: SA NR n41 20M MIMO Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	4994.00	-58.23	RMS		33.58	-56.30	0.62	-95.23	59.10	-25.00	-33.23	Horizontal
2	7491.00	-45.85	RMS		36.62	-53.13	0.15	-95.23	65.74	-25.00	-20.85	Horizontal
3	9989.00	-57.52	RMS		38.28	-52.67	0.05	-95.23	52.05	-25.00	-32.52	Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Vertical

: SA NR n41 20M MIMO Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	4994.00	-60.07	RMS		33.58	-56.30	0.62	-95.23	57.26	-25.00	-35.07	Vertical
2	7491.00	-42.72	RMS		36.62	-53.13	0.15	-95.23	68.87	-25.00	-17.72	Vertical
3	9989.00	-57.46	RMS		38.28	-52.67	0.05	-95.23	52.11	-25.00	-32.46	Vertical




Ant. 2+1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Horizontal

: SA NR n41 20M MIMO Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-59.52	RMS	33.34	-55.87	0.80	-95.23	57.44	-25.00	-34.52	Horizontal
2	7752.00	-48.34	RMS	36.81	-53.17	0.17	-95.23	63.08	-25.00	-23.34	Horizontal
3	10337.00	-56.60	RMS	38.75	-52.18	0.05	-95.23	52.01	-25.00	-31.60	Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Vertical

: SA NR n41 20M MIMO Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5168.00	-60.51	RMS	33.34	-55.87	0.80	-95.23	56.45	-25.00	-35.51	Vertical
2	7752.00	-49.68	RMS	36.81	-53.17	0.17	-95.23	61.74	-25.00	-24.68	Vertical
3	10337.00	-56.15	RMS	38.75	-52.18	0.05	-95.23	52.46	-25.00	-31.15	Vertical




Ant. 2+1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Horizontal

: SA NR n41 20M MIMO Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-61.78	RMS	33.10	-55.45	0.56	-95.23	55.24	-25.00	-36.78 Horizontal
2	8014.00	-54.35	RMS	37.23	-53.28	0.14	-95.23	56.79	-25.00	-29.35 Horizontal
3	10685.00	-56.74	RMS	39.20	-51.69	0.06	-95.23	50.92	-25.00	-31.74 Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Vertical

: SA NR n41 20M MIMO Ch535998 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-56.70	RMS	33.10	-55.45	0.56	-95.23	60.32	-25.00	-31.70 Vertical
2	8014.00	-50.95	RMS	37.23	-53.28	0.14	-95.23	60.19	-25.00	-25.95 Vertical
3	10685.00	-57.06	RMS	39.20	-51.69	0.06	-95.23	50.60	-25.00	-32.06 Vertical




Ant. 2+1

Part 27M Mode 16

NR CA n41C Ch509202 + Ch528186

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 MIMO 100M Ch509202 1RB272 QPSK

: NR Band 41 MIMO 90M Ch525186 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5192.00	-62.80	RMS	33.38	-44.66	0.82	-95.23		42.89	-25.00	-37.80	Horizontal
2	7788.00	-59.87	RMS	36.95	-42.65	0.20	-95.23		40.86	-25.00	-34.87	Horizontal
3	10384.00	-58.28	RMS	38.73	-40.02	0.05	-95.23		38.19	-25.00	-33.28	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 MIMO 100M Ch509202 1RB272 QPSK

: NR Band 41 MIMO 90M Ch525186 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5192.00	-59.78	RMS	33.38	-44.66	0.82	-95.23		45.91	-25.00	-34.78	Vertical
2	7788.00	-58.57	RMS	36.95	-42.65	0.20	-95.23		42.16	-25.00	-33.57	Vertical
3	10384.00	-57.65	RMS	38.73	-40.02	0.05	-95.23		38.82	-25.00	-32.65	Vertical




Ant. 2+1

Part 27M Mode 16

NR CA n41C Ch509604 + Ch528588

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 MIMO 100M Ch509604 1RB272 QPSK

: NR Band 41 MIMO 90M Ch528588 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5196.00	-61.98	RMS	33.39	-44.65	0.83	-95.23		43.68	-25.00	-36.98	Horizontal
2	7794.00	-59.59	RMS	36.98	-42.64	0.20	-95.23		41.10	-25.00	-34.59	Horizontal
3	10392.00	-57.75	RMS	38.72	-40.01	0.05	-95.23		38.72	-25.00	-32.75	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 MIMO 100M Ch509604 1RB272 QPSK

: NR Band 41 MIMO 90M Ch528588 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5196.00	-61.74	RMS	33.39	-44.65	0.83	-95.23		43.92	-25.00	-36.74	Vertical
2	7794.00	-59.94	RMS	36.98	-42.64	0.20	-95.23		40.75	-25.00	-34.94	Vertical
3	10392.00	-58.10	RMS	38.72	-40.01	0.05	-95.23		38.37	-25.00	-33.10	Vertical




Ant. 2+1

Part 27M Mode 16

NR CA n41C Ch510012 + Ch528996

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 MIMO 100M Ch510012 1RB272 QPSK

: NR Band 41 MIMO 90M Ch5258996 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5200.00	-62.10	RMS	33.40	-44.65	0.83	-95.23		43.55	-25.00	-37.10	Horizontal
2	7800.00	-59.58	RMS	37.00	-42.64	0.21	-95.23		41.08	-25.00	-34.58	Horizontal
3	10400.00	-58.01	RMS	38.70	-40.00	0.05	-95.23		38.47	-25.00	-33.01	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 MIMO 100M Ch510012 1RB272 QPSK

: NR Band 41 MIMO 90M Ch5258996 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5200.00	-62.68	RMS	33.40	-44.65	0.83	-95.23		42.97	-25.00	-37.68	Vertical
2	7800.00	-59.13	RMS	37.00	-42.64	0.21	-95.23		41.53	-25.00	-34.13	Vertical
3	10400.00	-57.97	RMS	38.70	-40.00	0.05	-95.23		38.51	-25.00	-32.97	Vertical




Ant. 0+5

Part 27M Mode 15

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Horizontal

: SA NR n41 20M MIMO Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	4994.00	-59.97	RMS	33.58	-56.30	0.62	-95.23	57.36	-25.00	-34.97	Horizontal	
2	7491.00	-46.83	RMS	36.62	-53.13	0.15	-95.23	64.76	-25.00	-21.83	Horizontal	
3	9989.00	-57.65	RMS	38.28	-52.67	0.05	-95.23	51.92	-25.00	-32.65	Horizontal	



Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Vertical

: SA NR n41 20M MIMO Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	4994.00	-60.73	RMS	33.58	-56.30	0.62	-95.23	56.60	-25.00	-35.73	Vertical	
2	7491.00	-44.23	RMS	36.62	-53.13	0.15	-95.23	67.36	-25.00	-19.23	Vertical	
3	9989.00	-57.64	RMS	38.28	-52.67	0.05	-95.23	51.93	-25.00	-32.64	Vertical	




Ant. 0+5

Part 27M Mode 15

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Horizontal

: SA NR n41 20M MIMO Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5168.00	-60.04	RMS	33.34	-55.87	0.80	-95.23	56.92	-25.00	-35.04	Horizontal
2	7752.00	-47.77	RMS	36.81	-53.17	0.17	-95.23	63.65	-25.00	-22.77	Horizontal
3	10337.00	-56.72	RMS	38.75	-52.18	0.05	-95.23	51.89	-25.00	-31.72	Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Vertical

: SA NR n41 20M MIMO Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5168.00	-60.22	RMS	33.34	-55.87	0.80	-95.23	56.74	-25.00	-35.22	Vertical
2	7752.00	-51.31	RMS	36.81	-53.17	0.17	-95.23	60.11	-25.00	-26.31	Vertical
3	10337.00	-56.93	RMS	38.75	-52.18	0.05	-95.23	51.68	-25.00	-31.93	Vertical




Ant. 0+5

Part 27M Mode 15

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Horizontal

: SA NR n41 20M MIMO Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5343.00	-57.02	RMS	33.10	-55.45	0.56	-95.23	60.00	-25.00	-32.02	Horizontal
2	8014.00	-48.90	RMS	37.23	-53.28	0.14	-95.23	62.24	-25.00	-23.90	Horizontal
3	10685.00	-56.84	RMS	39.20	-51.69	0.06	-95.23	50.82	-25.00	-31.84	Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_1225_250701 Vertical

: SA NR n41 20M MIMO Ch535998 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5343.00	-58.16	RMS	33.10	-55.45	0.56	-95.23	58.86	-25.00	-33.16	Vertical
2	8014.00	-45.77	RMS	37.23	-53.28	0.14	-95.23	65.37	-25.00	-20.77	Vertical
3	10685.00	-56.75	RMS	39.20	-51.69	0.06	-95.23	50.91	-25.00	-31.75	Vertical




Ant. 0+5

Part 27M Mode 17

NR CA n41C Ch509202 + Ch528186

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 MIMO 100M Ch509202 1RB272 QPSK

: NR Band 41 MIMO 90M Ch525186 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	5192.00	-61.01	RMS	33.38	-44.66	0.82 -95.23	44.68	-25.00	-36.01	Horizontal
2	7788.00	-56.59	RMS	36.95	-42.65	0.20 -95.23	44.14	-25.00	-31.59	Horizontal
3	10384.00	-57.75	RMS	38.73	-40.02	0.05 -95.23	38.72	-25.00	-32.75	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 MIMO 100M Ch509202 1RB272 QPSK

: NR Band 41 MIMO 90M Ch525186 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	5192.00	-60.13	RMS	33.38	-44.66	0.82 -95.23	45.56	-25.00	-35.13	Vertical
2	7788.00	-56.64	RMS	36.95	-42.65	0.20 -95.23	44.09	-25.00	-31.64	Vertical
3	10384.00	-57.39	RMS	38.73	-40.02	0.05 -95.23	39.08	-25.00	-32.39	Vertical




Ant. 0+5

Part 27M Mode 17

NR CA n41C Ch509604 + Ch528588

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 MIMO 100M Ch509604 1RB272 QPSK

: NR Band 41 MIMO 90M Ch528588 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5196.00	-61.51	RMS	33.39	-44.65	0.83	-95.23		44.15	-25.00	-36.51	Horizontal
2	7794.00	-58.09	RMS	36.98	-42.64	0.20	-95.23		42.60	-25.00	-33.09	Horizontal
3	10392.00	-57.90	RMS	38.72	-40.01	0.05	-95.23		38.57	-25.00	-32.90	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 MIMO 100M Ch509604 1RB272 QPSK

: NR Band 41 MIMO 90M Ch528588 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5196.00	-58.16	RMS	33.39	-44.65	0.83	-95.23		47.50	-25.00	-33.16	Vertical
2	7794.00	-57.25	RMS	36.98	-42.64	0.20	-95.23		43.44	-25.00	-32.25	Vertical
3	10392.00	-57.78	RMS	38.72	-40.01	0.05	-95.23		38.69	-25.00	-32.78	Vertical




Ant. 0+5

Part 27M Mode 17

NR CA n41C Ch510012 + Ch528996

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Horizontal

: NR Band 41 MIMO 100M Ch510012 1RB272 QPSK

: NR Band 41 MIMO 90M Ch528996 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5200.00	-62.06	RMS	33.40	-44.65	0.83	-95.23		43.59	-25.00	-37.06	Horizontal
2	7800.00	-59.12	RMS	37.00	-42.64	0.21	-95.23		41.54	-25.00	-34.12	Horizontal
3	10400.00	-57.74	RMS	38.70	-40.00	0.05	-95.23		38.74	-25.00	-32.74	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-250702 Vertical

: NR Band 41 MIMO 100M Ch510012 1RB272 QPSK

: NR Band 41 MIMO 90M Ch528996 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5200.00	-60.36	RMS	33.40	-44.65	0.83	-95.23		45.29	-25.00	-35.36	Vertical
2	7800.00	-59.07	RMS	37.00	-42.64	0.21	-95.23		41.59	-25.00	-34.07	Vertical
3	10400.00	-57.59	RMS	38.70	-40.00	0.05	-95.23		38.89	-25.00	-32.59	Vertical




Ant. 6

Part 27Q Mode 1


NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Horizontal
: NR Band 77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	6903.00	-47.26	RMS	36.01	-22.46	1.25	-95.23	33.17	-13.00	-34.26	Horizontal	
2	10354.00	-41.98	RMS	38.79	-19.89	0.16	-95.23	34.19	-13.00	-28.98	Horizontal	
3	13805.00	-36.45	RMS	40.40	-15.28	0.07	-95.23	33.59	-13.00	-23.45	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Vertical
: NR Band 77 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	6903.00	-47.43	RMS	36.01	-22.46	1.25	-95.23	33.00	-13.00	-34.43	Vertical	
2	10354.00	-42.14	RMS	38.79	-19.89	0.16	-95.23	34.03	-13.00	-29.14	Vertical	
3	13805.00	-36.49	RMS	40.40	-15.28	0.07	-95.23	33.55	-13.00	-23.49	Vertical	




Ant. 6

Part 27Q Mode 1


NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Horizontal
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	6983.00	-46.86	RMS	36.17	-22.39	0.99	-95.23	33.60	-13.00	-33.86	Horizontal	
2	10474.00	-41.53	RMS	38.75	-19.72	0.17	-95.23	34.50	-13.00	-28.53	Horizontal	
3	13965.00	-35.71	RMS	40.67	-15.41	0.04	-95.23	34.22	-13.00	-22.71	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Vertical
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	6983.00	-46.47	RMS	36.17	-22.39	0.99	-95.23	33.99	-13.00	-33.47	Vertical	
2	10474.00	-41.64	RMS	38.75	-19.72	0.17	-95.23	34.39	-13.00	-28.64	Vertical	
3	13965.00	-36.20	RMS	40.67	-15.41	0.04	-95.23	33.73	-13.00	-23.20	Vertical	




Ant. 6

Part 27Q Mode 1

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7063.00	-46.49	RMS	36.45	-22.34	0.86	-95.23	33.77	-13.00	-33.49 Horizontal
2	10594.00	-41.89	RMS	39.16	-19.56	0.18	-95.23	33.56	-13.00	-28.89 Horizontal
3	14125.00	-36.11	RMS	40.80	-15.41	0.04	-95.23	33.69	-13.00	-23.11 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7063.00	-46.40	RMS	36.45	-22.34	0.86	-95.23	33.86	-13.00	-33.40 Vertical
2	10594.00	-42.02	RMS	39.16	-19.56	0.18	-95.23	33.43	-13.00	-29.02 Vertical
3	14125.00	-35.84	RMS	40.80	-15.41	0.04	-95.23	33.96	-13.00	-22.84 Vertical




Ant. 7

Part 27Q Mode 2


NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6982.00	-47.01	RMS		36.16	-22.39	1.00	-95.23	33.45	-13.00	-34.01	Horizontal
2	10473.00	-42.06	RMS		38.75	-19.72	0.17	-95.23	33.97	-13.00	-29.06	Horizontal
3	13965.00	-35.87	RMS		40.67	-15.41	0.04	-95.23	34.06	-13.00	-22.87	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6982.00	-46.86	RMS		36.16	-22.39	1.00	-95.23	33.60	-13.00	-33.86	Vertical
2	10473.00	-41.10	RMS		38.75	-19.72	0.17	-95.23	34.93	-13.00	-28.10	Vertical
3	13965.00	-36.30	RMS		40.67	-15.41	0.04	-95.23	33.63	-13.00	-23.30	Vertical




Ant. 1

Part 27Q Mode 3

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
					dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7862.00	-45.67	RMS		37.10	-21.89	0.46	-95.23		33.89	-13.00	-32.67	Horizontal	
2	11043.00	-41.07	RMS		38.99	-19.01	0.22	-95.23		33.96	-13.00	-28.07	Horizontal	
3	13965.00	-35.62	RMS		40.67	-15.41	0.04	-95.23		34.31	-13.00	-22.62	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
					dB/m	dB		dB	dB		dBuV	dBm	dB	
1	7862.00	-46.02	RMS		37.10	-21.89	0.46	-95.23		33.54	-13.00	-33.02	Vertical	
2	11043.00	-40.73	RMS		38.99	-19.01	0.22	-95.23		34.30	-13.00	-27.73	Vertical	
3	13965.00	-35.76	RMS		40.67	-15.41	0.04	-95.23		34.17	-13.00	-22.76	Vertical	




Ant. 5

Part 27Q Mode 4


NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.00	-46.99	RMS		36.16	-22.39	1.00	-95.23	33.47	-13.00	-33.99	Horizontal
2	10473.00	-42.15	RMS		38.75	-19.72	0.17	-95.23	33.88	-13.00	-29.15	Horizontal
3	13965.00	-36.12	RMS		40.67	-15.41	0.04	-95.23	33.81	-13.00	-23.12	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.00	-47.09	RMS		36.16	-22.39	1.00	-95.23	33.37	-13.00	-34.09	Vertical
2	10473.00	-42.21	RMS		38.75	-19.72	0.17	-95.23	33.82	-13.00	-29.21	Vertical
3	13965.00	-36.40	RMS		40.67	-15.41	0.04	-95.23	33.53	-13.00	-23.40	Vertical




Ant. 0+6

Part 27Q Mode 5


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-46.63	RMS	36.17	-22.39	0.99	-95.23	33.83	-13.00	-33.63			Horizontal
2	10474.00	-41.47	RMS	38.75	-19.72	0.17	-95.23	34.56	-13.00	-28.47			Horizontal
3	13965.00	-35.71	RMS	40.67	-15.41	0.04	-95.23	34.22	-13.00	-22.71			Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR Band 77 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	6983.00	-46.47	RMS	36.17	-22.39	0.99	-95.23	33.99	-13.00	-33.47			Vertical
2	10474.00	-41.38	RMS	38.75	-19.72	0.17	-95.23	34.65	-13.00	-28.38			Vertical
3	13965.00	-36.03	RMS	40.67	-15.41	0.04	-95.23	33.90	-13.00	-23.03			Vertical




Ant. 6+1

Part 27Q Mode 6

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

: NR Band 77 MIMO 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6903.00	-47.56	RMS	36.01	-22.46	1.25	-95.23	32.87	-13.00	-34.56	Horizontal	
2	10354.00	-42.02	RMS	38.79	-19.89	0.16	-95.23	34.15	-13.00	-29.02	Horizontal	
3	13805.00	-36.20	RMS	40.40	-15.28	0.07	-95.23	33.84	-13.00	-23.20	Horizontal	



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

: NR Band 77 MIMO 20M Ch630668 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6903.00	-47.36	RMS	36.01	-22.46	1.25	-95.23	33.07	-13.00	-34.36	Vertical	
2	10354.00	-42.21	RMS	38.79	-19.89	0.16	-95.23	33.96	-13.00	-29.21	Vertical	
3	13805.00	-36.15	RMS	40.40	-15.28	0.07	-95.23	33.89	-13.00	-23.15	Vertical	




Ant. 6+1

Part 27Q Mode 6

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

: NR Band 77 MIMO 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6983.00	-46.51	RMS		36.17	-22.39	0.99	-95.23	33.95	-13.00	Horizontal
2	10474.00	-41.94	RMS		38.75	-19.72	0.17	-95.23	34.09	-13.00	Horizontal
3	13965.00	-36.08	RMS		40.67	-15.41	0.04	-95.23	33.85	-13.00	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

: NR Band 77 MIMO 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	6983.00	-46.55	RMS		36.17	-22.39	0.99	-95.23	33.91	-13.00	Vertical
2	10474.00	-41.72	RMS		38.75	-19.72	0.17	-95.23	34.31	-13.00	Vertical
3	13965.00	-36.09	RMS		40.67	-15.41	0.04	-95.23	33.84	-13.00	Vertical




Ant. 6+1

Part 27Q Mode 6

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7063.00	-46.37	RMS		36.45	-22.34	0.86	-95.23	33.89	-13.00	-33.37 Horizontal
2	10594.00	-41.32	RMS		39.16	-19.56	0.18	-95.23	34.13	-13.00	-28.32 Horizontal
3	14125.00	-35.52	RMS		40.80	-15.41	0.04	-95.23	34.28	-13.00	-22.52 Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7063.00	-46.54	RMS		36.45	-22.34	0.86	-95.23	33.72	-13.00	-33.54 Vertical
2	10594.00	-41.41	RMS		39.16	-19.56	0.18	-95.23	34.04	-13.00	-28.41 Vertical
3	14125.00	-35.18	RMS		40.80	-15.41	0.04	-95.23	34.62	-13.00	-22.18 Vertical




Ant. 7+5

Part 27Q Mode 7

NR SA n77 HPUE 20M Ch630668 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm							dBuV	dBm	dB	
1	6903.00	-47.37	RMS	36.01	-22.46	1.25	-95.23	-95.23	33.06	-13.00	-34.37	Horizontal
2	10354.00	-41.93	RMS	38.79	-19.89	0.16	-95.23	-95.23	34.24	-13.00	-28.93	Horizontal
3	13805.00	-36.20	RMS	40.40	-15.28	0.07	-95.23	-95.23	33.84	-13.00	-23.20	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm							dBuV	dBm	dB	
1	6903.00	-46.92	RMS	36.01	-22.46	1.25	-95.23	-95.23	33.51	-13.00	-33.92	Vertical
2	10354.00	-41.69	RMS	38.79	-19.89	0.16	-95.23	-95.23	34.48	-13.00	-28.69	Vertical
3	13805.00	-36.21	RMS	40.40	-15.28	0.07	-95.23	-95.23	33.83	-13.00	-23.21	Vertical




Ant. 7+5

Part 27Q Mode 7

NR SA n77 HPUE 20M Ch633334 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

: NR Band 77 MIMO 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-46.57	RMS		36.17	-22.39	0.99	-95.23	33.89	-13.00	-33.57	Horizontal
2	10474.00	-41.54	RMS		38.75	-19.72	0.17	-95.23	34.49	-13.00	-28.54	Horizontal
3	13965.00	-35.74	RMS		40.67	-15.41	0.04	-95.23	34.19	-13.00	-22.74	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

: NR Band 77 MIMO 20M Ch633334 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-46.72	RMS		36.17	-22.39	0.99	-95.23	33.74	-13.00	-33.72	Vertical
2	10474.00	-41.01	RMS		38.75	-19.72	0.17	-95.23	35.02	-13.00	-28.01	Vertical
3	13965.00	-35.70	RMS		40.67	-15.41	0.04	-95.23	34.23	-13.00	-22.70	Vertical




Ant. 7+5

Part 27Q Mode 7

NR SA n77 HPUE 20M Ch636000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

: NR Band 77 MIMO 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7063.00	-46.40	RMS	36.45	-22.34	0.86	-95.23	33.86	-13.00	-33.40 Horizontal
2	10594.00	-40.63	RMS	39.16	-19.56	0.18	-95.23	34.82	-13.00	-27.63 Horizontal
3	14125.00	-36.13	RMS	40.80	-15.41	0.04	-95.23	33.67	-13.00	-23.13 Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

: NR Band 77 MIMO 20M Ch636000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7063.00	-46.63	RMS	36.45	-22.34	0.86	-95.23	33.63	-13.00	-33.63 Vertical
2	10594.00	-41.51	RMS	39.16	-19.56	0.18	-95.23	33.94	-13.00	-28.51 Vertical
3	14125.00	-35.58	RMS	40.80	-15.41	0.04	-95.23	34.22	-13.00	-22.58 Vertical




Ant. 6

Part 270 Mode 1


NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Horizontal
: NR Band 77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-45.94	RMS		36.89	-22.07	0.36	-95.23	34.11	-13.00	-32.94 Horizontal
2	11104.00	-40.52	RMS		39.10	-18.97	0.23	-95.23	34.35	-13.00	-27.52 Horizontal
3	14805.00	-35.55	RMS		40.59	-15.59	0.06	-95.23	34.62	-13.00	-22.55 Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Vertical
: NR Band 77 20M Ch647334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-46.29	RMS		36.89	-22.07	0.36	-95.23	33.76	-13.00	-33.29 Vertical
2	11104.00	-41.57	RMS		39.10	-18.97	0.23	-95.23	33.30	-13.00	-28.57 Vertical
3	14805.00	-35.50	RMS		40.59	-15.59	0.06	-95.23	34.67	-13.00	-22.50 Vertical




Ant. 6

Part 270 Mode 1


NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Horizontal
: NR Band 77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	7663.00	-45.91	RMS	36.60	-21.94	0.56	-95.23	34.10	-13.00	-32.91	Horizontal	
2	11494.00	-40.90	RMS	39.19	-18.76	0.27	-95.23	33.63	-13.00	-27.90	Horizontal	
3	15325.00	-36.41	RMS	38.85	-15.95	0.08	-95.23	35.84	-13.00	-23.41	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Vertical
: NR Band 77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	7663.00	-46.09	RMS	36.60	-21.94	0.56	-95.23	33.92	-13.00	-33.09	Vertical	
2	11494.00	-41.07	RMS	39.19	-18.76	0.27	-95.23	33.46	-13.00	-28.07	Vertical	
3	15325.00	-36.96	RMS	38.85	-15.95	0.08	-95.23	35.29	-13.00	-23.96	Vertical	




Ant. 6

Part 270 Mode 1


NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Horizontal
: NR Band 77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7922.00	-45.91	RMS	37.10	-21.87	0.34	-95.23	33.75	-13.00	-32.91 Horizontal
2	11883.00	-40.32	RMS	38.77	-18.55	0.31	-95.23	34.38	-13.00	-27.32 Horizontal
3	15845.00	-37.97	RMS	37.91	-15.86	0.10	-95.23	35.11	-13.00	-24.97 Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_1225_250701 Vertical
: NR Band 77 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7922.00	-45.86	RMS	37.10	-21.87	0.34	-95.23	33.80	-13.00	-32.86 Vertical
2	11883.00	-40.31	RMS	38.77	-18.55	0.31	-95.23	34.39	-13.00	-27.31 Vertical
3	15845.00	-37.95	RMS	37.91	-15.86	0.10	-95.23	35.13	-13.00	-24.95 Vertical




Ant. 6

Part 270 Mode 6

NR CA n77C Ch650000 + Ch656328

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch650000 1RB272 BPSK

: NR Band 77 90M Ch656328 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7600.00	-46.03	RMS	36.40	-21.96	0.55	-95.23	34.21	-13.00	-33.03			Horizontal
2	11400.00	-40.49	RMS	39.20	-18.81	0.26	-95.23	34.09	-13.00	-27.49			Horizontal
3	15200.00	-36.95	RMS	39.30	-15.89	0.08	-95.23	34.79	-13.00	-23.95			Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch650000 1RB272 BPSK

: NR Band 77 90M Ch656328 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7600.00	-46.77	RMS	36.40	-21.96	0.55	-95.23	33.47	-13.00	-33.77			Vertical
2	11400.00	-40.69	RMS	39.20	-18.81	0.26	-95.23	33.89	-13.00	-27.69			Vertical
3	15200.00	-37.15	RMS	39.30	-15.89	0.08	-95.23	34.59	-13.00	-24.15			Vertical




Ant. 6

Part 270 Mode 6

NR CA n77C Ch653002 + Ch659330

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7690.00	-45.92	RMS	36.60	-21.94	0.57	-95.23	34.08	-13.00	-32.92	Horizontal		
2	11535.00	-40.45	RMS	39.06	-18.74	0.27	-95.23	34.19	-13.00	-27.45	Horizontal		
3	15380.00	-36.76	RMS	38.86	-15.98	0.08	-95.23	35.51	-13.00	-23.76	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7690.00	-45.75	RMS	36.60	-21.94	0.57	-95.23	34.25	-13.00	-32.75	Vertical		
2	11535.00	-40.38	RMS	39.06	-18.74	0.27	-95.23	34.26	-13.00	-27.38	Vertical		
3	15380.00	-36.81	RMS	38.86	-15.98	0.08	-95.23	35.46	-13.00	-23.81	Vertical		




Ant. 6

Part 270 Mode 6

NR CA n77C Ch656004 + Ch662332

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch656004 1RB272 BPSK

: NR Band 77 90M Ch662332 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7780.00	-46.12	RMS	36.92	-21.92	0.59	-95.23	33.52	-13.00	-33.12	Horizontal	
2	11670.00	-41.38	RMS	38.64	-18.66	0.29	-95.23	33.58	-13.00	-28.38	Horizontal	
3	15560.00	-37.09	RMS	38.60	-16.01	0.09	-95.23	35.46	-13.00	-24.09	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch656004 1RB272 BPSK

: NR Band 77 90M Ch662332 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7780.00	-46.10	RMS	36.92	-21.92	0.59	-95.23	33.54	-13.00	-33.10	Vertical	
2	11670.00	-41.63	RMS	38.64	-18.66	0.29	-95.23	33.33	-13.00	-28.63	Vertical	
3	15560.00	-37.55	RMS	38.60	-16.01	0.09	-95.23	35.00	-13.00	-24.55	Vertical	




Ant. 7

Part 270 Mode 2

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	7662.00	-46.12	RMS	36.60	-21.94	0.56	-95.23	33.89	-13.00	-33.12	Horizontal	
2	11493.00	-40.27	RMS	39.19	-18.76	0.27	-95.23	34.26	-13.00	-27.27	Horizontal	
3	15325.00	-37.29	RMS	38.85	-15.95	0.08	-95.23	34.96	-13.00	-24.29	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 20M Ch656000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Reading	Limit		Margin	Pol
	MHz	dBm			dB/m	dB		dBuV	dBm	dB		
1	7662.00	-46.32	RMS	36.60	-21.94	0.56	-95.23	33.69	-13.00	-33.32	Vertical	
2	11493.00	-40.99	RMS	39.19	-18.76	0.27	-95.23	33.54	-13.00	-27.99	Vertical	
3	15325.00	-37.29	RMS	38.85	-15.95	0.08	-95.23	34.96	-13.00	-24.29	Vertical	




Ant. 7

Part 270 Mode 7

NR CA n77C Ch653002 + Ch659330

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-45.41	RMS	36.60	-21.94	0.57	-95.23	34.59	-13.00	-32.41	Horizontal
2	11535.00	-40.28	RMS	39.06	-18.74	0.27	-95.23	34.36	-13.00	-27.28	Horizontal
3	15380.00	-35.78	RMS	38.86	-15.98	0.08	-95.23	36.49	-13.00	-22.78	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-45.64	RMS	36.60	-21.94	0.57	-95.23	34.36	-13.00	-32.64	Vertical
2	11535.00	-40.06	RMS	39.06	-18.74	0.27	-95.23	34.58	-13.00	-27.06	Vertical
3	15380.00	-36.49	RMS	38.86	-15.98	0.08	-95.23	35.78	-13.00	-23.49	Vertical




Ant. 1

Part 270 Mode 3

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

NR Band 77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7662.00	-45.78 RMS	36.60	-21.94	0.56	-95.23	34.23	-13.00	-32.78	Horizontal
2	11493.00	-39.89 RMS	39.19	-18.76	0.27	-95.23	34.64	-13.00	-26.89	Horizontal
3	15325.00	-36.42 RMS	38.85	-15.95	0.08	-95.23	35.83	-13.00	-23.42	Horizontal
4	19156.00	-58.49 RMS	38.29	-33.67	-9.54	-95.23	41.66	-13.00	-45.49	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

NR Band 77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7662.00	-45.65 RMS	36.60	-21.94	0.56	-95.23	34.36	-13.00	-32.65	Vertical
2	11493.00	-38.96 RMS	39.19	-18.76	0.27	-95.23	35.57	-13.00	-25.96	Vertical
3	15325.00	-36.68 RMS	38.85	-15.95	0.08	-95.23	35.57	-13.00	-23.68	Vertical
4	19156.00	-64.28 RMS	38.29	-33.67	-9.54	-95.23	35.87	-13.00	-51.28	Vertical




Ant. 1

Part 270 Mode 8

NR CA n77C Ch653002 + Ch659330

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7690.00	-45.85	RMS	36.60	-21.94	0.57	-95.23	34.15	-13.00	-32.85	Horizontal	
2	11535.00	-40.24	RMS	39.06	-18.74	0.27	-95.23	34.40	-13.00	-27.24	Horizontal	
3	15380.00	-36.58	RMS	38.86	-15.98	0.08	-95.23	35.69	-13.00	-23.58	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7690.00	-46.12	RMS	36.60	-21.94	0.57	-95.23	33.88	-13.00	-33.12	Vertical	
2	11535.00	-40.26	RMS	39.06	-18.74	0.27	-95.23	34.38	-13.00	-27.26	Vertical	
3	15380.00	-36.75	RMS	38.86	-15.98	0.08	-95.23	35.52	-13.00	-23.75	Vertical	




Ant. 5

Part 270 Mode 4


NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: NR Band 77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-46.27 RMS	36.60	-21.94	0.56	-95.23	33.74	-13.00	-33.27	Horizontal
2	11493.00	-40.86 RMS	39.19	-18.76	0.27	-95.23	33.67	-13.00	-27.86	Horizontal
3	15325.00	-37.14 RMS	38.85	-15.95	0.08	-95.23	35.11	-13.00	-24.14	Horizontal
4	19156.00	-61.39 RMS	38.29	-33.67	-9.54	-95.23	38.76	-13.00	-48.39	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: NR Band 77 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-46.49 RMS	36.60	-21.94	0.56	-95.23	33.52	-13.00	-33.49	Vertical
2	11493.00	-41.45 RMS	39.19	-18.76	0.27	-95.23	33.08	-13.00	-28.45	Vertical
3	15325.00	-36.69 RMS	38.85	-15.95	0.08	-95.23	35.56	-13.00	-23.69	Vertical
4	19156.00	-59.87 RMS	38.29	-33.67	-9.54	-95.23	40.28	-13.00	-46.87	Vertical




Ant. 5

Part 270 Mode 9

NR CA n77C Ch653002 + Ch659330

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7690.00	-46.20	RMS	36.60	-21.94	0.57	-95.23	33.80	-13.00	-33.20	Horizontal		
2	11535.00	-40.37	RMS	39.06	-18.74	0.27	-95.23	34.27	-13.00	-27.37	Horizontal		
3	15380.00	-37.10	RMS	38.86	-15.98	0.08	-95.23	35.17	-13.00	-24.10	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch653002 1RB272 BPSK

: NR Band 77 90M Ch659330 1RB0 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7690.00	-46.06	RMS	36.60	-21.94	0.57	-95.23	33.94	-13.00	-33.06	Vertical		
2	11535.00	-40.41	RMS	39.06	-18.74	0.27	-95.23	34.23	-13.00	-27.41	Vertical		
3	15380.00	-37.31	RMS	38.86	-15.98	0.08	-95.23	34.96	-13.00	-24.31	Vertical		




Ant. 0+6

Part 270 Mode 5


EN-DC B5+n77 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR Band 77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	7663.00	-45.74	RMS	36.60	-21.94	0.56	-95.23	34.27	-13.00	-32.74	Horizontal		
2	11494.00	-40.20	RMS	39.19	-18.76	0.27	-95.23	34.33	-13.00	-27.20	Horizontal		
3	15325.00	-36.47	RMS	38.85	-15.95	0.08	-95.23	35.78	-13.00	-23.47	Horizontal		



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR Band 77 20M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm					dB	dB	dBuV	dBm	dB		
1	7663.00	-46.10	RMS	36.60	-21.94	0.56	-95.23	33.91	-13.00	-33.10	Vertical		
2	11494.00	-39.95	RMS	39.19	-18.76	0.27	-95.23	34.58	-13.00	-26.95	Vertical		
3	15325.00	-36.96	RMS	38.85	-15.95	0.08	-95.23	35.29	-13.00	-23.96	Vertical		




Ant. 6+1

Part 270 Mode 10

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7403.00	-45.81 RMS	36.89	-22.07	0.36	-95.23	34.24	-13.00	-32.81	Horizontal
2	11104.00	-40.97 RMS	39.10	-18.97	0.23	-95.23	33.90	-13.00	-27.97	Horizontal
3	14805.00	-34.79 RMS	40.59	-15.59	0.06	-95.23	35.38	-13.00	-21.79	Horizontal
4	18506.00	-56.95 RMS	38.38	-34.29	-9.54	-95.23	43.73	-13.00	-43.95	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7403.00	-46.21 RMS	36.89	-22.07	0.36	-95.23	33.84	-13.00	-33.21	Vertical
2	11104.00	-40.89 RMS	39.10	-18.97	0.23	-95.23	33.98	-13.00	-27.89	Vertical
3	14805.00	-35.09 RMS	40.59	-15.59	0.06	-95.23	35.08	-13.00	-22.09	Vertical
4	18506.00	-57.87 RMS	38.38	-34.29	-9.54	-95.23	42.81	-13.00	-44.87	Vertical




Ant. 6+1

Part 270 Mode 10

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-45.83	RMS	36.60	-21.94	0.56	-95.23	34.18	-13.00	-32.83
2	11494.00	-39.33	RMS	39.19	-18.76	0.27	-95.23	35.20	-13.00	-26.33
3	15325.00	-36.58	RMS	38.85	-15.95	0.08	-95.23	35.67	-13.00	-23.58
4	19156.00	-60.40	RMS	38.29	-33.67	-9.54	-95.23	39.75	-13.00	-47.40



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-45.73	RMS	36.60	-21.94	0.56	-95.23	34.28	-13.00	-32.73
2	11494.00	-40.11	RMS	39.19	-18.76	0.27	-95.23	34.42	-13.00	-27.11
3	15325.00	-36.16	RMS	38.85	-15.95	0.08	-95.23	36.09	-13.00	-23.16
4	19156.00	-60.62	RMS	38.29	-33.67	-9.54	-95.23	39.53	-13.00	-47.62




Ant. 6+1

Part 270 Mode 10

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.00	-46.04 RMS	37.10	-21.87	0.34	-95.23	33.62	-13.00	-33.04	Horizontal
2	11883.00	-40.36 RMS	38.77	-18.55	0.31	-95.23	34.34	-13.00	-27.36	Horizontal
3	15845.00	-37.48 RMS	37.91	-15.86	0.10	-95.23	35.60	-13.00	-24.48	Horizontal
4	19806.00	-67.30 RMS	38.10	-33.09	-9.54	-95.23	32.46	-13.00	-54.30	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.00	-45.85 RMS	37.10	-21.87	0.34	-95.23	33.81	-13.00	-32.85	Vertical
2	11883.00	-40.35 RMS	38.77	-18.55	0.31	-95.23	34.35	-13.00	-27.35	Vertical
3	15845.00	-37.41 RMS	37.91	-15.86	0.10	-95.23	35.67	-13.00	-24.41	Vertical
4	19806.00	-66.45 RMS	38.10	-33.09	-9.54	-95.23	33.31	-13.00	-53.45	Vertical




Ant. 6+1

Part 270 Mode 12

NR MIMO n77C Ch650000 + Ch656328

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch650000 1RB272 QPSK

: NR Band 77 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7600.00	-45.90	RMS	36.40	-21.42	0.55	-95.23	33.80	-13.00	-32.90	Horizontal	
2	11400.00	-40.82	RMS	39.20	-18.41	0.26	-95.23	33.36	-13.00	-27.82	Horizontal	
3	15200.00	-37.04	RMS	39.30	-15.67	0.08	-95.23	34.48	-13.00	-24.04	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch650000 1RB272 QPSK

: NR Band 77 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7600.00	-45.78	RMS	36.40	-21.42	0.55	-95.23	33.92	-13.00	-32.78	Vertical	
2	11400.00	-40.85	RMS	39.20	-18.41	0.26	-95.23	33.33	-13.00	-27.85	Vertical	
3	15200.00	-36.73	RMS	39.30	-15.67	0.08	-95.23	34.79	-13.00	-23.73	Vertical	




Ant. 6+1

Part 270 Mode 12

NR MIMO n77C Ch653002 + Ch659330

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch653002 1RB272 QPSK

: NR Band 77 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-45.43	RMS	36.60	-21.38	0.57	-95.23	34.01	-13.00	-32.43	Horizontal
2	11535.00	-41.15	RMS	39.06	-18.32	0.27	-95.23	33.07	-13.00	-28.15	Horizontal
3	15380.00	-37.06	RMS	38.86	-15.80	0.08	-95.23	35.03	-13.00	-24.06	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch653002 1RB272 QPSK

: NR Band 77 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7690.00	-45.77	RMS	36.60	-21.38	0.57	-95.23	33.67	-13.00	-32.77	Vertical
2	11535.00	-40.92	RMS	39.06	-18.32	0.27	-95.23	33.30	-13.00	-27.92	Vertical
3	15380.00	-37.10	RMS	38.86	-15.80	0.08	-95.23	34.99	-13.00	-24.10	Vertical




Ant. 6+1

Part 270 Mode 12

NR MIMO n77C Ch656004 + Ch662332

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch656004 1RB272 QPSK

: NR Band 77 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7780.00	-45.48	RMS	36.92	-21.35	0.59	-95.23	33.59	-13.00	-32.48	Horizontal	
2	11670.00	-40.82	RMS	38.64	-18.24	0.29	-95.23	33.72	-13.00	-27.82	Horizontal	
3	15560.00	-36.91	RMS	38.60	-15.84	0.09	-95.23	35.47	-13.00	-23.91	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch656004 1RB272 QPSK

: NR Band 77 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7780.00	-45.31	RMS	36.92	-21.35	0.59	-95.23	33.76	-13.00	-32.31	Vertical	
2	11670.00	-40.70	RMS	38.64	-18.24	0.29	-95.23	33.84	-13.00	-27.70	Vertical	
3	15560.00	-37.08	RMS	38.60	-15.84	0.09	-95.23	35.30	-13.00	-24.08	Vertical	




Ant. 7+5

Part 270 Mode 11

NR SA n77 HPUE 20M Ch647334 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7403.00	-46.13 RMS	36.89	-22.07	0.36	-95.23	33.92	-13.00	-33.13	Horizontal
2	11104.00	-40.66 RMS	39.10	-18.97	0.23	-95.23	34.21	-13.00	-27.66	Horizontal
3	14805.00	-35.19 RMS	40.59	-15.59	0.06	-95.23	34.98	-13.00	-22.19	Horizontal
4	18506.00	-66.79 RMS	38.38	-34.29	-9.54	-95.23	33.89	-13.00	-53.79	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7403.00	-46.30 RMS	36.89	-22.07	0.36	-95.23	33.75	-13.00	-33.30	Vertical
2	11104.00	-40.82 RMS	39.10	-18.97	0.23	-95.23	34.05	-13.00	-27.82	Vertical
3	14805.00	-34.72 RMS	40.59	-15.59	0.06	-95.23	35.45	-13.00	-21.72	Vertical
4	18506.00	-66.86 RMS	38.38	-34.29	-9.54	-95.23	33.82	-13.00	-53.86	Vertical




Ant. 7+5

Part 270 Mode 11

NR SA n77 HPUE 20M Ch656000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

: NR Band 77 MIMO 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7663.00	-45.94 RMS	36.60	-21.94	0.56	-95.23	34.07	-13.00	-32.94	Horizontal
2	11494.00	-39.81 RMS	39.19	-18.76	0.27	-95.23	34.72	-13.00	-26.81	Horizontal
3	15325.00	-36.35 RMS	38.85	-15.95	0.08	-95.23	35.90	-13.00	-23.35	Horizontal
4	19156.00	-64.60 RMS	38.29	-33.67	-9.54	-95.23	35.55	-13.00	-51.60	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

: NR Band 77 MIMO 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7663.00	-45.56 RMS	36.60	-21.94	0.56	-95.23	34.45	-13.00	-32.56	Vertical
2	11494.00	-40.08 RMS	39.19	-18.76	0.27	-95.23	34.45	-13.00	-27.08	Vertical
3	15325.00	-36.32 RMS	38.85	-15.95	0.08	-95.23	35.93	-13.00	-23.32	Vertical
4	19156.00	-66.44 RMS	38.29	-33.67	-9.54	-95.23	33.71	-13.00	-53.44	Vertical




Ant. 7+5

Part 270 Mode 11

NR SA n77 HPUE 20M Ch664666 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Horizontal

NR Band 77 MIMO 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.00	-45.36 RMS	37.10	-21.87	0.34	-95.23	34.30	-13.00	-32.36	Horizontal
2	11883.00	-40.14 RMS	38.77	-18.55	0.31	-95.23	34.56	-13.00	-27.14	Horizontal
3	15845.00	-37.53 RMS	37.91	-15.86	0.10	-95.23	35.55	-13.00	-24.53	Horizontal
4	19806.00	-67.23 RMS	38.10	-33.09	-9.54	-95.23	32.53	-13.00	-54.23	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_1225_250701 Vertical

NR Band 77 MIMO 20M Ch664666 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7922.00	-45.88 RMS	37.10	-21.87	0.34	-95.23	33.78	-13.00	-32.88	Vertical
2	11883.00	-40.49 RMS	38.77	-18.55	0.31	-95.23	34.21	-13.00	-27.49	Vertical
3	15845.00	-37.79 RMS	37.91	-15.86	0.10	-95.23	35.29	-13.00	-24.79	Vertical
4	19806.00	-66.67 RMS	38.10	-33.09	-9.54	-95.23	33.09	-13.00	-53.67	Vertical




Ant. 7+5

Part 270 Mode 13


NR MIMO n77C Ch650000 + Ch656328

L



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: NR Band 77 100M Ch650000 1RB272 QPSK
: NR Band 77 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7600.00	-46.17	RMS	36.40	-21.42	0.55	-95.23	33.53	-13.00	-33.17	Horizontal		
2	11400.00	-40.69	RMS	39.20	-18.41	0.26	-95.23	33.49	-13.00	-27.69	Horizontal		
3	15200.00	-36.61	RMS	39.30	-15.67	0.08	-95.23	34.91	-13.00	-23.61	Horizontal		



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: NR Band 77 100M Ch650000 1RB272 QPSK
: NR Band 77 90M Ch656328 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7600.00	-45.76	RMS	36.40	-21.42	0.55	-95.23	33.94	-13.00	-32.76	Vertical		
2	11400.00	-40.79	RMS	39.20	-18.41	0.26	-95.23	33.39	-13.00	-27.79	Vertical		
3	15200.00	-36.96	RMS	39.30	-15.67	0.08	-95.23	34.56	-13.00	-23.96	Vertical		




Ant. 7+5

Part 270 Mode 13

NR MIMO n77C Ch653002 + Ch659330

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch653002 1RB272 QPSK

: NR Band 77 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7690.00	-45.80	RMS	36.60	-21.38	0.57	-95.23	33.64	-13.00	-32.80	Horizontal	
2	11535.00	-40.54	RMS	39.06	-18.32	0.27	-95.23	33.68	-13.00	-27.54	Horizontal	
3	15380.00	-36.80	RMS	38.86	-15.80	0.08	-95.23	35.29	-13.00	-23.80	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch653002 1RB272 QPSK

: NR Band 77 90M Ch659330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	7690.00	-45.62	RMS	36.60	-21.38	0.57	-95.23	33.82	-13.00	-32.62	Vertical	
2	11535.00	-40.90	RMS	39.06	-18.32	0.27	-95.23	33.32	-13.00	-27.90	Vertical	
3	15380.00	-36.83	RMS	38.86	-15.80	0.08	-95.23	35.26	-13.00	-23.83	Vertical	




Ant. 7+5

Part 270 Mode 13

NR MIMO n77C Ch656004 + Ch662332

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch656004 1RB272 QPSK

: NR Band 77 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7780.00	-45.48	RMS	36.92	-21.35	0.59	-95.23	33.59	-13.00	-32.48	Horizontal	
2	11670.00	-41.15	RMS	38.64	-18.24	0.29	-95.23	33.39	-13.00	-28.15	Horizontal	
3	15560.00	-37.27	RMS	38.60	-15.84	0.09	-95.23	35.11	-13.00	-24.27	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch656004 1RB272 QPSK

: NR Band 77 90M Ch662332 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Reading	Limit	Margin	Pol
					dB/m	dB			dBuV	dBm	dB	
1	7780.00	-45.26	RMS	36.92	-21.35	0.59	-95.23	33.81	-13.00	-32.26	Vertical	
2	11670.00	-41.40	RMS	38.64	-18.24	0.29	-95.23	33.14	-13.00	-28.40	Vertical	
3	15560.00	-37.04	RMS	38.60	-15.84	0.09	-95.23	35.34	-13.00	-24.04	Vertical	




Ant. 0

Part 27D Mode 4


NR SA n30 10M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-250702 Horizontal
: NR SA n30 BW10M CH462000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2306.00	-25.90	RMS	27.40	-48.37	0.51	-95.23	89.79	-40.00	14.10	Horizontal



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-250702 Vertical
: NR SA n30 BW10M CH462000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2306.00	-23.66	RMS	27.40	-48.37	0.51	-95.23	92.03	-40.00	16.34	Vertical