




LTE Band 66B / 10MHz+5MHz


QPSK

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB49 and 1RB0




Date: 1.SEP.2025 22:27:55




Date: 1.SEP.2025 22:25:34

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB49 and 1RB0



Date: 1.SEP.2025 22:30:33



Date: 1.SEP.2025 22:32:47




LTE Band 66B / 10MHz+5MHz


QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB49 and 1RB0



Date: 1.SEP.2025 22:36:58



Date: 1.SEP.2025 22:35:03




LTE Band 66B / 10MHz+10MHz


QPSK

Lowest Channel / 1RB0 and 1RB49

Lowest Channel / 1RB49 and 1RB0




Date: 1.SEP.2025 22:41:46




Date: 1.SEP.2025 22:39:22

Middle Channel / 1RB0 and 1RB49

Middle Channel / 1RB49 and 1RB0



Date: 1.SEP.2025 22:44:16



Date: 1.SEP.2025 22:46:36




LTE Band 66B / 10MHz+10MHz


QPSK

Highest Channel / 1RB0 and 1RB49

Highest Channel / 1RB49 and 1RB0



Date: 1.SEP.2025 22:51:26



Date: 1.SEP.2025 22:49:01




LTE Band 66B / 15MHz+5MHz


QPSK

Lowest Channel / 1RB0 and 1RB24

Lowest Channel / 1RB74 and 1RB0




Date: 1.SEP.2025 23:13:02




Date: 1.SEP.2025 23:10:48

Middle Channel / 1RB0 and 1RB24

Middle Channel / 1RB74 and 1RB0



Date: 1.SEP.2025 23:15:23



Date: 1.SEP.2025 23:17:34




LTE Band 66B / 15MHz+5MHz


QPSK

Highest Channel / 1RB0 and 1RB24

Highest Channel / 1RB74 and 1RB0



Date: 1.SEP.2025 23:22:06



Date: 1.SEP.2025 23:19:43

**Appendix B. Radiated Spurious Emission Test Data**

Test Engineer :	John Chuang, David Dai, and Sam Chou	Relative Humidity(%):	64.6 ~ 70.0
		Temperature(°C):	19.0 ~ 22.2



B1. Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp/Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBUV)	Limit (dBm)	Margin (dB)	PoI	Ant
2	LTE B5	Part 22H	M	1664	-29.75	RMS	25.34	-28.75	ANT 0.48	-95.23	68.41	-13.00	-16.75	H	ANT 0
3	LTE CA B5B	Part 22H	M	2511	-60.88	RMS	28.10	-27.45	ANT 0.40	-95.23	33.30	-13.00	-47.88	H	ANT 0
4	LTE B26	Part 22H	M	1660	-30.02	RMS	25.30	-28.75	ANT 0.48	-95.23	68.18	-13.00	-17.02	H	ANT 0
2	LTE B25	Part 24E	M	5613	-43.32	RMS	33.05	-24.56	ANT 0.47	-95.23	42.95	-13.00	-30.32	H	ANT 0
3	LTE CA B2C	Part 24E	H	5667	-55.09	RMS	33.34	-24.49	ANT 0.48	-95.23	30.81	-13.00	-42.09	H	ANT 0
6	LTE B2	Part 24E	M	5613	-51.54	RMS	33.05	-24.56	ANT 0.47	-95.23	34.73	-13.00	-38.54	H	ANT 0
1	LTE B71	Part 27N	M	2028	-35.10	RMS	26.94	-28.23	ANT 0.32	-95.23	61.10	-13.00	-22.10	H	ANT 0
1	LTE B12	Part 27H	M	1406	-33.57	RMS	25.64	-29.17	ANT 0.73	-95.23	64.46	-13.00	-20.57	H	ANT 0
2	LTE B17	Part 27H	M	1411	-33.64	RMS	25.61	-29.16	ANT 0.73	-95.23	64.41	-13.00	-20.64	H	ANT 0
1	LTE B13	Part 27F	M	1555	-32.22	RMS	25.15	-28.91	ANT 0.55	-95.23	66.22	-13.00	-19.22	H	ANT 0
3	LTE B13	Part 27F	M	1560	-65.21	RMS	25.10	-28.90	ANT 0.55	-95.23	33.27	-42.15	-23.06	H	ANT 0
1	LTE B7	Part 27M	M	10104	-53.80	RMS	38.50	-23.07	ANT 0.40	-95.23	25.60	-25.00	-28.80	V	ANT 0
3	LTE B41	Part 27M	M	10336	-53.60	RMS	38.77	-22.97	ANT 0.40	-95.23	25.43	-25.00	-28.60	H	ANT 0
4	LTE CA B7C	Part 27M	M	10135	-53.62	RMS	38.50	-23.06	ANT 0.40	-95.23	25.77	-25.00	-28.62	H	ANT 0
6	LTE CA B41C	Part 27M	M	10360	-53.22	RMS	38.80	-22.96	ANT 0.40	-95.23	25.77	-25.00	-28.22	H	ANT 0
2	LTE B4	Part 27L	M	5170	-41.10	RMS	33.10	-24.92	ANT 0.54	-95.23	45.41	-13.00	-28.10	V	ANT 0
3	LTE B66	Part 27L	M	5208	-51.71	RMS	32.82	-24.89	ANT 0.53	-95.23	35.06	-13.00	-38.71	V	ANT 0
4	LTE CA B66B	Part 27L	H	5309	-54.66	RMS	32.85	-24.81	ANT 0.50	-95.23	32.03	-13.00	-41.66	V	ANT 0
5	LTE CA B66C	Part 27L	M	5267	-49.98	RMS	32.87	-24.84	ANT 0.51	-95.23	36.71	-13.00	-36.98	V	ANT 0
1	LTE B14	Part 90R	M	1577	-62.47	RMS	25.34	-28.88	ANT 0.53	-95.23	35.77	-42.15	-20.32	H	ANT 0
1	LTE B26	Part 90S	M	1629	-39.14	RMS	25.41	-28.80	ANT 0.49	-95.23	58.99	-13.00	-26.14	H	ANT 0




ANT 0

Part 22H Mode 2

LTE B5 10M Ch20525 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

Mode : LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-29.75	RMS	25.34	-28.75	0.48	-95.23	68.41	-13.00	-16.75	Horizontal
2	2496.00	-39.85	RMS	28.00	-27.48	0.43	-95.23	54.43	-13.00	-26.85	Horizontal
3	3328.00	-57.98	RMS	29.56	-26.10	0.32	-95.23	33.47	-13.00	-44.98	Horizontal
4	4160.00	-57.26	RMS	31.20	-25.58	0.33	-95.23	32.02	-13.00	-44.26	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

Mode : LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-32.15	RMS	25.34	-28.75	0.48	-95.23	66.01	-13.00	-19.15	Vertical
2	2496.00	-39.78	RMS	28.00	-27.48	0.43	-95.23	54.50	-13.00	-26.78	Vertical
3	3328.00	-57.43	RMS	29.56	-26.10	0.32	-95.23	34.02	-13.00	-44.43	Vertical
4	4160.00	-55.36	RMS	31.20	-25.58	0.33	-95.23	33.92	-13.00	-42.36	Vertical




ANT 0

Part 22H Mode 3


LTE CA B5B 10M + 10M Ch20476 1RB49 QPSK + Ch20575 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE Band 5 10M Ch20476 1RB49 QPSK
: LTE Band 5 10M Ch20575 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1674.00	-61.23	RMS		25.40	-28.73	0.46	-95.23	36.87	-13.00	-48.23	Horizontal
2	2511.00	-60.88	RMS		28.10	-27.45	0.40	-95.23	33.30	-13.00	-47.88	Horizontal
3	3348.00	-62.75	RMS		29.60	-26.09	0.42	-95.23	28.55	-13.00	-49.75	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE Band 5 10M Ch20476 1RB49 QPSK
: LTE Band 5 10M Ch20575 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1674.00	-63.20	RMS		25.40	-28.73	0.46	-95.23	34.90	-13.00	-50.20	Vertical
2	2511.00	-61.02	RMS		28.10	-27.45	0.40	-95.23	33.16	-13.00	-48.02	Vertical
3	3348.00	-62.77	RMS		29.60	-26.09	0.42	-95.23	28.53	-13.00	-49.77	Vertical




ANT 0

Part 22H Mode 4

LTE B26 15M Ch26915 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

Mode : LTE Band 26 15M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1660.00	-30.02	RMS	25.30	-28.75	0.48	-95.23	68.18	-13.00	-17.02	Horizontal
2	2490.00	-41.05	RMS	28.00	-27.49	0.43	-95.23	53.24	-13.00	-28.05	Horizontal
3	3319.00	-57.33	RMS	29.54	-26.11	0.32	-95.23	34.15	-13.00	-44.33	Horizontal
4	4149.00	-59.16	RMS	31.20	-25.59	0.32	-95.23	30.14	-13.00	-46.16	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

Mode : LTE Band 26 15M Ch26915 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1660.00	-31.60	RMS	25.30	-28.75	0.48	-95.23	66.60	-13.00	-18.60	Vertical
2	2490.00	-40.73	RMS	28.00	-27.49	0.43	-95.23	53.56	-13.00	-27.73	Vertical
3	3319.00	-57.46	RMS	29.54	-26.11	0.32	-95.23	34.02	-13.00	-44.46	Vertical
4	4149.00	-56.58	RMS	31.20	-25.59	0.32	-95.23	32.72	-13.00	-43.58	Vertical




ANT 0

Part 24E Mode 2

LTE B25 20M Ch26340 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B25 20M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1						
1	3742.00	-52.64	RMS	30.12	-25.61	0.70	-95.23	37.38	-13.00	-39.64	Horizontal
2	5613.00	-43.32	RMS	33.05	-24.56	0.47	-95.23	42.95	-13.00	-30.32	Horizontal
3	7485.00	-53.70	RMS	36.34	-23.07	0.40	-95.23	27.86	-13.00	-40.70	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B25 20M Ch26340 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1						
1	3742.00	-52.60	RMS	30.12	-25.61	0.70	-95.23	37.42	-13.00	-39.60	Vertical
2	5613.00	-44.95	RMS	33.05	-24.56	0.47	-95.23	41.32	-13.00	-31.95	Vertical
3	7485.00	-53.75	RMS	36.34	-23.07	0.40	-95.23	27.81	-13.00	-40.75	Vertical




ANT 0

Part 24E Mode 3

LTE CA B2C 20M + 20M Ch18700 1RB99 QPSK + Ch18898 1RB0 QPSK

L




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B2 20M Ch18700 1RB99 QPSK

: LTE B2 20M Ch18898 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3738.00	-62.20	RMS	30.08	-25.61	0.69	-95.23	27.87	-13.00	-49.20	Horizontal
2	5607.00	-56.84	RMS	33.03	-24.56	0.47	-95.23	29.45	-13.00	-43.84	Horizontal
3	7476.00	-56.36	RMS	36.30	-23.07	0.40	-95.23	25.24	-13.00	-43.36	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B2 20M Ch18700 1RB99 QPSK

: LTE B2 20M Ch18898 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3738.00	-62.10	RMS	30.08	-25.61	0.69	-95.23	27.97	-13.00	-49.10	Vertical
2	5607.00	-55.89	RMS	33.03	-24.56	0.47	-95.23	30.40	-13.00	-42.89	Vertical
3	7476.00	-56.49	RMS	36.30	-23.07	0.40	-95.23	25.11	-13.00	-43.49	Vertical




ANT 0

Part 24E Mode 3

LTE CA B2C 20M + 20M Ch18801 1RB99 QPSK + Ch18999 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B2 20M Ch18801 1RB99 QPSK

: LTE B2 20M Ch18999 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3758.00	-61.50	RMS	30.30	-25.61	0.71	-95.23	28.33	-13.00	-48.50	Horizontal
2	5637.00	-57.42	RMS	33.15	-24.53	0.48	-95.23	28.71	-13.00	-44.42	Horizontal
3	7516.00	-56.64	RMS	36.37	-23.06	0.40	-95.23	24.88	-13.00	-43.64	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B2 20M Ch18801 1RB99 QPSK

: LTE B2 20M Ch18999 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3758.00	-62.19	RMS	30.30	-25.61	0.71	-95.23	27.64	-13.00	-49.19	Vertical
2	5637.00	-56.78	RMS	33.15	-24.53	0.48	-95.23	29.35	-13.00	-43.78	Vertical
3	7516.00	-56.50	RMS	36.37	-23.06	0.40	-95.23	25.02	-13.00	-43.50	Vertical




ANT 0

Part 24E Mode 3

LTE CA B2C 20M + 20M Ch18902 1RB99 QPSK + Ch19100 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B2 20M Ch18902 1RB99 QPSK

: LTE B2 20M Ch19100 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm			1						
1	3778.00	-61.65	RMS	30.54	-25.60	0.72	-95.23	27.92	-13.00	-48.65	Horizontal
2	5667.00	-55.09	RMS	33.34	-24.49	0.48	-95.23	30.81	-13.00	-42.09	Horizontal
3	7556.00	-56.61	RMS	36.28	-23.06	0.39	-95.23	25.01	-13.00	-43.61	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B2 20M Ch18902 1RB99 QPSK

: LTE B2 20M Ch19100 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm			1						
1	3778.00	-61.60	RMS	30.54	-25.60	0.72	-95.23	27.97	-13.00	-48.60	Vertical
2	5667.00	-55.81	RMS	33.34	-24.49	0.48	-95.23	30.09	-13.00	-42.81	Vertical
3	7556.00	-56.75	RMS	36.28	-23.06	0.39	-95.23	24.87	-13.00	-43.75	Vertical




ANT 0

Part 24E Mode 6

LTE B2 20M Ch18900 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B2 20M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	3742.00	-62.53	RMS	30.12	-25.61	0.70	-95.23	27.49	-13.00	-49.53	Horizontal	
2	5613.00	-51.54	RMS	33.05	-24.56	0.47	-95.23	34.73	-13.00	-38.54	Horizontal	
3	7484.00	-56.13	RMS	36.34	-23.07	0.40	-95.23	25.43	-13.00	-43.13	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B2 20M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	3742.00	-62.49	RMS	30.12	-25.61	0.70	-95.23	27.53	-13.00	-49.49	Vertical	
2	5613.00	-53.62	RMS	33.05	-24.56	0.47	-95.23	32.65	-13.00	-40.62	Vertical	
3	7484.00	-56.57	RMS	36.34	-23.07	0.40	-95.23	24.99	-13.00	-43.57	Vertical	




ANT 0

Part 27N Mode 1

LTE B71 10M Ch133297 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

Mode : LTE B71 10M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1352.00	-37.27	RMS		25.58	-29.27	0.80	-95.23	60.85	-13.00	-24.27		Horizontal
2	2028.00	-35.10	RMS		26.94	-28.23	0.32	-95.23	61.10	-13.00	-22.10		Horizontal
3	2704.00	-54.17	RMS		28.38	-26.99	0.44	-95.23	39.23	-13.00	-41.17		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

Mode : LTE B71 10M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1352.00	-38.57	RMS		25.58	-29.27	0.80	-95.23	59.55	-13.00	-25.57		Vertical
2	2028.00	-35.47	RMS		26.94	-28.23	0.32	-95.23	60.73	-13.00	-22.47		Vertical
3	2704.00	-54.90	RMS		28.38	-26.99	0.44	-95.23	38.50	-13.00	-41.90		Vertical




ANT 0

Part 27H Mode 1

LTE B12 10M Ch23095 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

Mode : LTE B12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1406.00	-33.57	RMS	25.64	-29.17	0.73	-95.23	64.46	-13.00	-20.57	Horizontal
2	2109.00	-38.16	RMS	27.58	-28.09	0.31	-95.23	57.27	-13.00	-25.16	Horizontal
3	2812.00	-49.43	RMS	28.60	-26.73	0.41	-95.23	43.52	-13.00	-36.43	Horizontal
4	4219.00	-59.86	RMS	31.20	-25.53	0.33	-95.23	29.37	-13.00	-46.86	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

Mode : LTE B12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1406.00	-35.71	RMS	25.64	-29.17	0.73	-95.23	62.32	-13.00	-22.71	Vertical
2	2109.00	-38.88	RMS	27.58	-28.09	0.31	-95.23	56.55	-13.00	-25.88	Vertical
3	2812.00	-50.03	RMS	28.60	-26.73	0.41	-95.23	42.92	-13.00	-37.03	Vertical
4	4219.00	-58.03	RMS	31.20	-25.53	0.33	-95.23	31.20	-13.00	-45.03	Vertical




ANT 0

Part 27H Mode 2

LTE B17 10M Ch23790 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

Mode : LTE B17 10M Ch23790 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1411.00	-33.64	RMS	25.61	-29.16	0.73	-95.23	64.41	-13.00	-20.64	Horizontal
2	2117.00	-37.81	RMS	27.67	-28.08	0.31	-95.23	57.52	-13.00	-24.81	Horizontal
3	2822.00	-50.92	RMS	28.62	-26.70	0.41	-95.23	41.98	-13.00	-37.92	Horizontal
4	4234.00	-60.70	RMS	31.20	-25.51	0.32	-95.23	28.52	-13.00	-47.70	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

Mode : LTE B17 10M Ch23790 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1411.00	-37.31	RMS	25.61	-29.16	0.73	-95.23	60.74	-13.00	-24.31	Vertical
2	2117.00	-39.76	RMS	27.67	-28.08	0.31	-95.23	55.57	-13.00	-26.76	Vertical
3	2822.00	-51.90	RMS	28.62	-26.70	0.41	-95.23	41.00	-13.00	-38.90	Vertical
4	4234.00	-57.52	RMS	31.20	-25.51	0.32	-95.23	31.70	-13.00	-44.52	Vertical




ANT 0

Part 27F Mode 1

LTE B13 10M Ch23230 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : LTE B13 10M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-32.22	RMS	25.15	-28.91	0.55	-95.23	66.22	-13.00	-19.22	Horizontal
2	2333.00	-37.77	RMS	27.27	-27.73	0.37	-95.23	57.55	-13.00	-24.77	Horizontal
3	3110.00	-51.20	RMS	29.64	-26.23	0.32	-95.23	40.30	-13.00	-38.20	Horizontal
4	3888.00	-58.51	RMS	30.72	-25.65	0.26	-95.23	31.39	-13.00	-45.51	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : LTE B13 10M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-32.89	RMS	25.15	-28.91	0.55	-95.23	65.55	-13.00	-19.89	Vertical
2	2333.00	-38.51	RMS	27.27	-27.73	0.37	-95.23	56.81	-13.00	-25.51	Vertical
3	3110.00	-50.88	RMS	29.64	-26.23	0.32	-95.23	40.62	-13.00	-37.88	Vertical
4	3888.00	-57.09	RMS	30.72	-25.65	0.26	-95.23	32.81	-13.00	-44.09	Vertical




ANT 0

Part 27F Mode 3

LTE B13 5M Ch23230 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : LTE B13 5M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm									
1	1560.00	-65.21	RMS	25.10	-28.90	0.55	-95.23	33.27	-42.15	-23.06	Horizontal
2	2340.00	-64.59	RMS	27.20	-27.72	0.38	-95.23	30.78	-13.00	-51.59	Horizontal
3	3120.00	-63.06	RMS	29.68	-26.23	0.32	-95.23	28.40	-13.00	-50.06	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : LTE B13 5M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm									
1	1560.00	-65.83	RMS	25.10	-28.90	0.55	-95.23	32.65	-42.15	-23.68	Vertical
2	2340.00	-63.28	RMS	27.20	-27.72	0.38	-95.23	32.09	-13.00	-50.28	Vertical
3	3120.00	-63.08	RMS	29.68	-26.23	0.32	-95.23	28.38	-13.00	-50.08	Vertical




ANT 0

Part 27M Mode 1

LTE B7 20M Ch21100 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B7 20M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-59.22	RMS	33.30	-25.02	0.60	-95.23	27.13	-25.00	-34.22	Horizontal
2	7578.00	-56.54	RMS	36.19	-23.06	0.38	-95.23	25.18	-25.00	-31.54	Horizontal
3	10104.00	-54.00	RMS	38.50	-23.07	0.40	-95.23	25.40	-25.00	-29.00	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B7 20M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-58.43	RMS	33.30	-25.02	0.60	-95.23	27.92	-25.00	-33.43	Vertical
2	7578.00	-56.79	RMS	36.19	-23.06	0.38	-95.23	24.93	-25.00	-31.79	Vertical
3	10104.00	-53.80	RMS	38.50	-23.07	0.40	-95.23	25.60	-25.00	-28.80	Vertical




ANT 0

Part 27M Mode 3

LTE B41 20M Ch40620 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B41 20M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB		dBm	dB	
1	5168.00	-59.57	RMS	33.12	-24.92	0.54	-95.23	26.92	-25.00	-34.57	Horizontal		
2	7752.00	-55.93	RMS	36.61	-23.05	0.49	-95.23	25.25	-25.00	-30.93	Horizontal		
3	10336.00	-53.60	RMS	38.77	-22.97	0.40	-95.23	25.43	-25.00	-28.60	Horizontal		



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B41 20M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB		dBm	dB	
1	5168.00	-59.63	RMS	33.12	-24.92	0.54	-95.23	26.86	-25.00	-34.63	Vertical		
2	7752.00	-56.05	RMS	36.61	-23.05	0.49	-95.23	25.13	-25.00	-31.05	Vertical		
3	10336.00	-53.66	RMS	38.77	-22.97	0.40	-95.23	25.37	-25.00	-28.66	Vertical		




ANT 0

Part 27M Mode 4

LTE CA B7C 20M + 20M Ch21001 1RB99 QPSK + Ch21199 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B7 20M Ch21001 1RB99 QPSK

: LTE B7 20M Ch21199 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5067.00	-58.97	RMS	33.27	-25.01	0.59	-95.23	-95.23	27.41	-25.00	-33.97	Horizontal
2	7601.00	-57.07	RMS	36.10	-23.06	0.38	-95.23	-95.23	24.74	-25.00	-32.07	Horizontal
3	10135.00	-53.62	RMS	38.50	-23.06	0.40	-95.23	-95.23	25.77	-25.00	-28.62	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B7 20M Ch21001 1RB99 QPSK

: LTE B7 20M Ch21199 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5067.00	-58.44	RMS	33.27	-25.01	0.59	-95.23	-95.23	27.94	-25.00	-33.44	Vertical
2	7601.00	-57.05	RMS	36.10	-23.06	0.38	-95.23	-95.23	24.76	-25.00	-32.05	Vertical
3	10135.00	-53.79	RMS	38.50	-23.06	0.40	-95.23	-95.23	25.60	-25.00	-28.79	Vertical




ANT 0

Part 27M Mode 6

LTE CA B41C 20M + 20M Ch40521 1RB99 QPSK + Ch40719 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B41 20M Ch40521 1RB99 QPSK

: LTE B41 20M Ch40719 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5180.00	-59.19	RMS	33.00	-24.91	0.54	-95.23	27.41	-25.00	-34.19	Horizontal
2	7770.00	-55.60	RMS	36.72	-23.05	0.51	-95.23	25.45	-25.00	-30.60	Horizontal
3	10360.00	-53.22	RMS	38.80	-22.96	0.40	-95.23	25.77	-25.00	-28.22	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B41 20M Ch40521 1RB99 QPSK

: LTE B41 20M Ch40719 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5180.00	-59.44	RMS	33.00	-24.91	0.54	-95.23	27.16	-25.00	-34.44	Vertical
2	7770.00	-55.56	RMS	36.72	-23.05	0.51	-95.23	25.49	-25.00	-30.56	Vertical
3	10360.00	-53.37	RMS	38.80	-22.96	0.40	-95.23	25.62	-25.00	-28.37	Vertical




ANT 0

Part 27L Mode 2

LTE B4 20M Ch20175 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B4 20M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	3447.00	-49.94	RMS	29.51	-25.97	0.57	-95.23	41.18	-13.00	-36.94	Horizontal	
2	5170.00	-43.38	RMS	33.10	-24.92	0.54	-95.23	43.13	-13.00	-30.38	Horizontal	
3	6894.00	-55.56	RMS	35.80	-23.28	0.60	-95.23	26.55	-13.00	-42.56	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B4 20M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	3447.00	-49.32	RMS	29.51	-25.97	0.57	-95.23	41.80	-13.00	-36.32	Vertical	
2	5170.00	-41.10	RMS	33.10	-24.92	0.54	-95.23	45.41	-13.00	-28.10	Vertical	
3	6894.00	-55.22	RMS	35.80	-23.28	0.60	-95.23	26.89	-13.00	-42.22	Vertical	




ANT 0

Part 27L Mode 3

LTE B66 20M Ch132322 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B66 20M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-63.09	RMS	29.46	-25.93	0.58	-95.23	28.03	-13.00	-50.09	Horizontal	
2	5208.00	-54.11	RMS	32.82	-24.89	0.53	-95.23	32.66	-13.00	-41.11	Horizontal	
3	6944.00	-57.15	RMS	35.80	-23.25	0.58	-95.23	24.95	-13.00	-44.15	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B66 20M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-62.00	RMS	29.46	-25.93	0.58	-95.23	29.12	-13.00	-49.00	Vertical	
2	5208.00	-51.71	RMS	32.82	-24.89	0.53	-95.23	35.06	-13.00	-38.71	Vertical	
3	6944.00	-57.06	RMS	35.80	-23.25	0.58	-95.23	25.04	-13.00	-44.06	Vertical	




ANT 0

Part 27L Mode 4


LTE CA B66B 10M + 10M Ch132022 1RB49 QPSK + Ch132121 1RB0 QPSK

L



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B66 10M Ch132022 1RB49 QPSK
: LTE B66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3439.00	-63.28	RMS	29.54	-25.98	0.57	-95.23	27.82	-13.00	-50.28	Horizontal
2	5158.00	-58.79	RMS	33.22	-24.93	0.55	-95.23	27.60	-13.00	-45.79	Horizontal
3	6878.00	-57.27	RMS	35.80	-23.29	0.61	-95.23	24.84	-13.00	-44.27	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B66 10M Ch132022 1RB49 QPSK
: LTE B66 10M Ch132121 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	Readin		Limit	Margin	Pol
				Factor	1		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3439.00	-63.26	RMS	29.54	-25.98	0.57	-95.23	27.84	-13.00	-50.26	Vertical
2	5158.00	-57.77	RMS	33.22	-24.93	0.55	-95.23	28.62	-13.00	-44.77	Vertical
3	6878.00	-56.80	RMS	35.80	-23.29	0.61	-95.23	25.31	-13.00	-43.80	Vertical




ANT 0

Part 27L Mode 4

LTE CA B66B 10M + 10M Ch132373 1RB49 QPSK + Ch132472 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B66 10M Ch132373 1RB49 QPSK

: LTE B66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1						g		
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	3509.00	-63.14	RMS		29.44	-25.87	0.58	-95.23	27.94	-13.00	-50.14		Horizontal
2	5264.00	-56.12	RMS		32.87	-24.85	0.51	-95.23	30.58	-13.00	-43.12		Horizontal
3	7018.00	-56.65	RMS		36.07	-23.21	0.54	-95.23	25.18	-13.00	-43.65		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B66 10M Ch132373 1RB49 QPSK

: LTE B66 10M Ch132472 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1						g		
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	3509.00	-63.24	RMS		29.44	-25.87	0.58	-95.23	27.84	-13.00	-50.24		Vertical
2	5264.00	-55.09	RMS		32.87	-24.85	0.51	-95.23	31.61	-13.00	-42.09		Vertical
3	7018.00	-56.67	RMS		36.07	-23.21	0.54	-95.23	25.16	-13.00	-43.67		Vertical




ANT 0

Part 27L Mode 4

LTE CA B66B 10M + 10M Ch132523 1RB49 QPSK + Ch132622 1RB0 QPSK

H




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B66 10M Ch132523 1RB49 QPSK

: LTE B66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3539.00	-62.85	RMS	29.56	-25.80	0.58	-95.23	28.04	-13.00	-49.85	Horizontal
2	5309.00	-57.51	RMS	32.85	-24.81	0.50	-95.23	29.18	-13.00	-44.51	Horizontal
3	7078.00	-56.33	RMS	36.26	-23.19	0.50	-95.23	25.33	-13.00	-43.33	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B66 10M Ch132523 1RB49 QPSK

: LTE B66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		EIRPCF	g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3539.00	-62.59	RMS	29.56	-25.80	0.58	-95.23	28.30	-13.00	-49.59	Vertical
2	5309.00	-54.66	RMS	32.85	-24.81	0.50	-95.23	32.03	-13.00	-41.66	Vertical
3	7078.00	-56.08	RMS	36.26	-23.19	0.50	-95.23	25.58	-13.00	-43.08	Vertical




ANT 0

Part 27L Mode 5

LTE CA B66C 20M + 20M Ch132323 1RB99 QPSK + Ch132521 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B66 20M Ch132323 1RB99 QPSK

: LTE B66 20M Ch132521 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1						g		
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	3511.00	-63.21	RMS		29.44	-25.86	0.58	-95.23	27.86	-13.00	-50.21		Horizontal
2	5267.00	-50.76	RMS		32.87	-24.84	0.51	-95.23	35.93	-13.00	-37.76		Horizontal
3	7023.00	-56.32	RMS		36.09	-23.21	0.54	-95.23	25.49	-13.00	-43.32		Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B66 20M Ch132323 1RB99 QPSK

: LTE B66 20M Ch132521 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1						g		
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	3511.00	-62.92	RMS		29.44	-25.86	0.58	-95.23	28.15	-13.00	-49.92		Vertical
2	5267.00	-49.98	RMS		32.87	-24.84	0.51	-95.23	36.71	-13.00	-36.98		Vertical
3	7023.00	-56.48	RMS		36.09	-23.21	0.54	-95.23	25.33	-13.00	-43.48		Vertical




ANT 0

Part 90R Mode 1

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	1577.00	-62.47	RMS	25.34	-28.88	0.53	-95.23	35.77	-42.15	-20.32			Horizontal
2	2365.00	-44.13	RMS	27.30	-27.68	0.39	-95.23	51.09	-13.00	-31.13			Horizontal
3	3154.00	-61.56	RMS	29.81	-26.22	0.32	-95.23	29.76	-13.00	-48.56			Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	1577.00	-65.78	RMS	25.34	-28.88	0.53	-95.23	32.46	-42.15	-23.63			Vertical
2	2365.00	-48.92	RMS	27.30	-27.68	0.39	-95.23	46.30	-13.00	-35.92			Vertical
3	3154.00	-61.86	RMS	29.81	-26.22	0.32	-95.23	29.46	-13.00	-48.86			Vertical




ANT 0

Part 90S Mode 1

LTE B26 10M Ch26740 1RB0 QPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE Band 26 10M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1629.00	-39.14	RMS	25.41	-28.80	0.49	-95.23	58.99	-13.00	-26.14	Horizontal
2	2443.00	-39.84	RMS	27.60	-27.56	0.42	-95.23	54.93	-13.00	-26.84	Horizontal
3	3258.00	-61.17	RMS	29.58	-26.17	0.32	-95.23	30.33	-13.00	-48.17	Horizontal
4	4072.00	-59.84	RMS	31.00	-25.65	0.32	-95.23	29.72	-13.00	-46.84	Horizontal



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE Band 26 10M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1629.00	-40.74	RMS	25.41	-28.80	0.49	-95.23	57.39	-13.00	-27.74	Vertical
2	2443.00	-41.47	RMS	27.60	-27.56	0.42	-95.23	53.30	-13.00	-28.47	Vertical
3	3258.00	-61.28	RMS	29.58	-26.17	0.32	-95.23	30.22	-13.00	-48.28	Vertical
4	4072.00	-57.48	RMS	31.00	-25.65	0.32	-95.23	32.08	-13.00	-44.48	Vertical




ANT 0

Part 22H Mode 2


LTE B5 10M Ch20525 1RB0 QPSK

M



Site : 03CH20-HY
Condition: -13 3m Bilog_55606 & 08_241127 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: #1 is fundamental signal can be ignored

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	832.19	25.43	RMS	28.25	5.09	0.00	-95.23	87.32	-13.00	38.43		Horizontal



Site : 03CH20-HY
Condition: -13 3m Bilog_55606 & 08_241127 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: #1 is fundamental signal can be ignored

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	832.19	24.09	RMS	28.25	5.09	0.00	-95.23	85.98	-13.00	37.09		Vertical