

























5. Conducted Peak Output Power

5.1. Block diagram of test setup

Same as section 4.1

5.2. Limits

For systems using digital modulation in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt. If transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

5.3. Test procedure

Connect each EUT's antenna output to power sensor by RF cable and attenuator

Measure the PK output power of each antenna port by power meter.

5.4. Test result

Test Mode	Test Channel	Ant	Conducted Output Power (dBm)	Limit [dBm]	EIRP (dBm)	Limit [dBm]	Verdict
11B	2412	ANT1	20.77	30	23.04	36	Pass
11B	2412	ANT2	20.75	30	23.09	36	Pass
11B	2437	ANT1	20.86	30	23.13	36	Pass
11B	2437	ANT2	20.60	30	22.94	36	Pass
11B	2462	ANT1	21.28	30	23.55	36	Pass
11B	2462	ANT2	20.79	30	23.13	36	Pass
11G	2412	ANT1	20.23	30	22.5	36	Pass
11G	2412	ANT2	20.24	30	22.58	36	Pass
11G	2437	ANT1	20.35	30	22.62	36	Pass
11G	2437	ANT2	20.14	30	22.48	36	Pass
11G	2462	ANT1	20.78	30	23.05	36	Pass
11G	2462	ANT2	20.19	30	22.53	36	Pass
11N20MIMO	2412	ANT1	20.62	30	22.89	36	Pass
11N20MIMO	2412	ANT2	20.58	30	22.92	36	Pass
11N20MIMO	2412	total	23.61	30	25.92	36	Pass
11N20MIMO	2437	ANT1	20.02	30	22.29	36	Pass
11N20MIMO	2437	ANT2	20.54	30	22.88	36	Pass
11N20MIMO	2437	total	23.30	30	25.61	36	Pass
11N20MIMO	2462	ANT1	20.23	30	22.5	36	Pass
11N20MIMO	2462	ANT2	20.14	30	22.48	36	Pass

11N20MIMO	2462	total	23.20	30	25.50	36	Pass
11N40MIMO	2422	ANT1	17.90	30	20.17	36	Pass
11N40MIMO	2422	ANT2	17.73	30	20.07	36	Pass
11N40MIMO	2422	total	20.83	30	23.13	36	Pass
11N40MIMO	2437	ANT1	18.02	30	20.29	36	Pass
11N40MIMO	2437	ANT2	17.77	30	20.11	36	Pass
11N40MIMO	2437	total	20.91	30	23.21	36	Pass
11N40MIMO	2452	ANT1	17.70	30	19.97	36	Pass
11N40MIMO	2452	ANT2	17.94	30	20.28	36	Pass
11N40MIMO	2452	total	20.83	30	23.14	36	Pass
11AX20SU	2412	ANT1	20.62	30	22.89	36	Pass
11AX20SU	2412	ANT2	20.58	30	22.92	36	Pass
11AX20SU	2412	total	23.61	30	25.92	36	Pass
11AX20SU	2437	ANT1	20.02	30	22.29	36	Pass
11AX20SU	2437	ANT2	20.54	30	22.88	36	Pass
11AX20SU	2437	total	23.30	30	25.61	36	Pass
11AX20SU	2462	ANT1	20.23	30	22.5	36	Pass
11AX20SU	2462	ANT2	20.14	30	22.48	36	Pass
11AX20SU	2462	total	23.20	30	25.50	36	Pass
11AX40SU	2422	ANT1	17.90	30	20.17	36	Pass
11AX40SU	2422	ANT2	17.73	30	20.07	36	Pass
11AX40SU	2422	total	20.83	30	23.13	36	Pass
11AX40SU	2437	ANT1	18.02	30	20.29	36	Pass
11AX40SU	2437	ANT2	17.77	30	20.11	36	Pass
11AX40SU	2437	total	20.91	30	23.21	36	Pass
11AX40SU	2452	ANT1	17.70	30	19.97	36	Pass
11AX40SU	2452	ANT2	17.94	30	20.28	36	Pass
11AX40SU	2452	total	20.83	30	23.14	36	Pass

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Peak Power[dBm]	Conducted Limit[dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX 20MIMO	Ant1	2412	26Tone	RU0	14.49	≤30.00	16.76	≤36.00	PASS
				RU4	14.93	≤30.00	17.20	≤36.00	PASS
				RU8	14.65	≤30.00	16.92	≤36.00	PASS
			52Tone	RU37	14.09	≤30.00	16.36	≤36.00	PASS
				RU38	14.21	≤30.00	16.48	≤36.00	PASS
				RU39	14.08	≤30.00	16.35	≤36.00	PASS
			106Tone	RU40	14.18	≤30.00	16.45	≤36.00	PASS
				RU53	14.79	≤30.00	17.06	≤36.00	PASS
				RU54	14.71	≤30.00	16.98	≤36.00	PASS
	Ant2	2412	26Tone	RU0	12.24	≤30.00	14.58	≤36.00	PASS
				RU4	14.62	≤30.00	16.96	≤36.00	PASS
				RU8	14.26	≤30.00	16.60	≤36.00	PASS
			52Tone	RU37	14.19	≤30.00	16.53	≤36.00	PASS
				RU38	14.03	≤30.00	16.37	≤36.00	PASS
				RU39	13.84	≤30.00	16.18	≤36.00	PASS
			106Tone	RU40	13.84	≤30.00	16.18	≤36.00	PASS
				RU53	14.72	≤30.00	17.06	≤36.00	PASS
				RU54	14.39	≤30.00	16.73	≤36.00	PASS
	total	2412	26Tone	RU0	16.52	≤30.00	18.82	≤36.00	PASS
				RU4	17.79	≤30.00	20.09	≤36.00	PASS
				RU8	17.47	≤30.00	19.77	≤36.00	PASS
			52Tone	RU37	17.15	≤30.00	19.46	≤36.00	PASS
				RU38	17.13	≤30.00	19.44	≤36.00	PASS
				RU39	16.97	≤30.00	19.28	≤36.00	PASS
			106Tone	RU40	17.02	≤30.00	19.33	≤36.00	PASS
				RU53	17.77	≤30.00	20.07	≤36.00	PASS
				RU54	17.56	≤30.00	19.87	≤36.00	PASS
	Ant1	2437	26Tone	RU0	14.58	≤30.00	16.85	≤36.00	PASS
				RU4	14.80	≤30.00	17.07	≤36.00	PASS
				RU8	14.65	≤30.00	16.92	≤36.00	PASS
			52Tone	RU37	13.98	≤30.00	16.25	≤36.00	PASS
				RU38	14.14	≤30.00	16.41	≤36.00	PASS
				RU39	13.97	≤30.00	16.24	≤36.00	PASS
			106Tone	RU40	14.05	≤30.00	16.32	≤36.00	PASS
				RU53	14.56	≤30.00	16.83	≤36.00	PASS
				RU54	14.47	≤30.00	16.74	≤36.00	PASS
	Ant2	2437	26Tone	RU0	14.25	≤30.00	16.59	≤36.00	PASS
				RU4	14.70	≤30.00	17.04	≤36.00	PASS
				RU8	14.51	≤30.00	16.85	≤36.00	PASS
			52Tone	RU37	13.79	≤30.00	16.13	≤36.00	PASS
				RU38	13.78	≤30.00	16.12	≤36.00	PASS
				RU39	13.94	≤30.00	16.28	≤36.00	PASS
			106Tone	RU40	13.90	≤30.00	16.24	≤36.00	PASS
				RU53	14.25	≤30.00	16.59	≤36.00	PASS
				RU54	14.35	≤30.00	16.69	≤36.00	PASS
	total	2437	26Tone	RU0	17.43	≤30.00	19.73	≤36.00	PASS
				RU4	17.76	≤30.00	20.07	≤36.00	PASS
				RU8	17.59	≤30.00	19.90	≤36.00	PASS
			52Tone	RU37	16.90	≤30.00	19.20	≤36.00	PASS
				RU38	16.97	≤30.00	19.28	≤36.00	PASS
				RU39	16.97	≤30.00	19.27	≤36.00	PASS
			106Tone	RU40	16.99	≤30.00	19.29	≤36.00	PASS
				RU53	17.42	≤30.00	19.72	≤36.00	PASS
				RU54	17.42	≤30.00	19.73	≤36.00	PASS
	Ant1	2462	26Tone	RU0	14.57	≤30.00	16.84	≤36.00	PASS
				RU4	15.06	≤30.00	17.33	≤36.00	PASS
				RU8	14.64	≤30.00	16.91	≤36.00	PASS
			52Tone	RU37	14.25	≤30.00	16.52	≤36.00	PASS
				RU38	14.30	≤30.00	16.57	≤36.00	PASS
				RU39	14.36	≤30.00	16.63	≤36.00	PASS

11AX 40MIMO	Ant2	2462	106Tone	RU40	14.27	≤30.00	16.54	≤36.00	PASS
				RU53	14.64	≤30.00	16.91	≤36.00	PASS
				RU54	14.79	≤30.00	17.06	≤36.00	PASS
		26Tone		RU0	14.40	≤30.00	16.74	≤36.00	PASS
				RU4	14.87	≤30.00	17.21	≤36.00	PASS
				RU8	14.58	≤30.00	16.92	≤36.00	PASS
		52Tone		RU37	13.86	≤30.00	16.20	≤36.00	PASS
				RU38	14.04	≤30.00	16.38	≤36.00	PASS
				RU39	14.20	≤30.00	16.54	≤36.00	PASS
		106Tone		RU40	14.29	≤30.00	16.63	≤36.00	PASS
				RU53	14.52	≤30.00	16.86	≤36.00	PASS
				RU54	14.60	≤30.00	16.94	≤36.00	PASS
	total	2462	26Tone	RU0	17.50	≤30.00	19.80	≤36.00	PASS
				RU4	17.98	≤30.00	20.28	≤36.00	PASS
				RU8	17.62	≤30.00	19.93	≤36.00	PASS
		52Tone		RU37	17.07	≤30.00	19.37	≤36.00	PASS
				RU38	17.18	≤30.00	19.49	≤36.00	PASS
				RU39	17.29	≤30.00	19.60	≤36.00	PASS
		106Tone		RU40	17.29	≤30.00	19.60	≤36.00	PASS
				RU53	17.59	≤30.00	19.90	≤36.00	PASS
				RU54	17.71	≤30.00	20.01	≤36.00	PASS
	Ant1	2422	26Tone	RU0	15.03	≤30.00	17.30	≤36.00	PASS
				RU8	14.50	≤30.00	16.77	≤36.00	PASS
				RU17	13.54	≤30.00	15.81	≤36.00	PASS
			52Tone	RU37	14.46	≤30.00	16.73	≤36.00	PASS
				RU40	13.89	≤30.00	16.16	≤36.00	PASS
				RU44	14.76	≤30.00	17.03	≤36.00	PASS
			106Tone	RU53	14.73	≤30.00	17.00	≤36.00	PASS
				RU54	14.13	≤30.00	16.40	≤36.00	PASS
				RU55	13.37	≤30.00	15.64	≤36.00	PASS
			242Tone	RU56	15.11	≤30.00	17.38	≤36.00	PASS
				RU61	14.80	≤30.00	17.07	≤36.00	PASS
				RU62	14.28	≤30.00	16.55	≤36.00	PASS
	Ant2	2422	26Tone	RU0	12.17	≤30.00	14.51	≤36.00	PASS
				RU8	16.20	≤30.00	18.54	≤36.00	PASS
				RU17	14.25	≤30.00	16.59	≤36.00	PASS
			52Tone	RU37	12.02	≤30.00	14.36	≤36.00	PASS
				RU40	15.37	≤30.00	17.71	≤36.00	PASS
				RU44	13.72	≤30.00	16.06	≤36.00	PASS
			106Tone	RU53	13.04	≤30.00	15.38	≤36.00	PASS
				RU54	15.40	≤30.00	17.74	≤36.00	PASS
				RU55	14.19	≤30.00	16.53	≤36.00	PASS
			242Tone	RU56	14.39	≤30.00	16.73	≤36.00	PASS
				RU61	14.35	≤30.00	16.69	≤36.00	PASS
				RU62	14.49	≤30.00	16.83	≤36.00	PASS
	total	2422	26Tone	RU0	16.84	≤30.00	19.14	≤36.00	PASS
				RU8	18.44	≤30.00	20.75	≤36.00	PASS
				RU17	16.92	≤30.00	19.23	≤36.00	PASS
			52Tone	RU37	16.42	≤30.00	18.72	≤36.00	PASS
				RU40	17.70	≤30.00	20.01	≤36.00	PASS
				RU44	17.28	≤30.00	19.58	≤36.00	PASS
			106Tone	RU53	16.98	≤30.00	19.28	≤36.00	PASS
				RU54	17.82	≤30.00	20.13	≤36.00	PASS
				RU55	16.81	≤30.00	19.12	≤36.00	PASS
			242Tone	RU56	17.78	≤30.00	20.08	≤36.00	PASS
				RU61	17.59	≤30.00	19.89	≤36.00	PASS
				RU62	17.40	≤30.00	19.70	≤36.00	PASS
	Ant1	2437	26Tone	RU0	14.41	≤30.00	16.68	≤36.00	PASS
				RU8	14.78	≤30.00	17.05	≤36.00	PASS
				RU17	14.51	≤30.00	16.78	≤36.00	PASS
			52Tone	RU37	13.87	≤30.00	16.14	≤36.00	PASS
				RU40	14.08	≤30.00	16.35	≤36.00	PASS
				RU44	13.91	≤30.00	16.18	≤36.00	PASS
			106Tone	RU53	14.39	≤30.00	16.66	≤36.00	PASS

			242Tone	RU54	14.59	≤30.00	16.86	≤36.00	PASS
				RU55	14.53	≤30.00	16.80	≤36.00	PASS
				RU56	14.63	≤30.00	16.90	≤36.00	PASS
				RU61	14.78	≤30.00	17.05	≤36.00	PASS
				RU62	14.88	≤30.00	17.15	≤36.00	PASS
				RU0	14.27	≤30.00	16.61	≤36.00	PASS
	Ant2	2437	26Tone	RU8	14.46	≤30.00	16.80	≤36.00	PASS
				RU17	14.33	≤30.00	16.67	≤36.00	PASS
				RU37	13.68	≤30.00	16.02	≤36.00	PASS
			52Tone	RU40	13.81	≤30.00	16.15	≤36.00	PASS
				RU44	13.90	≤30.00	16.24	≤36.00	PASS
				RU53	14.26	≤30.00	16.60	≤36.00	PASS
			106Tone	RU54	14.50	≤30.00	16.84	≤36.00	PASS
				RU55	14.39	≤30.00	16.73	≤36.00	PASS
				RU56	14.56	≤30.00	16.90	≤36.00	PASS
			242Tone	RU61	14.50	≤30.00	16.84	≤36.00	PASS
				RU62	13.17	≤30.00	15.51	≤36.00	PASS
	total	2437	26Tone	RU0	17.35	≤30.00	19.66	≤36.00	PASS
				RU8	17.63	≤30.00	19.94	≤36.00	PASS
				RU17	17.43	≤30.00	19.74	≤36.00	PASS
			52Tone	RU37	16.79	≤30.00	19.09	≤36.00	PASS
				RU40	16.96	≤30.00	19.26	≤36.00	PASS
				RU44	16.92	≤30.00	19.22	≤36.00	PASS
			106Tone	RU53	17.34	≤30.00	19.64	≤36.00	PASS
				RU54	17.56	≤30.00	19.86	≤36.00	PASS
				RU55	17.47	≤30.00	19.78	≤36.00	PASS
			242Tone	RU56	17.61	≤30.00	19.91	≤36.00	PASS
				RU61	17.65	≤30.00	19.96	≤36.00	PASS
				RU62	17.12	≤30.00	19.42	≤36.00	PASS
	Ant1	2452	26Tone	RU0	14.03	≤30.00	16.30	≤36.00	PASS
				RU8	14.58	≤30.00	16.85	≤36.00	PASS
				RU17	14.23	≤30.00	16.50	≤36.00	PASS
			52Tone	RU37	13.66	≤30.00	15.93	≤36.00	PASS
				RU40	14.07	≤30.00	16.34	≤36.00	PASS
				RU44	13.84	≤30.00	16.11	≤36.00	PASS
			106Tone	RU53	13.45	≤30.00	15.72	≤36.00	PASS
				RU54	14.47	≤30.00	16.74	≤36.00	PASS
				RU55	14.47	≤30.00	16.74	≤36.00	PASS
			242Tone	RU56	14.41	≤30.00	16.68	≤36.00	PASS
				RU61	14.51	≤30.00	16.78	≤36.00	PASS
				RU62	14.29	≤30.00	16.56	≤36.00	PASS
	Ant2	2452	26Tone	RU0	14.13	≤30.00	16.47	≤36.00	PASS
				RU8	14.67	≤30.00	17.01	≤36.00	PASS
				RU17	14.40	≤30.00	16.74	≤36.00	PASS
			52Tone	RU37	13.71	≤30.00	16.05	≤36.00	PASS
				RU40	14.16	≤30.00	16.50	≤36.00	PASS
				RU44	13.88	≤30.00	16.22	≤36.00	PASS
			106Tone	RU53	14.14	≤30.00	16.48	≤36.00	PASS
				RU54	14.68	≤30.00	17.02	≤36.00	PASS
				RU55	14.45	≤30.00	16.79	≤36.00	PASS
			242Tone	RU56	14.46	≤30.00	16.80	≤36.00	PASS
				RU61	14.65	≤30.00	16.99	≤36.00	PASS
				RU62	14.34	≤30.00	16.68	≤36.00	PASS
	total	2452	26Tone	RU0	17.09	≤30.00	19.40	≤36.00	PASS
				RU8	17.64	≤30.00	19.94	≤36.00	PASS
				RU17	17.33	≤30.00	19.63	≤36.00	PASS
			52Tone	RU37	16.70	≤30.00	19.00	≤36.00	PASS
				RU40	17.13	≤30.00	19.43	≤36.00	PASS
				RU44	16.87	≤30.00	19.18	≤36.00	PASS
			106Tone	RU53	16.82	≤30.00	19.13	≤36.00	PASS
				RU54	17.59	≤30.00	19.89	≤36.00	PASS
				RU55	17.47	≤30.00	19.78	≤36.00	PASS
				RU56	17.45	≤30.00	19.75	≤36.00	PASS

			242Tone	RU61	17.59	≤30.00	19.90	≤36.00	PASS
				RU62	17.33	≤30.00	19.63	≤36.00	PASS

Note 1: EIRP (dBm)=Conducted Output Power (dBm)+ Antenna Gain (dBi)

Note 2: HE20 SU represents HE20 242Tone, and HE40 SU represents HE40 484Tone, so for these Tones test performed with SU mode.

6. Power Spectral Density

6.1. Block diagram of test setup

Same as section 4.1

6.2. Limits

For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission.

6.3. Test procedure

(1) Connect EUT's antenna output to spectrum analyzer by RF cable.

(2) Set the spectrum analyzer as follows:

Center frequency	DTS Channel center frequency
RBW:	$3 \text{ kHz} \leq \text{RBW} \leq 100 \text{ kHz}$
VBW:	$\geq 3\text{RBW}$
Span	1.5 times the DTS bandwidth
Detector Mode:	RMS
Sweep time:	auto
Trace mode	Max hold

(3) Allow the trace to stabilize, use the peak marker function to determine the maximum amplitude level within the RBW.

(4) If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

6.4. Test Result

Test Mode	Test Channel	Ant	PSD [dBm]	Limit [dBm/3kHz]	Verdict
11B	2412	ANT1	-7.47	8.00	Pass
11B	2412	ANT2	-5.62	8.00	Pass
11B	2437	ANT1	-10.99	8.00	Pass
11B	2437	ANT2	-7.63	8.00	Pass
11B	2462	ANT1	-5.94	8.00	Pass
11B	2462	ANT2	-3.52	8.00	Pass
11G	2412	ANT1	-6.00	8.00	Pass
11G	2412	ANT2	-5.72	8.00	Pass
11G	2437	ANT1	-4.53	8.00	Pass
11G	2437	ANT2	-5.14	8.00	Pass
11G	2462	ANT1	-4.76	8.00	Pass
11G	2462	ANT2	-4.44	8.00	Pass

11N20MIMO	2412	ANT1	-12.9	8.00	Pass
11N20MIMO	2412	ANT2	-12.73	8.00	Pass
11N20MIMO	2412	total	-9.80	8.00	Pass
11N20MIMO	2437	ANT1	-13.11	8.00	Pass
11N20MIMO	2437	ANT2	-12.54	8.00	Pass
11N20MIMO	2437	total	-9.81	8.00	Pass
11N20MIMO	2462	ANT1	-13.49	8.00	Pass
11N20MIMO	2462	ANT2	-12.24	8.00	Pass
11N20MIMO	2462	total	-9.81	8.00	Pass
11N40MIMO	2422	ANT1	-17.74	8.00	Pass
11N40MIMO	2422	ANT2	-18.13	8.00	Pass
11N40MIMO	2422	total	-14.92	8.00	Pass
11N40MIMO	2437	ANT1	-17.55	8.00	Pass
11N40MIMO	2437	ANT2	-17.73	8.00	Pass
11N40MIMO	2437	total	-14.63	8.00	Pass
11N40MIMO	2452	ANT1	-18.17	8.00	Pass
11N40MIMO	2452	ANT2	-16.90	8.00	Pass
11N40MIMO	2452	total	-14.48	8.00	Pass
11AX20SU	2412	ANT1	-19.24	8.00	Pass
11AX20SU	2412	ANT2	-19.17	8.00	Pass
11AX20SU	2412	total	-16.19	8.00	Pass
11AX20SU	2437	ANT1	-17.46	8.00	Pass
11AX20SU	2437	ANT2	-17.64	8.00	Pass
11AX20SU	2437	total	-14.54	8.00	Pass
11AX20SU	2462	ANT1	-18.53	8.00	Pass
11AX20SU	2462	ANT2	-18.69	8.00	Pass
11AX20SU	2462	total	-15.60	8.00	Pass
11AX40SU	2422	ANT1	-24.02	8.00	Pass
11AX40SU	2422	ANT2	-23.49	8.00	Pass
11AX40SU	2422	total	-20.74	8.00	Pass
11AX40SU	2437	ANT1	-23.54	8.00	Pass
11AX40SU	2437	ANT2	-23.29	8.00	Pass
11AX40SU	2437	total	-20.40	8.00	Pass
11AX40SU	2452	ANT1	-23.05	8.00	Pass
11AX40SU	2452	ANT2	-24.18	8.00	Pass
11AX40SU	2452	total	-20.57	8.00	Pass

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant1	2412	26Tone	RU0	-6.04	≤8.00	PASS
				RU4	-6.27	≤8.00	PASS
				RU8	-6.09	≤8.00	PASS
			52Tone	RU37	-9.23	≤8.00	PASS
				RU38	-8.64	≤8.00	PASS
				RU39	-8.84	≤8.00	PASS
				RU40	-9.33	≤8.00	PASS
			106Tone	RU53	-10.87	≤8.00	PASS
				RU54	-9.47	≤8.00	PASS
	Ant2	2412	26Tone	RU0	-8.19	≤8.00	PASS
				RU4	-6.41	≤8.00	PASS
				RU8	-5.7	≤8.00	PASS
			52Tone	RU37	-7.42	≤8.00	PASS
				RU38	-9.17	≤8.00	PASS
				RU39	-9.04	≤8.00	PASS
				RU40	-8.83	≤8.00	PASS
			106Tone	RU53	-10.81	≤8.00	PASS
				RU54	-9.74	≤8.00	PASS
	total	2412	26Tone	RU0	-3.97	≤8.00	PASS
				RU4	-3.33	≤8.00	PASS
				RU8	-2.88	≤8.00	PASS
			52Tone	RU37	-5.22	≤8.00	PASS
				RU38	-5.89	≤8.00	PASS
				RU39	-5.93	≤8.00	PASS
				RU40	-6.06	≤8.00	PASS
			106Tone	RU53	-7.83	≤8.00	PASS
				RU54	-6.59	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-5.7	≤8.00	PASS
				RU4	-5.68	≤8.00	PASS
				RU8	-4.81	≤8.00	PASS
			52Tone	RU37	-8.81	≤8.00	PASS
				RU38	-8.49	≤8.00	PASS
				RU39	-8.02	≤8.00	PASS
				RU40	-7.12	≤8.00	PASS
			106Tone	RU53	-10.08	≤8.00	PASS
				RU54	-11.58	≤8.00	PASS
	Ant2	2437	26Tone	RU0	-6.15	≤8.00	PASS
				RU4	-5.76	≤8.00	PASS
				RU8	-6.22	≤8.00	PASS
			52Tone	RU37	-8.87	≤8.00	PASS
				RU38	-8	≤8.00	PASS
				RU39	-9.15	≤8.00	PASS
				RU40	-8.27	≤8.00	PASS
			106Tone	RU53	-10.49	≤8.00	PASS
				RU54	-9.54	≤8.00	PASS
	total	2437	26Tone	RU0	-2.91	≤8.00	PASS
				RU4	-2.71	≤8.00	PASS
				RU8	-2.45	≤8.00	PASS


			52Tone	RU37	-5.83	≤8.00	PASS
				RU38	-5.23	≤8.00	PASS
				RU39	-5.54	≤8.00	PASS
				RU40	-4.65	≤8.00	PASS
			106Tone	RU53	-7.27	≤8.00	PASS
				RU54	-7.43	≤8.00	PASS
	Ant1	2462	26Tone	RU0	-6.35	≤8.00	PASS
				RU4	-5.72	≤8.00	PASS
				RU8	-5.88	≤8.00	PASS
			52Tone	RU37	-8.77	≤8.00	PASS
				RU38	-8.83	≤8.00	PASS
				RU39	-8.2	≤8.00	PASS
				RU40	-8.84	≤8.00	PASS
			106Tone	RU53	-10.89	≤8.00	PASS
				RU54	-9	≤8.00	PASS
	Ant2	2462	26Tone	RU0	-6.75	≤8.00	PASS
				RU4	-6.27	≤8.00	PASS
				RU8	-6.42	≤8.00	PASS
			52Tone	RU37	-8.86	≤8.00	PASS
				RU38	-8.67	≤8.00	PASS
				RU39	-9.03	≤8.00	PASS
				RU40	-7.88	≤8.00	PASS
			106Tone	RU53	-10.47	≤8.00	PASS
				RU54	-9.17	≤8.00	PASS
	total	2462	26Tone	RU0	-3.54	≤8.00	PASS
				RU4	-2.98	≤8.00	PASS
				RU8	-3.13	≤8.00	PASS
			52Tone	RU37	-5.80	≤8.00	PASS
				RU38	-5.74	≤8.00	PASS
				RU39	-5.58	≤8.00	PASS
				RU40	-5.32	≤8.00	PASS
			106Tone	RU53	-7.66	≤8.00	PASS
				RU54	-6.07	≤8.00	PASS
11AX40MIMO	Ant1	2422	26Tone	RU0	-5.38	≤8.00	PASS
				RU8	-5.13	≤8.00	PASS
				RU17	-7.5	≤8.00	PASS
			52Tone	RU37	-8.12	≤8.00	PASS
				RU40	-9.08	≤8.00	PASS
				RU44	-7.74	≤8.00	PASS
			106Tone	RU53	-10.31	≤8.00	PASS
				RU54	-11.25	≤8.00	PASS
				RU55	-37.48	≤8.00	PASS
			242Tone	RU56	-7.34	≤8.00	PASS
				RU61	-9.77	≤8.00	PASS
				RU62	-8.59	≤8.00	PASS
	Ant2	2422	26Tone	RU0	-8.69	≤8.00	PASS
				RU8	-5.27	≤8.00	PASS
				RU17	-5.31	≤8.00	PASS
			52Tone	RU37	-10.8	≤8.00	PASS
				RU44	-8.69	≤8.00	PASS
			106Tone	RU53	-11.33	≤8.00	PASS


			242Tone	RU54	-9.18	≤8.00	PASS
				RU55	-10.07	≤8.00	PASS
				RU56	-7.08	≤8.00	PASS
				RU61	-8.78	≤8.00	PASS
				RU62	-9.96	≤8.00	PASS
	total	2422	26Tone	RU0	-3.72	≤8.00	PASS
				RU8	-2.19	≤8.00	PASS
				RU17	-3.26	≤8.00	PASS
			52Tone	RU37	-6.25	≤8.00	PASS
				RU44	-5.18	≤8.00	PASS
			106Tone	RU53	-7.78	≤8.00	PASS
				RU54	-7.08	≤8.00	PASS
				RU55	-10.06	≤8.00	PASS
				RU56	-4.20	≤8.00	PASS
			242Tone	RU61	-6.24	≤8.00	PASS
				RU62	-6.21	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-6.13	≤8.00	PASS
				RU8	-5.49	≤8.00	PASS
				RU17	-6.14	≤8.00	PASS
			52Tone	RU37	-8.57	≤8.00	PASS
				RU40	-9.19	≤8.00	PASS
				RU44	-9.93	≤8.00	PASS
			106Tone	RU53	-7.69	≤8.00	PASS
				RU54	-11.02	≤8.00	PASS
				RU55	-11.06	≤8.00	PASS
				RU56	-8.88	≤8.00	PASS
			242Tone	RU61	-8.34	≤8.00	PASS
				RU62	-9.11	≤8.00	PASS
	Ant2	2437	26Tone	RU0	-6.39	≤8.00	PASS
				RU8	-5.44	≤8.00	PASS
				RU17	-6.03	≤8.00	PASS
			52Tone	RU37	-9.23	≤8.00	PASS
				RU40	-9.03	≤8.00	PASS
				RU44	-9.2	≤8.00	PASS
			106Tone	RU53	-9.8	≤8.00	PASS
				RU54	-8.19	≤8.00	PASS
				RU55	-11.07	≤8.00	PASS
				RU56	-7.91	≤8.00	PASS
			242Tone	RU61	-9.38	≤8.00	PASS
				RU62	-11.26	≤8.00	PASS
	total	2437	26Tone	RU0	-3.25	≤8.00	PASS
				RU8	-2.45	≤8.00	PASS
				RU17	-3.07	≤8.00	PASS
			52Tone	RU37	-5.88	≤8.00	PASS
				RU40	-6.10	≤8.00	PASS
				RU44	-6.54	≤8.00	PASS
			106Tone	RU53	-5.61	≤8.00	PASS
				RU54	-6.37	≤8.00	PASS
				RU55	-8.05	≤8.00	PASS
				RU56	-5.36	≤8.00	PASS
			242Tone	RU61	-5.82	≤8.00	PASS

	Ant1	2452	26Tone	RU62	-7.04	≤8.00	PASS
				RU0	-6.22	≤8.00	PASS
				RU8	-6.6	≤8.00	PASS
			52Tone	RU17	-6.04	≤8.00	PASS
				RU37	-7.44	≤8.00	PASS
				RU40	-9.98	≤8.00	PASS
			106Tone	RU44	-9.36	≤8.00	PASS
				RU53	-10.41	≤8.00	PASS
				RU54	-9.93	≤8.00	PASS
				RU55	-11.45	≤8.00	PASS
			242Tone	RU56	-8.99	≤8.00	PASS
				RU61	-9.09	≤8.00	PASS
				RU62	-7.6	≤8.00	PASS
	Ant2	2452	26Tone	RU0	-5.04	≤8.00	PASS
				RU8	-4.41	≤8.00	PASS
				RU17	-3.38	≤8.00	PASS
			52Tone	RU37	-6.67	≤8.00	PASS
				RU40	-7.38	≤8.00	PASS
				RU44	-6.8	≤8.00	PASS
			106Tone	RU53	-8.8	≤8.00	PASS
				RU54	-9.09	≤8.00	PASS
				RU55	-9.78	≤8.00	PASS
				RU56	-8.83	≤8.00	PASS
			242Tone	RU61	-8.35	≤8.00	PASS
				RU62	-8.69	≤8.00	PASS
	total	2452	26Tone	RU0	-2.58	≤8.00	PASS
				RU8	-2.36	≤8.00	PASS
				RU17	-1.50	≤8.00	PASS
			52Tone	RU37	-4.03	≤8.00	PASS
				RU40	-5.48	≤8.00	PASS
				RU44	-4.88	≤8.00	PASS
			106Tone	RU53	-6.52	≤8.00	PASS
				RU54	-6.48	≤8.00	PASS
				RU55	-7.52	≤8.00	PASS
				RU56	-5.90	≤8.00	PASS
			242Tone	RU61	-5.69	≤8.00	PASS
				RU62	-5.10	≤8.00	PASS


Note 1: HE20 SU represents HE20 242Tone, and HE40 SU represents HE40 484Tone, so for these Tones test performed with SU mode.

6.5. Original test data







11B Ant2 2437




11B Ant1 2462




11B Ant2 2462




11G Ant1_2412




11G Ant2_2412




11G Ant1_2437




11G Ant2 2437




11G Ant1 2462




11G Ant2 2462




11N20MIMO Ant1 2412




11N20MIMO Ant2 2412




11N20MIMO Ant1 2437




11N20MIMO Ant2 2437




11N20MIMO Ant1 2462




11N20MIMO Ant2 2462




11N40MIMO Ant1 2422




11N40MIMO Ant2 2422




11N40MIMO Ant1 2437




11N40MIMO Ant2 2437




11N40MIMO Ant1 2452




11N40MIMO Ant2 2452




11AX20SU_Ant1_2412




11AX20SU_Ant2_2412




11AX20SU_Ant1_2437




11AX20SU_Ant2_2437




11AX20SU_Ant1_2462




11AX20SU_Ant2_2462




11AX40SU_Ant1_2422




11AX40SU_Ant2_2422




11AX40SU_Ant1_2437




11AX40SU_Ant2_2437




11AX40SU_Ant1_2452



11AX40SU_Ant2_2452



11AX20MIMO_Ant1_2412_26Tone_RU0



11AX20MIMO_Ant1_2412_26Tone_RU4

