



Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5190MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4693.000	-48.61	-21.20	27.41	Pass	Peak	7	4693.000	-55.24	-41.20	14.04	Pass	AVG
2	4718.000	-48.48	-21.20	27.28	Pass	Peak	8	4718.000	-55.20	-41.20	14.00	Pass	AVG
3	4798.000	-47.68	-21.20	26.48	Pass	Peak	9	4798.000	-55.18	-41.20	13.98	Pass	AVG
4	5083.000	-47.46	-21.20	26.26	Pass	Peak	10	5083.000	-55.37	-41.20	14.17	Pass	AVG
5	5104.500	-46.30	-21.20	25.10	Pass	Peak	11	5104.500	-55.15	-41.20	13.95	Pass	AVG
6	5134.000	-47.31	-21.20	26.11	Pass	Peak	12	5134.000	-55.12	-41.20	13.92	Pass	AVG


802.11ax(HEW40)_LCH_5190MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4713.000	-46.70	-21.20	25.50	Pass	Peak	7	4713.000	-55.25	-41.20	14.05	Pass	AVG
2	4741.500	-47.26	-21.20	26.06	Pass	Peak	8	4741.500	-55.01	-41.20	13.81	Pass	AVG
3	4834.500	-48.45	-21.20	27.25	Pass	Peak	9	4834.500	-55.29	-41.20	14.09	Pass	AVG
4	5046.000	-47.57	-21.20	26.37	Pass	Peak	10	5046.000	-55.29	-41.20	14.09	Pass	AVG
5	5099.500	-47.79	-21.20	26.59	Pass	Peak	11	5099.500	-55.26	-41.20	14.06	Pass	AVG
6	5147.500	-46.94	-21.20	25.74	Pass	Peak	12	5147.500	-55.25	-41.20	14.05	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5190MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4689.000	-46.36	-21.20	25.16	Pass	Peak	7	4689.000	-55.26	-41.20	14.06	Pass	AVG
2	4741.500	-47.99	-21.20	26.79	Pass	Peak	8	4741.500	-55.21	-41.20	14.01	Pass	AVG
3	5009.500	-48.27	-21.20	27.07	Pass	Peak	9	5009.500	-55.25	-41.20	14.05	Pass	AVG
4	5076.000	-47.14	-21.20	25.94	Pass	Peak	10	5076.000	-55.29	-41.20	14.09	Pass	AVG
5	5106.000	-47.27	-21.20	26.07	Pass	Peak	11	5106.000	-55.15	-41.20	13.95	Pass	AVG
6	5137.500	-47.25	-21.20	26.05	Pass	Peak	12	5137.500	-54.96	-41.20	13.76	Pass	AVG


802.11ax(HEW40)_HCH_5230MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5356.860	-42.80	-21.20	21.60	Pass	Peak	7	5356.860	-50.26	-41.20	9.06	Pass	AVG
2	5380.080	-40.92	-21.20	19.72	Pass	Peak	8	5380.080	-50.19	-41.20	8.99	Pass	AVG
3	5395.740	-42.80	-21.20	21.60	Pass	Peak	9	5395.740	-50.29	-41.20	9.09	Pass	AVG
4	5408.430	-40.19	-21.20	18.99	Pass	Peak	10	5408.430	-50.23	-41.20	9.03	Pass	AVG
5	5418.420	-41.37	-21.20	20.17	Pass	Peak	11	5418.420	-50.46	-41.20	9.26	Pass	AVG
6	5431.920	-40.94	-21.20	19.74	Pass	Peak	12	5431.920	-50.30	-41.20	9.10	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5230MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5357.400	-40.78	-21.20	19.58	Pass	Peak	7	5357.400	-50.08	-41.20	8.88	Pass	AVG
2	5368.200	-43.02	-21.20	21.82	Pass	Peak	8	5368.200	-50.21	-41.20	9.01	Pass	AVG
3	5382.510	-42.04	-21.20	20.84	Pass	Peak	9	5382.510	-50.36	-41.20	9.16	Pass	AVG
4	5390.880	-42.18	-21.20	20.98	Pass	Peak	10	5390.880	-50.45	-41.20	9.25	Pass	AVG
5	5399.520	-41.66	-21.20	20.46	Pass	Peak	11	5399.520	-50.25	-41.20	9.05	Pass	AVG
6	5419.770	-41.84	-21.20	20.64	Pass	Peak	12	5419.770	-50.40	-41.20	9.20	Pass	AVG


802.11ax(HEW40)_HCH_5230MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.110	-41.84	-21.20	20.64	Pass	Peak	7	5350.110	-50.06	-41.20	8.86	Pass	AVG
2	5361.720	-41.75	-21.20	20.55	Pass	Peak	8	5361.720	-50.24	-41.20	9.04	Pass	AVG
3	5370.090	-39.93	-21.20	18.73	Pass	Peak	9	5370.090	-50.31	-41.20	9.11	Pass	AVG
4	5380.350	-41.21	-21.20	20.01	Pass	Peak	10	5380.350	-50.07	-41.20	8.87	Pass	AVG
5	5388.720	-41.27	-21.20	20.07	Pass	Peak	11	5388.720	-50.32	-41.20	9.12	Pass	AVG
6	5410.320	-42.15	-21.20	20.95	Pass	Peak	12	5410.320	-50.32	-41.20	9.12	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5210MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4758.500	-48.35	-21.20	27.15	Pass	Peak	7	4758.500	-54.95	-41.20	13.75	Pass	AVG
2	4810.500	-47.21	-21.20	26.01	Pass	Peak	8	4810.500	-55.33	-41.20	14.13	Pass	AVG
3	5025.500	-47.51	-21.20	26.31	Pass	Peak	9	5025.500	-55.15	-41.20	13.95	Pass	AVG
4	5077.500	-45.90	-21.20	24.70	Pass	Peak	10	5077.500	-55.05	-41.20	13.85	Pass	AVG
5	5110.500	-48.30	-21.20	27.10	Pass	Peak	11	5110.500	-55.19	-41.20	13.99	Pass	AVG
6	5145.000	-48.07	-21.20	26.87	Pass	Peak	12	5145.000	-55.10	-41.20	13.90	Pass	AVG


802.11ax(HEW80)_MCH_5210MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5357.000	-47.31	-21.20	26.11	Pass	Peak	5	5357.000	-55.17	-41.20	13.97	Pass	AVG
2	5402.000	-47.08	-21.20	25.88	Pass	Peak	6	5402.000	-55.07	-41.20	13.87	Pass	AVG
3	5431.000	-46.54	-21.20	25.34	Pass	Peak	7	5431.000	-55.02	-41.20	13.82	Pass	AVG
4	5459.000	-48.28	-21.20	27.08	Pass	Peak	8	5459.000	-55.59	-41.20	14.39	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5210MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4571.000	-47.69	-21.20	26.49	Pass	Peak	7	4571.000	-55.41	-41.20	14.21	Pass	AVG
2	4929.000	-46.46	-21.20	25.26	Pass	Peak	8	4929.000	-55.42	-41.20	14.22	Pass	AVG
3	5001.500	-48.29	-21.20	27.09	Pass	Peak	9	5001.500	-55.41	-41.20	14.21	Pass	AVG
4	5045.000	-47.53	-21.20	26.33	Pass	Peak	10	5045.000	-55.17	-41.20	13.97	Pass	AVG
5	5091.000	-46.32	-21.20	25.12	Pass	Peak	11	5091.000	-55.17	-41.20	13.97	Pass	AVG
6	5136.000	-47.20	-21.20	26.00	Pass	Peak	12	5136.000	-55.09	-41.20	13.89	Pass	AVG


802.11ax(HEW80)_MCH_5210MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5363.500	-47.93	-21.20	26.73	Pass	Peak	4	5363.500	-54.91	-41.20	13.71	Pass	AVG
2	5407.000	-48.42	-21.20	27.22	Pass	Peak	5	5407.000	-55.16	-41.20	13.96	Pass	AVG
3	5452.500	-48.39	-21.20	27.19	Pass	Peak	6	5452.500	-54.88	-41.20	13.68	Pass	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5210MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4736.500	-47.63	-21.20	26.43	Pass	Peak	7	4736.500	-55.08	-41.20	13.88	Pass	AVG
2	4802.000	-48.64	-21.20	27.44	Pass	Peak	8	4802.000	-55.21	-41.20	14.01	Pass	AVG
3	4955.500	-48.27	-21.20	27.07	Pass	Peak	9	4955.500	-55.46	-41.20	14.26	Pass	AVG
4	5047.500	-47.62	-21.20	26.42	Pass	Peak	10	5047.500	-55.08	-41.20	13.88	Pass	AVG
5	5088.500	-47.75	-21.20	26.55	Pass	Peak	11	5088.500	-55.17	-41.20	13.97	Pass	AVG
6	5119.500	-47.56	-21.20	26.36	Pass	Peak	12	5119.500	-55.04	-41.20	13.84	Pass	AVG

802.11ax(HEW80)_MCH_5210MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.500	-48.16	-21.20	26.96	Pass	Peak	5	5350.500	-54.98	-41.20	13.78	Pass	AVG
2	5384.000	-46.19	-21.20	24.99	Pass	Peak	6	5384.000	-54.91	-41.20	13.71	Pass	AVG
3	5424.500	-45.44	-21.20	24.24	Pass	Peak	7	5424.500	-54.89	-41.20	13.69	Pass	AVG
4	5453.500	-47.40	-21.20	26.20	Pass	Peak	8	5453.500	-55.26	-41.20	14.06	Pass	AVG

6.3. Spurious Emission

3.1 TEST RESULT


3.1.1 SE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11ax (HEW20)	SISO	5180	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5200	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5240	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5190	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
		5230	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass
802.11ax (HEW80)	SISO	5210	RU26	Left	7	Refer To Test Graph		Pass
				Mid	7	Refer To Test Graph		Pass
				Right	7	Refer To Test Graph		Pass

Test Report No.: RF260703B007


3.2 Test Graph

802.11ax(HEW20)_LCH_5180MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16368.85	-36.80	-27.00	9.80	Pass	Peak	7	16368.85	/	-27.00	/	/	AVG
2	17828.3	-36.44	-21.20	15.24	Pass	Peak	8	17828.3	-47.61	-41.20	6.41	Pass	AVG
3	20401.25	-36.50	-21.20	15.30	Pass	Peak	9	20401.25	-47.31	-41.20	6.11	Pass	AVG
4	21991.6	-35.81	-27.00	8.81	Pass	Peak	10	21991.6	/	-27.00	/	/	AVG
5	22782.1	-36.74	-21.20	15.54	Pass	Peak	11	22782.1	-46.00	-41.20	4.80	Pass	AVG
6	24405.6	-36.73	-27.00	9.73	Pass	Peak	12	24405.6	/	-27.00	/	/	AVG


802.11ax(HEW20)_LCH_5180MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6912.6	-41.98	-27.00	14.98	Pass	Peak	7	6912.6	/	-27.00	/	/	AVG
2	19412.7	-42.93	-21.20	21.73	Pass	Peak	8	19412.7	-53.41	-41.20	12.21	Pass	AVG
3	21343.9	-42.41	-21.20	21.21	Pass	Peak	9	21343.9	-52.72	-41.20	11.52	Pass	AVG
4	22747.25	-41.45	-21.20	20.25	Pass	Peak	10	22747.25	-51.76	-41.20	10.56	Pass	AVG
5	24742.2	-42.47	-27.00	15.47	Pass	Peak	11	24742.2	/	-27.00	/	/	AVG
6	26492.35	-42.43	-27.00	15.43	Pass	Peak	12	26492.35	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5180MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6964.45	-42.01	-27.00	15.01	Pass	Peak	7	6964.45	/	-27.00	/	/	AVG
2	16941.75	-42.87	-27.00	15.87	Pass	Peak	8	16941.75	/	-27.00	/	/	AVG
3	20851.75	-42.91	-21.20	21.71	Pass	Peak	9	20851.75	-52.77	-41.20	11.57	Pass	AVG
4	22175.2	-42.28	-21.20	21.08	Pass	Peak	10	22175.2	-51.93	-41.20	10.73	Pass	AVG
5	24474.45	-42.55	-27.00	15.55	Pass	Peak	11	24474.45	/	-27.00	/	/	AVG
6	26428.6	-42.85	-27.00	15.85	Pass	Peak	12	26428.6	/	-27.00	/	/	AVG


802.11ax(HEW20)_MCH_5200MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6987.4	-42.60	-27.00	15.60	Pass	Peak	7	6987.4	/	-27.00	/	/	AVG
2	16391.8	-42.58	-27.00	15.58	Pass	Peak	8	16391.8	/	-27.00	/	/	AVG
3	21434	-42.09	-27.00	15.09	Pass	Peak	9	21434	/	-27.00	/	/	AVG
4	22688.6	-42.66	-21.20	21.46	Pass	Peak	10	22688.6	-51.86	-41.20	10.66	Pass	AVG
5	24970.85	-42.49	-27.00	15.49	Pass	Peak	11	24970.85	/	-27.00	/	/	AVG
6	26415	-42.42	-27.00	15.42	Pass	Peak	12	26415	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_MCH_5200MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6963.6	-42.55	-27.00	15.55	Pass	Peak	7	6963.6	/	-27.00	/	/	AVG
2	19891.25	-43.35	-21.20	22.15	Pass	Peak	8	19891.25	-53.54	-41.20	12.34	Pass	AVG
3	21376.2	-42.73	-21.20	21.53	Pass	Peak	9	21376.2	-52.50	-41.20	11.30	Pass	AVG
4	22713.25	-41.63	-21.20	20.43	Pass	Peak	10	22713.25	-51.79	-41.20	10.59	Pass	AVG
5	24435.35	-42.07	-27.00	15.07	Pass	Peak	11	24435.35	/	-27.00	/	/	AVG
6	26458.35	-43.47	-27.00	16.47	Pass	Peak	12	26458.35	/	-27.00	/	/	AVG


802.11ax(HEW20)_MCH_5200MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6975.5	-42.42	-27.00	15.42	Pass	Peak	7	6975.5	/	-27.00	/	/	AVG
2	20742.1	-41.04	-21.20	19.84	Pass	Peak	8	20742.1	-52.61	-41.20	11.41	Pass	AVG
3	22738.75	-42.05	-21.20	20.85	Pass	Peak	9	22738.75	-51.75	-41.20	10.55	Pass	AVG
4	24118.3	-42.37	-27.00	15.37	Pass	Peak	10	24118.3	/	-27.00	/	/	AVG
5	24999.75	-42.48	-27.00	15.48	Pass	Peak	11	24999.75	/	-27.00	/	/	AVG
6	25990.85	-42.79	-27.00	15.79	Pass	Peak	12	25990.85	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5240MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5789.75	-42.56	-27.00	15.56	Pass	Peak	7	5789.75	/	-27.00	/	/	AVG
2	6855.65	-41.99	-27.00	14.99	Pass	Peak	8	6855.65	/	-27.00	/	/	AVG
3	20403.8	-42.50	-21.20	21.30	Pass	Peak	9	20403.8	-53.35	-41.20	12.15	Pass	AVG
4	21418.7	-42.44	-27.00	15.44	Pass	Peak	10	21418.7	/	-27.00	/	/	AVG
5	24454.05	-42.58	-27.00	15.58	Pass	Peak	11	24454.05	/	-27.00	/	/	AVG
6	25729.05	-42.67	-27.00	15.67	Pass	Peak	12	25729.05	/	-27.00	/	/	AVG


802.11ax(HEW20)_HCH_5240MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6984.85	-41.99	-27.00	14.99	Pass	Peak	7	6984.85	/	-27.00	/	/	AVG
2	16002.5	-42.51	-21.20	21.31	Pass	Peak	8	16002.5	-54.41	-41.20	13.21	Pass	AVG
3	18378.25	-42.58	-21.20	21.38	Pass	Peak	9	18378.25	-53.09	-41.20	11.89	Pass	AVG
4	21337.1	-42.30	-21.20	21.10	Pass	Peak	10	21337.1	-52.87	-41.20	11.67	Pass	AVG
5	22740.45	-42.10	-21.20	20.90	Pass	Peak	11	22740.45	-51.66	-41.20	10.46	Pass	AVG
6	26165.95	-42.14	-27.00	15.14	Pass	Peak	12	26165.95	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5240MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6927.05	-42.33	-27.00	15.33	Pass	Peak	7	6927.05	/	-27.00	/	/	AVG
2	20034.9	-42.63	-21.20	21.43	Pass	Peak	8	20034.9	-53.38	-41.20	12.18	Pass	AVG
3	21424.65	-41.82	-27.00	14.82	Pass	Peak	9	21424.65	/	-27.00	/	/	AVG
4	22709.85	-40.93	-21.20	19.73	Pass	Peak	10	22709.85	-51.70	-41.20	10.50	Pass	AVG
5	24464.25	-42.96	-27.00	15.96	Pass	Peak	11	24464.25	/	-27.00	/	/	AVG
6	26471.1	-42.29	-27.00	15.29	Pass	Peak	12	26471.1	/	-27.00	/	/	AVG


802.11ax(HEW40)_LCH_5190MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6861.6	-41.68	-27.00	14.68	Pass	Peak	7	6861.6	/	-27.00	/	/	AVG
2	17006.35	-42.81	-27.00	15.81	Pass	Peak	8	17006.35	/	-27.00	/	/	AVG
3	21385.55	-43.28	-21.20	22.08	Pass	Peak	9	21385.55	-52.62	-41.20	11.42	Pass	AVG
4	22766.8	-40.75	-21.20	19.55	Pass	Peak	10	22766.8	-51.77	-41.20	10.57	Pass	AVG
5	24385.2	-42.79	-27.00	15.79	Pass	Peak	11	24385.2	/	-27.00	/	/	AVG
6	26019.75	-42.82	-27.00	15.82	Pass	Peak	12	26019.75	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_LCH_5190MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6995.05	-42.75	-27.00	15.75	Pass	Peak	7	6995.05	/	-27.00	/	/	AVG
2	17968.55	-42.99	-21.20	21.79	Pass	Peak	8	17968.55	-53.71	-41.20	12.51	Pass	AVG
3	20840.7	-42.65	-21.20	21.45	Pass	Peak	9	20840.7	-52.54	-41.20	11.34	Pass	AVG
4	22674.15	-41.53	-21.20	20.33	Pass	Peak	10	22674.15	-51.78	-41.20	10.58	Pass	AVG
5	24921.55	-42.46	-27.00	15.46	Pass	Peak	11	24921.55	/	-27.00	/	/	AVG
6	26472.8	-42.23	-27.00	15.23	Pass	Peak	12	26472.8	/	-27.00	/	/	AVG


802.11ax(HEW40)_LCH_5190MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6871.8	-42.48	-27.00	15.48	Pass	Peak	7	6871.8	/	-27.00	/	/	AVG
2	18416.5	-42.14	-21.20	20.94	Pass	Peak	8	18416.5	-53.04	-41.20	11.84	Pass	AVG
3	21406.8	-42.79	-27.00	15.79	Pass	Peak	9	21406.8	/	-27.00	/	/	AVG
4	22641.85	-41.11	-21.20	19.91	Pass	Peak	10	22641.85	-52.09	-41.20	10.89	Pass	AVG
5	24055.4	-42.92	-27.00	15.92	Pass	Peak	11	24055.4	/	-27.00	/	/	AVG
6	25398.4	-41.76	-27.00	14.76	Pass	Peak	12	25398.4	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5230MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16377.35	-36.43	-27.00	9.43	Pass	Peak	7	16377.35	/	-27.00	/	/	AVG
2	18345.1	-36.17	-21.20	14.97	Pass	Peak	8	18345.1	-46.76	-41.20	5.56	Pass	AVG
3	20074	-36.49	-21.20	15.29	Pass	Peak	9	20074	-47.06	-41.20	5.86	Pass	AVG
4	21388.1	-35.81	-21.20	14.61	Pass	Peak	10	21388.1	-46.68	-41.20	5.48	Pass	AVG
5	22184.55	-36.54	-21.20	15.34	Pass	Peak	11	22184.55	-46.09	-41.20	4.89	Pass	AVG
6	24586.65	-36.14	-27.00	9.14	Pass	Peak	12	24586.65	/	-27.00	/	/	AVG


802.11ax(HEW40)_HCH_5230MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	17661.7	-36.93	-27.00	9.93	Pass	Peak	7	17661.7	/	-27.00	/	/	AVG
2	20629.9	-36.32	-21.20	15.12	Pass	Peak	8	20629.9	-47.57	-41.20	6.37	Pass	AVG
3	22170.1	-36.69	-21.20	15.49	Pass	Peak	9	22170.1	-45.89	-41.20	4.69	Pass	AVG
4	24038.4	-35.69	-27.00	8.69	Pass	Peak	10	24038.4	/	-27.00	/	/	AVG
5	25051.6	-37.07	-27.00	10.07	Pass	Peak	11	25051.6	/	-27.00	/	/	AVG
6	25984.05	-36.71	-27.00	9.71	Pass	Peak	12	25984.05	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5230MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	16696.95	-36.88	-27.00	9.88	Pass	Peak	7	16696.95	/	-27.00	/	/	AVG
2	19353.2	-36.60	-21.20	15.40	Pass	Peak	8	19353.2	-47.19	-41.20	5.99	Pass	AVG
3	22141.2	-34.95	-21.20	13.75	Pass	Peak	9	22141.2	-46.02	-41.20	4.82	Pass	AVG
4	24023.95	-36.64	-27.00	9.64	Pass	Peak	10	24023.95	/	-27.00	/	/	AVG
5	24871.4	-36.67	-27.00	9.67	Pass	Peak	11	24871.4	/	-27.00	/	/	AVG
6	26457.5	-35.40	-27.00	8.40	Pass	Peak	12	26457.5	/	-27.00	/	/	AVG


802.11ax(HEW80)_MCH_5210MHz_RU26_Left_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6915.15	-42.39	-27.00	15.39	Pass	Peak	7	6915.15	/	-27.00	/	/	AVG
2	16973.2	-42.68	-27.00	15.68	Pass	Peak	8	16973.2	/	-27.00	/	/	AVG
3	20732.75	-42.54	-21.20	21.34	Pass	Peak	9	20732.75	-52.73	-41.20	11.53	Pass	AVG
4	21974.6	-42.59	-27.00	15.59	Pass	Peak	10	21974.6	/	-27.00	/	/	AVG
5	22748.95	-41.20	-21.20	20.00	Pass	Peak	11	22748.95	-51.68	-41.20	10.48	Pass	AVG
6	24822.1	-42.70	-27.00	15.70	Pass	Peak	12	24822.1	/	-27.00	/	/	AVG


Test Report No.: RF260703B007

802.11ax(HEW80)_MCH_5210MHz_RU26_Mid_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6926.2	-41.84	-27.00	14.84	Pass	Peak	7	6926.2	/	-27.00	/	/	AVG
2	19865.75	-42.29	-21.20	21.09	Pass	Peak	8	19865.75	-53.33	-41.20	12.13	Pass	AVG
3	20639.25	-42.89	-21.20	21.69	Pass	Peak	9	20639.25	-52.81	-41.20	11.61	Pass	AVG
4	22789.75	-41.94	-21.20	20.74	Pass	Peak	10	22789.75	-51.80	-41.20	10.60	Pass	AVG
5	24487.2	-42.30	-27.00	15.30	Pass	Peak	11	24487.2	/	-27.00	/	/	AVG
6	26468.55	-41.69	-27.00	14.69	Pass	Peak	12	26468.55	/	-27.00	/	/	AVG

802.11ax(HEW80)_MCH_5210MHz_RU26_Right_Ant7_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	6865.85	-42.24	-27.00	15.24	Pass	Peak	7	6865.85	/	-27.00	/	/	AVG
2	16395.2	-43.21	-27.00	16.21	Pass	Peak	8	16395.2	/	-27.00	/	/	AVG
3	20494.75	-42.62	-21.20	21.42	Pass	Peak	9	20494.75	-53.34	-41.20	12.14	Pass	AVG
4	22112.3	-41.86	-21.20	20.66	Pass	Peak	10	22112.3	-51.91	-41.20	10.71	Pass	AVG
5	22889.2	-42.47	-21.20	21.27	Pass	Peak	11	22889.2	-52.03	-41.20	10.83	Pass	AVG
6	26471.95	-43.13	-27.00	16.13	Pass	Peak	12	26471.95	/	-27.00	/	/	AVG

8 APPENDIX B: RLAN UNII-2A

1. Duty Cycle

1.1 TEST RESULT

1.1.1 ANT7

Ant7									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5260	/	/	2.096	2.114	99.15	0.04	0.10
		5300	/	/	2.096	2.113	99.20	0.04	0.03
		5320	/	/	2.095	2.113	99.15	0.04	0.10
802.11n (HT20)	SISO	5260	/	/	3.548	3.566	99.50	0.02	0.03
		5300	/	/	3.548	3.565	99.52	0.02	0.03
		5320	/	/	3.548	3.566	99.50	0.02	0.03
802.11n (HT40)	SISO	5270	/	/	1.977	1.993	99.20	0.04	0.00
		5310	/	/	1.976	1.993	99.15	0.04	0.03
802.11ac (VHT20)	SISO	5260	/	/	3.554	3.571	99.52	0.02	0.03
		5300	/	/	3.555	3.571	99.55	0.02	0.00
		5320	/	/	3.553	3.570	99.52	0.02	0.03
802.11ac (VHT40)	SISO	5270	/	/	1.981	1.997	99.20	0.03	0.03
		5310	/	/	1.980	1.997	99.15	0.04	0.03
802.11ac (VHT80)	SISO	5290	/	/	1.201	1.217	98.69	0.06	0.07
802.11ax (HEW20)	SISO	5260	RU242	Left	2.713	2.730	99.38	0.03	0.03
		5300	RU242	Left	2.714	2.731	99.38	0.03	0.07
		5320	RU242	Left	2.713	2.731	99.34	0.03	0.03
802.11ax (HEW40)	SISO	5270	RU484	Left	1.582	1.599	98.94	0.05	0.03
		5310	RU484	Left	1.583	1.600	98.94	0.05	0.03
802.11ax (HEW80)	SISO	5290	RU996	Left	0.999	1.016	98.33	0.07	0.03

Test Report No.: RF260703B007

2. Bandwidth

2.1 TEST RESULT

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5260	/	/	7	16.275	/	Pass
		5300	/	/	7	16.271	/	Pass
		5320	/	/	7	16.277	/	Pass
802.11n (HT20)	SISO	5260	/	/	7	17.480	/	Pass
		5300	/	/	7	17.474	/	Pass
		5320	/	/	7	17.499	/	Pass
802.11n (HT40)	SISO	5270	/	/	7	35.940	/	Pass
		5310	/	/	7	35.958	/	Pass
802.11ac (VHT20)	SISO	5260	/	/	7	17.498	/	Pass
		5300	/	/	7	17.519	/	Pass
		5320	/	/	7	17.494	/	Pass
802.11ac (VHT40)	SISO	5270	/	/	7	35.941	/	Pass
		5310	/	/	7	35.947	/	Pass
802.11ac (VHT80)	SISO	5290	/	/	7	74.972	/	Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	7	18.833	/	Pass
		5300	RU242	Left	7	18.859	/	Pass
		5320	RU242	Left	7	18.859	/	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	7	37.624	/	Pass
		5310	RU484	Left	7	37.664	/	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	7	76.693	/	Pass


Test Report No.: RF260703B007

2.1.2 26DB BW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5260	/	/	7	18.614	/	Pass
		5300	/	/	7	18.669	/	Pass
		5320	/	/	7	19.416	/	Pass
802.11n (HT20)	SISO	5260	/	/	7	19.915	/	Pass
		5300	/	/	7	19.959	/	Pass
		5320	/	/	7	20.408	/	Pass
802.11n (HT40)	SISO	5270	/	/	7	40.034	/	Pass
		5310	/	/	7	39.994	/	Pass
802.11ac (VHT20)	SISO	5260	/	/	7	19.920	/	Pass
		5300	/	/	7	20.577	/	Pass
		5320	/	/	7	19.820	/	Pass
802.11ac (VHT40)	SISO	5270	/	/	7	39.980	/	Pass
		5310	/	/	7	39.772	/	Pass
802.11ac (VHT80)	SISO	5290	/	/	7	81.682	/	Pass
802.11ax (HEW20)	SISO	5260	RU242	Left	7	20.672	/	Pass
		5300	RU242	Left	7	20.856	/	Pass
		5320	RU242	Left	7	21.085	/	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	7	40.290	/	Pass
		5310	RU484	Left	7	40.267	/	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	7	81.736	/	Pass


Test Report No.: RF260703B007

2.2 Test Graph




Test Report No.: RF260703B007

802.11a_HCH_5320MHz_Ant7_NTNV




802.11n(HT20)_LCH_5260MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5300MHz_Ant7_NTNV




802.11n(HT20)_HCH_5320MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5270MHz_Ant7_NTNV




802.11n(HT40)_HCH_5310MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5260MHz_Ant7_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5320MHz_Ant7_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5310MHz_Ant7_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant7_NTNV




802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant7_NTNV




Test Report No.: RF260703B007

2.2.2 26DB BW

802.11a_LCH_5260MHz_Ant7_NTNV




802.11a_MCH_5300MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11a_HCH_5320MHz_Ant7_NTNV




802.11n(HT20)_LCH_5260MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5300MHz_Ant7_NTNV




802.11n(HT20)_HCH_5320MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5270MHz_Ant7_NTNV




802.11n(HT40)_HCH_5310MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5260MHz_Ant7_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5320MHz_Ant7_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5310MHz_Ant7_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW20)_MCH_5300MHz_RU242_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_HCH_5320MHz_RU242_Left_Ant7_NTNV




802.11ax(HEW40)_LCH_5270MHz_RU484_Left_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW40)_HCH_5310MHz_RU484_Left_Ant7_NTNV



802.11ax(HEW80)_MCH_5290MHz_RU996_Left_Ant7_NTNV



3. Maximum Conducted Output Power

3.1 TEST RESULT

3.1.1 POWER

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT7	Limit	
802.11a	SISO	5260	/	/	9.58	<=23.7	Pass
		5300	/	/	9.52	<=23.7	Pass
		5320	/	/	9.42	<=23.7	Pass
802.11n (HT20)	SISO	5260	/	/	9.18	<=23.98	Pass
		5300	/	/	9.16	<=23.98	Pass
		5320	/	/	9.03	<=23.98	Pass
802.11n (HT40)	SISO	5270	/	/	9.80	<=23.98	Pass
		5310	/	/	9.45	<=23.98	Pass
802.11ac (VHT20)	SISO	5260	/	/	9.03	<=23.98	Pass
		5300	/	/	9.63	<=23.98	Pass
		5320	/	/	9.53	<=23.98	Pass
802.11ac (VHT40)	SISO	5270	/	/	9.75	<=23.98	Pass
		5310	/	/	9.96	<=23.98	Pass
802.11ac (VHT80)	SISO	5290	/	/	9.70	<=23.98	Pass
802.11ax (HEW20)	SISO	5260	RU26	Left	0.44	<=23.98	Pass
				Mid	0.82	<=23.98	Pass
				Right	0.66	<=23.98	Pass
			RU52	Left	3.77	<=23.98	Pass
				Mid	3.92	<=23.98	Pass
				Right	3.76	<=23.98	Pass
			RU106	Left	3.92	<=23.98	Pass
				Right	3.93	<=23.98	Pass
			RU242	Left	9.04	<=23.98	Pass
		5300	RU26	Left	0.66	<=23.98	Pass
				Mid	0.82	<=23.98	Pass

Test Report No.: RF260703B007

			RU52	Right	0.84	≤ 23.98	Pass
				Left	3.82	≤ 23.98	Pass
				Mid	3.82	≤ 23.98	Pass
				Right	3.82	≤ 23.98	Pass
			RU106	Left	3.92	≤ 23.98	Pass
				Right	3.89	≤ 23.98	Pass
			RU242	Left	9.10	≤ 23.98	Pass
		5320	RU26	Left	0.93	≤ 23.98	Pass
				Mid	0.89	≤ 23.98	Pass
				Right	0.78	≤ 23.98	Pass
			RU52	Left	3.75	≤ 23.98	Pass
				Mid	3.68	≤ 23.98	Pass
				Right	3.36	≤ 23.98	Pass
			RU106	Left	3.21	≤ 23.98	Pass
				Right	3.45	≤ 23.98	Pass
			RU242	Left	9.04	≤ 23.98	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	9.43	≤ 23.98	Pass
		5310	RU484	Left	9.70	≤ 23.98	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	9.78	≤ 23.98	Pass
Note1: Antenna Gain: Ant7: -1.00dBi;							

4. Maximum Power Spectral Density

4.1 TEST RESULT

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT7	Limit	
802.11a	SISO	5260	/	/	0.12	<=11	Pass
		5300	/	/	0.14	<=11	Pass
		5320	/	/	0.04	<=11	Pass
802.11n (HT20)	SISO	5260	/	/	-0.42	<=11	Pass
		5300	/	/	-0.35	<=11	Pass
		5320	/	/	-0.55	<=11	Pass
802.11n (HT40)	SISO	5270	/	/	-2.60	<=11	Pass
		5310	/	/	-2.44	<=11	Pass
802.11ac (VHT20)	SISO	5260	/	/	-0.56	<=11	Pass
		5300	/	/	0.02	<=11	Pass
		5320	/	/	-0.15	<=11	Pass
802.11ac (VHT40)	SISO	5270	/	/	-2.79	<=11	Pass
		5310	/	/	-2.64	<=11	Pass
802.11ac (VHT80)	SISO	5290	/	/	-5.31	<=11	Pass
802.11ax (HEW20)	SISO	5260	RU26	Left	-1.22	<=11	Pass
				Mid	-2.48	<=11	Pass
				Right	-1.28	<=11	Pass
			RU52	Left	-1.00	<=11	Pass
				Mid	-0.87	<=11	Pass
				Right	-0.91	<=11	Pass
			RU106	Left	-3.82	<=11	Pass
				Right	-3.99	<=11	Pass
			RU242	Left	-0.84	<=11	Pass
		5300	RU26	Left	-0.94	<=11	Pass
				Mid	-2.55	<=11	Pass
				Right	-0.87	<=11	Pass


Test Report No.: RF260703B007

			RU52	Left	-0.90	≤ 11	Pass
				Mid	-1.34	≤ 11	Pass
				Right	-0.98	≤ 11	Pass
			RU106	Left	-3.92	≤ 11	Pass
				Right	-3.96	≤ 11	Pass
			RU242	Left	-0.72	≤ 11	Pass
		5320	RU26	Left	-0.52	≤ 11	Pass
				Mid	-2.30	≤ 11	Pass
				Right	-1.08	≤ 11	Pass
			RU52	Left	-0.89	≤ 11	Pass
				Mid	-1.28	≤ 11	Pass
				Right	-1.35	≤ 11	Pass
			RU106	Left	-4.59	≤ 11	Pass
				Right	-4.45	≤ 11	Pass
			RU242	Left	-0.87	≤ 11	Pass
802.11ax (HEW40)	SISO	5270	RU484	Left	-3.10	≤ 11	Pass
		5310	RU484	Left	-2.68	≤ 11	Pass
802.11ax (HEW80)	SISO	5290	RU996	Left	-5.13	≤ 11	Pass
Note1: Antenna Gain: Ant7: -1.00dBi;							




Test Report No.: RF260703B007

4.2 Test Graph




Test Report No.: RF260703B007

802.11a_HCH_5320MHz_Ant7_NTNV




802.11n(HT20)_LCH_5260MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT20)_MCH_5300MHz_Ant7_NTNV




802.11n(HT20)_HCH_5320MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11n(HT40)_LCH_5270MHz_Ant7_NTNV




802.11n(HT40)_HCH_5310MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_LCH_5260MHz_Ant7_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT20)_HCH_5320MHz_Ant7_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ac(VHT40)_HCH_5310MHz_Ant7_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant7_NTNV




Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU26_Left_Ant7_NTNV




802.11ax(HEW20)_LCH_5260MHz_RU26_Mid_Ant7_NTNV



Test Report No.: RF260703B007

802.11ax(HEW20)_LCH_5260MHz_RU26_Right_Ant7_NTNV



802.11ax(HEW20)_LCH_5260MHz_RU52_Left_Ant7_NTNV

