

자재시방서(승인원)	기안자	최민규 연구원/ND연구팀 (032-650-6259)
	완료일	2014-11-05 오전 09:33:20

작성부서	기안	그룹장	팀장
	최민규	곽귀동	유종은
			
	11-04 15:44	11-04 17:14	11-04 18:34

주관부서	사원
	정성엽
	
	11-05 09:33

문서번호	ND연구팀613-0043-영(수시)		
이관함	승인원	공개 범위	AV연구소 ND연구팀
수신처	한국구매팀,구매관리팀,생산기술팀,생산팀,품질관리팀		
참조자	고만석, 김기봉, 김동현, 안병준, 유재걸, 홍민희, 홍경국		
문서제목	E606-00017-001-0S		

자 재 코 드	E606000170010S
자 재 명	ANTENNA,MODULE
규 격	ACS2450HFL57 DIELECTRIC CHIP ANT


모 델 명	VUDU SPARK		
설계변경 NO	REV NO.	일자	내 용
중점 Check 사항			
환경문서번호			
검 사 방 식	수입검사 규칙(B0-B701-01)에 준하여 검사할 것.		
구 입 방 법	☒ 내수 ☐ LOCAL ☐ 수입		
협력업체명	PARTRON	제조업체명	PARTRON
첨 부 자 료	☒ 협력업체승인원 ☐ 도면 ☐ 검사성적서 ☐ 유해물질 불사용 확인서 ☐ 부품재질별 성적서		
첨부파일경로	ftp://61.73.120.6/approval/E606-00017-001-0S.pdf		

※ 첨부파일 경로 예시 :[네트워크 연결] ftp://61.73.120.6/APPROVAL/자재코드.PDF

IMS-B101-07/01(1)

개발 단가		부품 타입	SMD	LIB	
-------	--	-------	-----	-----	--

Approval Sheet


Products	Dielectric Chip Antenna		
Customer	Inkel		
Model			
Customer CODE			
Supplier	PARTRON		
Supplier CODE	ACS2450HFL57		
Inkel	By designed	By checked	By approved
PARTRON	By designed	By checked	By approved
	김 홍 기		
	Antenna 2 Team	Quality Assurance	Laboratory
	Hongki.Kim	Nam-Sik. Min	Byoung-Jun.Yim
	10/24	10/24	10/24

2014 . 10. 24

SPECIFICATION

MODEL : ACS2450HFL57

DIELECTRIC CHIP ANTENNA

By designed	By checked	By approved
김 흥 기		
Antenna 2 Team	Quality Assurance	Laboratory
Hongki.Kim	Nam-Sik. Min	Byoung-Jun.Yim
10/24	10/24	10/24

2014 . 10. 24

- Contents -

1. Revision History	4 p
2. Electrical Characteristics	5 p
3. Mechanical Characteristics	9 p
4. Measurement Process	12 p
5. Primary Inspection List	13 p
6. Reliability Condition	14 p
7. Soldering Condition	15 p
8. Attention	15 p
9. Packing	16 p
10. Process Control	19 p
11. RoHS Data	22 p

[illegible]

2. Electrical Characteristics


2.1 Set Condition

ITEM			SPEC
Frequency Range [MHz]			2400 ~ 2485
VSWR [Max]			3 : 1
Bandwidth [MHz]			85
Polarization			Linear
Matching Value of ANT Matching Circuit (Direction, from Antenna to Module)	Antenna Matching Circuit	Series1 (Feed)	1.8nH
	T-Matching Circuit (nearby Module)	Series2	100pF
		Series3	100pF
Gain[dBi]	Azimuth Plane	Peak	-1.43
		Average	-4.20
	Elevation1 Plane	Peak	1.93
		Average	-2.81
	Elevation2 Plane	Peak	1.98
		Average	-3.78
	3D	Peak	3.66
		Average	-2.89


2.2 Test Fixture Condition

ITEM	SPEC
Frequency Range [MHz]	1840 ~ 1920
SWR [Max]	4.0 : 1
Bandwidth [MHz]	80



2.3 Graph of Set Condition





2.4 Graph of Test Fixture Condition




2.5 Radiation Pattern






2.6 3D Radiation Pattern




3. Mechanical Characteristics

- The structure is materialized printing Ag paste at the dielectric block

3.1 Structure and Material

Material	Dielectric Block	3D Structure	
	Ag Paste		
Size [mm]	W = 2.0±0.1		
	L = 6.0±0.1		
	T = 1.2±0.1		
Temperature [°C]	- 40 ~ +80		
Humidity [%]	At the normal temperature, RH 100		

3.2 PCB Layout & Soldering Pad Dimension




Parameter	A	B	C	D	E
Value[mm]	1.2	4.0	2.4	6.0	6.4

Unit ; mm

Unless specified tolerances are ± 0.1

3.3 Antenna Pattern Dimension

Antenna Pattern View



Top

Side1

Bottom

Side2


Unit ; mm

Unless specified tolerances are ± 0.1

3.3.1 Real Measurement Value


	(1)	(2)	(3)	(4)	(5)	(6)
Drawing Dimension [mm]	1.05±0.1	0.45±0.1	1.0±0.1	0.65±0.1	0.45±0.1	1.05±0.1
1	1.136	0.440	1.033	0.640	0.513	1.099
2	0.962	0.460	0.953	0.634	0.509	1.036
3	1.036	0.507	1.026	0.645	0.470	1.108
4	1.122	0.490	1.022	0.640	0.474	1.080
5	0.982	0.461	0.970	0.669	0.503	1.073
Min [mm]	0.962	0.440	0.953	0.634	0.470	1.036
Max [mm]	1.136	0.507	1.033	0.669	0.513	1.108
Average [mm]	1.048	0.472	1.001	0.646	0.494	1.079

3.4 LOT Notation



- ① Year ; 3 - 2013, 4 - 2014, 9 - 2019, 0 - 2020
- ② Month ; 1 - January, 2 - February, A - October, B - November
- ③ Date ; 1 - 1st, 2 - 2nd, 3 - 3rd O - 24th, P - 25th

3.5 Marking




- ① Input Signal
- ② Serial
- ③ Year ; 3 - 2013, 4 - 2014, 9 - 2019, 0 - 2020
- ④ Month ; 1 - January, 2 - February, A - October, B - November
- ⑤ Date ; 1 - 1st, 2 - 2nd, 3 - 3rd O - 24th, P - 25th

4. Measurement Process


4.1 SWR/Returnloss

-The SWR/Returnloss is measured by Network Analyzer

	Set Condition	Test Fixture Condition
Network Analyzer	Agilent HP8753D or Advantest R3765CG	Agilent HP8753D or Advantest R3765CH
Cable	RF cable(300mm)	RF cable(300mm)
Test condition		

4.2 Gain

-The Antenna Gain is measured using the set at Anechoic Chamber



5. Primary Inspection List

Item	Electrical Characteristic [MHz]		Mechanical Dimension [mm]		
	VSWR 4.0 : 1 [Max]		W=2.0±0.1	L=6.0±0.1	T=1.2±0.1 
	1840 MHz	1920 MHz			
1	2.21	1.99	2.03	6.02	1.23
2	2.06	2.13	2.04	6.01	1.24
3	1.96	2.11	2.04	6.00	1.24
4	2.09	2.06	2.05	6.01	1.24
5	1.98	2.23	2.04	6.00	1.24
6	2.10	1.97	2.04	6.01	1.25
7	1.95	2.27	2.04	6.01	1.24
8	1.88	2.38	2.03	6.00	1.23
9	2.04	2.14	2.04	6.01	1.24
10	2.08	2.04	2.03	6.01	1.24
11	1.81	2.38	2.04	6.02	1.24
12	2.03	1.99	2.05	6.01	1.25
13	2.32	1.84	2.04	6.03	1.24
14	1.94	2.16	2.05	6.00	1.25
15	1.83	2.44	2.04	5.99	1.24
16	2.28	1.83	2.06	6.02	1.24
17	2.33	1.79	2.04	6.00	1.25
18	2.17	1.89	2.04	6.01	1.25
19	1.66	2.22	2.03	6.01	1.24
20	1.68	2.33	2.04	6.00	1.23
X	2.02	2.11	2.04	6.01	1.24
σ	0.19	0.19	0.01	0.01	0.01
Cpk	3.42	3.20	2.58	3.23	4.67
Decision	OK	OK	OK	OK	OK

6. Reliability Condition

6.1 ENVIRONMENT TEST

ITEM	TEST CONDITION	LIMIT
High Temperature Resistance	+85℃±3℃, 120hr	*After the test, specimen would be kept at 25℃±5℃ for 1 hours
Low Temperature Resistance	-40℃±3℃, 120hr	
Humidity Resistance	+60±3℃, RH90~95%, 120hr	*specimen sheet meet the electrical specification

6.2 Thermal Shock Test, Reflow Test

ITEM	TEST CONDITION	LIMIT
Thermal Shock	-40℃±3℃/30min ↔ +85℃±3℃/30min cycle : 15 cycle recovery time : with in 5min	SAME as 6-1
Reflow	Pre Heating 200±5℃, 30~60 sec Peak Heating 260℃±5℃, 30sec Max	

6.3 Mechanical Test


ITEM	TEST CONDITION	LIMIT
Random Vibration	Frequency 10~500Hz - 10 ×9.8m/s ² (G) Sweep time 15min, X.Y.Z each 5 times	*After the test, specimen sheet meet the electrical specification
Drop	Height 152cm, 5 times (Each Surface)	

6.4 Reliability Test Result

※ Appendix

7. Soldering Condon

7.1 Reflow Soldering



7.2 Manual Soldering

Pre-heating Temperature : 120°C , 60 ~ 300 sec.

Soldering Temperature : 340°C±5°C , 5sec max per each terminal

8. Attention

8.1 Temperature Condition

	Range of Temperature	unit
Application	-40 ~ +85	°C
Keeping	-40 ~ +85	°C


8.2 MSL LEVEL 1 (JEDEC J-STD-020C)


	Floor Life		Soak Requirements	
	Time	Conditions	Time	Conditions
1	Unlimited	= < 30°C/85%RH	168+5/-0	= < 85°C/85%RH

9. Packing


9.1 Carrier/Reel

ITEM	Material	Surface Resistance	Packing Method
Carrier	A-PET	Typical $10^8\Omega$	Heat press
Reel	A-PET		Air press (Using S-460G)





9.2 Box Specification



10. Process Control

Product		Issued/Revision		Process Control					Record	By designed	By checked	By approved		
CHIP ANTENNA		Issued	04.04.06						PRCP-C001					
		Revised	05.04.03											
Input Materials	FLOW CHART		Process name	Management of Factors					Management of quality					
	preparation	Main Process		Equipment Name	Checked	Condition	Cycle of management	Record	Checked Item	Margin	Method of Inspection	Cycle of management	Record	Action
Ceramic POWDER		◇	Import Inspection						shrinking rate permittivity	refer to Guide Sheet	Micrometer Network	10ea/LOT	C/sheet	Return
POWDER lubricant	○		powder	Mixer					mixing	POWDER lubricant	Scale	PER MIXING	-	Exhaust
		○	Shaping CTQ Process (Weight, dimension)	Press	pressure Mold Condition	refer to Guide Sheet	Per LOT 1/day	parameter C/SHEET	dimension weight density aspect	refer to Guide Sheet	Micrometer scale Calculated Visual	5/100EA 10ea/lot	LOT CARD	Exhaust
		○	Plasticity	Plasticity Hole	SETTER Outside Temperature PROFILE	refer to Guide Sheet	all 2/day 1/month	C/sheet						
		◇	Block CTQ Process (dimension)						wide length shape	refer to Guide Sheet	Micrometer Calipers Visual Inspection	20ea/LOT 20ea/LOT all	C/sheet	Exhaust
AG PASTE		○	SIDE1 PAD Printing CTQ Process (Printing dimension)	Printer screen	Squeeze velocity/presure SNAP	refer to Guide Sheet	1/day	-	PATTERN Dimension aspect	refer to Guide Sheet	Microscope	10ea/3Jig	c/sheet	Rework
		○	Dry	Dryer Dry Jig	Temperature Belt speed	refer to Guide Sheet	1/week	Parameter	Dry Condition Printed condition breakage	refer to Guide Sheet	Visual Inspection	all	Lot card	Rework

Product		Issued/Revision		Process Control					Record	By designed	By checked	By approved		
CHIP ANTENNA		Issued	04.04.06						PRCP-C001					
Input Materials	FLOW CHART		Process name	Management of Factors					Management of quality					
	prepara tion	Main Process		Equipment Name	Checked	Condition	Cycle of managem ent	Record	Checked Item	Margin	Method of Inspection	Cycle of management	Record	Action
AG PASTE			SIDE 2 PAD Printing CTQ	Printer screen	Squeeze velocity/presure SNAP	refer to Guide Sheet	1/day	-	PATTERN Dimension aspect	refer to Guide Sheet	Microscope	10ea/3Jig	c/sheet	Rework
			Dry	Dryer Dry Jig	Temperature Belt speed	refer to Guide Sheet	1/week	Parameter	Dry Condition Printed condition breakage	refer to Guide Sheet	Visual Inspection	all	Lot card	Rework
			Baking	Baking Hole mesh net	Temperature Belt speed	refer to Guide Sheet	1/week	Parameter C/Sheet	Breakage Pollution	refer to Guide Sheet	Visual Inspection	all	Lot card	Exhaust Rework
AG PASTE			TOP printing CTQ	Printer screen	Squeeze velocity/presure SNAP	refer to Guide Sheet	1/day	-	PATTERN dimension	refer to Guide Sheet	measure	10ea/3Jig	c/sheet	Rework
			Dry	Dryer Dry Jig	Temperature Belt speed	refer to Guide Sheet	1/week	Parameter	Dry Condition Printed condition breakage	refer to Guide Sheet	Visual Inspection	all	Lot card	Rework
AG PASTE			BOTTOM PAD Printing CTQ	printer screen	Squeeze velocity/presure SNAP	refer to Guide Sheet	1/day	-	PATTERN dimension aspect	refer to Guide Sheet	measure Microscope	10ea/3Jig	c/sheet	Rework

Product			Issued/Revision		Process Control				Record	By	By	By		
CHIP ANTENNA			Issued Revised	04.04.06 05.04.03					PRCP-C001					
Input Materials	FLOW CHART		Process name	Management of Factors					Management of quality					
	preparation	Main Process		Equipment Name	Checked	Condition	Cycle of management	Record	Checked Item	Margin	Method of Inspection	Cycle of management	Record	Action
		○	Dry	Dryer Dry Jig	Temperature Belt speed	refer to Guide Sheet	1/week	Parameter	Dry Condition Printed condition breakage	refer to Guide Sheet	Visual Inspection	all	Lot card	Rework
		○	Baking	Baking Hole mesh net	Temperature Belt speed	refer to Guide Sheet	1/week	Parameter C/Sheet	Breakage Pollution	refer to Guide Sheet	Visual Inspection	all	Lot card	Exhaust Rework
		◇	aspect inspection						aspect	Reference SPL refer to Guide Sheet	Visual Inspection microscope	all	Lot card production diary	Exhaust repair
		○	MARKING	Marking Machine					marking	Reference SPL	Visual Inspection	all	Lot card production diary	Rework Exhaust
		◇	Electrical Characteristic CTQ	NETWORK Inspection Jig	proofreading Condition	refer to Guide Sheet	1/2hour	C/sheet	Electrical Characteristic	refer to Guide Sheet	Network	all	Lot card production diary	Exhaust repair
		◇	aspect inspection						aspect dimension	Reference SPL refer to Guide Sheet	Visual Inspection microscope	all	Lot card production diary	Exhaust repair
Carrier cover reel		○	Taping						Quantity Direction aspect	refer to Guide Sheet	Manual	all	Lot card production diary	Rework
		◇	shipper inspection	NETWORK Inspection Jig	proofreading Condition	refer to Guide Sheet	1/person	C/sheet	Electrical Characteristic aspect packing	refer to Guide Sheet	Network microscope Visual Inspection	refer to Guide Sheet	Result Paper	return Exhaust
packing box label		○	packing	bar code printer					packing P/N Quantity	refer to Guide Sheet	Visual Inspection	all	-	Rework
		◇	packing inspection						packing P/N Quantity	refer to Guide Sheet	Visual Inspection	all	-	return

11. RoHS Data

1) Ceramic Powder

Parts Name	iM-K8
Tester Organization	SGS Testing KOREA co. Ltd.
Measurement Tester	Please see the 'method' in the test report
Measurement Data	Please see the report under the table

Test Report

No. SHAEIC1417328401

Date: 13 Sep 2014

Page 1 of 7

WUXI INANOTECH CO., LTD

NO.518-3 ZHONGSHI ROAD, WUXI, JIANGSU, CHINA (214174)

The following sample(s) was/were submitted and identified on behalf of the clients as : CERAMIC POWDER

SGS Job No.: SP14-028034 - SH
Model No.: iM-K8
Composition: Mg₂SiO₄, SiTiO₃
Date of Sample Received: 10 Sep 2014
Testing Period: 10 Sep 2014 - 13 Sep 2014
Test Requested: Switched test(s) as requested by client.
Test Method: Please refer to next page(s).
Test Results: Please refer to next page(s).
Conclusion: Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by REACH Directive 2011/65/EU Annex II: recasting 2002/95/EC.

Signed for and on behalf of
SGS-CSTC LM.

Serena Wang
Approved Signatory

This document is issued by the Company under the General Conditions of Service printed hereon, available on request or upon the Company's website. It is the property of the Company and shall remain its property. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the Company. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document.

Member of the SGS Group (SGS SA)

Test Report

No. SHAEIC1417328401

Date: 13 Sep 2014

Page 2 of 7

Test Results:

Test Result Description:

Specimen No.	SGS Sample ID	Description
SH1	SH14-173284-001	Grey powder

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) * = Not Regulated

RoHS Directive 2011/65/EU

Test Method: (1) With reference to IEC 62321-4:2013, determination of Cadmium by ICP-OES.
(2) With reference to IEC 62321-4:2013, determination of Lead by ICP-OES.
(3) With reference to IEC 62321-4:2013, determination of Mercury by ICP-OES.
(4) With reference to IEC 62321-4:2013, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.
(5) With reference to IEC 62321-4:2013, determination of PBBs and PBDEs by GC-MS.

Test Item(s)	Limit	Unit	MDL	Det.
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	2	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company under the General Conditions of Service printed hereon, available on request or upon the Company's website. It is the property of the Company and shall remain its property. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the Company. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document.

Member of the SGS Group (SGS SA)

Test Report

No. SHAEIC1417328401

Date: 13 Sep 2014

Page 3 of 7

Test Item(s)	Limit	Unit	MDL	Det.
Dibromodiphenyl ether	-	mg/kg	5	ND
Trisbromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	-	mg/kg	5	ND
Heptabromodiphenyl ether	-	mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	-	mg/kg	5	ND
Decabromodiphenyl ether	-	mg/kg	5	ND

Notes:

(1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II

Element(s)

Test Method: With reference to US EPA Method 3052:1996, analysis was performed by ICP-OES.

Test Item(s)	Unit	MDL	Det.
Antimony (Sb)	mg/kg	10	ND

Halogen

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	Unit	MDL	Det.
Chlorine (Cl)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND

This document is issued by the Company under the General Conditions of Service printed hereon, available on request or upon the Company's website. It is the property of the Company and shall remain its property. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the Company. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document.

Member of the SGS Group (SGS SA)

Test Report

No. SHAEIC1417328401

Date: 13 Sep 2014

Page 4 of 7

ATTACHMENTS

RoHS Testing Flow Chart

- Name of the person who made testing: Bob Zhang/Star Wang/Shara Wang/Gary Xu
- Name of the person in charge of testing: Jan Shi/Summer Jin/Jessy Huang
- These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded)

```
graph TD
    A[Sample Preparation] --> B[Sample Measurement]
    B --> C[Pb/Cd/Hg]
    B --> D[PBBs/PBDEs]
    B --> E[Cr6+]
    C --> F[Add digestion with microwave/hotplate]
    F --> G[Filtration]
    G --> H[Solution]
    H --> I[ICP-OES]
    I --> J[DATA]
    G --> K[Residue]
    K --> L["1) Alkali Fusion / Dry Ashing  
2) Add to dissolve"]
    L --> I
    D --> M[Sample solvent extraction]
    M --> N[Concentration / Dilution of extraction solution]
    N --> O[Filtration]
    O --> P[GC/MS]
    P --> Q[DATA]
    E --> R[Nonmetallic material]
    E --> S[Metallic material]
    R --> T[Adding digestion reagent]
    T --> U[Heating to 90-95°C for extraction]
    U --> V[Filtration and pH adjustment]
    V --> W[Adding 1,5-diphenylcarbazide for color development]
    W --> X[UV-Vis]
    X --> Y[DATA]
    S --> Z[Positive Spot test]
    Z --> AA[Boiling water extraction]
    AA --> AB[Adding 1,5-diphenylcarbazide for color development]
    AB --> AC[A red color indicates the presence of Cr6+. If necessary, confirm with UV-Vis.]
    AC --> AD[DATA]
```

This document is issued by the Company under the General Conditions of Service printed hereon, available on request or upon the Company's website. It is the property of the Company and shall remain its property. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the Company. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document. The Company's liability is limited to the extent of the services provided by the Company. The Company is not responsible for any damage or loss of any kind, including consequential, incidental, or punitive damages, arising from the use of this document.

Member of the SGS Group (SGS SA)




No. SHAEC1417328401

Date: 13 Sep 2014

Page 5 of 7

Elements Testing Flow Chart

- 1) Name of the person who made testing: Star Wang/ Jan Shi
2) Name of the person in charge of testing: Jeff Zhang




No. SHAEC1417328401

Date: 13 Sep 2014

Page 6 of 7

Halogen Testing (oxygen bomb) Flow Chart

- 1) Name of the person who made testing: Sisily Yin
2) Name of the person in charge of testing: Linda U



No. SHAEC1417328401

Date: 13 Sep 2014

Page 7 of 7

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



Parts Name	DNF2010C
Tester Organization	SGS Testing KOREA co. Ltd.
Measurement Tester	Please see the 'method' in the test report
Measurement Data	Please see the report under the table



Test Report No. F081011F-CTSAIA14-2552


Issued Date : 2014. 06. 17 Page 1 of 6

DAEJOO ELECTRONICS MATERIALS & CO., LTD.
148, Seobuk-ro 1st
Cheongju-city Chungang-do
Korea

The following sample(s) was/were submitted and identified by/on behalf of the client as:-

SGS File No. : AYAA14-20507
Product Name : Ag Paste
Item No./Part No. : N/A
Client Reference Data : DNF8010Y140429, DNF8010Y140427, DNF8010Y140421
Received Date : 2014. 06. 06
Test Period : 2014. 06. 10 ~ 2014. 06. 17
Report Comments : By the applicant's request. Item No. and Part No. is client reference information are stated/added on report.
Test Results : For further details, please refer to following page(s)

SGS Korea Co., Ltd.



Jeff Jang / Chemical Lab Mgr



Test Report No. F081011F-CTSAIA14-2557

Issued Date : 2014. 06. 17 Page 2 of 6

Sample No. : AYAA14-20507.001
Sample Description :
Item No./Part No. : N/A
Materials : N/A

Heavy Metals

Test Item	Unit	Test Method	MDL	Results
Lead (Pb)	mg/kg	With reference to IEC 62321-2:2013, ICP	5	N.D.
Cadmium (Cd)	mg/kg	With reference to IEC 62321-2:2013, ICP	2.5	N.D.
Mercury (Hg)	mg/kg	With reference to IEC 62321-2:2013, ICP	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	With reference to IEC 62321-2:2008, UV/VIS	1	N.D.

Flame Retardance Policy (RoHS)

Test Item	Unit	Test Method	MDL	Results
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Trisbromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-2:2008, GC-MS	5	N.D.

Polymers Content

Test Item	Unit	Test Method	MDL	Results
Chlorine(Cl)	mg/kg	BS EN 14582:2007, IC	30	N.D.
Bromine(Br)	mg/kg	BS EN 14582:2007, IC	30	N.D.

This document is issued by the Company subject to the General Conditions of Service printed separately and available at www.sgs.com/conditions and for additional terms, conditions, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms. The Company's responsibility is limited to the accuracy of the information and data provided and does not extend to the use of the information or data for any other purpose. The Company's responsibility is limited to the accuracy of the information and data provided and does not extend to the use of the information or data for any other purpose. The Company's responsibility is limited to the accuracy of the information and data provided and does not extend to the use of the information or data for any other purpose.

SGS Korea Co., Ltd. SGS Test Facility, 10, Cheongju-daero, Cheongju, Chungang-do 381-080
Tel: +82-43-2500000 Fax: +82-43-2500001 E-mail: sgs@sgs.com

SGS Korea Co., Ltd. SGS Test Facility, 10, Cheongju-daero, Cheongju, Chungang-do 381-080
Tel: +82-43-2500000 Fax: +82-43-2500001 E-mail: sgs@sgs.com



Test Report No. F600101LF-CTSAVAA14-28567

NOTE: (1) N.D. = Not detected (=MDL)
(2) mg/kg = ppm
(3) MDL = Method Detection Limit
(4) - = No regulation
(5) Negative = Undetectable / Positive = Detectable
(6) "+" = Qualitative analysis (No Unit)
(7) "+" = Boiling-water-extraction
Negative = Absence of Cr(VI) coating
Positive = Presence of Cr(VI) coating; the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² sample surface area.

Issued Date : 2014. 06. 17

Page 3 of 6

Picture of Sample as Received:



SGS

125 The Valley, 16, Lison, Chesang, Jiangxi, 330000, China 401-000
+86 (0)21-4003-8881 +86 (0)21-4003-7000 sgs.com.cn

Member of the SGS Group (Global Standards for Sustainability)

SGS

125 The Valley, 16, Lison, Chesang, Jiangxi, 330000, China 401-000
+86 (0)21-4003-8881 +86 (0)21-4003-7000 sgs.com.cn

Member of the SGS Group (Global Standards for Sustainability)



Test Report No. F600101LF-CTSAVAA14-28567

Issued Date : 2014. 06. 17

Page 4 of 6

Flow Chart of Digestion

```

graph TD
    A[Cutting/Preparation] --> B[Sample Measurement]
    B --> C[Cd,Pb]
    B --> D[Hg]
    C --> E[Decomposition under closed(microwave) or open(acid digestion) system by suitable acid for each sample matrix.]
    D --> F[Decomposition under closed(microwave) system by suitable acid for each sample matrix.]
    E --> G[Filtration]
    F --> G
    G --> H[Solution]
    G --> I[Residue]
    H --> J[ICP-AES]
    I --> K[Alkali Fusion]
    
```

Sample material	Digestion Acid
Metal:Fe, Cu, Al, etc.	Aqua regia, HCl, HNO ₃
Plastic	HNO ₃ , HCl, HF, HClO ₄
Silver	HNO ₃ , H ₂ SO ₄
Solder, Au, Pt, Pd, Sb, Sn	Aqua regia
Glass	HNO ₃ , HF
Ti, Zr, W, Mo, Si, Hf, Nb, Ta	HNO ₃ , HCl, HF
Sn(as IEC 62321)	HNO ₃ , HCl, H ₂ SO ₄ , HBr
Others	Any acid

The samples were dissolved totally by pre-conditioning method according to above flow chart.

Section Chief : Glsae Yi

SGS

125 The Valley, 16, Lison, Chesang, Jiangxi, 330000, China 401-000
+86 (0)21-4003-8881 +86 (0)21-4003-7000 sgs.com.cn


Member of the SGS Group (Global Standards for Sustainability)

SGS

125 The Valley, 16, Lison, Chesang, Jiangxi, 330000, China 401-000
+86 (0)21-4003-8881 +86 (0)21-4003-7000 sgs.com.cn

Member of the SGS Group (Global Standards for Sustainability)

Flow Chart of Cr⁶⁺, PBB/PBDEs Testing



1. I warrant to the Company that I am the owner of the above described property, and I warrant to the Company that I am the owner of the above described property, and I warrant to the Company that I am the owner of the above described property.

Fallt Version 2

3) Marking Ink(Black Ink)

Parts Name	IR/IC-270BK INK
Tester Organization	SGS Testing KOREA co. Ltd.
Measurement Tester	Please see the 'method' in the test report
Measurement Data	Please see the report under the table

Test Report

No. TSNEC1301308602

Date: 26 Dec 2013

Page 1 of 7

YANTAI PARTRON ELECTRONICS CO., LTD

352# MUXIN ROAD ECONOMIC DEVELOPMENT ZONE MUPING YANTAI SHANDONG CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : INK

SGS Job No. :	TP13-006510 - TJ
Model No. :	IR-270BK
Date of Sample Received :	23 Dec 2013
Testing Period :	23 Dec 2013 - 26 Dec 2013
Test Requested :	Selected test(s) as requested by client.
Test Method :	Please refer to next page(s).
Test Results :	Please refer to next page(s).
Conclusion :	Based on the performed tests on submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits as set by RoHS Directive 2011/65/EU Annex II, recasting 2002/95/EC.

Signed for and on behalf of
SGS-CSTC Ltd.

Reabeca Zhou
Approved Signatory

This document is issued by the Company subject to its General Conditions or Service provided contract, available on request or accessible at http://www.sgs.com/terms_and_conditions, and constitutes part of the agreement between customers for testing and certification for European Conformity or other applicable conformity assessment. It is drawn up by the laboratory of SGS and is valid for the results of analysis, measurements, data, etc. The Company's sole responsibility is to the Client and this document does not constitute a product or a representation of any kind. The company shall not be held responsible for any errors or omissions. Any modification or alteration of this report or appearance of this document is prohibited without approval of the Client. This document is the property of SGS and shall remain the property of SGS. Reproduction or translation of this report or appearance of this document is prohibited without approval of the Client. This document is the property of SGS and shall remain the property of SGS. Reproduction or translation of this report or appearance of this document is prohibited without approval of the Client.

SGS Mission, No. 41, The 5th Avenue TEDA, Tianjin, China 300457 | 86-(0)21-52883000 | 86-(0)21-52883002
中国·天津泰达第五大道41号SGS总部 | 邮编: 300457 | 86-(0)21-52883000 | 86-(0)21-52883002

www.cn.sgs.com
sgs.china@sgs.com

Member of the SGS Group (SGS-SA)

SGS		No. TS/NEC1301306502	Date: 26 Dec 2013	Page 2 of 7
Test Report				
Test Results :				
<u>Test Part Description :</u>				
Specimen No.	SGS Sample ID	Description		
SN1	TSN13-013065_002	Black Ink		
Remarks :				
(1) 1 mg/kg = 0.0001%				
(2) MDL = Method Detection Limit				
(3) ND = Not Detected (< MDL)				
(4) "-" = Not Regulated				
RoHS Directive 2011/65/EU				
Test Method : (1) With reference to IEC 62321-5-2013, determination of Cadmium by ICP-OES. (2) With reference to IEC 62321-5-2013, determination of Lead by ICP-OES. (3) With reference to IEC 62321-4-2013, determination of Mercury by ICP-OES. (4) With reference to IEC 62321-2008, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis. (5) With reference to IEC 62321-2008, determination of PBBs and PBDEs by GC-MS.				
Test Item(s)	Limit	Unit	MDL	% ²
Cadmium (Cd)	1000	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	2	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromobiphenyl ether	-	mg/kg	5	ND

The document is issued for the customer subject to the general conditions or service prime contract, available on request at http://www.sgs.com/terms_and_conditions, and the standard terms and conditions for Tests and Analyses for Chemical Elements in the same website at http://www.sgs.com/chemical_elements_tests_and_analyses. The information contained herein reflects the Company's findings at the time of testing and does not constitute a warranty or representation of the quality of the product or service provided by the Company. The Company's sole responsibility is to the Client and this document must be approved prior to its release to third parties. In the event of any dispute, the client shall be responsible for providing all relevant information and documentation to the Company. This document cannot be reproduced without the written approval of the Company. Intellectual property rights are reserved. Any reproduction of this document or dissemination of its contents is unlawful unless otherwise expressly permitted in writing by the Company.

This report is valid only for the sample(s) listed:

SGS

Singapore Branch
25 Selegie Road, #04-01, Singapore 118245
Tel: +65 6349 0300 Fax: +65 6349 0301 Email: singapore@sgs.com

SGS Mission No. 41 The 9th Avenue T&A, Turin China 300457 | Tel: +86-21-62888800 | Fax: +86-21-62888802
中国·上海路德技术服务有限公司上海分公司 邮编: 300457 | Tel: +86-21-62888800 | Fax: +86-21-62888802 | www.sgs.com
china.sgs.com



Test Report

No. TSNEC1301308602

Date: 26 Dec 2013

Page 3 of 7

Test Item(s)	Limit	Unit	MDL	327
Dibromodiphenyl ether	-	mg/kg	5	ND
Tribromodiphenyl ether	-	mg/kg	5	ND
Tetrabromodiphenyl ether	-	mg/kg	5	ND
Pentabromodiphenyl ether	-	mg/kg	5	ND
Hexabromodiphenyl ether	-	mg/kg	5	ND
Heptabromodiphenyl ether	-	mg/kg	5	ND
Octabromodiphenyl ether	-	mg/kg	5	ND
Nonabromodiphenyl ether	-	mg/kg	5	ND
Decabromodiphenyl ether	-	mg/kg	5	ND

Notes :

(1) The maximum permissible limit is quoted from directive 2011/65/EU, Annex II.

Halogen

Test Method : With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	Unit	MDL	327
Chlorine (Cl)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND

Element(s)

Test Method : With reference to US EPA Method 3052.1996, analysis was performed by ICP-OES.

Test Item(s)	Unit	MDL	327
Antimony (Sb)	mg/kg	10	ND

Result shown is of the total weight of wet sample



SGS Shanghai No.41, The 18th Avenue, TEDA, Tianjin, China 300457 1 (86-22) 59888000 / 1 (86-22) 59305050 www.sgsgroup.com

中国 天津滨海新区泰达大街41号SGS大厦 邮编 300457 1 (86-22) 59888000 / 1 (86-22) 59305050 sgs@china.sgsgroup.com

Member of the SGS Group (SGS SA)

SGS

Test Report

No. TSNEC1301308502

Date: 26 Dec 2013

Page 4 of 7

ATTACHMENTS

Cd/Pb/Hg/Cr^{VI}/PBES&PBDES Flow Chart

- 1) Name of the person who made testing: Aimin Wang/Jianxin Li/Angel Yao
- 2) Name of the person in charge of testing: Cindy Yin/Rui Zhu
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{VI} and PBES/PBDES test method excluded)

```
graph TD
    A[Sample Preparation] --> B[Sample Measurement]
    B --> C[Pb/Cd/Hg]
    B --> D[PBS&PBDES]
    B --> E[Cr VI]
    
    C --> F["Acid digestion with microwave / hotplate"]
    F --> G[Filtration]
    G --> H[Solution]
    G --> I[Residue]
    H --> J["1) Alkali Fusion / Dry Ashing  
2) Acid dissolve"]
    J --> K[ICP-OESAAS]
    K --> L[DATA]
    
    D --> M[Sample solvent extraction]
    M --> N["Concentrate/  
Dilution of extraction solution"]
    N --> O[Filtration]
    O --> P[GIMS]
    P --> Q[DATA]
    
    E --> R[Adding digestion reagent]
    R --> S["Heating to 90~95°C for extraction"]
    S --> T["Filtration and pH adjustment"]
    T --> U["Adding 1,5-diphenylcarbazide for color development"]
    U --> V[U/VIS]
    V --> W[DATA]
```

This document is issued by the company subject to its having a conditions of service printed hereon. Analysis on request or otherwise at this company's premises, and conditions, fees and the applicable terms and conditions are subject to change without notice. The company assumes no responsibility for the accuracy of the results of the analysis if the sample is not representative of the material being tested. The company assumes no responsibility for the accuracy of the results of the analysis if the sample is not representative of the material being tested. The company assumes no responsibility for the accuracy of the results of the analysis if the sample is not representative of the material being tested.

SGS Mission No. 4.1 The 9th Avenue TEQA, Taipei, China 300487

SGS Mission No. 4.1 The 9th Avenue TEQA, Taipei, China 300487

TEL: 886-2-25888889 FAX: 886-2-25888902

www.cn.sgs.com

新加坡：大坡佛蘭士街4號1樓9室SGS公司

郵箱：300487

TEL: 886-2-25888889 FAX: 886-2-25888902

e: sgs.china@sgs.com



Test Report

No. TSNEC1301308502


Date: 26 Dec 2013

Page 6 of 7

ATTACHMENTS

Elementary Testing Flow Chart

- 1) Name of the person who made testing: Aaron Wang
2) Name of the person in charge of testing: Cindy Yin

[illegible]

SGS Mansion, No.41, The 5th Avenue TEDA, Tianjin, China 300457 | (86-22) 63280000 | (86-22) 25292502 | www.cn.sgs.com
中国·天津市经济技术开发区第五大道41号SGS大厦 邮编: 300457 | (86-22) 63280000 | (86-22) 25292502 | sgs.china@sgs.com

Member of the SOS Group (SOS SA)

Member of the SGS Group (SGS SA)