





FR1 n77 / 50MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 50MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 60MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 60MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







FR1 n77 / 70MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 70MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n77 / 80MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 80MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / DFT-S OFDM / PI/2 BPSK

Middle Band Edge / Full RB




Middle Band Edge / Full RB




FR1 n77 / 100MHz / DFT-S OFDM / QPSK

Middle Band Edge / Full RB



Middle Band Edge / Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0019	-6.7	Yes	PASS
40	Normal Voltage	0.0011	3.9	Yes	
30	Normal Voltage	0.0022	-7.8	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0004	1.4	Yes	
0	Normal Voltage	0.0004	-1.3	Yes	
-10	Normal Voltage	0.0011	4	Yes	
-20	Normal Voltage	0.0011	4	Yes	
-30	Normal Voltage	0.0024	-8.3	Yes	
20	Maximum Voltage	0.0005	-1.8	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0013	-4.6	Yes	

Note:

1. Normal Voltage = 3.3 V. ; Minimum Voltage = 3.05 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Tim Lee 、 Wilson Wu 、 Gerry Wei	Relative Humidity(%):	50~60%
		Temperature(°C):	20~25°C



B1.Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
4	Part 22H	NR SA n26	H	3321	-56.26	RMS	29.70	-26.20	0.22	-95.23	35.25	-13.00	-43.26	V	Monopole2_ANT0
5	Part 22H	NR CA n5B	L	2501	-48.98	RMS	28.10	-27.26	0.23	-95.23	45.18	-13.00	-35.98	H	PIFA4_ANT0
4	Part 24E	EN-DC B5+N2	M	7431	-46.89	RMS	36.78	-22.05	0.22	-95.23	33.39	-13.00	-33.89	H	Monopole3+2_ANT0+2
5	Part 24E	NR SA n25	H	7471	-46.33	RMS	36.66	-22.02	0.18	-95.23	34.08	-13.00	-33.33	H	Monopole3_ANT0
1	Part 27Q	NR SA n77	L	13807	-35.93	RMS	40.40	-15.28	0.07	-95.23	34.11	-13.00	-22.93	H	Monopole2_ANT0
2	Part 27Q	NR SA n77	M	13827	-35.99	RMS	40.40	-15.30	0.06	-95.23	34.08	-13.00	-22.99	V	Monopole2_ANT1
3	Part 27Q	NR SA n77	M	13827	-36.02	RMS	40.40	-15.30	0.06	-95.23	34.05	-13.00	-23.02	H	Monopole2_ANT2
4	Part 27Q	NR SA n77	H	13847	-35.22	RMS	40.40	-15.32	0.06	-95.23	34.87	-13.00	-22.22	V	Monopole2_ANT3
5	Part 27Q	NR SA n77 MIMO	H	13847	-36.23	RMS	40.40	-15.32	0.06	-95.23	33.86	-13.00	-23.23	V	Monopole2_ANT0+2
6	Part 27Q	NR SA n77 MIMO	M	13827	-36.19	RMS	40.40	-15.30	0.06	-95.23	33.88	-13.00	-23.19	V	Monopole2_ANT1+3
1	Part 27O	NR SA n77	L	14805	-35.39	RMS	40.59	-15.59	0.06	-95.23	34.78	-13.00	-22.39	V	PIFA6_ANT0
2	Part 27O	NR SA n77	L	14805	-36.27	RMS	40.59	-15.59	0.06	-95.23	33.90	-13.00	-23.27	V	PIFA6_ANT1
3	Part 27O	NR SA n77	L	14805	-36.82	RMS	40.59	-15.59	0.06	-95.23	33.35	-13.00	-23.82	V	PIFA6_ANT2
4	Part 27O	NR SA n77	L	14805	-37.02	RMS	40.59	-15.59	0.06	-95.23	33.15	-13.00	-24.02	V	PIFA6_ANT3
5	Part 27O	NR SA n77 MIMO	L	14805	-35.83	RMS	40.59	-15.59	0.06	-95.23	34.34	-13.00	-22.83	V	PIFA6_ANT0+2
6	Part 27O	NR SA n77 MIMO	L	14805	-35.44	RMS	40.59	-15.59	0.06	-95.23	34.73	-13.00	-22.44	H	PIFA6_ANT1+3
7	Part 27O	NR CA n77C	L	15200	-36.63	RMS	39.30	-15.89	0.08	-95.23	35.11	-13.00	-23.63	V	PIFA6_ANT0
2	Part 27H	NR SA n12	H	2808	-54.35	RMS	28.60	-26.91	0.19	-95.23	39.00	-13.00	-41.35	H	PIFA6_ANT0
3	Part 27F	NR SA n13	H	1565	-62.45	RMS	25.50	-29.67	0.47	-95.23	36.49	-42.15	-20.30	V	Monopole5_ANT0
4	Part 27F	NR SA n13	M	3111	-56.68	RMS	29.82	-26.52	0.11	-95.23	35.14	-13.00	-43.68	V	Monopole5_ANT0
4	Part 27D	NR SA n30	M	6917	-57.09	RMS	36.03	-53.42	0.26	-95.23	55.27	-40.00	-17.09	V	Monopole7_ANT0
5	Part 27D	NR SA n30	L	6917	-56.83	RMS	36.03	-53.42	0.26	-95.23	55.53	-40.00	-16.83	V	Monopole7_ANT0
6	Part 27L	NR SA n66	H	6931	-47.76	RMS	36.06	-22.43	0.27	-95.23	33.57	-13.00	-34.76	V	PIFA3_ANT0
7	Part 27L	EN-DC B5+N66	M	6891	-48.20	RMS	36.02	-22.47	0.25	-95.23	33.23	-13.00	-35.20	H	PIFA3_ANT0+2
8	Part 27L	NR SA n70	L	6783	-47.42	RMS	36.13	-22.55	0.20	-95.23	34.03	-13.00	-34.42	V	PIFA3_ANT0
6	Part 27M	NR SA n7	H	10091	-57.33	RMS	38.42	-52.54	0.04	-95.23	51.98	-25.00	-32.33	H	Monopole3_ANT0
7	Part 27M	NR SA n41	H	10365	-56.43	RMS	38.77	-52.14	0.05	-95.23	52.12	-25.00	-31.43	H	Monopole3_ANT0
8	Part 27M	NR SA n41	H	10365	-56.82	RMS	38.77	-52.14	0.05	-95.23	51.73	-25.00	-31.82	H	Monopole3_Ant1



9	Part 27M	NR SA n41	H	10365	-56.49	RMS	38.77	-52.14	0.05	-95.23	52.06	-25.00	-31.49	H	Monopole3_Ant2
10	Part 27M	NR SA n41	M	10177	-56.93	RMS	38.71	-52.42	0.05	-95.23	51.96	-25.00	-31.93	V	Monopole3_Ant3
11	Part 27M	NR SA n41 MIMO	H	10365	-56.71	RMS	38.77	-52.14	0.05	-95.23	51.84	-25.00	-31.71	V	Monopole3_ANT0+2
12	Part 27M	NR SA n41 MIMO	H	10365	-57.22	RMS	38.77	-52.14	0.05	-95.23	51.33	-25.00	-32.22	H	Monopole3_ANT0+1
13	Part 27M	NR SA n41 MIMO	H	10365	-57.22	RMS	38.77	-52.14	0.05	-95.23	51.33	-25.00	-32.22	V	Monopole3_ANT1+3
14	Part 27M	NR SA n41 MIMO	H	10365	-56.65	RMS	38.77	-52.14	0.05	-95.23	51.90	-25.00	-31.65	H	Monopole3_ANT2+1
15	Part 27M	NR SA n41 MIMO	H	10365	-56.92	RMS	38.77	-52.14	0.05	-95.23	51.63	-25.00	-31.92	H	Monopole3_ANT3+0
16	Part 27M	NR SA CA n41C	H	10400	-56.52	RMS	38.70	-52.08	0.05	-95.23	52.04	-25.00	-31.52	V	Monopole3_ANT0
8	Part 27N	NR SA n71	M	2002	-33.02	RMS	26.82	-27.83	0.31	-95.23	62.91	-13.00	-20.02	H	PIFA6_ANT0
3	Part 90R	NR SA n14	L	1577	-51.09	RMS	25.50	-29.62	0.45	-95.23	47.81	-42.15	-8.94	V	Monopole5_ANT0
4	Part 90R	NR SA n14	M	1578	-51.50	RMS	25.50	-29.61	0.45	-95.23	47.39	-42.15	-9.35	V	Monopole5_ANT0
5	Part 90S	NR SA n26	M	2451	-47.57	RMS	27.70	-27.31	0.23	-95.23	47.04	-13.00	-34.57	V	Monopole2_ANT0
6	Part 90S	NR SA n26	M	2444	-47.54	RMS	27.64	-27.31	0.23	-95.23	47.13	-13.00	-34.54	V	Monopole2_ANT0
8	Part 90S	NR SA n26	M	2445	-48.24	RMS	27.65	-27.31	0.23	-95.23	46.42	-13.00	-35.24	V	Monopole2_ANT0




Ant. Monopole2_ANT0

Part 22H Mode 4

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-63.38	RMS	25.40	-29.28	0.41	-95.23	35.33	-13.00	-50.38	Horizontal
2	2475.00	-59.24	RMS	27.85	-27.28	0.22	-95.23	35.20	-13.00	-46.24	Horizontal
3	3301.00	-56.91	RMS	29.70	-26.23	0.20	-95.23	34.65	-13.00	-43.91	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-63.44	RMS	25.40	-29.28	0.41	-95.23	35.27	-13.00	-50.44	Vertical
2	2475.00	-59.34	RMS	27.85	-27.28	0.22	-95.23	35.10	-13.00	-46.34	Vertical
3	3301.00	-56.60	RMS	29.70	-26.23	0.20	-95.23	34.96	-13.00	-43.60	Vertical




Ant. Monopole2_ANT0

Part 22H Mode 4

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1655.00	-63.68	RMS	25.45	-29.25	0.40	-95.23	34.95	-13.00	-50.68	Horizontal		
2	2483.00	-58.74	RMS	27.93	-27.28	0.21	-95.23	35.63	-13.00	-45.74	Horizontal		
3	3311.00	-56.35	RMS	29.70	-26.22	0.21	-95.23	35.19	-13.00	-43.35	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1655.00	-62.83	RMS	25.45	-29.25	0.40	-95.23	35.80	-13.00	-49.83	Vertical		
2	2483.00	-59.16	RMS	27.93	-27.28	0.21	-95.23	35.21	-13.00	-46.16	Vertical		
3	3311.00	-56.72	RMS	29.70	-26.22	0.21	-95.23	34.82	-13.00	-43.72	Vertical		




Ant. Monopole2_ANT0

Part 22H Mode 4

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1660.00	-63.48	RMS	25.50	-29.23	0.40	-95.23	35.08	-13.00	-50.48	Horizontal		
2	2490.00	-59.09	RMS	28.00	-27.27	0.21	-95.23	35.20	-13.00	-46.09	Horizontal		
3	3321.00	-56.45	RMS	29.70	-26.20	0.22	-95.23	35.06	-13.00	-43.45	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1660.00	-63.44	RMS	25.50	-29.23	0.40	-95.23	35.12	-13.00	-50.44	Vertical		
2	2490.00	-59.17	RMS	28.00	-27.27	0.21	-95.23	35.12	-13.00	-46.17	Vertical		
3	3321.00	-56.26	RMS	29.70	-26.20	0.22	-95.23	35.25	-13.00	-43.26	Vertical		




Ant. PIFA4_ANT0

Part 22H Mode 5

NR SA CA n5B 10M + 10M Ch165800 1RB49 BPSK + Ch167780 1RB0 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 5B 10M Ch165800 1RB51 BPSK

: NR Band 5B 10M Ch167780 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1668.00	-49.55	RMS		25.50	-29.19	0.30	-95.23	49.07	-13.00	-36.55	Horizontal	
2	2501.00	-48.98	RMS		28.10	-27.26	0.23	-95.23	45.18	-13.00	-35.98	Horizontal	
3	3335.00	-54.19	RMS		29.70	-26.18	0.24	-95.23	37.28	-13.00	-41.19	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 5B 10M Ch165800 1RB51 BPSK

: NR Band 5B 10M Ch167780 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1668.00	-52.97	RMS		25.50	-29.19	0.30	-95.23	45.65	-13.00	-39.97	Vertical	
2	2501.00	-51.46	RMS		28.10	-27.26	0.23	-95.23	42.70	-13.00	-38.46	Vertical	
3	3335.00	-55.01	RMS		29.70	-26.18	0.24	-95.23	36.46	-13.00	-42.01	Vertical	




Ant. PIFA4_ANT0

Part 22H Mode 5

NR SA CA n5B 10M + 10M Ch166300 1RB49 BPSK + Ch168280 1RB0 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 5B 10M Ch166300 1RB51 BPSK

: NR Band 5B 10M Ch168280 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1672.00	-49.42	RMS	25.50	-29.17	0.30	-95.23	49.18	-13.00	-36.42	Horizontal		
2	2509.00	-49.14	RMS	28.10	-27.25	0.23	-95.23	45.01	-13.00	-36.14	Horizontal		
3	3345.00	-54.37	RMS	29.70	-26.17	0.24	-95.23	37.09	-13.00	-41.37	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 5B 10M Ch166300 1RB51 BPSK

: NR Band 5B 10M Ch168280 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1672.00	-52.34	RMS	25.50	-29.17	0.30	-95.23	46.26	-13.00	-39.34	Vertical		
2	2509.00	-51.86	RMS	28.10	-27.25	0.23	-95.23	42.29	-13.00	-38.86	Vertical		
3	3345.00	-54.92	RMS	29.70	-26.17	0.24	-95.23	36.54	-13.00	-41.92	Vertical		




Ant. PIFA4_ANT0

Part 22H Mode 5

NR SA CA n5B 10M + 10M Ch166820 1RB49 BPSK + Ch168800 1RB0 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 5B 10M Ch166820 1RB51 BPSK

: NR Band 5B 10M Ch168800 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1678.00	-49.40	RMS	25.50	-29.15	0.30	-95.23	49.18	-13.00	-36.40	Horizontal	
2	2517.00	-50.07	RMS	28.17	-27.24	0.23	-95.23	44.00	-13.00	-37.07	Horizontal	
3	3355.00	-54.22	RMS	29.71	-26.15	0.24	-95.23	37.21	-13.00	-41.22	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 5B 10M Ch166820 1RB51 BPSK

: NR Band 5B 10M Ch168800 1RB0 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1678.00	-52.72	RMS	25.50	-29.15	0.30	-95.23	45.86	-13.00	-39.72	Vertical	
2	2517.00	-52.27	RMS	28.17	-27.24	0.23	-95.23	41.80	-13.00	-39.27	Vertical	
3	3355.00	-54.68	RMS	29.71	-26.15	0.24	-95.23	36.75	-13.00	-41.68	Vertical	




Ant. Monopole3+2_ANT0+2


Part 24E Mode 4

EN-DC B5+N2 10M + 50M Ch20525 1RB0 QPSK + Ch376000 1RB1 BPSK

M



	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3715.00	-54.53	RMS	29.99	-25.61	0.83	-95.23	35.49	-13.00	-41.53	Horizontal	
2	5573.00	-51.85	RMS	33.30	-23.34	0.20	-95.23	33.22	-13.00	-38.85	Horizontal	
3	7431.00	-46.89	RMS	36.78	-22.05	0.22	-95.23	33.39	-13.00	-33.89	Horizontal	



	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3715.00	-53.86	RMS	29.99	-25.61	0.83	-95.23	36.16	-13.00	-40.86	Vertical	
2	5573.00	-51.61	RMS	33.30	-23.34	0.20	-95.23	33.46	-13.00	-38.61	Vertical	
3	7431.00	-47.17	RMS	36.78	-22.05	0.22	-95.23	33.11	-13.00	-34.17	Vertical	




Ant. Monopole3_ANT0

Part 24E Mode 5


NR SA n25 50M Ch375000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n25 50M Ch375000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1	dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3705.00	-55.35	RMS	29.93	-25.62	0.85	-95.23	34.72	-13.00	-42.35	Horizontal	
2	5558.00	-51.94	RMS	33.30	-23.37	0.22	-95.23	33.14	-13.00	-38.94	Horizontal	
3	7411.00	-46.57	RMS	36.86	-22.06	0.24	-95.23	33.62	-13.00	-33.57	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n25 50M Ch375000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1	dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3705.00	-55.61	RMS	29.93	-25.62	0.85	-95.23	34.46	-13.00	-42.61	Vertical	
2	5558.00	-52.20	RMS	33.30	-23.37	0.22	-95.23	32.88	-13.00	-39.20	Vertical	
3	7411.00	-46.80	RMS	36.86	-22.06	0.24	-95.23	33.39	-13.00	-33.80	Vertical	




Ant. Monopole3_ANT0

Part 24E Mode 5


NR SA n25 50M Ch376500 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n25 50M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3720.00	-55.42	RMS	30.02	-25.60	0.82	-95.23	34.57	-13.00	-42.42	Horizontal	
2	5580.00	-51.82	RMS	33.30	-23.33	0.19	-95.23	33.25	-13.00	-38.82	Horizontal	
3	7441.00	-47.02	RMS	36.74	-22.04	0.21	-95.23	33.30	-13.00	-34.02	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n25 50M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3720.00	-55.62	RMS	30.02	-25.60	0.82	-95.23	34.37	-13.00	-42.62	Vertical	
2	5580.00	-51.46	RMS	33.30	-23.33	0.19	-95.23	33.61	-13.00	-38.46	Vertical	
3	7441.00	-46.91	RMS	36.74	-22.04	0.21	-95.23	33.41	-13.00	-33.91	Vertical	




Ant. Monopole3_ANT0

Part 24E Mode 5


NR SA n25 50M Ch378000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n25 50M Ch378000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3735.00	-55.19	RMS		30.11	-25.58	0.78	-95.23	34.73	-13.00	-42.19		Horizontal
2	5603.00	-51.39	RMS		33.31	-23.30	0.16	-95.23	33.67	-13.00	-38.39		Horizontal
3	7471.00	-46.33	RMS		36.66	-22.02	0.18	-95.23	34.08	-13.00	-33.33		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n25 50M Ch378000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	3735.00	-55.33	RMS		30.11	-25.58	0.78	-95.23	34.59	-13.00	-42.33		Vertical
2	5603.00	-51.60	RMS		33.31	-23.30	0.16	-95.23	33.46	-13.00	-38.60		Vertical
3	7471.00	-46.88	RMS		36.66	-22.02	0.18	-95.23	33.53	-13.00	-33.88		Vertical




Ant. Monopole2_ANT0

Part 27Q Mode 1


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.51	RMS	36.01	-22.46	1.25	-95.23	35.92	-13.00	-31.51	Horizontal	
2	10355.00	-41.71	RMS	38.79	-19.88	0.16	-95.23	34.45	-13.00	-28.71	Horizontal	
3	13807.00	-35.93	RMS	40.40	-15.28	0.07	-95.23	34.11	-13.00	-22.93	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-44.92	RMS	36.01	-22.46	1.25	-95.23	35.51	-13.00	-31.92	Vertical	
2	10355.00	-41.74	RMS	38.79	-19.88	0.16	-95.23	34.42	-13.00	-28.74	Vertical	
3	13807.00	-36.26	RMS	40.40	-15.28	0.07	-95.23	33.78	-13.00	-23.26	Vertical	




Ant. Monopole2_ANT0

Part 27Q Mode 1


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.39	RMS	36.03	-22.45	1.21	-95.23	36.05	-13.00	-31.39	Horizontal	
2	10370.00	-41.64	RMS	38.76	-19.86	0.16	-95.23	34.53	-13.00	-28.64	Horizontal	
3	13827.00	-35.95	RMS	40.40	-15.30	0.06	-95.23	34.12	-13.00	-22.95	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-43.75	RMS	36.03	-22.45	1.21	-95.23	36.69	-13.00	-30.75	Vertical	
2	10370.00	-41.68	RMS	38.76	-19.86	0.16	-95.23	34.49	-13.00	-28.68	Vertical	
3	13827.00	-36.22	RMS	40.40	-15.30	0.06	-95.23	33.85	-13.00	-23.22	Vertical	




Ant. Monopole2_ANT0

Part 27Q Mode 1


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.61	RMS	36.05	-22.44	1.18	-95.23	35.83	-13.00	-31.61	Horizontal	
2	10385.00	-41.58	RMS	38.73	-19.84	0.16	-95.23	34.60	-13.00	-28.58	Horizontal	
3	13847.00	-36.09	RMS	40.40	-15.32	0.06	-95.23	34.00	-13.00	-23.09	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-42.60	RMS	36.05	-22.44	1.18	-95.23	37.84	-13.00	-29.60	Vertical	
2	10385.00	-41.47	RMS	38.73	-19.84	0.16	-95.23	34.71	-13.00	-28.47	Vertical	
3	13847.00	-36.28	RMS	40.40	-15.32	0.06	-95.23	33.81	-13.00	-23.28	Vertical	




Ant. Monopole2_ANT1

Part 27Q Mode 2

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	l	dB	dB					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6903.00	-46.98	RMS	36.01	-22.46	1.25	-95.23	33.45	-13.00	-33.98	Horizontal	
2	10355.00	-41.64	RMS	38.79	-19.88	0.16	-95.23	34.52	-13.00	-28.64	Horizontal	
3	13807.00	-36.23	RMS	40.40	-15.28	0.07	-95.23	33.81	-13.00	-23.23	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	l	dB	dB					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	6903.00	-46.90	RMS	36.01	-22.46	1.25	-95.23	33.53	-13.00	-33.90	Vertical	
2	10355.00	-41.76	RMS	38.79	-19.88	0.16	-95.23	34.40	-13.00	-28.76	Vertical	
3	13807.00	-36.37	RMS	40.40	-15.28	0.07	-95.23	33.67	-13.00	-23.37	Vertical	




Ant. Monopole2_ANT1

Part 27Q Mode 2

NR SA n77 90M Ch633334 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6913.00	-46.74	RMS	36.03	-22.45	1.21	-95.23	33.70	-13.00	-33.74		Horizontal	
2	10370.00	-41.86	RMS	38.76	-19.86	0.16	-95.23	34.31	-13.00	-28.86		Horizontal	
3	13827.00	-36.08	RMS	40.40	-15.30	0.06	-95.23	33.99	-13.00	-23.08		Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6913.00	-46.91	RMS	36.03	-22.45	1.21	-95.23	33.53	-13.00	-33.91		Vertical	
2	10370.00	-41.57	RMS	38.76	-19.86	0.16	-95.23	34.60	-13.00	-28.57		Vertical	
3	13827.00	-35.99	RMS	40.40	-15.30	0.06	-95.23	34.08	-13.00	-22.99		Vertical	




Ant. Monopole2_ANT1

Part 27Q Mode 2

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	6923.00	-45.96	RMS	36.05	-22.44	1.18	-95.23	34.48	-13.00	-32.96	Horizontal		
2	10385.00	-41.74	RMS	38.73	-19.84	0.16	-95.23	34.44	-13.00	-28.74	Horizontal		
3	13847.00	-36.00	RMS	40.40	-15.32	0.06	-95.23	34.09	-13.00	-23.00	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	6923.00	-46.58	RMS	36.05	-22.44	1.18	-95.23	33.86	-13.00	-33.58	Vertical		
2	10385.00	-41.62	RMS	38.73	-19.84	0.16	-95.23	34.56	-13.00	-28.62	Vertical		
3	13847.00	-36.05	RMS	40.40	-15.32	0.06	-95.23	34.04	-13.00	-23.05	Vertical		




Ant. Monopole2_ANT2

Part 27Q Mode 3


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	l	dB	dB	dBuV	dBm		
1	6903.00	-46.49	RMS	36.01	-22.46	1.25	-95.23	33.94	-13.00	-33.49	Horizontal
2	10355.00	-41.83	RMS	38.79	-19.88	0.16	-95.23	34.33	-13.00	-28.83	Horizontal
3	13807.00	-36.34	RMS	40.40	-15.28	0.07	-95.23	33.70	-13.00	-23.34	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	l	dB	dB	dBuV	dBm		
1	6903.00	-47.05	RMS	36.01	-22.46	1.25	-95.23	33.38	-13.00	-34.05	Vertical
2	10355.00	-41.79	RMS	38.79	-19.88	0.16	-95.23	34.37	-13.00	-28.79	Vertical
3	13807.00	-36.22	RMS	40.40	-15.28	0.07	-95.23	33.82	-13.00	-23.22	Vertical




Ant. Monopole2_ANT2

Part 27Q Mode 3


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-46.82	RMS	36.03	-22.45	1.21	-95.23	33.62	-13.00	-33.82	Horizontal	
2	10370.00	-41.83	RMS	38.76	-19.86	0.16	-95.23	34.34	-13.00	-28.83	Horizontal	
3	13827.00	-36.02	RMS	40.40	-15.30	0.06	-95.23	34.05	-13.00	-23.02	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-46.35	RMS	36.03	-22.45	1.21	-95.23	34.09	-13.00	-33.35	Vertical	
2	10370.00	-41.47	RMS	38.76	-19.86	0.16	-95.23	34.70	-13.00	-28.47	Vertical	
3	13827.00	-36.11	RMS	40.40	-15.30	0.06	-95.23	33.96	-13.00	-23.11	Vertical	




Ant. Monopole2_ANT2

Part 27Q Mode 3


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-46.81	RMS	36.05	-22.44	1.18	-95.23	33.63	-13.00	-33.81	Horizontal	
2	10385.00	-41.17	RMS	38.73	-19.84	0.16	-95.23	35.01	-13.00	-28.17	Horizontal	
3	13847.00	-36.04	RMS	40.40	-15.32	0.06	-95.23	34.05	-13.00	-23.04	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-46.76	RMS	36.05	-22.44	1.18	-95.23	33.68	-13.00	-33.76	Vertical	
2	10385.00	-41.25	RMS	38.73	-19.84	0.16	-95.23	34.93	-13.00	-28.25	Vertical	
3	13847.00	-36.10	RMS	40.40	-15.32	0.06	-95.23	33.99	-13.00	-23.10	Vertical	




Ant. Monopole2_ANT3

Part 27Q Mode 4


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6903.00	-46.95	RMS	36.01	-22.46	1.25	-95.23	33.48	-13.00	-33.95	Horizontal		
2	10355.00	-41.60	RMS	38.79	-19.88	0.16	-95.23	34.56	-13.00	-28.60	Horizontal		
3	13807.00	-36.31	RMS	40.40	-15.28	0.07	-95.23	33.73	-13.00	-23.31	Horizontal		



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6903.00	-47.29	RMS	36.01	-22.46	1.25	-95.23	33.14	-13.00	-34.29	Vertical		
2	10355.00	-41.92	RMS	38.79	-19.88	0.16	-95.23	34.24	-13.00	-28.92	Vertical		
3	13807.00	-36.37	RMS	40.40	-15.28	0.07	-95.23	33.67	-13.00	-23.37	Vertical		




Ant. Monopole2_ANT3

Part 27Q Mode 4


NR SA n77 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-46.52	RMS	36.03	-22.45	1.21	-95.23	33.92	-13.00	-33.52	Horizontal	
2	10370.00	-41.47	RMS	38.76	-19.86	0.16	-95.23	34.70	-13.00	-28.47	Horizontal	
3	13827.00	-36.26	RMS	40.40	-15.30	0.06	-95.23	33.81	-13.00	-23.26	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-46.38	RMS	36.03	-22.45	1.21	-95.23	34.06	-13.00	-33.38	Vertical	
2	10370.00	-41.36	RMS	38.76	-19.86	0.16	-95.23	34.81	-13.00	-28.36	Vertical	
3	13827.00	-36.30	RMS	40.40	-15.30	0.06	-95.23	33.77	-13.00	-23.30	Vertical	




Ant. Monopole2_ANT3

Part 27Q Mode 4


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-46.28	RMS	36.05	-22.44	1.18	-95.23	34.16	-13.00	-33.28	Horizontal
2	10385.00	-41.08	RMS	38.73	-19.84	0.16	-95.23	35.10	-13.00	-28.08	Horizontal
3	13847.00	-36.26	RMS	40.40	-15.32	0.06	-95.23	33.83	-13.00	-23.26	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-46.71	RMS	36.05	-22.44	1.18	-95.23	33.73	-13.00	-33.71	Vertical
2	10385.00	-41.28	RMS	38.73	-19.84	0.16	-95.23	34.90	-13.00	-28.28	Vertical
3	13847.00	-35.22	RMS	40.40	-15.32	0.06	-95.23	34.87	-13.00	-22.22	Vertical




Ant. Monopole2_ANT0+2

Part 27Q Mode 5

NR SA n77 MIMO 90M Ch633000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 90M Ch633000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-47.67	RMS	36.01	-22.46	1.25	-95.23	32.76	-13.00	-34.67	Horizontal	
2	10355.00	-42.35	RMS	38.79	-19.88	0.16	-95.23	33.81	-13.00	-29.35	Horizontal	
3	13807.00	-36.93	RMS	40.40	-15.28	0.07	-95.23	33.11	-13.00	-23.93	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 90M Ch633000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-47.36	RMS	36.01	-22.46	1.25	-95.23	33.07	-13.00	-34.36	Vertical	
2	10355.00	-42.14	RMS	38.79	-19.88	0.16	-95.23	34.02	-13.00	-29.14	Vertical	
3	13807.00	-36.87	RMS	40.40	-15.28	0.07	-95.23	33.17	-13.00	-23.87	Vertical	




Ant. Monopole2_ANT0+2

Part 27Q Mode 5

NR SA n77 MIMO 90M Ch633334 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 90M Ch633334 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6913.00	-47.20	RMS	36.03	-22.45	1.21	-95.23	33.24	-13.00	-34.20	Horizontal		
2	10370.00	-42.14	RMS	38.76	-19.86	0.16	-95.23	34.03	-13.00	-29.14	Horizontal		
3	13827.00	-36.69	RMS	40.40	-15.30	0.06	-95.23	33.38	-13.00	-23.69	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 90M Ch633334 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6913.00	-47.19	RMS	36.03	-22.45	1.21	-95.23	33.25	-13.00	-34.19	Vertical		
2	10370.00	-41.94	RMS	38.76	-19.86	0.16	-95.23	34.23	-13.00	-28.94	Vertical		
3	13827.00	-36.68	RMS	40.40	-15.30	0.06	-95.23	33.39	-13.00	-23.68	Vertical		




Ant. Monopole2_ANT0+2

Part 27Q Mode 5

NR SA n77 MIMO 90M Ch633666 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 90M Ch633666 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-46.94	RMS	36.05	-22.44	1.18	-95.23	33.50	-13.00	-33.94	Horizontal		
2	10385.00	-41.63	RMS	38.73	-19.84	0.16	-95.23	34.55	-13.00	-28.63	Horizontal		
3	13847.00	-36.39	RMS	40.40	-15.32	0.06	-95.23	33.70	-13.00	-23.39	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 90M Ch633666 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-46.75	RMS	36.05	-22.44	1.18	-95.23	33.69	-13.00	-33.75	Vertical		
2	10385.00	-41.65	RMS	38.73	-19.84	0.16	-95.23	34.53	-13.00	-28.65	Vertical		
3	13847.00	-36.23	RMS	40.40	-15.32	0.06	-95.23	33.86	-13.00	-23.23	Vertical		




Ant. Monopole2_ANT1+3

Part 27Q Mode 6


NR SA n77 MIMO 90M Ch633000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	l	dB	dB	dBuV	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-47.03	RMS	36.01	-22.46	1.25	-95.23	33.40	-13.00	-34.03	Horizontal
2	10355.00	-41.66	RMS	38.79	-19.88	0.16	-95.23	34.50	-13.00	-28.66	Horizontal
3	13807.00	-36.28	RMS	40.40	-15.28	0.07	-95.23	33.76	-13.00	-23.28	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	l	dB	dB	dBuV	dBm		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6903.00	-46.95	RMS	36.01	-22.46	1.25	-95.23	33.48	-13.00	-33.95	Vertical
2	10355.00	-41.65	RMS	38.79	-19.88	0.16	-95.23	34.51	-13.00	-28.65	Vertical
3	13807.00	-36.23	RMS	40.40	-15.28	0.07	-95.23	33.81	-13.00	-23.23	Vertical




Ant. Monopole2_ANT1+3

Part 27Q Mode 6


NR SA n77 MIMO 90M Ch633334 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	l	dB	dB	g	g		
	MHz	dBm								dB	
1	6913.00	-46.99	RMS	36.03	-22.45	1.21	-95.23	33.45	-13.00	-33.99	Horizontal
2	10370.00	-41.90	RMS	38.76	-19.86	0.16	-95.23	34.27	-13.00	-28.90	Horizontal
3	13827.00	-36.65	RMS	40.40	-15.30	0.06	-95.23	33.42	-13.00	-23.65	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	l	dB	dB	g	g		
	MHz	dBm								dB	
1	6913.00	-47.03	RMS	36.03	-22.45	1.21	-95.23	33.41	-13.00	-34.03	Vertical
2	10370.00	-41.60	RMS	38.76	-19.86	0.16	-95.23	34.57	-13.00	-28.60	Vertical
3	13827.00	-36.19	RMS	40.40	-15.30	0.06	-95.23	33.88	-13.00	-23.19	Vertical




Ant. Monopole2_ANT1+3

Part 27Q Mode 6


NR SA n77 MIMO 90M Ch633666 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-46.96	RMS	36.05	-22.44	1.18	-95.23	33.48	-13.00	-33.96	Horizontal		
2	10385.00	-41.61	RMS	38.73	-19.84	0.16	-95.23	34.57	-13.00	-28.61	Horizontal		
3	13847.00	-37.05	RMS	40.40	-15.32	0.06	-95.23	33.04	-13.00	-24.05	Horizontal		



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR Band 77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	6923.00	-46.72	RMS	36.05	-22.44	1.18	-95.23	33.72	-13.00	-33.72	Vertical		
2	10385.00	-42.16	RMS	38.73	-19.84	0.16	-95.23	34.02	-13.00	-29.16	Vertical		
3	13847.00	-36.73	RMS	40.40	-15.32	0.06	-95.23	33.36	-13.00	-23.73	Vertical		




Ant. PIFA6_ANT0

Part 270 Mode 1


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7402.00	-46.53	RMS		36.89	-22.07	0.36	-95.23	33.52	-13.00	-33.53		Horizontal
2	11103.00	-40.66	RMS		39.10	-18.97	0.23	-95.23	34.21	-13.00	-27.66		Horizontal
3	14805.00	-35.84	RMS		40.59	-15.59	0.06	-95.23	34.33	-13.00	-22.84		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7402.00	-46.28	RMS		36.89	-22.07	0.36	-95.23	33.77	-13.00	-33.28		Vertical
2	11103.00	-40.92	RMS		39.10	-18.97	0.23	-95.23	33.95	-13.00	-27.92		Vertical
3	14805.00	-35.39	RMS		40.59	-15.59	0.06	-95.23	34.78	-13.00	-22.39		Vertical




Ant. PIFA6_ANT0

Part 270 Mode 1


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-46.24	RMS	36.40	-21.97	0.53	-95.23	34.03	-13.00	-33.24		Horizontal
2	11373.00	-40.17	RMS	39.20	-18.83	0.26	-95.23	34.43	-13.00	-27.17		Horizontal
3	15165.00	-37.02	RMS	39.30	-15.87	0.07	-95.23	34.71	-13.00	-24.02		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-46.53	RMS	36.40	-21.97	0.53	-95.23	33.74	-13.00	-33.53		Vertical
2	11373.00	-40.27	RMS	39.20	-18.83	0.26	-95.23	34.33	-13.00	-27.27		Vertical
3	15165.00	-37.33	RMS	39.30	-15.87	0.07	-95.23	34.40	-13.00	-24.33		Vertical




Ant. PIFA6_ANT0

Part 270 Mode 1


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-45.53	RMS	36.85	-21.92	0.58	-95.23	34.19	-13.00	-32.53		Horizontal
2	11643.00	-41.08	RMS	38.63	-18.68	0.28	-95.23	33.92	-13.00	-28.08		Horizontal
3	15525.00	-36.99	RMS	38.60	-16.03	0.09	-95.23	35.58	-13.00	-23.99		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	7762.00	-45.76	RMS	36.85	-21.92	0.58	-95.23	33.96	-13.00	-32.76		Vertical
2	11643.00	-40.80	RMS	38.63	-18.68	0.28	-95.23	34.20	-13.00	-27.80		Vertical
3	15525.00	-37.25	RMS	38.60	-16.03	0.09	-95.23	35.32	-13.00	-24.25		Vertical




Ant. PIFA6_ANT0

Part 270 Mode 7

NR SA CA n77C 100M + 100M Ch650000 1RB272 BPSK + Ch656664 1RB0 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch650000 1RB272 BPSK

: NR Band 77 100M Ch656664 1RB0 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	7600.00	-46.91	RMS	36.42	-21.96	0.55	-95.23	33.31	-13.00	-33.91	Horizontal
2	11400.00	-40.56	RMS	39.19	-18.81	0.26	-95.23	34.04	-13.00	-27.56	Horizontal
3	15200.00	-36.77	RMS	39.30	-15.89	0.08	-95.23	34.97	-13.00	-23.77	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch650000 1RB272 BPSK

: NR Band 77 100M Ch656664 1RB0 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g	g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	7600.00	-46.80	RMS	36.42	-21.96	0.55	-95.23	33.42	-13.00	-33.80	Vertical
2	11400.00	-40.51	RMS	39.20	-18.82	0.26	-95.23	34.08	-13.00	-27.51	Vertical
3	15200.00	-36.63	RMS	39.30	-15.89	0.08	-95.23	35.11	-13.00	-23.63	Vertical




Ant. PIFA6_ANT0

Part 270 Mode 7

NR SA CA n77C 100M + 100M Ch652668 1RB272 BPSK + Ch659332 1RB0 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch652668 1RB272 BPSK

: NR Band 77 100M Ch659332 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				dB/m	dB							
MHz	dBm					dB	dB	dB	dBuV	dBm	dB	
1 7680.00	-45.78	RMS	36.60	-21.94	0.57	-95.23	34.22	-13.00	-32.78	Horizontal		
2 11520.00	-40.34	RMS	39.12	-18.75	0.27	-95.23	34.25	-13.00	-27.34	Horizontal		
3 15360.00	-36.81	RMS	38.81	-15.97	0.08	-95.23	35.50	-13.00	-23.81	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch652668 1RB272 BPSK

: NR Band 77 100M Ch659332 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				dB/m	dB							
MHz	dBm					dB	dB	dB	dBuV	dBm	dB	
1 7680.00	-45.54	RMS	36.60	-21.94	0.57	-95.23	34.46	-13.00	-32.54	Vertical		
2 11520.00	-40.36	RMS	39.08	-18.74	0.27	-95.23	34.26	-13.00	-27.36	Vertical		
3 15360.00	-36.82	RMS	38.81	-15.97	0.08	-95.23	35.49	-13.00	-23.82	Vertical		




Ant. PIFA6_ANT0

Part 270 Mode 7

NR SA CA n77C 100M + 100M Ch655336 1RB272 BPSK + Ch662000 1RB0 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch655336 1RB272 BPSK

: NR Band 77 100M Ch662000 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				dB/m	dB							
MHz	dBm					dB	dB	dB	dBuV	dBm	dB	
1 7760.00	-45.78	RMS	36.90	-21.92	0.58	-95.23	33.89	-13.00	-32.78	Horizontal		
2 11640.00	-40.46	RMS	38.67	-18.69	0.28	-95.23	34.51	-13.00	-27.46	Horizontal		
3 15520.00	-37.21	RMS	38.60	-16.03	0.09	-95.23	35.36	-13.00	-24.21	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch655336 1RB272 BPSK

: NR Band 77 100M Ch662000 1RB0 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				dB/m	dB							
MHz	dBm					dB	dB	dB	dBuV	dBm	dB	
1 7760.00	-45.56	RMS	36.90	-21.92	0.58	-95.23	34.11	-13.00	-32.56	Vertical		
2 11640.00	-40.89	RMS	38.61	-18.67	0.29	-95.23	34.11	-13.00	-27.89	Vertical		
3 15520.00	-37.53	RMS	38.60	-16.03	0.09	-95.23	35.04	-13.00	-24.53	Vertical		




Ant. PIFA6_ANT1

Part 270 Mode 2


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-45.66	RMS	36.89	-22.07	0.36	-95.23	34.39	-13.00	-32.66	Horizontal
2	11103.00	-40.40	RMS	39.10	-18.97	0.23	-95.23	34.47	-13.00	-27.40	Horizontal
3	14805.00	-36.48	RMS	40.59	-15.59	0.06	-95.23	33.69	-13.00	-23.48	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-45.94	RMS	36.89	-22.07	0.36	-95.23	34.11	-13.00	-32.94	Vertical
2	11103.00	-40.59	RMS	39.10	-18.97	0.23	-95.23	34.28	-13.00	-27.59	Vertical
3	14805.00	-36.27	RMS	40.59	-15.59	0.06	-95.23	33.90	-13.00	-23.27	Vertical




Ant. PIFA6_ANT1

Part 270 Mode 2


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-46.14	RMS	36.40	-21.97	0.53	-95.23	34.13	-13.00	-33.14	Horizontal	
2	11373.00	-40.42	RMS	39.20	-18.83	0.26	-95.23	34.18	-13.00	-27.42	Horizontal	
3	15165.00	-38.18	RMS	39.30	-15.87	0.07	-95.23	33.55	-13.00	-25.18	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-46.22	RMS	36.40	-21.97	0.53	-95.23	34.05	-13.00	-33.22	Vertical	
2	11373.00	-40.51	RMS	39.20	-18.83	0.26	-95.23	34.09	-13.00	-27.51	Vertical	
3	15165.00	-37.76	RMS	39.30	-15.87	0.07	-95.23	33.97	-13.00	-24.76	Vertical	




Ant. PIFA6_ANT1

Part 27O Mode 2


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-45.77	RMS	36.85	-21.92	0.58	-95.23	33.95	-13.00	-32.77	Horizontal	
2	11643.00	-40.85	RMS	38.63	-18.68	0.28	-95.23	34.15	-13.00	-27.85	Horizontal	
3	15525.00	-37.49	RMS	38.60	-16.03	0.09	-95.23	35.08	-13.00	-24.49	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-45.47	RMS	36.85	-21.92	0.58	-95.23	34.25	-13.00	-32.47	Vertical	
2	11643.00	-40.75	RMS	38.63	-18.68	0.28	-95.23	34.25	-13.00	-27.75	Vertical	
3	15525.00	-37.89	RMS	38.60	-16.03	0.09	-95.23	34.68	-13.00	-24.89	Vertical	




Ant. PIFA6_ANT2

Part 270 Mode 3


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	l	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-46.17	RMS	36.89	-22.07	0.36	-95.23	33.88	-13.00	-33.17	Horizontal
2	11103.00	-40.53	RMS	39.10	-18.97	0.23	-95.23	34.34	-13.00	-27.53	Horizontal
3	14805.00	-36.84	RMS	40.59	-15.59	0.06	-95.23	33.33	-13.00	-23.84	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	l	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7402.00	-46.21	RMS	36.89	-22.07	0.36	-95.23	33.84	-13.00	-33.21	Vertical
2	11103.00	-40.89	RMS	39.10	-18.97	0.23	-95.23	33.98	-13.00	-27.89	Vertical
3	14805.00	-36.82	RMS	40.59	-15.59	0.06	-95.23	33.35	-13.00	-23.82	Vertical




Ant. PIFA6_ANT2

Part 27O Mode 3


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7582.00	-46.12	RMS		36.40	-21.97	0.53	-95.23	34.15	-13.00	-33.12		Horizontal
2	11373.00	-40.67	RMS		39.20	-18.83	0.26	-95.23	33.93	-13.00	-27.67		Horizontal
3	15165.00	-38.74	RMS		39.30	-15.87	0.07	-95.23	32.99	-13.00	-25.74		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7582.00	-46.60	RMS		36.40	-21.97	0.53	-95.23	33.67	-13.00	-33.60		Vertical
2	11373.00	-40.87	RMS		39.20	-18.83	0.26	-95.23	33.73	-13.00	-27.87		Vertical
3	15165.00	-38.81	RMS		39.30	-15.87	0.07	-95.23	32.92	-13.00	-25.81		Vertical




Ant. PIFA6_ANT2

Part 27O Mode 3


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-45.80	RMS	36.85	-21.92	0.58	-95.23	33.92	-13.00	-32.80	Horizontal	
2	11643.00	-41.01	RMS	38.63	-18.68	0.28	-95.23	33.99	-13.00	-28.01	Horizontal	
3	15525.00	-38.10	RMS	38.60	-16.03	0.09	-95.23	34.47	-13.00	-25.10	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-45.92	RMS	36.85	-21.92	0.58	-95.23	33.80	-13.00	-32.92	Vertical	
2	11643.00	-40.66	RMS	38.63	-18.68	0.28	-95.23	34.34	-13.00	-27.66	Vertical	
3	15525.00	-38.22	RMS	38.60	-16.03	0.09	-95.23	34.35	-13.00	-25.22	Vertical	




Ant. PIFA6_ANT3

Part 270 Mode 4


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1			g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-43.19	RMS	36.89	-22.07	0.36	-95.23	36.86	-13.00	-30.19		Horizontal
2	11103.00	-41.17	RMS	39.10	-18.97	0.23	-95.23	33.70	-13.00	-28.17		Horizontal
3	14805.00	-37.08	RMS	40.59	-15.59	0.06	-95.23	33.09	-13.00	-24.08		Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1			g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-42.94	RMS	36.89	-22.07	0.36	-95.23	37.11	-13.00	-29.94		Vertical
2	11103.00	-41.25	RMS	39.10	-18.97	0.23	-95.23	33.62	-13.00	-28.25		Vertical
3	14805.00	-37.02	RMS	40.59	-15.59	0.06	-95.23	33.15	-13.00	-24.02		Vertical




Ant. PIFA6_ANT3

Part 270 Mode 4


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7582.00	-42.90	RMS	36.40	-21.97	0.53	-95.23	37.37	-13.00	-29.90			Horizontal
2	11373.00	-41.09	RMS	39.20	-18.83	0.26	-95.23	33.51	-13.00	-28.09			Horizontal
3	15165.00	-38.67	RMS	39.30	-15.87	0.07	-95.23	33.06	-13.00	-25.67			Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7582.00	-41.52	RMS	36.40	-21.97	0.53	-95.23	38.75	-13.00	-28.52			Vertical
2	11373.00	-40.55	RMS	39.20	-18.83	0.26	-95.23	34.05	-13.00	-27.55			Vertical
3	15165.00	-38.82	RMS	39.30	-15.87	0.07	-95.23	32.91	-13.00	-25.82			Vertical




Ant. PIFA6_ANT3

Part 270 Mode 4


NR SA n77 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
			Factor	1	dB	dB				
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7762.00	-41.37	RMS	36.85	-21.92	0.58	-95.23	38.35	-13.00	-28.37	Horizontal
2 11643.00	-41.45	RMS	38.63	-18.68	0.28	-95.23	33.55	-13.00	-28.45	Horizontal
3 15525.00	-38.50	RMS	38.60	-16.03	0.09	-95.23	34.07	-13.00	-25.50	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch662000 1RB1 BPSK

Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
			Factor	1	dB	dB				
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1 7762.00	-41.76	RMS	36.85	-21.92	0.58	-95.23	37.96	-13.00	-28.76	Vertical
2 11643.00	-41.68	RMS	38.63	-18.68	0.28	-95.23	33.32	-13.00	-28.68	Vertical
3 15525.00	-38.32	RMS	38.60	-16.03	0.09	-95.23	34.25	-13.00	-25.32	Vertical




Ant. PIFA6_ANT0+2

Part 270 Mode 5

NR SA n77 MIMO 100M Ch650000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch650000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-46.29	RMS	36.89	-22.07	0.36	-95.23	33.76	-13.00	-33.29	Horizontal	
2	11103.00	-41.14	RMS	39.10	-18.97	0.23	-95.23	33.73	-13.00	-28.14	Horizontal	
3	14805.00	-35.83	RMS	40.59	-15.59	0.06	-95.23	34.34	-13.00	-22.83	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch650000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.00	-46.67	RMS	36.89	-22.07	0.36	-95.23	33.38	-13.00	-33.67	Vertical	
2	11103.00	-41.28	RMS	39.10	-18.97	0.23	-95.23	33.59	-13.00	-28.28	Vertical	
3	14805.00	-35.83	RMS	40.59	-15.59	0.06	-95.23	34.34	-13.00	-22.83	Vertical	




Ant. PIFA6_ANT0+2

Part 270 Mode 5

NR SA n77 MIMO 100M Ch656000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch656000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-45.10	RMS	36.40	-21.97	0.53	-95.23	35.17	-13.00	-32.10	Horizontal	
2	11373.00	-40.16	RMS	39.20	-18.83	0.26	-95.23	34.44	-13.00	-27.16	Horizontal	
3	15165.00	-36.87	RMS	39.30	-15.87	0.07	-95.23	34.86	-13.00	-23.87	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch656000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-45.59	RMS	36.40	-21.97	0.53	-95.23	34.68	-13.00	-32.59	Vertical	
2	11373.00	-40.33	RMS	39.20	-18.83	0.26	-95.23	34.27	-13.00	-27.33	Vertical	
3	15165.00	-36.27	RMS	39.30	-15.87	0.07	-95.23	35.46	-13.00	-23.27	Vertical	




Ant. PIFA6_ANT0+2

Part 27O Mode 5

NR SA n77 MIMO 100M Ch662000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR Band 77 100M Ch662000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-46.14	RMS	36.85	-21.92	0.58	-95.23	33.58	-13.00	-33.14	Horizontal	
2	11643.00	-40.87	RMS	38.63	-18.68	0.28	-95.23	34.13	-13.00	-27.87	Horizontal	
3	15525.00	-37.44	RMS	38.60	-16.03	0.09	-95.23	35.13	-13.00	-24.44	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR Band 77 100M Ch662000 MIMO 1RB1 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7762.00	-45.86	RMS	36.85	-21.92	0.58	-95.23	33.86	-13.00	-32.86	Vertical	
2	11643.00	-41.33	RMS	38.63	-18.68	0.28	-95.23	33.67	-13.00	-28.33	Vertical	
3	15525.00	-37.68	RMS	38.60	-16.03	0.09	-95.23	34.89	-13.00	-24.68	Vertical	




Ant. PIFA6_ANT1+3

Part 270 Mode 6


NR SA n77 MIMO 100M Ch650000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7402.00	-46.61	RMS	36.89	-22.07	0.36	-95.23	33.44	-13.00	-33.61			Horizontal
2	11103.00	-42.19	RMS	39.10	-18.97	0.23	-95.23	32.68	-13.00	-29.19			Horizontal
3	14805.00	-35.44	RMS	40.59	-15.59	0.06	-95.23	34.73	-13.00	-22.44			Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7402.00	-46.62	RMS	36.89	-22.07	0.36	-95.23	33.43	-13.00	-33.62			Vertical
2	11103.00	-42.04	RMS	39.10	-18.97	0.23	-95.23	32.83	-13.00	-29.04			Vertical
3	14805.00	-35.63	RMS	40.59	-15.59	0.06	-95.23	34.54	-13.00	-22.63			Vertical




Ant. PIFA6_ANT1+3

Part 270 Mode 6


NR SA n77 MIMO 100M Ch656000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-46.53	RMS	36.40	-21.97	0.53	-95.23	33.74	-13.00	-33.53	Horizontal	
2	11373.00	-40.75	RMS	39.20	-18.83	0.26	-95.23	33.85	-13.00	-27.75	Horizontal	
3	15165.00	-37.31	RMS	39.30	-15.87	0.07	-95.23	34.42	-13.00	-24.31	Horizontal	



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-46.52	RMS	36.40	-21.97	0.53	-95.23	33.75	-13.00	-33.52	Vertical	
2	11373.00	-41.00	RMS	39.20	-18.83	0.26	-95.23	33.60	-13.00	-28.00	Vertical	
3	15165.00	-37.35	RMS	39.30	-15.87	0.07	-95.23	34.38	-13.00	-24.35	Vertical	




Ant. PIFA6_ANT1+3

Part 270 Mode 6


NR SA n77 MIMO 100M Ch662000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Horizontal
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	7762.00	-46.44	RMS	36.85	-21.92	0.58	-95.23	33.28	-13.00	-33.44	Horizontal
2	11643.00	-41.23	RMS	38.63	-18.68	0.28	-95.23	33.77	-13.00	-28.23	Horizontal
3	15525.00	-37.65	RMS	38.60	-16.03	0.09	-95.23	34.92	-13.00	-24.65	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00994_250109 Vertical
: NR SA n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin	Pol
				Factor	1	dB	dB	dBuV	dBm		
1	7762.00	-46.24	RMS	36.85	-21.92	0.58	-95.23	33.48	-13.00	-33.24	Vertical
2	11643.00	-41.28	RMS	38.63	-18.68	0.28	-95.23	33.72	-13.00	-28.28	Vertical
3	15525.00	-37.48	RMS	38.60	-16.03	0.09	-95.23	35.09	-13.00	-24.48	Vertical




Ant. PIFA6_ANT0

Part 27H Mode 2

NR SA n12 15M Ch141300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1400.00	-62.37	RMS		25.80	-30.22	0.63	-95.23	36.65	-13.00	-49.37		Horizontal
2	2100.00	-60.31	RMS		27.50	-27.69	0.34	-95.23	34.77	-13.00	-47.31		Horizontal
3	2800.00	-55.65	RMS		28.60	-26.92	0.19	-95.23	37.71	-13.00	-42.65		Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1400.00	-62.88	RMS		25.80	-30.22	0.63	-95.23	36.14	-13.00	-49.88		Vertical
2	2100.00	-59.67	RMS		27.50	-27.69	0.34	-95.23	35.41	-13.00	-46.67		Vertical
3	2800.00	-54.63	RMS		28.60	-26.92	0.19	-95.23	38.73	-13.00	-41.63		Vertical




Ant. PIFA6_ANT0

Part 27H Mode 2

NR SA n12 15M Ch141500 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1402.00	-62.26	RMS	25.80	-30.21	0.63	-95.23	36.75	-13.00	-49.26	Horizontal		
2	2103.00	-59.97	RMS	27.53	-27.69	0.34	-95.23	35.08	-13.00	-46.97	Horizontal		
3	2804.00	-54.41	RMS	28.60	-26.92	0.19	-95.23	38.95	-13.00	-41.41	Horizontal		



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1402.00	-62.66	RMS	25.80	-30.21	0.63	-95.23	36.35	-13.00	-49.66	Vertical		
2	2103.00	-59.47	RMS	27.53	-27.69	0.34	-95.23	35.58	-13.00	-46.47	Vertical		
3	2804.00	-55.87	RMS	28.60	-26.92	0.19	-95.23	37.49	-13.00	-42.87	Vertical		




Ant. PIFA6_ANT0

Part 27H Mode 2

NR SA n12 15M Ch141700 1RB1 BPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1404.00	-61.63	RMS	25.80	-30.21	0.63	-95.23	37.38	-13.00	-48.63	Horizontal		
2	2106.00	-59.96	RMS	27.56	-27.68	0.34	-95.23	35.05	-13.00	-46.96	Horizontal		
3	2808.00	-54.35	RMS	28.60	-26.91	0.19	-95.23	39.00	-13.00	-41.35	Horizontal		



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1404.00	-62.35	RMS	25.80	-30.21	0.63	-95.23	36.66	-13.00	-49.35	Vertical		
2	2106.00	-59.80	RMS	27.56	-27.68	0.34	-95.23	35.21	-13.00	-46.80	Vertical		
3	2808.00	-56.08	RMS	28.60	-26.91	0.19	-95.23	37.27	-13.00	-43.08	Vertical		




Ant. Monopole5_ANT0

Part 27F Mode 3

NR SA n13 5M Ch155900 1RB0 QPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1555.00	-62.64	RMS	25.50	-29.72	0.47	-95.23	36.33	-13.00	-49.64	Horizontal		
2	2333.00	-59.07	RMS	27.40	-27.42	0.29	-95.23	35.89	-13.00	-46.07	Horizontal		
3	3110.00	-56.52	RMS	29.82	-26.52	0.11	-95.23	35.30	-13.00	-43.52	Horizontal		



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1555.00	-62.82	RMS	25.50	-29.72	0.47	-95.23	36.15	-13.00	-49.82	Vertical		
2	2333.00	-58.51	RMS	27.40	-27.42	0.29	-95.23	36.45	-13.00	-45.51	Vertical		
3	3110.00	-56.49	RMS	29.82	-26.52	0.11	-95.23	35.33	-13.00	-43.49	Vertical		




Ant. Monopole5_ANT0

Part 27F Mode 3

NR SA n13 5M Ch156400 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n13 5M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1560.00	-62.66	RMS	25.50	-29.70	0.47	-95.23	36.30	-42.15	-20.51	Horizontal		
2	2340.00	-59.07	RMS	27.40	-27.41	0.28	-95.23	35.89	-13.00	-46.07	Horizontal		
3	3120.00	-56.54	RMS	29.84	-26.51	0.11	-95.23	35.25	-13.00	-43.54	Horizontal		



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n13 5M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1560.00	-62.96	RMS	25.50	-29.70	0.47	-95.23	36.00	-42.15	-20.81	Vertical		
2	2340.00	-58.96	RMS	27.40	-27.41	0.28	-95.23	36.00	-13.00	-45.96	Vertical		
3	3120.00	-56.37	RMS	29.84	-26.51	0.11	-95.23	35.42	-13.00	-43.37	Vertical		




Ant. Monopole5_ANT0

Part 27F Mode 3

NR SA n13 5M Ch156900 1RB0 QPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm							dBuV	dBm	dB		
1	1565.00	-63.32	RMS	25.50	-29.67	0.47	-95.23	-95.23	35.62	-42.15	-21.17		Horizontal
2	2348.00	-59.04	RMS	27.40	-27.41	0.28	-95.23	-95.23	35.92	-13.00	-46.04		Horizontal
3	3130.00	-56.77	RMS	29.86	-26.49	0.11	-95.23	-95.23	34.98	-13.00	-43.77		Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm							dBuV	dBm	dB		
1	1565.00	-62.45	RMS	25.50	-29.67	0.47	-95.23	-95.23	36.49	-42.15	-20.30		Vertical
2	2348.00	-59.07	RMS	27.40	-27.41	0.28	-95.23	-95.23	35.89	-13.00	-46.07		Vertical
3	3130.00	-56.92	RMS	29.86	-26.49	0.11	-95.23	-95.23	34.83	-13.00	-43.92		Vertical




Ant. Monopole5_ANT0

Part 27F Mode 4

NR SA n13 10M Ch156400 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Horizontal

: NR SA n13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1556.00	-62.75	RMS	25.50	-29.71	0.47	-95.23	36.22	-13.00	-49.75	Horizontal		
2	2333.00	-59.10	RMS	27.40	-27.42	0.29	-95.23	35.86	-13.00	-46.10	Horizontal		
3	3111.00	-56.85	RMS	29.82	-26.52	0.11	-95.23	34.97	-13.00	-43.85	Horizontal		



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-250702 Vertical

: NR SA n13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1556.00	-62.56	RMS	25.50	-29.71	0.47	-95.23	36.41	-13.00	-49.56	Vertical		
2	2333.00	-59.34	RMS	27.40	-27.42	0.29	-95.23	35.62	-13.00	-46.34	Vertical		
3	3111.00	-56.68	RMS	29.82	-26.52	0.11	-95.23	35.14	-13.00	-43.68	Vertical		




Ant. Monopole7_ANT0

Part 27D Mode 4


NR SA n30 10M Ch462000 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Horizontal
: SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-62.59	RMS	31.85	-56.79	0.60	-95.23	56.98	-40.00	-22.59	Horizontal	
2	6917.00	-58.55	RMS	36.03	-53.42	0.26	-95.23	53.81	-40.00	-18.55	Horizontal	
3	9223.00	-57.88	RMS	38.10	-53.00	0.22	-95.23	52.03	-40.00	-17.88	Horizontal	



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Vertical
: SA NR n30 BW10M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4612.00	-59.21	RMS	31.85	-56.79	0.60	-95.23	60.36	-40.00	-19.21	Vertical	
2	6917.00	-57.09	RMS	36.03	-53.42	0.26	-95.23	55.27	-40.00	-17.09	Vertical	
3	9223.00	-57.71	RMS	38.10	-53.00	0.22	-95.23	52.20	-40.00	-17.71	Vertical	




Ant. Monopole7_ANT0

Part 27D Mode 5


NR SA n30 5M Ch461500 1RB0 QPSK

L



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Horizontal
: SA NR n30 BW5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-61.74	RMS	31.84	-56.80	0.60	-95.23	57.85	-40.00	-21.74	Horizontal
2	6917.00	-59.59	RMS	36.03	-53.42	0.26	-95.23	52.77	-40.00	-19.59	Horizontal
3	9222.00	-57.97	RMS	38.10	-53.00	0.22	-95.23	51.94	-40.00	-17.97	Horizontal



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Vertical
: SA NR n30 BW5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-59.20	RMS	31.84	-56.80	0.60	-95.23	60.39	-40.00	-19.20	Vertical
2	6917.00	-56.83	RMS	36.03	-53.42	0.26	-95.23	55.53	-40.00	-16.83	Vertical
3	9222.00	-57.80	RMS	38.10	-53.00	0.22	-95.23	52.11	-40.00	-17.80	Vertical




Ant. Monopole7_ANT0

Part 27D Mode 5


NR SA n30 5M Ch462000 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Horizontal
: SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-62.36	RMS	31.86	-56.77	0.60	-95.23	57.18	-40.00	-22.36	Horizontal	
2	6924.00	-59.63	RMS	36.05	-53.42	0.27	-95.23	52.70	-40.00	-19.63	Horizontal	
3	9232.00	-57.73	RMS	38.10	-53.00	0.21	-95.23	52.19	-40.00	-17.73	Horizontal	



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Vertical
: SA NR n30 BW5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-58.19	RMS	31.86	-56.77	0.60	-95.23	61.35	-40.00	-18.19	Vertical	
2	6924.00	-59.49	RMS	36.05	-53.42	0.27	-95.23	52.84	-40.00	-19.49	Vertical	
3	9232.00	-57.76	RMS	38.10	-53.00	0.21	-95.23	52.16	-40.00	-17.76	Vertical	




Ant. Monopole7_ANT0

Part 27D Mode 5


NR SA n30 5M Ch462500 1RB0 QPSK

H



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Horizontal
: SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-62.91	RMS	31.88	-56.75	0.59	-95.23	56.60	-40.00	-22.91	Horizontal	
2	6931.00	-59.76	RMS	36.06	-53.42	0.27	-95.23	52.56	-40.00	-19.76	Horizontal	
3	9242.00	-57.83	RMS	38.10	-53.00	0.20	-95.23	52.10	-40.00	-17.83	Horizontal	



Site : 03CH12-HY
Condition: -40 1m SHF_00994_250109 Vertical
: SA NR n30 BW5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-59.58	RMS	31.88	-56.75	0.59	-95.23	59.93	-40.00	-19.58	Vertical	
2	6931.00	-59.62	RMS	36.06	-53.42	0.27	-95.23	52.70	-40.00	-19.62	Vertical	
3	9242.00	-57.79	RMS	38.10	-53.00	0.20	-95.23	52.14	-40.00	-17.79	Vertical	




Ant. PIFA3_ANT0

Part 27L Mode 6

NR SA n66 50M Ch347000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR SA n66 50M Ch347000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	l	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3425.00	-56.48	RMS	29.75	-26.04	0.95	-95.23	34.09	-13.00	-43.48	Horizontal
2	5138.00	-51.13	RMS	33.28	-23.84	0.77	-95.23	33.89	-13.00	-38.13	Horizontal
3	6851.00	-48.34	RMS	36.10	-22.50	0.23	-95.23	33.06	-13.00	-35.34	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR SA n66 50M Ch347000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	l	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3425.00	-56.59	RMS	29.75	-26.04	0.95	-95.23	33.98	-13.00	-43.59	Vertical
2	5138.00	-51.26	RMS	33.28	-23.84	0.77	-95.23	33.76	-13.00	-38.26	Vertical
3	6851.00	-48.61	RMS	36.10	-22.50	0.23	-95.23	32.79	-13.00	-35.61	Vertical




Ant. PIFA3_ANT0

Part 27L Mode 6


NR SA n66 50M Ch349000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Horizontal
: NR SA n66 50M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3445.00	-55.98	RMS	29.71	-26.00	0.97	-95.23	34.57	-13.00	-42.98	Horizontal
2	5168.00	-50.97	RMS	33.34	-23.81	0.80	-95.23	33.93	-13.00	-37.97	Horizontal
3	6891.00	-48.09	RMS	36.02	-22.47	0.25	-95.23	33.34	-13.00	-35.09	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-250702 Vertical
: NR SA n66 50M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3445.00	-55.94	RMS	29.71	-26.00	0.97	-95.23	34.61	-13.00	-42.94	Vertical
2	5168.00	-51.23	RMS	33.34	-23.81	0.80	-95.23	33.67	-13.00	-38.23	Vertical
3	6891.00	-48.33	RMS	36.02	-22.47	0.25	-95.23	33.10	-13.00	-35.33	Vertical




Ant. PIFA3_ANT0

Part 27L Mode 6

NR SA n66 50M Ch351000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR SA n66 50M Ch351000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1	dB	dB					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	3465.00	-56.18	RMS	29.67	-25.97	0.99	-95.23	34.36	-13.00	-43.18	Horizontal	
2	5198.00	-51.25	RMS	33.40	-23.78	0.83	-95.23	33.53	-13.00	-38.25	Horizontal	
3	6931.00	-48.15	RMS	36.06	-22.43	0.27	-95.23	33.18	-13.00	-35.15	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR SA n66 50M Ch351000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1	dB	dB					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	3465.00	-55.93	RMS	29.67	-25.97	0.99	-95.23	34.61	-13.00	-42.93	Vertical	
2	5198.00	-51.14	RMS	33.40	-23.78	0.83	-95.23	33.64	-13.00	-38.14	Vertical	
3	6931.00	-47.76	RMS	36.06	-22.43	0.27	-95.23	33.57	-13.00	-34.76	Vertical	




Ant. PIFA3_ANT0

Part 27L Mode 8

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	l	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-56.22	RMS	29.78	-26.10	0.95	-95.23	34.38	-13.00	-43.22	Horizontal
2	5087.00	-50.87	RMS	33.28	-23.90	0.72	-95.23	34.26	-13.00	-37.87	Horizontal
3	6783.00	-47.88	RMS	36.13	-22.55	0.20	-95.23	33.57	-13.00	-34.88	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR SA n70 10M Ch340000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	l	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3391.00	-56.48	RMS	29.78	-26.10	0.95	-95.23	34.12	-13.00	-43.48	Vertical
2	5087.00	-51.19	RMS	33.28	-23.90	0.72	-95.23	33.94	-13.00	-38.19	Vertical
3	6783.00	-47.42	RMS	36.13	-22.55	0.20	-95.23	34.03	-13.00	-34.42	Vertical




Ant. PIFA3_ANT0

Part 27L Mode 8

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	3396.00	-56.39	RMS	29.79	-26.09	0.94	-95.23	34.20	-13.00	-43.39	Horizontal
2	5094.00	-51.22	RMS	33.24	-23.89	0.72	-95.23	33.94	-13.00	-38.22	Horizontal
3	6793.00	-48.47	RMS	36.11	-22.54	0.20	-95.23	32.99	-13.00	-35.47	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	3396.00	-56.38	RMS	29.79	-26.09	0.94	-95.23	34.21	-13.00	-43.38	Vertical
2	5094.00	-51.12	RMS	33.24	-23.89	0.72	-95.23	34.04	-13.00	-38.12	Vertical
3	6793.00	-47.79	RMS	36.11	-22.54	0.20	-95.23	33.67	-13.00	-34.79	Vertical




Ant. PIFA3_ANT0

Part 27L Mode 8

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Horizontal

: NR SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-56.10	RMS	29.80	-26.08	0.93	-95.23	34.48	-13.00	-43.10	Horizontal
2	5102.00	-51.15	RMS	33.20	-23.88	0.73	-95.23	34.03	-13.00	-38.15	Horizontal
3	6803.00	-48.20	RMS	36.10	-22.54	0.20	-95.23	33.27	-13.00	-35.20	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-250702 Vertical

: NR SA n70 10M Ch341000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3401.00	-56.40	RMS	29.80	-26.08	0.93	-95.23	34.18	-13.00	-43.40	Vertical
2	5102.00	-50.89	RMS	33.20	-23.88	0.73	-95.23	34.29	-13.00	-37.89	Vertical
3	6803.00	-47.84	RMS	36.10	-22.54	0.20	-95.23	33.63	-13.00	-34.84	Vertical




Ant. PIFA3_ANT0+2


Part 27L Mode 7

EN-DC B5+N66 10M + 50M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M



	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	3445.00	-53.91	RMS	29.71	-26.00	0.97 -95.23	36.64	-13.00	-40.91	Horizontal	
2	5168.00	-51.06	RMS	33.34	-23.81	0.80 -95.23	33.84	-13.00	-38.06	Horizontal	
3	6891.00	-48.20	RMS	36.02	-22.47	0.25 -95.23	33.23	-13.00	-35.20	Horizontal	



	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	3445.00	-55.50	RMS	29.71	-26.00	0.97 -95.23	35.05	-13.00	-42.50	Vertical	
2	5168.00	-51.51	RMS	33.34	-23.81	0.80 -95.23	33.39	-13.00	-38.51	Vertical	
3	6891.00	-48.54	RMS	36.02	-22.47	0.25 -95.23	32.89	-13.00	-35.54	Vertical	




Ant. Monopole3_ANT0

Part 27M Mode 6


NR SA n7 50M Ch505000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -25 1m SHF_00994_250109 Horizontal
: NR SA n7 50M Ch505000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1	dB	dB					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	5006.00	-60.85	RMS	33.59	-56.29	0.64	-95.23	56.44	-25.00	-35.85	Horizontal	
2	7508.00	-59.26	RMS	36.57	-53.13	0.14	-95.23	52.39	-25.00	-34.26	Horizontal	
3	10011.00	-57.62	RMS	38.34	-52.66	0.04	-95.23	51.89	-25.00	-32.62	Horizontal	



Site : 03CH12-HY
Condition: -25 1m SHF_00994_250109 Vertical
: NR SA n7 50M Ch505000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin		Pol
				Factor	1	dB	dB					
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB		
1	5006.00	-60.80	RMS	33.59	-56.29	0.64	-95.23	56.49	-25.00	-35.80	Vertical	
2	7508.00	-59.40	RMS	36.57	-53.13	0.14	-95.23	52.25	-25.00	-34.40	Vertical	
3	10011.00	-57.88	RMS	38.34	-52.66	0.04	-95.23	51.63	-25.00	-32.88	Vertical	




Ant. Monopole3_ANT0

Part 27M Mode 6


NR SA n7 50M Ch507000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -25 1m SHF_00994_250109 Horizontal
: NR SA n7 50M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	5026.00	-61.05	RMS	33.55	-56.24	0.66	-95.23	56.21	-25.00	-36.05	Horizontal
2	7538.00	-59.59	RMS	36.45	-53.13	0.11	-95.23	52.21	-25.00	-34.59	Horizontal
3	10051.00	-57.94	RMS	38.50	-52.60	0.04	-95.23	51.35	-25.00	-32.94	Horizontal



Site : 03CH12-HY
Condition: -25 1m SHF_00994_250109 Vertical
: NR SA n7 50M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB				
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	5026.00	-59.45	RMS	33.55	-56.24	0.66	-95.23	57.81	-25.00	-34.45	Vertical
2	7538.00	-59.50	RMS	36.45	-53.13	0.11	-95.23	52.30	-25.00	-34.50	Vertical
3	10051.00	-58.09	RMS	38.50	-52.60	0.04	-95.23	51.20	-25.00	-33.09	Vertical




Ant. Monopole3_ANT0

Part 27M Mode 6


NR SA n7 50M Ch509000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -25 1m SHF_00994_250109 Horizontal
: NR SA n7 50M Ch509000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5046.00	-60.90	RMS	33.51	-56.19	0.68	-95.23	56.33	-25.00	-35.90	Horizontal
2	7568.00	-60.29	RMS	36.40	-53.13	0.07	-95.23	51.60	-25.00	-35.29	Horizontal
3	10091.00	-57.33	RMS	38.42	-52.54	0.04	-95.23	51.98	-25.00	-32.33	Horizontal



Site : 03CH12-HY
Condition: -25 1m SHF_00994_250109 Vertical
: NR SA n7 50M Ch509000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	5046.00	-60.97	RMS	33.51	-56.19	0.68	-95.23	56.26	-25.00	-35.97	Vertical
2	7568.00	-60.39	RMS	36.40	-53.13	0.07	-95.23	51.50	-25.00	-35.39	Vertical
3	10091.00	-57.80	RMS	38.42	-52.54	0.04	-95.23	51.51	-25.00	-32.80	Vertical