




**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T STANDARD POWER**




**LOW CHANNEL CHAIN 0**




**LOW CHANNEL CHAIN 1**




**MID CHANNEL CHAIN 0**



**MID CHANNEL CHAIN 1**




**HIGH CHANNEL CHAIN 0**




**HIGH CHANNEL CHAIN 1**

## 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T LOW POWER INDOOR




### 9.5.5. 802.11be EHT160 MODE 2TX IN THE UNII-5 BAND (LOW GAIN)

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) STANDARD POWER




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7676          | -55.74              | RMS | 13.6  | 1.9     | -40.24                | -36.3         | -3.94       |
| 2      | 6.01816         | -12.71              | RMS | 13.7  | 2.3     | 3.29                  | 3.34          | -.05        |
| 3      | 6.28096         | -59.87              | RMS | 13.8  | 2.3     | -43.77                | -36.11        | -7.66       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93716         | -70.9               | RMS | 13.7  | 1.9     | -55.3                 | -26.95        | -28.35      |
| 2      | 6.0214          | -26.21              | RMS | 13.7  | 2.3     | -10.21                | -10.15        | -.06        |
| 3      | 6.11536         | -72.76              | RMS | 13.7  | 2.3     | -56.76                | -30.37        | -26.39      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.94812         | -53.24              | RMS | 13.7  | 2       | -37.54                | -33.64        | -3.9        |
| 2      | 6.19184         | -13                 | RMS | 13.8  | 2.3     | 3.1                   | 3.15          | -.05        |
| 3      | 6.43412         | -58.12              | RMS | 13.9  | 2       | -42.22                | -35.36        | -6.86       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.91968         | -57.08              | RMS | 13.6  | 1.9     | -41.58                | -37.58        | -4          |
| 2      | 6.17888         | -13.92              | RMS | 13.8  | 2.3     | 2.18                  | 2.42          | -.24        |
| 3      | 6.44168         | -59.4               | RMS | 13.9  | 2       | -43.5                 | -37.13        | -6.37       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.10056         | -54.68              | RMS | 13.8  | 2.3     | -38.58                | -34.92        | -3.66       |
| 2      | 6.34968         | -13.45              | RMS | 13.8  | 2.3     | 2.65                  | 2.92          | -.27        |
| 3      | 6.61356         | -60.05              | RMS | 13.9  | 2.6     | -43.55                | -37.08        | -6.47       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08652         | -56.98              | RMS | 13.7  | 2.3     | -40.98                | -37.76        | -3.22       |
| 2      | 6.35688         | -14.21              | RMS | 13.8  | 2.3     | 1.89                  | 2.03          | -.14        |
| 3      | 6.59412         | -57.9               | RMS | 13.9  | 2.6     | -41.4                 | -36.48        | -4.92       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9368          | -69.05              | RMS | 13.7  | 1.9     | -53.45                | -28.22        | -25.23      |
| 2      | 6.03292         | -24.25              | RMS | 13.7  | 2.3     | -8.25                 | -8.2          | -.05        |
| 3      | 6.11284         | -70.3               | RMS | 13.7  | 2.3     | -54.3                 | -25           | -29.3       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93716         | -70.9               | RMS | 13.7  | 1.9     | -55.3                 | -26.95        | -28.35      |
| 2      | 6.0214          | -26.21              | RMS | 13.7  | 2.3     | -10.21                | -10.15        | -.06        |
| 3      | 6.11536         | -72.76              | RMS | 13.7  | 2.3     | -56.76                | -30.37        | -26.39      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09608         | -68.12              | RMS | 13.8  | 2.3     | -52.02                | -29.47        | -22.55      |
| 2      | 6.11336         | -25.41              | RMS | 13.7  | 2.3     | -9.41                 | -9.38         | -.03        |
| 3      | 6.275           | -69.97              | RMS | 13.8  | 2.3     | -53.87                | -29.57        | -24.3       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09716         | -67.87              | RMS | 13.7  | 2.3     | -51.87                | -26.61        | -25.26      |
| 2      | 6.18176         | -25.97              | RMS | 13.8  | 2.3     | -9.87                 | -9.81         | -.06        |
| 3      | 6.27104         | -70.79              | RMS | 13.8  | 2.3     | -54.69                | -9.81         | -44.88      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25716         | -67.54              | RMS | 13.8  | 2.3     | -51.44                | -26.23        | -25.21      |
| 2      | 6.33996         | -25.68              | RMS | 13.8  | 2.3     | -9.58                 | -9.43         | -.15        |
| 3      | 6.43356         | -70.01              | RMS | 13.9  | 2       | -54.11                | -29.48        | -24.63      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25644         | -68.87              | RMS | 13.8  | 2.3     | -52.77                | -30.79        | -21.98      |
| 2      | 6.35616         | -26.96              | RMS | 13.8  | 2.3     | -10.86                | -10.74        | -.12        |
| 3      | 6.43428         | -71.82              | RMS | 13.9  | 2       | -55.92                | -30.86        | -25.06      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.76616         | -52.54              | RMS | 13.5  | 1.9     | -37.14                | -36.52        | -.62        |
| 2      | 6.01888         | -12.81              | RMS | 13.7  | 2.3     | 3.19                  | 3.32          | -.13        |
| 3      | 6.22264         | -45.86              | RMS | 13.8  | 2.3     | -29.76                | -28.1         | -1.66       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.773           | -53.79              | RMS | 13.6  | 1.9     | -38.29                | -36.96        | -1.33       |
| 2      | 6.02176         | -14.16              | RMS | 13.7  | 2.3     | 1.84                  | 1.93          | -.09        |
| 3      | 6.24064         | -51.03              | RMS | 13.8  | 2.3     | -34.93                | -31.97        | -2.96       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.91896         | -53.94              | RMS | 13.6  | 1.9     | -38.44                | -37.66        | -.78        |
| 2      | 6.18068         | -13.94              | RMS | 13.8  | 2.3     | 2.16                  | 2.34          | -.18        |
| 3      | 6.37292         | -47.84              | RMS | 13.8  | 2.3     | -31.74                | -27.73        | -4.01       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.92724         | -55.92              | RMS | 13.6  | 1.9     | -40.42                | -37.93        | -2.49       |
| 2      | 6.18176         | -14.48              | RMS | 13.8  | 2.3     | 1.62                  | 1.76          | -.14        |
| 3      | 6.3812          | -52.87              | RMS | 13.8  | 2.3     | -36.77                | -29.46        | -7.31       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08724         | -55.96              | RMS | 13.7  | 2.3     | -39.96                | -38.12        | -1.84       |
| 2      | 6.34032         | -14.74              | RMS | 13.8  | 2.3     | 1.36                  | 1.57          | -.21        |
| 3      | 6.55452         | -52.06              | RMS | 13.9  | 2.6     | -35.56                | -31.49        | -4.07       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09984         | -54.84              | RMS | 13.7  | 2.3     | -38.84                | -36.87        | -1.97       |
| 2      | 6.39756         | -15.11              | RMS | 13.8  | 2.3     | .99                   | 1.07          | -.08        |
| 3      | 6.56208         | -51.59              | RMS | 13.9  | 2.6     | -35.09                | -33.03        | -2.06       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93608         | -65.95              | RMS | 13.6  | 1.9     | -50.45                | -28.57        | -21.88      |
| 2      | 6.02068         | -24.56              | RMS | 13.7  | 2.3     | -8.56                 | -8.48         | -.08        |
| 3      | 6.11644         | -69.95              | RMS | 13.7  | 2.3     | -53.95                | -28.81        | -25.14      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93644         | -67.49              | RMS | 13.6  | 1.9     | -51.99                | -29.8         | -22.19      |
| 2      | 6.10168         | -25.91              | RMS | 13.7  | 2.3     | -9.91                 | -9.75         | -.16        |
| 3      | 6.11284         | -66.33              | RMS | 13.7  | 2.3     | -50.33                | -26.55        | -23.78      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09536         | -68.66              | RMS | 13.8  | 2.3     | -52.56                | -29.07        | -23.49      |
| 2      | 6.17852         | -25.05              | RMS | 13.8  | 2.3     | -8.95                 | -8.92         | -.03        |
| 3      | 6.2714          | -64.3               | RMS | 13.8  | 2.3     | -48.2                 | -8.92         | -39.28      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09716         | -68.01              | RMS | 13.7  | 2.3     | -52.01                | -26.35        | -25.66      |
| 2      | 6.1796          | -25.77              | RMS | 13.8  | 2.3     | -9.67                 | -9.55         | -.12        |
| 3      | 6.27392         | -69.35              | RMS | 13.8  | 2.3     | -53.25                | -29.64        | -23.61      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.2568          | -66.54              | RMS | 13.8  | 2.3     | -50.44                | -29.32        | -21.12      |
| 2      | 6.33924         | -25.53              | RMS | 13.8  | 2.3     | -9.43                 | -9.3          | -.13        |
| 3      | 6.43392         | -68.89              | RMS | 13.9  | 2       | -52.99                | -29.39        | -23.6       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25716         | -70.16              | RMS | 13.8  | 2.3     | -54.06                | -27.16        | -26.9       |
| 2      | 6.39936         | -26.58              | RMS | 13.8  | 2.3     | -10.48                | -10.36        | -.12        |
| 3      | 6.43428         | -68.46              | RMS | 13.9  | 2       | -52.56                | -30.48        | -22.08      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.74744         | -54.32              | RMS | 13.5  | 1.9     | -38.92                | -37.24        | -1.68       |
| 2      | 6.03112         | -13.35              | RMS | 13.7  | 2.3     | 2.65                  | 2.76          | -.11        |
| 3      | 6.22948         | -48.45              | RMS | 13.8  | 2.3     | -32.35                | -29.6         | -2.75       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7514          | -55.85              | RMS | 13.5  | 1.9     | -40.45                | -38.08        | -2.37       |
| 2      | 6.043           | -14.21              | RMS | 13.7  | 2.3     | 1.79                  | 1.92          | -.13        |
| 3      | 6.23488         | -51.06              | RMS | 13.8  | 2.3     | -34.96                | -31.19        | -3.77       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9132          | -53.18              | RMS | 13.6  | 1.9     | -37.68                | -37.66        | -.02        |
| 2      | 6.19724         | -13.79              | RMS | 13.8  | 2.3     | 2.31                  | 2.34          | -.03        |
| 3      | 6.3956          | -48.65              | RMS | 13.8  | 2.3     | -32.55                | -30.87        | -1.68       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.92868         | -55.14              | RMS | 13.6  | 1.9     | -39.64                | -37.82        | -1.82       |
| 2      | 6.1886          | -14.6               | RMS | 13.8  | 2.3     | 1.5                   | 1.67          | -.17        |
| 3      | 6.39992         | -52.71              | RMS | 13.8  | 2.3     | -36.61                | -32.13        | -4.48       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08364         | -55.52              | RMS | 13.7  | 2.3     | -39.52                | -38.47        | -1.05       |
| 2      | 6.35364         | -14.62              | RMS | 13.8  | 2.3     | 1.48                  | 1.53          | -.05        |
| 3      | 6.65496         | -57.58              | RMS | 13.9  | 2.6     | -41.08                | -38.47        | -2.61       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09336         | -56.52              | RMS | 13.7  | 2.3     | -40.52                | -37.94        | -2.58       |
| 2      | 6.399           | -15.38              | RMS | 13.8  | 2.3     | .72                   | .9            | -.18        |
| 3      | 6.63084         | -58.35              | RMS | 13.9  | 2.6     | -41.85                | -39.1         | -2.75       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93608         | -69.17              | RMS | 13.6  | 1.9     | -53.67                | -28.82        | -24.85      |
| 2      | 6.01744         | -24.78              | RMS | 13.7  | 2.3     | -8.78                 | -8.73         | -.05        |
| 3      | 6.11248         | -65.93              | RMS | 13.7  | 2.3     | -49.93                | -18.33        | -31.6       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93752         | -66.27              | RMS | 13.7  | 1.9     | -50.67                | -19.66        | -31.01      |
| 2      | 6.0214          | -26.13              | RMS | 13.7  | 2.3     | -10.13                | -10.06        | -.07        |
| 3      | 6.1132          | -67.01              | RMS | 13.7  | 2.3     | -51.01                | -30.08        | -20.93      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09644         | -67.97              | RMS | 13.8  | 2.3     | -51.87                | -29.26        | -22.61      |
| 2      | 6.11408         | -25.37              | RMS | 13.7  | 2.3     | -9.37                 | -9.21         | -.16        |
| 3      | 6.27176         | -62.9               | RMS | 13.8  | 2.3     | -46.8                 | -9.21         | -37.59      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09716         | -70.96              | RMS | 13.7  | 2.3     | -54.96                | -26.48        | -28.48      |
| 3      | 6.17996         | -25.89              | RMS | 13.8  | 2.3     | -9.79                 | -9.68         | -.11        |
| 2      | 6.2732          | -69.85              | RMS | 13.8  | 2.3     | -53.75                | -29.7         | -24.05      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.2586          | -64.37              | RMS | 13.8  | 2.3     | -48.27                | -8.75         | -39.52      |
| 2      | 6.34176         | -24.98              | RMS | 13.8  | 2.3     | -8.88                 | -8.75         | -.13        |
| 3      | 6.4332          | -68.25              | RMS | 13.9  | 2.1     | -52.25                | -28.77        | -23.48      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25716         | -70.39              | RMS | 13.8  | 2.3     | -54.29                | -27.36        | -26.93      |
| 2      | 6.43284         | -68.57              | RMS | 13.9  | 2.1     | -52.57                | -27.36        | -25.21      |
| 3      | 6.34212         | -26.74              | RMS | 13.8  | 2.3     | -10.64                | -10.56        | -.08        |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.75104         | -59.6               | RMS | 13.5  | 1.9     | -44.2                 | -38.57        | -5.63       |
| 2      | 6.0178          | -14.68              | RMS | 13.7  | 2.3     | 1.32                  | 1.43          | -.11        |
| 3      | 6.2014          | -54.69              | RMS | 13.8  | 2.3     | -38.59                | -27.04        | -11.55      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.79676         | -57.33              | RMS | 13.6  | 1.9     | -41.83                | -34.87        | -6.96       |
| 2      | 6.04984         | -15.31              | RMS | 13.7  | 2.3     | .69                   | .73           | -.04        |
| 3      | 6.25468         | -60.32              | RMS | 13.8  | 2.3     | -44.22                | -35.11        | -9.11       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.03668         | -46.92              | RMS | 13.7  | 2.3     | -30.92                | -24.71        | -6.21       |
| 2      | 6.11372         | -15.2               | RMS | 13.7  | 2.3     | .8                    | .96           | -.16        |
| 3      | 6.47048         | -63.16              | RMS | 13.8  | 2       | -47.36                | -39.04        | -8.32       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.86784         | -62.95              | RMS | 13.6  | 1.9     | -47.45                | -39.41        | -8.04       |
| 2      | 5.94596         | -59.07              | RMS | 13.7  | 1.9     | -43.47                | -36.5         | -6.97       |
| 3      | 6.17852         | -15.67              | RMS | 13.8  | 2.3     | .43                   | .59           | -.16        |
| 4      | 6.44168         | -63.3               | RMS | 13.9  | 2       | -47.4                 | -38.96        | -8.44       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.18876         | -48                 | RMS | 13.8  | 2.3     | -31.9                 | -25.55        | -6.35       |
| 2      | 6.33996         | -15.35              | RMS | 13.8  | 2.3     | .75                   | .86           | -.11        |
| 3      | 6.47568         | -51.62              | RMS | 13.8  | 2       | -35.82                | -23.17        | -12.65      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.19524         | -49.99              | RMS | 13.8  | 2.3     | -33.89                | -25.64        | -8.25       |
| 2      | 6.39972         | -16.02              | RMS | 13.8  | 2.3     | .08                   | .16           | -.08        |
| 3      | 6.6096          | -63.23              | RMS | 13.9  | 2.6     | -46.73                | -39.84        | -6.89       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9368          | -72.22              | RMS | 13.6  | 1.9     | -56.72                | -30.54        | -26.18      |
| 2      | 6.03832         | -26.71              | RMS | 13.7  | 2.3     | -10.71                | -10.52        | -.19        |
| 3      | 6.11284         | -74.73              | RMS | 13.7  | 2.3     | -58.73                | -27.32        | -31.41      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93572         | -70.76              | RMS | 13.6  | 1.9     | -55.26                | -31.68        | -23.58      |
| 2      | 6.0196          | -27.58              | RMS | 13.7  | 2.3     | -11.58                | -11.56        | -.02        |
| 3      | 6.11464         | -74.29              | RMS | 13.7  | 2.3     | -58.29                | -31.72        | -26.57      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09608         | -70.7               | RMS | 13.8  | 2.3     | -54.6                 | -31.61        | -22.99      |
| 2      | 6.19616         | -27.68              | RMS | 13.8  | 2.3     | -11.58                | -11.52        | -.06        |
| 3      | 6.27464         | -74.45              | RMS | 13.8  | 2.3     | -58.35                | -31.68        | -26.67      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0968          | -70.93              | RMS | 13.7  | 2.3     | -54.93                | -31.82        | -23.11      |
| 2      | 6.18176         | -28.07              | RMS | 13.8  | 2.3     | -11.97                | -11.8         | -.17        |
| 3      | 6.27536         | -74.55              | RMS | 13.8  | 2.3     | -58.45                | -32.02        | -26.43      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25572         | -70.36              | RMS | 13.8  | 2.3     | -54.26                | -31.82        | -22.44      |
| 2      | 6.33852         | -27.95              | RMS | 13.8  | 2.3     | -11.85                | -11.7         | -.15        |
| 3      | 6.43356         | -74.33              | RMS | 13.9  | 2       | -58.43                | -31.75        | -26.68      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25428         | -71.91              | RMS | 13.8  | 2.3     | -55.81                | -32.41        | -23.4       |
| 2      | 6.40044         | -28.4               | RMS | 13.8  | 2.3     | -12.3                 | -12.16        | -.14        |
| 3      | 6.43608         | -75.74              | RMS | 13.9  | 2       | -59.84                | -32.45        | -27.39      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.76868         | -57.27              | RMS | 13.5  | 1.9     | -41.87                | -37.77        | -4.1        |
| 2      | 6.02968         | -14.41              | RMS | 13.7  | 2.3     | 1.59                  | 1.72          | -.13        |
| 3      | 6.17548         | -48.22              | RMS | 13.8  | 2.3     | -32.12                | -24.17        | -7.95       |
| 4      | 6.24172         | -53.73              | RMS | 13.8  | 2.3     | -37.63                | -32.33        | -5.3        |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.87128         | -51.16              | RMS | 13.6  | 1.9     | -35.66                | -25.22        | -10.44      |
| 2      | 6.02032         | -15.07              | RMS | 13.7  | 2.3     | .93                   | .96           | -.03        |
| 3      | 6.22084         | -55.61              | RMS | 13.8  | 2.3     | -39.51                | -30.21        | -9.3        |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.95712         | -52.48              | RMS | 13.7  | 2.3     | -36.48                | -34.47        | -2.01       |
| 2      | 6.03128         | -44.6               | RMS | 13.7  | 2.3     | -28.6                 | -25.1         | -3.5        |
| 3      | 6.11768         | -14.93              | RMS | 13.7  | 2.3     | 1.07                  | 1.08          | -.01        |
| 4      | 6.4424          | -56.77              | RMS | 13.9  | 2       | -40.87                | -38.56        | -2.31       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.97728         | -56.35              | RMS | 13.7  | 2.3     | -40.35                | -32.09        | -8.26       |
| 2      | 6.1778          | -15.6               | RMS | 13.8  | 2.3     | .5                    | .68           | -.18        |
| 3      | 6.38372         | -55.98              | RMS | 13.8  | 2.3     | -39.88                | -30.88        | -9          |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08724         | -61.31              | RMS | 13.7  | 2.3     | -45.31                | -38.9         | -6.41       |
| 2      | 6.34896         | -15.48              | RMS | 13.8  | 2.3     | .62                   | .79           | -.17        |
| 3      | 6.58476         | -59.06              | RMS | 13.9  | 2.6     | -42.56                | -36.43        | -6.13       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.12288         | -57.91              | RMS | 13.7  | 2.3     | -41.91                | -34.87        | -7.04       |
| 2      | 6.34068         | -16.37              | RMS | 13.8  | 2.3     | -.27                  | -.12          | -.15        |
| 3      | 6.54012         | -56.67              | RMS | 13.8  | 2.6     | -40.27                | -31.19        | -9.08       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 242T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93788         | -66.11              | RMS | 13.7  | 1.9     | -50.51                | -13.39        | -37.12      |
| 2      | 6.0286          | -27.14              | RMS | 13.7  | 2.3     | -11.14                | -10.99        | -.15        |
| 3      | 6.11428         | -69.21              | RMS | 13.7  | 2.3     | -53.21                | -31.11        | -22.1       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93716         | -70.57              | RMS | 13.7  | 1.9     | -54.97                | -28.68        | -26.29      |
| 2      | 6.04876         | -27.97              | RMS | 13.7  | 2.3     | -11.97                | -11.88        | -.09        |
| 3      | 6.11248         | -66.93              | RMS | 13.7  | 2.3     | -50.93                | -21.48        | -29.45      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09752         | -65.64              | RMS | 13.8  | 2.3     | -49.54                | -21.16        | -28.38      |
| 2      | 6.1778          | -27.81              | RMS | 13.8  | 2.3     | -11.71                | -11.56        | -.15        |
| 3      | 6.27536         | -69.75              | RMS | 13.8  | 2.3     | -53.65                | -31.78        | -21.87      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0968          | -69.85              | RMS | 13.7  | 2.3     | -53.85                | -31.81        | -22.04      |
| 2      | 6.1814          | -27.96              | RMS | 13.8  | 2.3     | -11.86                | -11.79        | -.07        |
| 3      | 6.27356         | -71.18              | RMS | 13.8  | 2.3     | -55.08                | -31.84        | -23.24      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25536         | -70.17              | RMS | 13.8  | 2.3     | -54.07                | -32.09        | -21.98      |
| 2      | 6.34896         | -28.05              | RMS | 13.8  | 2.3     | -11.95                | -11.94        | -.01        |
| 3      | 6.43356         | -69.86              | RMS | 13.9  | 2       | -53.96                | -31.99        | -21.97      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.2568          | -71.53              | RMS | 13.8  | 2.3     | -55.43                | -32.3         | -23.13      |
| 2      | 6.39576         | -28.45              | RMS | 13.8  | 2.3     | -12.35                | -12.28        | -.07        |
| 3      | 6.43284         | -69.68              | RMS | 13.9  | 2.1     | -53.68                | -29.08        | -24.6       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.79136         | -55.7               | RMS | 13.6  | 1.9     | -40.2                 | -34.9         | -5.3        |
| 2      | 5.87668         | -47.99              | RMS | 13.6  | 1.9     | -32.49                | -24.22        | -8.27       |
| 3      | 6.0286          | -14.64              | RMS | 13.7  | 2.3     | 1.36                  | 1.45          | -.09        |
| 4      | 6.1888          | -49.46              | RMS | 13.8  | 2.3     | -33.36                | -25.69        | -7.67       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.81728         | -55.28              | RMS | 13.6  | 1.9     | -39.78                | -32.07        | -7.71       |
| 2      | 6.07972         | -15.33              | RMS | 13.7  | 2.3     | .67                   | .7            | -.03        |
| 3      | 6.22012         | -52.41              | RMS | 13.8  | 2.3     | -36.31                | -30.37        | -5.94       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.92292         | -55.99              | RMS | 13.6  | 1.9     | -40.49                | -39.06        | -1.43       |
| 2      | 6.17996         | -15.28              | RMS | 13.8  | 2.3     | .82                   | .94           | -.12        |
| 3      | 6.34124         | -47.93              | RMS | 13.8  | 2.3     | -31.83                | -25.49        | -6.34       |
| 4      | 6.3884          | -50.56              | RMS | 13.8  | 2.3     | -34.46                | -31.27        | -3.19       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9672          | -54.23              | RMS | 13.7  | 2.3     | -38.23                | -33.57        | -4.66       |
| 2      | 6.1814          | -15.71              | RMS | 13.8  | 2.3     | .39                   | .59           | -.2         |
| 3      | 6.39056         | -53.57              | RMS | 13.8  | 2.3     | -37.47                | -31.92        | -5.55       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.1326          | -53.42              | RMS | 13.8  | 2.3     | -37.32                | -32.56        | -4.76       |
| 2      | 6.33924         | -15.35              | RMS | 13.8  | 2.3     | .75                   | .85           | -.1         |
| 3      | 6.53832         | -51.78              | RMS | 13.9  | 2.6     | -35.28                | -29.97        | -5.31       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.1362          | -55.16              | RMS | 13.7  | 2.3     | -39.16                | -32.86        | -6.3        |
| 2      | 6.39612         | -16.14              | RMS | 13.8  | 2.3     | -.04                  | .06           | -.1         |
| 3      | 6.54264         | -54.75              | RMS | 13.8  | 2.6     | -38.35                | -31.35        | -7          |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93428         | -70.94              | RMS | 13.6  | 1.9     | -55.44                | -30.94        | -24.5       |
| 2      | 6.03976         | -26.86              | RMS | 13.7  | 2.3     | -10.86                | -10.69        | -.17        |
| 3      | 6.11284         | -68.04              | RMS | 13.7  | 2.3     | -52.04                | -27.49        | -24.55      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93716         | -67.92              | RMS | 13.7  | 1.9     | -52.32                | -28.15        | -24.17      |
| 2      | 6.02068         | -27.45              | RMS | 13.7  | 2.3     | -11.45                | -11.35        | -.1         |
| 3      | 6.1132          | -69.94              | RMS | 13.7  | 2.3     | -53.94                | -31.37        | -22.57      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09608         | -70.7               | RMS | 13.8  | 2.3     | -54.6                 | -31.52        | -23.08      |
| 2      | 6.18176         | -27.67              | RMS | 13.8  | 2.3     | -11.57                | -11.43        | -.14        |
| 3      | 6.27428         | -70.25              | RMS | 13.8  | 2.3     | -54.15                | -31.55        | -22.6       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0968          | -70.42              | RMS | 13.7  | 2.3     | -54.42                | -31.6         | -22.82      |
| 2      | 6.17996         | -27.8               | RMS | 13.8  | 2.3     | -11.7                 | -11.58        | -.12        |
| 3      | 6.27212         | -67                 | RMS | 13.8  | 2.3     | -50.9                 | -13.98        | -36.92      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25644         | -70.86              | RMS | 13.8  | 2.3     | -54.76                | -31.87        | -22.89      |
| 2      | 6.35076         | -27.97              | RMS | 13.8  | 2.3     | -11.87                | -11.82        | -.05        |
| 3      | 6.43536         | -71.12              | RMS | 13.9  | 2       | -55.22                | -32.04        | -23.18      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25464         | -72.46              | RMS | 13.8  | 2.3     | -56.36                | -32.68        | -23.68      |
| 2      | 6.39216         | -28.63              | RMS | 13.8  | 2.3     | -12.53                | -12.46        | -.07        |
| 3      | 6.43356         | -69.53              | RMS | 13.9  | 2       | -53.63                | -32.51        | -21.12      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.77228         | -56.45              | RMS | 13.6  | 1.9     | -40.95                | -37.46        | -3.49       |
| 2      | 6.03004         | -14.49              | RMS | 13.7  | 2.3     | 1.51                  | 1.53          | -.02        |
| 3      | 6.29968         | -59.41              | RMS | 13.8  | 2.3     | -43.31                | -38.47        | -4.84       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.82088         | -51.42              | RMS | 13.6  | 1.9     | -35.92                | -31.44        | -4.48       |
| 2      | 6.0412          | -15.33              | RMS | 13.7  | 2.3     | .67                   | .83           | -.16        |
| 3      | 6.29752         | -60.06              | RMS | 13.8  | 2.3     | -43.96                | -39.17        | -4.79       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.94128         | -54.68              | RMS | 13.7  | 1.9     | -39.08                | -36.73        | -2.35       |
| 2      | 6.11372         | -15                 | RMS | 13.7  | 2.3     | 1                     | 1.01          | -.01        |
| 3      | 6.39092         | -51.4               | RMS | 13.8  | 2.3     | -35.3                 | -31.55        | -3.75       |
| 4      | 6.4478          | -58.24              | RMS | 13.9  | 2       | -42.34                | -38.99        | -3.35       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.96684         | -54.78              | RMS | 13.7  | 2.3     | -38.78                | -33.93        | -4.85       |
| 2      | 6.02192         | -49.58              | RMS | 13.7  | 2.3     | -33.58                | -26.78        | -6.8        |
| 3      | 6.1904          | -15.93              | RMS | 13.8  | 2.3     | .17                   | .28           | -.11        |
| 4      | 6.38336         | -54.04              | RMS | 13.8  | 2.3     | -37.94                | -31.23        | -6.71       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.10164         | -56.35              | RMS | 13.8  | 2.3     | -40.25                | -36.85        | -3.4        |
| 2      | 6.14052         | -52.12              | RMS | 13.8  | 2.3     | -36.02                | -31.48        | -4.54       |
| 3      | 6.34896         | -15.43              | RMS | 13.8  | 2.3     | .67                   | .84           | -.17        |
| 4      | 6.5592          | -54.4               | RMS | 13.9  | 2.6     | -37.9                 | -32.86        | -5.04       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.10236         | -57.43              | RMS | 13.7  | 2.3     | -41.43                | -37.36        | -4.07       |
| 2      | 6.41556         | -16.01              | RMS | 13.9  | 2.3     | .19                   | .23           | -.04        |
| 3      | 6.54192         | -53.8               | RMS | 13.8  | 2.6     | -37.4                 | -31.09        | -6.31       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+242T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93608         | -70.94              | RMS | 13.6  | 1.9     | -55.44                | -30.5         | -24.94      |
| 2      | 6.02896         | -26.43              | RMS | 13.7  | 2.3     | -10.43                | -10.41        | -.02        |
| 3      | 6.11428         | -69.75              | RMS | 13.7  | 2.3     | -53.75                | -30.53        | -23.22      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9368          | -67.06              | RMS | 13.6  | 1.9     | -51.56                | -31.7         | -19.86      |
| 2      | 6.03004         | -27.71              | RMS | 13.7  | 2.3     | -11.71                | -11.68        | -.03        |
| 3      | 6.11356         | -67.54              | RMS | 13.7  | 2.3     | -51.54                | -31.73        | -19.81      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0968          | -67.07              | RMS | 13.8  | 2.3     | -50.97                | -31.6         | -19.37      |
| 2      | 6.11156         | -27.69              | RMS | 13.7  | 2.3     | -11.69                | -11.58        | -.11        |
| 3      | 6.27392         | -67.11              | RMS | 13.8  | 2.3     | -51.01                | -31.67        | -19.34      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09752         | -69.25              | RMS | 13.7  | 2.3     | -53.25                | -21.67        | -31.58      |
| 2      | 6.18932         | -28.19              | RMS | 13.8  | 2.3     | -12.09                | -12.07        | -.02        |
| 3      | 6.27644         | -71.19              | RMS | 13.8  | 2.3     | -55.09                | -32.4         | -22.69      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25644         | -70.5               | RMS | 13.8  | 2.3     | -54.4                 | -31.71        | -22.69      |
| 2      | 6.35004         | -27.86              | RMS | 13.8  | 2.3     | -11.76                | -11.66        | -.1         |
| 3      | 6.43284         | -68.23              | RMS | 13.9  | 2.1     | -52.23                | -28.46        | -23.77      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25536         | -72.18              | RMS | 13.8  | 2.3     | -56.08                | -32.23        | -23.85      |
| 2      | 6.41628         | -28.48              | RMS | 13.9  | 2.3     | -12.28                | -12.08        | -.2         |
| 3      | 6.43392         | -69.01              | RMS | 13.9  | 2       | -53.11                | -32.17        | -20.94      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.81332         | -52.9               | RMS | 13.6  | 1.9     | -37.4                 | -31.62        | -5.78       |
| 2      | 6.02176         | -14.55              | RMS | 13.7  | 2.3     | 1.45                  | 1.69          | -.24        |
| 3      | 6.29716         | -60.27              | RMS | 13.8  | 2.3     | -44.17                | -38.31        | -5.86       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.73628         | -59.99              | RMS | 13.5  | 2       | -44.49                | -38.85        | -5.64       |
| 2      | 6.01924         | -14.98              | RMS | 13.7  | 2.3     | 1.02                  | 1.15          | -.13        |
| 3      | 6.2284          | -55.7               | RMS | 13.8  | 2.3     | -39.6                 | -31.06        | -8.54       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9042          | -58.13              | RMS | 13.6  | 1.9     | -42.63                | -38.77        | -3.86       |
| 2      | 6.1814          | -15.08              | RMS | 13.8  | 2.3     | 1.02                  | 1.23          | -.21        |
| 3      | 6.36032         | -49.61              | RMS | 13.8  | 2.3     | -33.51                | -27.09        | -6.42       |
| 4      | 6.4208          | -56.68              | RMS | 13.9  | 2.3     | -40.48                | -35.45        | -5.03       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.92112         | -60.86              | RMS | 13.6  | 1.9     | -45.36                | -39.08        | -6.28       |
| 2      | 6.1814          | -15.26              | RMS | 13.8  | 2.3     | .84                   | .92           | -.08        |
| 3      | 6.36032         | -55.62              | RMS | 13.8  | 2.3     | -39.52                | -27.4         | -12.12      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.1362          | -53.24              | RMS | 13.8  | 2.3     | -37.14                | -32.04        | -5.1        |
| 2      | 6.33888         | -15.29              | RMS | 13.8  | 2.3     | .81                   | .88           | -.07        |
| 3      | 6.60672         | -58.66              | RMS | 13.9  | 2.6     | -42.16                | -39.12        | -3.04       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08796         | -59.69              | RMS | 13.7  | 2.3     | -43.69                | -38.97        | -4.72       |
| 2      | 6.41628         | -15.63              | RMS | 13.9  | 2.3     | .57                   | .62           | -.05        |
| 3      | 6.56208         | -55.4               | RMS | 13.9  | 2.6     | -38.9                 | -33.48        | -5.42       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93464         | -70.7               | RMS | 13.6  | 1.9     | -55.2                 | -30.75        | -24.45      |
| 2      | 6.01636         | -26.64              | RMS | 13.7  | 2.3     | -10.64                | -10.53        | -.11        |
| 3      | 6.11644         | -70.64              | RMS | 13.7  | 2.3     | -54.64                | -30.86        | -23.78      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9368          | -69.36              | RMS | 13.6  | 1.9     | -53.86                | -31.47        | -22.39      |
| 2      | 6.01888         | -27.47              | RMS | 13.7  | 2.3     | -11.47                | -11.45        | -.02        |
| 3      | 6.1168          | -70.25              | RMS | 13.7  | 2.3     | -54.25                | -31.81        | -22.44      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.095           | -68.69              | RMS | 13.8  | 2.3     | -52.59                | -31.8         | -20.79      |
| 2      | 6.1796          | -27.76              | RMS | 13.8  | 2.3     | -11.66                | -11.61        | -.05        |
| 3      | 6.27428         | -70.14              | RMS | 13.8  | 2.3     | -54.04                | -31.73        | -22.31      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09464         | -70.93              | RMS | 13.7  | 2.3     | -54.93                | -31.87        | -23.06      |
| 2      | 6.18032         | -27.86              | RMS | 13.8  | 2.3     | -11.76                | -11.65        | -.11        |
| 3      | 6.27392         | -68.76              | RMS | 13.8  | 2.3     | -52.66                | -31.74        | -20.92      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25716         | -70.12              | RMS | 13.8  | 2.3     | -54.02                | -28.14        | -25.88      |
| 2      | 6.34068         | -27.5               | RMS | 13.8  | 2.3     | -11.4                 | -11.34        | -.06        |
| 3      | 6.43284         | -69.42              | RMS | 13.9  | 2.1     | -53.42                | -28.14        | -25.28      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25572         | -71.31              | RMS | 13.8  | 2.3     | -55.21                | -32.42        | -22.79      |
| 2      | 6.33996         | -28.48              | RMS | 13.8  | 2.3     | -12.38                | -12.3         | -.08        |
| 3      | 6.43392         | -71.39              | RMS | 13.9  | 2       | -55.49                | -32.39        | -23.1       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.764           | -58.13              | RMS | 13.5  | 1.9     | -42.73                | -38.44        | -4.29       |
| 2      | 6.03112         | -14.54              | RMS | 13.7  | 2.3     | 1.46                  | 1.56          | -.1         |
| 3      | 6.17584         | -47.51              | RMS | 13.8  | 2.3     | -31.41                | -24.36        | -7.05       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.76256         | -59.64              | RMS | 13.5  | 1.9     | -44.24                | -39.39        | -4.85       |
| 2      | 6.10024         | -15.42              | RMS | 13.7  | 2.3     | .58                   | .61           | -.03        |
| 3      | 6.22156         | -54.24              | RMS | 13.8  | 2.3     | -38.14                | -30.66        | -7.48       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.92868         | -56.24              | RMS | 13.6  | 1.9     | -40.74                | -38.29        | -2.45       |
| 2      | 5.96828         | -50.43              | RMS | 13.8  | 2.3     | -34.33                | -32.81        | -1.52       |
| 3      | 6.1796          | -14.98              | RMS | 13.8  | 2.3     | 1.12                  | 1.2           | -.08        |
| 4      | 6.39632         | -51.59              | RMS | 13.8  | 2.3     | -35.49                | -32.11        | -3.38       |
| 5      | 6.47264         | -59.72              | RMS | 13.8  | 2       | -43.92                | -38.8         | -5.12       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.95208         | -56.76              | RMS | 13.7  | 2.2     | -40.86                | -35.64        | -5.22       |
| 2      | 6.17852         | -15.58              | RMS | 13.8  | 2.3     | .52                   | .61           | -.09        |
| 3      | 6.4748          | -64.02              | RMS | 13.8  | 2       | -48.22                | -39.39        | -8.83       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08364         | -56.42              | RMS | 13.7  | 2.3     | -40.42                | -39.11        | -1.31       |
| 2      | 6.1362          | -49.6               | RMS | 13.8  | 2.3     | -33.5                 | -32.03        | -1.47       |
| 3      | 6.35184         | -15.28              | RMS | 13.8  | 2.3     | .82                   | .89           | -.07        |
| 4      | 6.56064         | -51.69              | RMS | 13.9  | 2.6     | -35.19                | -33.01        | -2.18       |
| 5      | 6.60096         | -58.05              | RMS | 13.9  | 2.6     | -41.55                | -38.56        | -2.99       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.11712         | -54.71              | RMS | 13.7  | 2.3     | -38.71                | -35.46        | -3.25       |
| 2      | 6.14268         | -51.34              | RMS | 13.8  | 2.3     | -35.24                | -31.94        | -3.3        |
| 3      | 6.39936         | -16.24              | RMS | 13.9  | 2.3     | -.04                  | .09           | -.13        |
| 4      | 6.60204         | -59.77              | RMS | 13.9  | 2.6     | -43.27                | -39.5         | -3.77       |
| 5      | 6.63768         | -59.97              | RMS | 13.9  | 2.6     | -43.47                | -39.91        | -3.56       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+242T+484T (NON-CONTIGUOUS 2) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93572         | -70.96              | RMS | 13.6  | 1.9     | -55.46                | -30.56        | -24.9       |
| 2      | 6.03112         | -26.55              | RMS | 13.7  | 2.3     | -10.55                | -10.44        | -.11        |
| 3      | 6.1132          | -66.98              | RMS | 13.7  | 2.3     | -50.98                | -30.46        | -20.52      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.935           | -71.22              | RMS | 13.6  | 1.9     | -55.72                | -31.75        | -23.97      |
| 2      | 6.03256         | -27.73              | RMS | 13.7  | 2.3     | -11.73                | -11.56        | -.17        |
| 3      | 6.115           | -70.84              | RMS | 13.7  | 2.3     | -54.84                | -31.75        | -23.09      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09536         | -70.22              | RMS | 13.8  | 2.3     | -54.12                | -31.37        | -22.75      |
| 2      | 6.17888         | -27.36              | RMS | 13.8  | 2.3     | -11.26                | -11.22        | -.04        |
| 3      | 6.275           | -70.71              | RMS | 13.8  | 2.3     | -54.61                | -31.41        | -23.2       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.095           | -70.94              | RMS | 13.7  | 2.3     | -54.94                | -31.92        | -23.02      |
| 2      | 6.18068         | -27.84              | RMS | 13.8  | 2.3     | -11.74                | -11.73        | -.01        |
| 3      | 6.27284         | -67.58              | RMS | 13.8  | 2.3     | -51.48                | -28.53        | -22.95      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25608         | -69.19              | RMS | 13.8  | 2.3     | -53.09                | -31.88        | -21.21      |
| 2      | 6.34824         | -27.9               | RMS | 13.8  | 2.3     | -11.8                 | -11.79        | -.01        |
| 3      | 6.43284         | -67.98              | RMS | 13.9  | 2.1     | -51.98                | -28.59        | -23.39      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25608         | -69.15              | RMS | 13.8  | 2.3     | -53.05                | -32.18        | -20.87      |
| 2      | 6.39828         | -28.25              | RMS | 13.8  | 2.3     | -12.15                | -12.09        | -.06        |
| 3      | 6.43608         | -71.2               | RMS | 13.9  | 2       | -55.3                 | -32.38        | -22.92      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.76076         | -55.89              | RMS | 13.5  | 1.9     | -40.49                | -37.85        | -2.64       |
| 2      | 6.03472         | -13.99              | RMS | 13.7  | 2.3     | 2.01                  | 2.15          | -.14        |
| 3      | 6.30328         | -58.19              | RMS | 13.9  | 2.3     | -41.99                | -37.85        | -4.14       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.8108          | -55.43              | RMS | 13.6  | 1.9     | -39.93                | -33.03        | -6.9        |
| 2      | 6.02032         | -15.4               | RMS | 13.7  | 2.3     | .6                    | .63           | -.03        |
| 3      | 6.17944         | -53.05              | RMS | 13.8  | 2.3     | -36.95                | -25.63        | -11.32      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9708          | -51.43              | RMS | 13.8  | 2.3     | -35.33                | -32.48        | -2.85       |
| 2      | 6.18032         | -15.04              | RMS | 13.8  | 2.3     | 1.06                  | 1.18          | -.12        |
| 3      | 6.44348         | -59.25              | RMS | 13.9  | 2       | -43.35                | -38.61        | -4.74       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.97296         | -55.39              | RMS | 13.7  | 2.3     | -39.39                | -32.69        | -6.7        |
| 2      | 6.18176         | -15.57              | RMS | 13.8  | 2.3     | .53                   | .67           | -.14        |
| 3      | 6.4028          | -60.48              | RMS | 13.8  | 2.3     | -44.38                | -33.53        | -10.85      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.08004         | -58.28              | RMS | 13.7  | 2.3     | -42.28                | -39.22        | -3.06       |
| 2      | 6.35076         | -15.39              | RMS | 13.8  | 2.3     | .71                   | .78           | -.07        |
| 3      | 6.6366          | -59.37              | RMS | 13.9  | 2.6     | -42.87                | -39.22        | -3.65       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0804          | -58.64              | RMS | 13.7  | 2.3     | -42.64                | -39.9         | -2.74       |
| 2      | 6.35976         | -16.11              | RMS | 13.8  | 2.3     | -.01                  | .1            | -.11        |
| 3      | 6.59736         | -57.11              | RMS | 13.9  | 2.6     | -40.61                | -38.85        | -1.76       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+242T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93392         | -71.78              | RMS | 13.6  | 1.9     | -56.28                | -30.99        | -25.29      |
| 2      | 6.01744         | -26.73              | RMS | 13.7  | 2.3     | -10.73                | -10.7         | -.03        |
| 3      | 6.11392         | -68.17              | RMS | 13.7  | 2.3     | -52.17                | -30.79        | -21.38      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93644         | -70.3               | RMS | 13.6  | 1.9     | -54.8                 | -31.63        | -23.17      |
| 2      | 6.01924         | -27.72              | RMS | 13.7  | 2.3     | -11.72                | -11.58        | -.14        |
| 3      | 6.11464         | -68.62              | RMS | 13.7  | 2.3     | -52.62                | -31.74        | -20.88      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09608         | -71.43              | RMS | 13.8  | 2.3     | -55.33                | -31.59        | -23.74      |
| 2      | 6.17708         | -27.66              | RMS | 13.8  | 2.3     | -11.56                | -11.5         | -.06        |
| 3      | 6.27464         | -69.03              | RMS | 13.8  | 2.3     | -52.93                | -31.66        | -21.27      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09608         | -69.91              | RMS | 13.7  | 2.3     | -53.91                | -31.92        | -21.99      |
| 2      | 6.1796          | -28.11              | RMS | 13.8  | 2.3     | -12.01                | -11.83        | -.18        |
| 3      | 6.27284         | -68.21              | RMS | 13.8  | 2.3     | -52.11                | -28.63        | -23.48      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25644         | -70.21              | RMS | 13.8  | 2.3     | -54.11                | -31.77        | -22.34      |
| 2      | 6.35256         | -27.9               | RMS | 13.8  | 2.3     | -11.8                 | -11.72        | -.08        |
| 3      | 6.43392         | -68.68              | RMS | 13.9  | 2       | -52.78                | -31.81        | -20.97      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.25536         | -70.93              | RMS | 13.8  | 2.3     | -54.83                | -32.27        | -22.56      |
| 2      | 6.42096         | -28.42              | RMS | 13.9  | 2.3     | -12.22                | -12.12        | -.1         |
| 3      | 6.43248         | -67.8               | RMS | 13.9  | 2.1     | -51.8                 | -21.72        | -30.08      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.77372         | -53.44              | RMS | 13.6  | 1.9     | -37.94                | -37.06        | -.88        |
| 2      | 6.03004         | -14.32              | RMS | 13.7  | 2.3     | 1.68                  | 1.73          | -.05        |
| 3      | 6.24892         | -51.89              | RMS | 13.8  | 2.3     | -35.79                | -33.31        | -2.48       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7712          | -57.18              | RMS | 13.6  | 1.9     | -41.68                | -38.48        | -3.2        |
| 2      | 6.08152         | -15.46              | RMS | 13.7  | 2.3     | .54                   | .66           | -.12        |
| 3      | 6.18196         | -48.89              | RMS | 13.8  | 2.3     | -32.79                | -25.84        | -6.95       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.92868         | -53.79              | RMS | 13.6  | 1.9     | -38.29                | -38.21        | -.08        |
| 2      | 6.17816         | -14.96              | RMS | 13.8  | 2.3     | 1.14                  | 1.28          | -.14        |
| 3      | 6.43016         | -55.57              | RMS | 13.9  | 2.2     | -39.47                | -36.68        | -2.79       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.93372         | -56.89              | RMS | 13.6  | 1.9     | -41.39                | -38.03        | -3.36       |
| 2      | 6.1796          | -15.46              | RMS | 13.8  | 2.3     | .64                   | .76           | -.12        |
| 3      | 6.39992         | -56.22              | RMS | 13.8  | 2.3     | -40.12                | -33.04        | -7.08       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.985           | -56.16              | RMS | 13.7  | 2.3     | -40.16                | -39.18        | -.98        |
| 2      | 6.3486          | -15.39              | RMS | 13.8  | 2.3     | .71                   | .82           | -.11        |
| 3      | 6.56208         | -52.21              | RMS | 13.9  | 2.6     | -35.71                | -33.28        | -2.43       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.09084         | -56.41              | RMS | 13.7  | 2.3     | -40.41                | -39.19        | -1.22       |
| 2      | 6.33816         | -16.23              | RMS | 13.8  | 2.3     | -.13                  | 0             | -.13        |
| 3      | 6.5862          | -56.06              | RMS | 13.9  | 2.6     | -39.56                | -37.42        | -2.14       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7046          | -75.83              | RMS | 13.6  | 2       | -60.23                | -48.35        | -11.88      |
| 2      | 6.02212         | -24.47              | RMS | 13.7  | 2.3     | -8.47                 | -8.35         | -.12        |
| 3      | 6.286           | -74.86              | RMS | 13.8  | 2.3     | -58.76                | -48.35        | -10.41      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.76148         | -76.1               | RMS | 13.5  | 1.9     | -60.7                 | -48.68        | -12.02      |
| 2      | 6.0214          | -24.7               | RMS | 13.7  | 2.3     | -8.7                  | -8.68         | -.02        |
| 3      | 6.29536         | -76.37              | RMS | 13.8  | 2.3     | -60.27                | -48.68        | -11.59      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.04964         | -70.3               | RMS | 13.7  | 2.3     | -54.3                 | -33.24        | -21.06      |
| 2      | 6.11048         | -24.91              | RMS | 13.7  | 2.3     | -8.91                 | -8.8          | -.11        |
| 3      | 6.4658          | -74.91              | RMS | 13.8  | 2       | -59.11                | -48.8         | -10.31      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.00896         | -72.26              | RMS | 13.7  | 2.3     | -56.26                | -37.45        | -18.81      |
| 2      | 6.1796          | -25.21              | RMS | 13.8  | 2.3     | -9.11                 | -9.03         | -.08        |
| 3      | 6.35852         | -72.41              | RMS | 13.8  | 2.3     | -56.31                | -37.1         | -19.21      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.16752         | -72.99              | RMS | 13.8  | 2.3     | -56.89                | -37.18        | -19.71      |
| 2      | 6.34896         | -24.7               | RMS | 13.8  | 2.3     | -8.6                  | -8.57         | -.03        |
| 3      | 6.50124         | -72.77              | RMS | 13.9  | 2       | -56.87                | -35           | -21.87      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.1704          | -73.11              | RMS | 13.8  | 2.3     | -57.01                | -38.05        | -18.96      |
| 2      | 6.33924         | -26.08              | RMS | 13.8  | 2.3     | -9.98                 | -9.83         | -.15        |
| 3      | 6.48072         | -73.25              | RMS | 13.8  | 2       | -57.45                | -34.33        | -23.12      |

RMS - RMS detection


### 9.5.6. 802.11be EHT320 MODE 2TX IN THE UNII-5 BAND (LOW GAIN)

#### 2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) STANDARD POWER




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.5944          | -55.73              | RMS | 13.5  | 2       | -40.23                | -39.14        | -1.09       |
| 2      | 5.64            | -53.14              | RMS | 13.5  | 2       | -37.64                | -36.58        | -1.06       |
| 3      | 5.8392          | -41.46              | RMS | 13.6  | 1.9     | -25.96                | -23.83        | -2.13       |
| 4      | 6.096           | -15.34              | RMS | 13.8  | 2.3     | .76                   | .86           | -.1         |
| 5      | 6.3918          | -50.55              | RMS | 13.8  | 2.3     | -34.45                | -24.89        | -9.56       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.619           | -56.64              | RMS | 13.5  | 2       | -41.14                | -38.36        | -2.78       |
| 2      | 6.0978          | -15.42              | RMS | 13.7  | 2.3     | .58                   | .61           | -.03        |
| 3      | 6.5784          | -62.82              | RMS | 13.9  | 2.6     | -46.32                | -37.49        | -8.83       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7928          | -57.96              | RMS | 13.6  | 1.9     | -42.46                | -37.39        | -5.07       |
| 2      | 6.2572          | -15.63              | RMS | 13.8  | 2.3     | .47                   | .58           | -.11        |
| 3      | 6.601           | -54.85              | RMS | 13.9  | 2.6     | -38.35                | -27.57        | -10.78      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.785           | -57.37              | RMS | 13.6  | 1.9     | -41.87                | -38.44        | -3.43       |
| 2      | 6.2578          | -16.08              | RMS | 13.8  | 2.3     | .02                   | .1            | -.08        |
| 3      | 6.7474          | -61.75              | RMS | 14    | 2.6     | -45.15                | -38.64        | -6.51       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.785           | -57.37              | RMS | 13.6  | 1.9     | -41.87                | -38.44        | -3.43       |
| 2      | 6.2578          | -16.08              | RMS | 13.8  | 2.3     | .02                   | .1            | -.08        |
| 3      | 6.7474          | -61.75              | RMS | 14    | 2.6     | -45.15                | -38.64        | -6.51       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6196          | -70.84              | RMS | 13.5  | 2       | -55.34                | -47.08        | -8.26       |
| 2      | 6.0792          | -24.17              | RMS | 13.7  | 2.3     | -8.17                 | -8.15         | -.02        |
| 3      | 6.5802          | -72.3               | RMS | 13.9  | 2.6     | -55.8                 | -46.38        | -9.42       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0148          | -65.48              | RMS | 13.7  | 2.3     | -49.48                | -33.14        | -16.34      |
| 2      | 6.2746          | -25.34              | RMS | 13.8  | 2.3     | -9.24                 | -9.21         | -.03        |
| 3      | 6.4348          | -70.15              | RMS | 13.9  | 2       | -54.25                | -29.3         | -24.95      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7838          | -70.98              | RMS | 13.6  | 1.9     | -55.48                | -45.27        | -10.21      |
| 2      | 6.2602          | -22.89              | RMS | 13.8  | 2.3     | -6.79                 | -6.65         | -.14        |
| 3      | 6.7444          | -71.06              | RMS | 14    | 2.6     | -54.46                | -45.18        | -9.28       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6088          | -51.75              | RMS | 13.5  | 2       | -36.25                | -35.35        | -.9         |
| 2      | 6.0966          | -11.78              | RMS | 13.8  | 2.3     | 4.32                  | 4.37          | -.05        |
| 3      | 6.3732          | -42.85              | RMS | 13.8  | 2.3     | -26.75                | -20.48        | -6.27       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6142          | -53.92              | RMS | 13.5  | 2       | -38.42                | -35.85        | -2.57       |
| 2      | 6.0966          | -12.67              | RMS | 13.7  | 2.3     | 3.33                  | 3.48          | -.15        |
| 3      | 6.3624          | -45.81              | RMS | 13.8  | 2.3     | -29.71                | -20.85        | -8.86       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7646          | -53.78              | RMS | 13.6  | 1.9     | -38.28                | -36.47        | -1.81       |
| 2      | 6.2572          | -12.69              | RMS | 13.8  | 2.3     | 3.41                  | 3.53          | -.12        |
| 3      | 6.5398          | -43.8               | RMS | 13.9  | 2.6     | -27.3                 | -21.64        | -5.66       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7586          | -54.02              | RMS | 13.5  | 1.9     | -38.62                | -36.83        | -1.79       |
| 2      | 6.259           | -13.11              | RMS | 13.8  | 2.3     | 2.99                  | 3.17          | -.18        |
| 3      | 6.7516          | -59.12              | RMS | 14    | 2.6     | -42.52                | -35.87        | -6.65       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 2x996T+484T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.937           | -64.28              | RMS | 13.7  | 1.9     | -48.68                | -25.79        | -22.89      |
| 2      | 6.0984          | -21.93              | RMS | 13.8  | 2.3     | -5.83                 | -5.79         | -.04        |
| 3      | 6.273           | -71                 | RMS | 13.8  | 2.3     | -54.9                 | -25.79        | -29.11      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.937           | -63.36              | RMS | 13.6  | 1.9     | -47.86                | -26.28        | -21.58      |
| 2      | 6.0978          | -22.3               | RMS | 13.7  | 2.3     | -6.3                  | -6.28         | -.02        |
| 3      | 6.2736          | -70.59              | RMS | 13.8  | 2.3     | -54.49                | -26.31        | -28.18      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0976          | -63.89              | RMS | 13.8  | 2.3     | -47.79                | -13.88        | -33.91      |
| 2      | 6.2506          | -22.1               | RMS | 13.8  | 2.3     | -6                    | -5.88         | -.12        |
| 3      | 6.433           | -70.79              | RMS | 13.9  | 2.1     | -54.79                | -25.88        | -28.91      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.097           | -65.25              | RMS | 13.7  | 2.3     | -49.25                | -26.67        | -22.58      |
| 2      | 6.2578          | -22.88              | RMS | 13.8  | 2.3     | -6.78                 | -6.67         | -.11        |
| 3      | 6.433           | -71.3               | RMS | 13.9  | 2.1     | -55.3                 | -26.67        | -28.63      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6004          | -53.52              | RMS | 13.5  | 2       | -38.02                | -35.7         | -2.32       |
| 2      | 5.7774          | -42.61              | RMS | 13.6  | 1.9     | -27.11                | -23.39        | -3.72       |
| 3      | 6.1158          | -11.82              | RMS | 13.7  | 2.3     | 4.18                  | 4.3           | -.12        |
| 4      | 6.5712          | -54.99              | RMS | 13.9  | 2.6     | -38.49                | -33.28        | -5.21       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6286          | -51.38              | RMS | 13.5  | 2       | -35.88                | -34.51        | -1.37       |
| 2      | 6.099           | -12.34              | RMS | 13.7  | 2.3     | 3.66                  | 3.76          | -.1         |
| 3      | 6.381           | -44.32              | RMS | 13.8  | 2.3     | -28.22                | -21.47        | -6.75       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7754          | -54.01              | RMS | 13.6  | 1.9     | -38.51                | -35.52        | -2.99       |
| 2      | 5.9194          | -43.4               | RMS | 13.6  | 1.9     | -27.9                 | -25.11        | -2.79       |
| 3      | 6.2764          | -12.59              | RMS | 13.8  | 2.3     | 3.51                  | 3.72          | -.21        |
| 4      | 6.5338          | -41.75              | RMS | 13.9  | 2.5     | -25.35                | -21.16        | -4.19       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7622          | -53.66              | RMS | 13.5  | 1.9     | -38.26                | -36.4         | -1.86       |
| 2      | 6.2578          | -12.61              | RMS | 13.8  | 2.3     | 3.49                  | 3.6           | -.11        |
| 3      | 6.5386          | -42.39              | RMS | 13.8  | 2.6     | -25.99                | -21.51        | -4.48       |
| 4      | 6.7336          | -54.76              | RMS | 14    | 2.6     | -38.16                | -34.15        | -4.01       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 484T+2x996T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7546          | -67.51              | RMS | 13.5  | 1.9     | -52.11                | -35.04        | -17.07      |
| 2      | 6.1134          | -21.99              | RMS | 13.7  | 2.3     | -5.99                 | -5.87         | -.12        |
| 3      | 6.3702          | -68.46              | RMS | 13.8  | 2.3     | -52.36                | -30.58        | -21.78      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6178          | -69.66              | RMS | 13.5  | 2       | -54.16                | -45.33        | -8.83       |
| 2      | 6.1014          | -22.4               | RMS | 13.7  | 2.3     | -6.4                  | -6.27         | -.13        |
| 3      | 6.2742          | -68.69              | RMS | 13.8  | 2.3     | -52.59                | -26.33        | -26.26      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0976          | -64.07              | RMS | 13.8  | 2.3     | -47.97                | -14.58        | -33.39      |
| 2      | 6.2572          | -22.8               | RMS | 13.8  | 2.3     | -6.7                  | -6.58         | -.12        |
| 3      | 6.4372          | -70.29              | RMS | 13.9  | 2       | -54.39                | -26.78        | -27.61      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7856          | -70.81              | RMS | 13.6  | 1.9     | -55.31                | -44.96        | -10.35      |
| 2      | 6.2578          | -22.65              | RMS | 13.8  | 2.3     | -6.55                 | -6.47         | -.08        |
| 3      | 6.7402          | -71.46              | RMS | 14    | 2.6     | -54.86                | -44.7         | -10.16      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6136          | -51.65              | RMS | 13.5  | 2       | -36.15                | -35.11        | -1.04       |
| 2      | 5.823           | -39.39              | RMS | 13.6  | 1.9     | -23.89                | -21.21        | -2.68       |
| 3      | 6.1002          | -11.9               | RMS | 13.8  | 2.3     | 4.2                   | 4.26          | -.06        |
| 4      | 6.3594          | -41.3               | RMS | 13.8  | 2.3     | -25.2                 | -19.93        | -5.27       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6202          | -51.74              | RMS | 13.5  | 2       | -36.24                | -35.59        | -.65        |
| 2      | 6.0954          | -12.73              | RMS | 13.7  | 2.3     | 3.27                  | 3.3           | -.03        |
| 3      | 6.357           | -45                 | RMS | 13.8  | 2.3     | -28.9                 | -20.77        | -8.13       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7886          | -52.56              | RMS | 13.6  | 1.9     | -37.06                | -34.71        | -2.35       |
| 2      | 6.2842          | -12.61              | RMS | 13.8  | 2.3     | 3.49                  | 3.56          | -.07        |
| 3      | 6.7627          | -57.72              | RMS | 14    | 2.6     | -41.12                | -36.28        | -4.84       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7994          | -50.88              | RMS | 13.6  | 1.9     | -35.38                | -33.96        | -1.42       |
| 2      | 5.9836          | -38.69              | RMS | 13.7  | 2.3     | -22.69                | -21.91        | -.78        |
| 3      | 6.2608          | -12.72              | RMS | 13.8  | 2.3     | 3.38                  | 3.53          | -.15        |
| 4      | 6.7468          | -55.24              | RMS | 14    | 2.6     | -38.64                | -35.17        | -3.47       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9382          | -58.29              | RMS | 13.7  | 1.9     | -42.69                | -5.65         | -37.04      |
| 2      | 6.1116          | -21.83              | RMS | 13.7  | 2.3     | -5.83                 | -5.65         | -.18        |
| 3      | 6.2736          | -62.93              | RMS | 13.8  | 2.3     | -46.83                | -25.68        | -21.15      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6214          | -68.54              | RMS | 13.5  | 2       | -53.04                | -44.98        | -8.06       |
| 2      | 6.1008          | -22.19              | RMS | 13.7  | 2.3     | -6.19                 | -6.18         | -.01        |
| 3      | 6.5832          | -70.64              | RMS | 13.9  | 2.6     | -54.14                | -44.62        | -9.52       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.0964          | -66.17              | RMS | 13.8  | 2.3     | -50.07                | -26.4         | -23.67      |
| 2      | 6.259           | -22.54              | RMS | 13.8  | 2.3     | -6.44                 | -6.37         | -.07        |
| 3      | 6.4348          | -70.23              | RMS | 13.9  | 2       | -54.33                | -26.46        | -27.87      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7892          | -70.41              | RMS | 13.6  | 1.9     | -54.91                | -44.48        | -10.43      |
| 2      | 6.259           | -22.47              | RMS | 13.8  | 2.3     | -6.37                 | -6.25         | -.12        |
| 3      | 6.7432          | -71.2               | RMS | 14    | 2.6     | -54.6                 | -44.69        | -9.91       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.649           | -49.84              | RMS | 13.6  | 2       | -34.24                | -32.87        | -1.37       |
| 2      | 6.1194          | -12.14              | RMS | 13.7  | 2.3     | 3.86                  | 3.92          | -.06        |
| 3      | 6.5886          | -57.24              | RMS | 13.9  | 2.6     | -40.74                | -34.91        | -5.83       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6298          | -52.17              | RMS | 13.5  | 2       | -36.67                | -34.77        | -1.9        |
| 2      | 6.1224          | -12.69              | RMS | 13.7  | 2.3     | 3.31                  | 3.41          | -.1         |
| 3      | 6.5814          | -59.72              | RMS | 13.9  | 2.6     | -43.22                | -34.9         | -8.32       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.8072          | -50.44              | RMS | 13.6  | 1.9     | -34.94                | -33.92        | -1.02       |
| 2      | 6.2896          | -13.2               | RMS | 13.8  | 2.3     | 2.9                   | 3             | -.1         |
| 3      | 6.7798          | -58.09              | RMS | 14    | 2.6     | -41.49                | -37           | -4.49       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7856          | -51.11              | RMS | 13.6  | 1.9     | -35.61                | -35.29        | -.32        |
| 2      | 6.2722          | -12.94              | RMS | 13.8  | 2.3     | 3.16                  | 3.2           | -.04        |
| 3      | 6.7696          | -58.06              | RMS | 14    | 2.6     | -41.46                | -36.8         | -4.66       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 996T+484T+996T (NON-CONTIGUOUS 2) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.625           | -70.19              | RMS | 13.5  | 2       | -54.69                | -44.29        | -10.4       |
| 2      | 6.1182          | -21.92              | RMS | 13.7  | 2.3     | -5.92                 | -5.75         | -.17        |
| 3      | 6.5808          | -70.96              | RMS | 13.9  | 2.6     | -54.46                | -44.02        | -10.44      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6238          | -69.5               | RMS | 13.5  | 2       | -54                   | -45.02        | -8.98       |
| 2      | 6.1212          | -22.45              | RMS | 13.7  | 2.3     | -6.45                 | -6.4          | -.05        |
| 3      | 6.2736          | -70.83              | RMS | 13.8  | 2.3     | -54.73                | -26.43        | -28.3       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.974           | -64.53              | RMS | 13.8  | 2.3     | -48.43                | -32.35        | -16.08      |
| 2      | 6.2824          | -22.68              | RMS | 13.8  | 2.3     | -6.58                 | -6.44         | -.14        |
| 3      | 6.739           | -71.14              | RMS | 14    | 2.6     | -54.54                | -44.58        | -9.96       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.788           | -69.78              | RMS | 13.6  | 1.9     | -54.28                | -44.7         | -9.58       |
| 2      | 6.2818          | -22.49              | RMS | 13.8  | 2.3     | -6.39                 | -6.38         | -.01        |
| 3      | 6.4402          | -70.91              | RMS | 13.9  | 2       | -55.01                | -26.73        | -28.28      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.589           | -56.06              | RMS | 13.5  | 2       | -40.56                | -37.58        | -2.98       |
| 2      | 6.0978          | -13.73              | RMS | 13.8  | 2.3     | 2.37                  | 2.42          | -.05        |
| 3      | 6.6426          | -60.37              | RMS | 13.9  | 2.6     | -43.87                | -37.58        | -6.29       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.5938          | -56.34              | RMS | 13.5  | 2       | -40.84                | -38.16        | -2.68       |
| 2      | 6.111           | -14.2               | RMS | 13.7  | 2.3     | 1.8                   | 1.84          | -.04        |
| 3      | 6.3216          | -43.41              | RMS | 13.9  | 2.3     | -27.21                | -20.52        | -6.69       |
| 4      | 6.651           | -62.18              | RMS | 13.9  | 2.6     | -45.68                | -38.16        | -7.52       |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.773           | -53.05              | RMS | 13.6  | 1.9     | -37.55                | -37.07        | -.48        |
| 2      | 6.2728          | -13.84              | RMS | 13.8  | 2.3     | 2.26                  | 2.34          | -.08        |
| 3      | 6.769           | -56.92              | RMS | 14    | 2.6     | -40.32                | -37.66        | -2.66       |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.785           | -53.44              | RMS | 13.6  | 1.9     | -37.94                | -36.37        | -1.57       |
| 2      | 6.2602          | -14.1               | RMS | 13.8  | 2.3     | 2                     | 2.17          | -.17        |
| 3      | 6.778           | -58.77              | RMS | 14    | 2.6     | -42.17                | -37.83        | -4.34       |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9376          | -64.62              | RMS | 13.7  | 1.9     | -49.02                | -15.43        | -33.59      |
| 2      | 6.1116          | -23.55              | RMS | 13.7  | 2.3     | -7.55                 | -7.43         | -.12        |
| 3      | 6.273           | -67.94              | RMS | 13.8  | 2.3     | -51.84                | -27.43        | -24.41      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.937           | -66.92              | RMS | 13.6  | 1.9     | -51.42                | -27.36        | -24.06      |
| 2      | 6.1176          | -23.45              | RMS | 13.7  | 2.3     | -7.45                 | -7.36         | -.09        |
| 3      | 6.2736          | -70.48              | RMS | 13.8  | 2.3     | -54.38                | -27.39        | -26.99      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 6.097           | -63.81              | RMS | 13.8  | 2.3     | -47.71                | -27.96        | -19.75      |
| 2      | 6.2602          | -24.2               | RMS | 13.8  | 2.3     | -8.1                  | -7.96         | -.14        |
| 3      | 6.4342          | -68.2               | RMS | 13.9  | 2       | -52.3                 | -28.02        | -24.28      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) STANDARD POWER**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6094          | -56.83              | RMS | 13.5  | 2       | -41.33                | -39.03        | -2.3        |
| 2      | 5.7294          | -49.88              | RMS | 13.6  | 2       | -34.28                | -30.32        | -3.96       |
| 3      | 6.1164          | -15.44              | RMS | 13.7  | 2.3     | .56                   | .65           | -.09        |
| 4      | 6.4848          | -47.03              | RMS | 13.8  | 2       | -31.23                | -30.69        | -.54        |
| 5      | 6.6342          | -58.46              | RMS | 13.9  | 2.6     | -41.96                | -39.35        | -2.61       |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.5878          | -57.67              | RMS | 13.5  | 2       | -42.17                | -39.9         | -2.27       |
| 2      | 5.7126          | -51.09              | RMS | 13.6  | 2       | -35.49                | -32.08        | -3.41       |
| 3      | 6.1212          | -15.96              | RMS | 13.7  | 2.3     | .04                   | .1            | -.06        |
| 4      | 6.4902          | -49.23              | RMS | 13.8  | 2       | -33.43                | -31.63        | -1.8        |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.893           | -51.05              | RMS | 13.6  | 1.9     | -35.55                | -30.69        | -4.86       |
| 2      | 6.2752          | -16.2               | RMS | 13.8  | 2.3     | -.1                   | .03           | -.13        |
| 3      | 6.643           | -48.42              | RMS | 13.9  | 2.6     | -31.92                | -31.18        | -.74        |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7628          | -58.59              | RMS | 13.5  | 1.9     | -43.19                | -40.08        | -3.11       |
| 2      | 6.2728          | -16.25              | RMS | 13.8  | 2.3     | -.15                  | -.08          | -.07        |
| 3      | 6.6538          | -49.67              | RMS | 13.9  | 2.6     | -33.17                | -32.07        | -1.1        |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS) LOW POWER INDOOR**




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.8914          | -63.61              | RMS | 13.6  | 1.9     | -48.11                | -29.61        | -18.5       |
| 2      | 6.1134          | -23.48              | RMS | 13.7  | 2.3     | -7.48                 | -7.43         | -.05        |
| 3      | 6.4002          | -64.62              | RMS | 13.9  | 2.3     | -48.42                | -33.58        | -14.84      |

RMS - RMS detection




| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.7096          | -68.05              | RMS | 13.6  | 2       | -52.45                | -42.13        | -10.32      |
| 2      | 6.1248          | -25.75              | RMS | 13.7  | 2.3     | -9.75                 | -9.73         | -.02        |
| 3      | 6.4224          | -68.12              | RMS | 13.9  | 2.3     | -51.92                | -36.94        | -14.98      |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9014          | -69.11              | RMS | 13.6  | 1.9     | -53.61                | -39.71        | -13.9       |
| 2      | 6.2782          | -25.82              | RMS | 13.8  | 2.3     | -9.72                 | -9.6          | -.12        |
| 3      | 6.6388          | -69.06              | RMS | 13.9  | 2.6     | -52.56                | -40.5         | -12.06      |


RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.9146          | -69.39              | RMS | 13.6  | 1.9     | -53.89                | -39.77        | -14.12      |
| 2      | 6.271           | -26.74              | RMS | 13.8  | 2.3     | -10.64                | -10.6         | -.04        |
| 3      | 6.6376          | -70.23              | RMS | 13.9  | 2.6     | -53.73                | -41.42        | -12.31      |


RMS - RMS detection

**2TX CHAIN 0 + CHAIN 1 CDD OFDMA MODE: 3x996T (NON-CONTIGUOUS 2) STANDARD POWER**



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.601           | -59.96              | RMS | 13.5  | 2       | -44.46                | -43.83        | -.63        |
| 2      | 6.0936          | -19.95              | RMS | 13.8  | 2.3     | -3.85                 | -3.83         | -.02        |
| 3      | 6.4806          | -51.33              | RMS | 13.8  | 2       | -35.53                | -34.87        | -.66        |
| 4      | 6.4974          | -52.94              | RMS | 13.9  | 2       | -37.04                | -36.09        | -.95        |

RMS - RMS detection



| Marker | Frequency (GHz) | Meter Reading (dBm) | Det | Atten | EUT CBL | Corrected Reading dBm | Emission Mask | Margin (dB) |
|--------|-----------------|---------------------|-----|-------|---------|-----------------------|---------------|-------------|
| 1      | 5.6004          | -60.03              | RMS | 13.5  | 2       | -44.53                | -43.18        | -1.35       |
| 2      | 6.0942          | -19.3               | RMS | 13.7  | 2.3     | -3.3                  | -3.18         | -.12        |
| 3      | 6.4992          | -54.15              | RMS | 13.8  | 2       | -38.35                | -35.57        | -2.78       |

RMS - RMS detection