Appendix-A LTE Band 2

Effective (Isotropic) Radiated Power Output Data

Test Result

Ant8:

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	24.06	28.06	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	23.15	27.15	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.99	27.99	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	24.07	28.07	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	24.18	28.18	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	23.18	27.18	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	24.18	28.18	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	24.15	28.15	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	24.3	28.3	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	23.33	27.33	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	24.33	28.33	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	24.28	28.28	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	23.29	27.29	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	22.16	26.16	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	23.22	27.22	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	23.38	27.38	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	23.55	27.55	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	22.29	26.29	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	23.46	27.46	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	23.49	27.49	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	23.69	27.69	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	22.35	26.35	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	23.63	27.63	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	23.73	27.73	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	22.14	26.14	33.01	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	21.06	25.06	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	22.22	26.22	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	22.11	26.11	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	22.27	26.27	33.01	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	21.08	25.08	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	22.36	26.36	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	22.3	26.3	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	22.45	26.45	33.01	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	21.25	25.25	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	22.43	26.43	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	22.52	26.52	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	1.4MHz	256QAM	18607	1RB#0	19.14	23.14	33.01	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	18.97	22.97	33.01	PASS
Band2	1.4MHz	256QAM	18607	1RB#2	19.03	23.03	33.01	PASS
Band2	1.4MHz	256QAM	18607	1RB#5	19.06	23.06	33.01	PASS
Band2	1.4MHz	256QAM	18900	1RB#0	19.28	23.28	33.01	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	19.08	23.08	33.01	PASS
Band2	1.4MHz	256QAM	18900	1RB#2	19.2	23.2	33.01	PASS
Band2	1.4MHz	256QAM	18900	1RB#5	19.11	23.11	33.01	PASS
Band2	1.4MHz	256QAM	19193	1RB#0	19.38	23.38	33.01	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	19.24	23.24	33.01	PASS
Band2	1.4MHz	256QAM	19193	1RB#2	19.28	23.28	33.01	PASS
Band2	1.4MHz	256QAM	19193	1RB#5	19.2	23.2	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	24.03	28.03	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	23.18	27.18	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#8	24.15	28.15	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	24.08	28.08	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	24.29	28.29	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	23.2	27.2	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#8	24.28	28.28	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	24.3	28.3	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	24.33	28.33	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	23.29	27.29	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#8	24.31	28.31	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	24.3	28.3	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	23.46	27.46	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	22.21	26.21	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#8	23.26	27.26	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	23.46	27.46	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	23.48	27.48	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	22.23	26.23	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#8	23.59	27.59	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	23.61	27.61	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	23.65	27.65	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	22.25	26.25	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#8	23.6	27.6	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	23.71	27.71	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#0	22.18	26.18	33.01	PASS
Band2	3MHz	64QAM	18615	15RB#0	21.06	25.06	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#8	22.07	26.07	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#14	22.04	26.04	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#0	22.15	26.15	33.01	PASS
Band2	3MHz	64QAM	18900	15RB#0	21.01	25.01	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#8	22.21	26.21	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#14	22.33	26.33	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#0	22.4	26.4	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	3MHz	64QAM	19185	15RB#0	21.11	25.11	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#8	22.41	26.41	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#14	22.29	26.29	33.01	PASS
Band2	3MHz	256QAM	18615	1RB#0	19.05	23.05	33.01	PASS
Band2	3MHz	256QAM	18615	15RB#0	18.97	22.97	33.01	PASS
Band2	3MHz	256QAM	18615	1RB#8	19.1	23.1	33.01	PASS
Band2	3MHz	256QAM	18615	1RB#14	18.98	22.98	33.01	PASS
Band2	3MHz	256QAM	18900	1RB#0	19.05	23.05	33.01	PASS
Band2	3MHz	256QAM	18900	15RB#0	19.02	23.02	33.01	PASS
Band2	3MHz	256QAM	18900	1RB#8	19.27	23.27	33.01	PASS
Band2	3MHz	256QAM	18900	1RB#14	19.07	23.07	33.01	PASS
Band2	3MHz	256QAM	19185	1RB#0	19.2	23.2	33.01	PASS
Band2	3MHz	256QAM	19185	15RB#0	19.11	23.11	33.01	PASS
Band2	3MHz	256QAM	19185	1RB#8	19.17	23.17	33.01	PASS
Band2	3MHz	256QAM	19185	1RB#14	19.18	23.18	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	24.09	28.09	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	23.19	27.19	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	24.23	28.23	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	24	28	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	24.29	28.29	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	23.24	27.24	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	24.3	28.3	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	24.33	28.33	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	24.4	28.4	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	23.36	27.36	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	24.45	28.45	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	24.28	28.28	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	23.45	27.45	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	22.17	26.17	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	23.5	27.5	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	23.49	27.49	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	23.49	27.49	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	22.18	26.18	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	23.24	27.24	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	23.49	27.49	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#0	23.59	27.59	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	22.38	26.38	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	23.69	27.69	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	23.49	27.49	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#0	22.14	26.14	33.01	PASS
Band2	5MHz	64QAM	18625	25RB#0	21.02	25.02	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#12	22.05	26.05	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#24	22.07	26.07	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#0	22.27	26.27	33.01	PASS
Band2	5MHz	64QAM	18900	25RB#0	21.08	25.08	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	5MHz	64QAM	18900	1RB#12	22.26	26.26	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#24	22.24	26.24	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#0	22.29	26.29	33.01	PASS
Band2	5MHz	64QAM	19175	25RB#0	21.25	25.25	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#12	22.46	26.46	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#24	22.22	26.22	33.01	PASS
Band2	5MHz	256QAM	18625	1RB#0	19.08	23.08	33.01	PASS
Band2	5MHz	256QAM	18625	25RB#0	18.93	22.93	33.01	PASS
Band2	5MHz	256QAM	18625	1RB#12	19	23	33.01	PASS
Band2	5MHz	256QAM	18625	1RB#24	18.91	22.91	33.01	PASS
Band2	5MHz	256QAM	18900	1RB#0	19.03	23.03	33.01	PASS
Band2	5MHz	256QAM	18900	25RB#0	19.03	23.03	33.01	PASS
Band2	5MHz	256QAM	18900	1RB#12	19.17	23.17	33.01	PASS
Band2	5MHz	256QAM	18900	1RB#24	19.14	23.14	33.01	PASS
Band2	5MHz	256QAM	19175	1RB#0	19.15	23.15	33.01	PASS
Band2	5MHz	256QAM	19175	25RB#0	19.19	23.19	33.01	PASS
Band2	5MHz	256QAM	19175	1RB#12	19.13	23.13	33.01	PASS
Band2	5MHz	256QAM	19175	1RB#24	19.37	23.37	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	24.28	28.28	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	23.21	27.21	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	24.22	28.22	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	24.14	28.14	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	24.2	28.2	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	23.22	27.22	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	24.31	28.31	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	24.26	28.26	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#0	24.35	28.35	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	23.35	27.35	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	24.25	28.25	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	24.47	28.47	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	23.33	27.33	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	22.25	26.25	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	23.56	27.56	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	23.48	27.48	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	23.51	27.51	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	22.31	26.31	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	23.75	27.75	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	23.51	27.51	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	23.72	27.72	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	22.37	26.37	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	23.69	27.69	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	23.59	27.59	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#0	22.19	26.19	33.01	PASS
Band2	10MHz	64QAM	18650	50RB#0	21.09	25.09	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#24	22.15	26.15	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	10MHz	64QAM	18650	1RB#49	22.2	26.2	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#0	22.24	26.24	33.01	PASS
Band2	10MHz	64QAM	18900	50RB#0	21.11	25.11	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#24	22.38	26.38	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#49	22.16	26.16	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#0	22.37	26.37	33.01	PASS
Band2	10MHz	64QAM	19150	50RB#0	21.23	25.23	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#24	22.54	26.54	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#49	22.42	26.42	33.01	PASS
Band2	10MHz	256QAM	18650	1RB#0	19.11	23.11	33.01	PASS
Band2	10MHz	256QAM	18650	50RB#0	19.08	23.08	33.01	PASS
Band2	10MHz	256QAM	18650	1RB#24	18.92	22.92	33.01	PASS
Band2	10MHz	256QAM	18650	1RB#49	19.14	23.14	33.01	PASS
Band2	10MHz	256QAM	18900	1RB#0	19.4	23.4	33.01	PASS
Band2	10MHz	256QAM	18900	50RB#0	19.08	23.08	33.01	PASS
Band2	10MHz	256QAM	18900	1RB#24	19.17	23.17	33.01	PASS
Band2	10MHz	256QAM	18900	1RB#49	19.26	23.26	33.01	PASS
Band2	10MHz	256QAM	19150	1RB#0	19.36	23.36	33.01	PASS
Band2	10MHz	256QAM	19150	50RB#0	19.11	23.11	33.01	PASS
Band2	10MHz	256QAM	19150	1RB#24	19.36	23.36	33.01	PASS
Band2	10MHz	256QAM	19150	1RB#49	19.52	23.52	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	24.47	28.47	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	23.2	27.2	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#38	24.06	28.06	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	24.05	28.05	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	24.22	28.22	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	23.19	27.19	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#38	24.16	28.16	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	24.23	28.23	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	24.3	28.3	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	23.25	27.25	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#38	24.27	28.27	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	24.26	28.26	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	23.51	27.51	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	22.25	26.25	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#38	23.54	27.54	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	23.26	27.26	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	23.37	27.37	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	22.17	26.17	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#38	23.55	27.55	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	23.45	27.45	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#0	23.42	27.42	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	22.27	26.27	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#38	23.62	27.62	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	23.56	27.56	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	15MHz	64QAM	18675	1RB#0	22.28	26.28	33.01	PASS
Band2	15MHz	64QAM	18675	75RB#0	21.06	25.06	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#38	22.13	26.13	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#74	22.03	26.03	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#0	22.21	26.21	33.01	PASS
Band2	15MHz	64QAM	18900	75RB#0	21.01	25.01	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#38	22.27	26.27	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#74	22.29	26.29	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#0	22.42	26.42	33.01	PASS
Band2	15MHz	64QAM	19125	75RB#0	21.16	25.16	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#38	22.3	26.3	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#74	22.44	26.44	33.01	PASS
Band2	15MHz	256QAM	18675	1RB#0	18.97	22.97	33.01	PASS
Band2	15MHz	256QAM	18675	75RB#0	18.98	22.98	33.01	PASS
Band2	15MHz	256QAM	18675	1RB#38	19.2	23.2	33.01	PASS
Band2	15MHz	256QAM	18675	1RB#74	18.99	22.99	33.01	PASS
Band2	15MHz	256QAM	18900	1RB#0	19.14	23.14	33.01	PASS
Band2	15MHz	256QAM	18900	75RB#0	19	23	33.01	PASS
Band2	15MHz	256QAM	18900	1RB#38	19	23	33.01	PASS
Band2	15MHz	256QAM	18900	1RB#74	19.17	23.17	33.01	PASS
Band2	15MHz	256QAM	19125	1RB#0	19.19	23.19	33.01	PASS
Band2	15MHz	256QAM	19125	75RB#0	19.16	23.16	33.01	PASS
Band2	15MHz	256QAM	19125	1RB#38	19.28	23.28	33.01	PASS
Band2	15MHz	256QAM	19125	1RB#74	19.2	23.2	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	24.1	28.1	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	23.19	27.19	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	24.2	28.2	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	24.19	28.19	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	24.19	28.19	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	23.18	27.18	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	24.27	28.27	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	24.26	28.26	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	24.38	28.38	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	23.31	27.31	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	24.5	28.5	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	24.35	28.35	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	23.52	27.52	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	22.26	26.26	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	23.5	27.5	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	23.69	27.69	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	23.75	27.75	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	22.2	26.2	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	23.71	27.71	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	23.58	27.58	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	23.64	27.64	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	20MHz	16QAM	19100	100RB#0	22.37	26.37	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	23.7	27.7	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	23.95	27.95	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#0	22.33	26.33	33.01	PASS
Band2	20MHz	64QAM	18700	100RB#0	20.99	24.99	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#49	22.19	26.19	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#99	22.25	26.25	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#0	22.3	26.3	33.01	PASS
Band2	20MHz	64QAM	18900	100RB#0	21.06	25.06	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#49	22.41	26.41	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#99	22.27	26.27	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#0	22.36	26.36	33.01	PASS
Band2	20MHz	64QAM	19100	100RB#0	21.1	25.1	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#49	22.47	26.47	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#99	22.44	26.44	33.01	PASS
Band2	20MHz	256QAM	18700	1RB#0	18.98	22.98	33.01	PASS
Band2	20MHz	256QAM	18700	100RB#0	18.96	22.96	33.01	PASS
Band2	20MHz	256QAM	18700	1RB#49	19.2	23.2	33.01	PASS
Band2	20MHz	256QAM	18700	1RB#99	19.02	23.02	33.01	PASS
Band2	20MHz	256QAM	18900	1RB#0	19.07	23.07	33.01	PASS
Band2	20MHz	256QAM	18900	100RB#0	18.97	22.97	33.01	PASS
Band2	20MHz	256QAM	18900	1RB#49	19.1	23.1	33.01	PASS
Band2	20MHz	256QAM	18900	1RB#99	18.92	22.92	33.01	PASS
Band2	20MHz	256QAM	19100	1RB#0	19.39	23.39	33.01	PASS
Band2	20MHz	256QAM	19100	100RB#0	19.11	23.11	33.01	PASS
Band2	20MHz	256QAM	19100	1RB#49	19.3	23.3	33.01	PASS
Band2	20MHz	256QAM	19100	1RB#99	19.17	23.17	33.01	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	4.87	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	4.98	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.01	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.01	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.06	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.06	13	PASS
Band2	20MHz	64QAM	18700	100RB#0	6.68	13	PASS
Band2	20MHz	64QAM	18900	100RB#0	6.72	13	PASS
Band2	20MHz	64QAM	19100	100RB#0	6.69	13	PASS
Band2	20MHz	256QAM	18700	100RB#0	10.84	13	PASS
Band2	20MHz	256QAM	18900	100RB#0	7.00	13	PASS
Band2	20MHz	256QAM	19100	100RB#0	6.98	13	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test Graphs



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS



Band2-20MHz-16QAM-18900-100RB#0-PASS



Band2-20MHz-16QAM-19100-100RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-20MHz-64QAM-18700-100RB#0-PASS



Band2-20MHz-64QAM-18900-100RB#0-PASS



Band2-20MHz-64QAM-19100-100RB#0-PASS



Band2-20MHz-256QAM-18700-100RB#0-PASS



Band2-20MHz-256QAM-18900-100RB#0-PASS



Band2-20MHz-256QAM-19100-100RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0988	1.360	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0999	1.365	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.0994	1.354	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1067	1.369	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.1084	1.381	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1049	1.370	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	1.1001	1.380	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	1.1044	1.391	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	1.1004	1.353	PASS
Band2	1.4MHz	256QAM	18607	6RB#0	1.0998	1.367	PASS
Band2	1.4MHz	256QAM	18900	6RB#0	1.1036	1.344	PASS
Band2	1.4MHz	256QAM	19193	6RB#0	1.0976	1.350	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7026	3.062	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7010	3.031	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7035	3.032	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.7019	3.030	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.7015	3.063	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7072	3.039	PASS
Band2	3MHz	64QAM	18615	15RB#0	2.7035	3.025	PASS
Band2	3MHz	64QAM	18900	15RB#0	2.7002	3.063	PASS
Band2	3MHz	64QAM	19185	15RB#0	2.7044	3.046	PASS
Band2	3MHz	256QAM	18615	15RB#0	2.6938	3.037	PASS
Band2	3MHz	256QAM	18900	15RB#0	2.7007	3.022	PASS
Band2	3MHz	256QAM	19185	15RB#0	2.6951	3.033	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5128	5.108	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5119	5.153	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5103	5.152	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5086	5.134	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5052	5.213	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5034	5.151	PASS
Band2	5MHz	64QAM	18625	25RB#0	4.5085	5.187	PASS
Band2	5MHz	64QAM	18900	25RB#0	4.5068	5.168	PASS
Band2	5MHz	64QAM	19175	25RB#0	4.5116	5.178	PASS
Band2	5MHz	256QAM	18625	25RB#0	4.5002	5.124	PASS
Band2	5MHz	256QAM	18900	25RB#0	4.5008	5.130	PASS
Band2	5MHz	256QAM	19175	25RB#0	4.5017	5.130	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.9957	10.04	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0058	10.10	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2	10MHz	QPSK	19150	50RB#0	9.0036	10.11	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9924	9.986	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.0090	10.10	PASS
Band2	10MHz	16QAM	19150	50RB#0	9.0042	10.05	PASS
Band2	10MHz	64QAM	18650	50RB#0	9.0020	9.973	PASS
Band2	10MHz	64QAM	18900	50RB#0	8.9876	10.04	PASS
Band2	10MHz	64QAM	19150	50RB#0	8.9890	10.02	PASS
Band2	10MHz	256QAM	18650	50RB#0	9.0004	10.06	PASS
Band2	10MHz	256QAM	18900	50RB#0	9.0014	10.03	PASS
Band2	10MHz	256QAM	19150	50RB#0	8.9814	10.06	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.480	14.93	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.489	14.97	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.523	15.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.481	14.86	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.496	14.94	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.514	15.06	PASS
Band2	15MHz	64QAM	18675	75RB#0	13.480	14.90	PASS
Band2	15MHz	64QAM	18900	75RB#0	13.509	14.98	PASS
Band2	15MHz	64QAM	19125	75RB#0	13.479	15.06	PASS
Band2	15MHz	256QAM	18675	75RB#0	13.461	14.91	PASS
Band2	15MHz	256QAM	18900	75RB#0	13.511	15.01	PASS
Band2	15MHz	256QAM	19125	75RB#0	13.454	14.91	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.921	19.64	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.999	19.94	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.999	19.86	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.914	19.71	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.954	19.88	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.959	19.81	PASS
Band2	20MHz	64QAM	18700	100RB#0	17.932	19.83	PASS
Band2	20MHz	64QAM	18900	100RB#0	18.025	19.73	PASS
Band2	20MHz	64QAM	19100	100RB#0	18.040	19.90	PASS
Band2	20MHz	256QAM	18700	100RB#0	18.008	19.67	PASS
Band2	20MHz	256QAM	18900	100RB#0	18.028	19.71	PASS
Band2	20MHz	256QAM	19100	100RB#0	17.990	19.67	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Test Graphs



Band2-1.4MHz-QPSK-18607-6RB#0-PASS



Band2-1.4MHz-QPSK-18900-6RB#0-PASS



Band2-1.4MHz-QPSK-19193-6RB#0-PASS



Band2-1.4MHz-16QAM-18607-6RB#0-PASS



Band2-1.4MHz-16QAM-18900-6RB#0-PASS



Band2-1.4MHz-16QAM-19193-6RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-1.4MHz-64QAM-18607-6RB#0-PASS



Band2-1.4MHz-64QAM-18900-6RB#0-PASS



Band2-1.4MHz-64QAM-19193-6RB#0-PASS



Band2-1.4MHz-256QAM-18607-6RB#0-PASS



Band2-1.4MHz-256QAM-18900-6RB#0-PASS



Band2-1.4MHz-256QAM-19193-6RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-3MHz-QPSK-18615-15RB#0-PASS

Band2-3MHz-QPSK-18900-15RB#0-PASS



Band2-3MHz-QPSK-19185-15RB#0-PASS



Band2-3MHz-16QAM-18615-15RB#0-PASS



Band2-3MHz-16QAM-18900-15RB#0-PASS



Band2-3MHz-16QAM-19185-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-3MHz-64QAM-18615-15RB#0-PASS



Band2-3MHz-64QAM-18900-15RB#0-PASS



Band2-3MHz-64QAM-19185-15RB#0-PASS

Band2-3MHz-256QAM-18615-15RB#0-PASS

Band2-3MHz-256QAM-18900-15RB#0-PASS

Band2-3MHz-256QAM-19185-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-QPSK-18900-25RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-16QAM-18625-25RB#0-PASS



Band2-5MHz-16QAM-18900-25RB#0-PASS



Band2-5MHz-16QAM-19175-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-5MHz-64QAM-18625-25RB#0-PASS



Band2-5MHz-64QAM-18900-25RB#0-PASS



Band2-5MHz-64QAM-19175-25RB#0-PASS



Band2-5MHz-256QAM-18625-25RB#0-PASS



Band2-5MHz-256QAM-18900-25RB#0-PASS



Band2-5MHz-256QAM-19175-25RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-QPSK-18900-50RB#0-PASS



Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-16QAM-18650-50RB#0-PASS



Band2-10MHz-16QAM-18900-50RB#0-PASS



Band2-10MHz-16QAM-19150-50RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-10MHz-64QAM-18650-50RB#0-PASS



Band2-10MHz-64QAM-18900-50RB#0-PASS



Band2-10MHz-64QAM-19150-50RB#0-PASS



Band2-10MHz-256QAM-18650-50RB#0-PASS



Band2-10MHz-256QAM-18900-50RB#0-PASS



Band2-10MHz-256QAM-19150-50RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-15MHz-QPSK-18675-75RB#0-PASS



Band2-15MHz-QPSK-18900-75RB#0-PASS



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-16QAM-18675-75RB#0-PASS

Band2-15MHz-16QAM-18900-75RB#0-PASS

Band2-15MHz-16QAM-19125-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-15MHz-64QAM-18675-75RB#0-PASS

Band2-15MHz-64QAM-18900-75RB#0-PASS



Band2-15MHz-64QAM-19125-75RB#0-PASS



Band2-15MHz-256QAM-18675-75RB#0-PASS



Band2-15MHz-256QAM-18900-75RB#0-PASS

Band2-15MHz-256QAM-19125-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-16QAM-18700-100RB#0-PASS

Band2-20MHz-16QAM-18900-100RB#0-PASS

Band2-20MHz-16QAM-19100-100RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-20MHz-64QAM-18700-100RB#0-PASS

Band2-20MHz-64QAM-18900-100RB#0-PASS



Band2-20MHz-64QAM-19100-100RB#0-PASS



Band2-20MHz-256QAM-18700-100RB#0-PASS



Band2-20MHz-256QAM-18900-100RB#0-PASS

Band2-20MHz-256QAM-19100-100RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band Edge

Test Graphs



Band2-1.4MHz-QPSK-18607-1RB#0-PASS

Band2-1.4MHz-QPSK-18607-6RB#0-PASS

Band2-1.4MHz-QPSK-19193-6RB#0-PASS



Band2-1.4MHz-QPSK-19193-1RB#5-PASS



Band2-3MHz-QPSK-18615-1RB#0-PASS



Band2-3MHz-QPSK-18615-15RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-3MHz-QPSK-19185-15RB#0-PASS



Band2-3MHz-QPSK-19185-1RB#14-PASS



Band2-5MHz-QPSK-18625-1RB#0-PASS



Band2-5MHz-QPSK-18625-25RB#0-PASS



Band2-5MHz-QPSK-19175-25RB#0-PASS



Band2-5MHz-QPSK-19175-1RB#24-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-10MHz-QPSK-18650-1RB#0-PASS



Band2-10MHz-QPSK-18650-50RB#0-PASS



Band2-10MHz-QPSK-19150-50RB#0-PASS



Band2-10MHz-QPSK-19150-1RB#49-PASS



Band2-15MHz-QPSK-18675-1RB#0-PASS



Band2-15MHz-QPSK-18675-75RB#0-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-15MHz-QPSK-19125-75RB#0-PASS



Band2-15MHz-QPSK-19125-1RB#74-PASS



Band2-20MHz-QPSK-18700-1RB#0-PASS



Band2-20MHz-QPSK-18700-100RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#99-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Conducted Spurious Emission

Test Graphs



Band2-20MHz-QPSK-18700-1RB#0-0.009~0.15-PASS



Band2-20MHz-QPSK-18700-1RB#0-0.15~30-PASS

Band2-20MHz-QPSK-18700-1RB#0-30~1000-PASS



Band2-20MHz-QPSK-18700-1RB#0-1000~3000-PASS

Band2-20MHz-QPSK-18700-1RB#0-3000~20000-PASS



Band2-20MHz-QPSK-18900-1RB#0-0.009~0.15-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.



Band2-20MHz-QPSK-18900-1RB#0-0.15~30-PASS



Band2-20MHz-QPSK-18900-1RB#0-30~1000-PASS

Band2-20MHz-QPSK-18900-1RB#0-1000~3000-PASS

Band2-20MHz-QPSK-18900-1RB#0-3000~20000-PASS



Band2-20MHz-QPSK-19100-1RB#0-0.009~0.15-PASS



Band2-20MHz-QPSK-19100-1RB#0-0.15~30-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Band2-20MHz-QPSK-19100-1RB#0-30~1000-PASS



Band2-20MHz-QPSK-19100-1RB#0-1000~3000-PASS



Band2-20MHz-QPSK-19100-1RB#0-3000~20000-PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Frequency Stability

Test Result

Voltage									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	0.20	0.000106	PASS
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	0.70	0.000372	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	-0.70	-0.000372	PASS

Temperature									
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Verdict
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	-1.00	-0.000532	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	-0.50	-0.000266	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-10	0.80	0.000426	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	0.20	0.000106	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	10	1.70	0.000904	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	1.40	0.000745	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	1.90	0.001011	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	-0.70	-0.000372	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	-0.60	-0.000319	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.