



Appendix D: Test Data for E-UTRA Band 2

Product Name: Smart phone

Test Model: Smooth 5.5 Max

Environmental Conditions

Temperature:	22.5° C
Relative Humidity:	53.5%
ATM Pressure:	100.0 kPa
Test Engineer:	Ling Zhu
Supervised by:	Li Huan





D.1 Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	21.23	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	21.17	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	21.05	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	21.24	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	21.23	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	21.19	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	20.29	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	21.39	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	21.49	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	21.30	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	21.38	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	21.37	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	21.42	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	20.58	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.35	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.38	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.40	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.28	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.28	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.28	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.36	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.28	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	20.62	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	20.55	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	20.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	19.98	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	20.24	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	19.71	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.06	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.11	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	1.4MHz	16QAM	18900	1RB#5	20.95	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	20.34	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	20.35	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	20.53	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	19.86	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.41	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.44	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	21.44	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.29	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.29	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	21.29	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.55	PASS
Band2	3MHz	QPSK	18615	1RB#0	21.37	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.83	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.12	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.06	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.88	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.03	PASS
Band2	3MHz	QPSK	18900	1RB#0	21.27	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.09	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.10	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.18	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.23	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.26	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.22	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.21	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.19	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.16	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.07	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.20	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.16	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.21	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.08	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.95	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	3MHz	16QAM	18615	1RB#14	22.30	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.42	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.36	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.39	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.25	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.35	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.45	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.29	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.49	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.60	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.57	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.44	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.20	PASS
Band2	3MHz	16QAM	19185	1RB#8	22.22	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.27	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.27	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.44	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.53	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.36	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.99	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.55	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.04	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.01	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.02	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.95	PASS
Band2	5MHz	QPSK	18900	1RB#0	21.43	PASS
Band2	5MHz	QPSK	18900	1RB#12	21.63	PASS
Band2	5MHz	QPSK	18900	1RB#24	21.85	PASS
Band2	5MHz	QPSK	18900	12RB#0	20.49	PASS
Band2	5MHz	QPSK	18900	12RB#6	20.46	PASS
Band2	5MHz	QPSK	18900	12RB#13	20.68	PASS
Band2	5MHz	QPSK	18900	25RB#0	20.54	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.49	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.65	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	5MHz	QPSK	19175	1RB#24	22.63	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.43	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.42	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.34	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.37	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.31	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.10	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.06	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.15	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.24	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.18	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.20	PASS
Band2	5MHz	16QAM	18900	1RB#0	19.99	PASS
Band2	5MHz	16QAM	18900	1RB#12	20.21	PASS
Band2	5MHz	16QAM	18900	1RB#24	20.32	PASS
Band2	5MHz	16QAM	18900	12RB#0	19.55	PASS
Band2	5MHz	16QAM	18900	12RB#6	19.51	PASS
Band2	5MHz	16QAM	18900	12RB#13	19.83	PASS
Band2	5MHz	16QAM	18900	25RB#0	19.77	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.61	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.77	PASS
Band2	5MHz	16QAM	19175	1RB#24	21.79	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.50	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.48	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.56	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.62	PASS
Band2	10MHz	QPSK	18650	1RB#0	21.30	PASS
Band2	10MHz	QPSK	18650	1RB#24	21.23	PASS
Band2	10MHz	QPSK	18650	1RB#49	21.05	PASS
Band2	10MHz	QPSK	18650	25RB#0	20.31	PASS
Band2	10MHz	QPSK	18650	25RB#12	20.21	PASS
Band2	10MHz	QPSK	18650	25RB#25	20.15	PASS
Band2	10MHz	QPSK	18650	50RB#0	20.30	PASS
Band2	10MHz	QPSK	18900	1RB#0	21.03	PASS
Band2	10MHz	QPSK	18900	1RB#24	21.28	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	10MHz	QPSK	18900	1RB#49	21.58	PASS
Band2	10MHz	QPSK	18900	25RB#0	20.26	PASS
Band2	10MHz	QPSK	18900	25RB#12	20.36	PASS
Band2	10MHz	QPSK	18900	25RB#25	20.74	PASS
Band2	10MHz	QPSK	18900	50RB#0	20.51	PASS
Band2	10MHz	QPSK	19150	1RB#0	21.90	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.17	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.33	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.07	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.02	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.27	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.11	PASS
Band2	10MHz	16QAM	18650	1RB#0	20.50	PASS
Band2	10MHz	16QAM	18650	1RB#24	20.44	PASS
Band2	10MHz	16QAM	18650	1RB#49	20.16	PASS
Band2	10MHz	16QAM	18650	25RB#0	19.58	PASS
Band2	10MHz	16QAM	18650	25RB#12	19.58	PASS
Band2	10MHz	16QAM	18650	25RB#25	19.41	PASS
Band2	10MHz	16QAM	18650	50RB#0	19.45	PASS
Band2	10MHz	16QAM	18900	1RB#0	20.14	PASS
Band2	10MHz	16QAM	18900	1RB#24	20.45	PASS
Band2	10MHz	16QAM	18900	1RB#49	20.72	PASS
Band2	10MHz	16QAM	18900	25RB#0	19.47	PASS
Band2	10MHz	16QAM	18900	25RB#12	19.51	PASS
Band2	10MHz	16QAM	18900	25RB#25	19.82	PASS
Band2	10MHz	16QAM	18900	50RB#0	19.63	PASS
Band2	10MHz	16QAM	19150	1RB#0	20.36	PASS
Band2	10MHz	16QAM	19150	1RB#24	20.51	PASS
Band2	10MHz	16QAM	19150	1RB#49	20.78	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.33	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.34	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.51	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.33	PASS
Band2	15MHz	QPSK	18675	1RB#0	21.80	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.42	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	15MHz	QPSK	18675	1RB#74	21.85	PASS
Band2	15MHz	QPSK	18675	38RB#0	20.71	PASS
Band2	15MHz	QPSK	18675	38RB#18	21.38	PASS
Band2	15MHz	QPSK	18675	38RB#37	20.87	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.36	PASS
Band2	15MHz	QPSK	18900	1RB#0	20.68	PASS
Band2	15MHz	QPSK	18900	1RB#38	20.33	PASS
Band2	15MHz	QPSK	18900	1RB#74	20.04	PASS
Band2	15MHz	QPSK	18900	38RB#0	19.71	PASS
Band2	15MHz	QPSK	18900	38RB#18	19.40	PASS
Band2	15MHz	QPSK	18900	38RB#37	19.13	PASS
Band2	15MHz	QPSK	18900	75RB#0	19.52	PASS
Band2	15MHz	QPSK	19125	1RB#0	21.19	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.19	PASS
Band2	15MHz	QPSK	19125	1RB#74	21.71	PASS
Band2	15MHz	QPSK	19125	38RB#0	19.60	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.23	PASS
Band2	15MHz	QPSK	19125	38RB#37	20.79	PASS
Band2	15MHz	QPSK	19125	75RB#0	20.65	PASS
Band2	15MHz	16QAM	18675	1RB#0	20.69	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.28	PASS
Band2	15MHz	16QAM	18675	1RB#74	20.86	PASS
Band2	15MHz	16QAM	18675	38RB#0	20.77	PASS
Band2	15MHz	16QAM	18675	38RB#18	21.39	PASS
Band2	15MHz	16QAM	18675	38RB#37	20.86	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.24	PASS
Band2	15MHz	16QAM	18900	1RB#0	19.77	PASS
Band2	15MHz	16QAM	18900	1RB#38	19.46	PASS
Band2	15MHz	16QAM	18900	1RB#74	19.16	PASS
Band2	15MHz	16QAM	18900	38RB#0	19.70	PASS
Band2	15MHz	16QAM	18900	38RB#18	19.48	PASS
Band2	15MHz	16QAM	18900	38RB#37	19.17	PASS
Band2	15MHz	16QAM	18900	75RB#0	18.49	PASS
Band2	15MHz	16QAM	19125	1RB#0	20.06	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.22	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	15MHz	16QAM	19125	1RB#74	21.26	PASS
Band2	15MHz	16QAM	19125	38RB#0	20.07	PASS
Band2	15MHz	16QAM	19125	38RB#18	20.76	PASS
Band2	15MHz	16QAM	19125	38RB#37	20.89	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.06	PASS
Band2	20MHz	QPSK	18700	1RB#0	21.75	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.64	PASS
Band2	20MHz	QPSK	18700	1RB#99	20.73	PASS
Band2	20MHz	QPSK	18700	50RB#0	20.77	PASS
Band2	20MHz	QPSK	18700	50RB#25	20.77	PASS
Band2	20MHz	QPSK	18700	50RB#50	20.99	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.17	PASS
Band2	20MHz	QPSK	18900	1RB#0	20.88	PASS
Band2	20MHz	QPSK	18900	1RB#49	20.20	PASS
Band2	20MHz	QPSK	18900	1RB#99	20.18	PASS
Band2	20MHz	QPSK	18900	50RB#0	19.84	PASS
Band2	20MHz	QPSK	18900	50RB#25	19.87	PASS
Band2	20MHz	QPSK	18900	50RB#50	19.24	PASS
Band2	20MHz	QPSK	18900	100RB#0	19.66	PASS
Band2	20MHz	QPSK	19100	1RB#0	20.48	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.13	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.19	PASS
Band2	20MHz	QPSK	19100	50RB#0	19.81	PASS
Band2	20MHz	QPSK	19100	50RB#25	19.86	PASS
Band2	20MHz	QPSK	19100	50RB#50	20.50	PASS
Band2	20MHz	QPSK	19100	100RB#0	20.15	PASS
Band2	20MHz	16QAM	18700	1RB#0	20.73	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.49	PASS
Band2	20MHz	16QAM	18700	1RB#99	20.19	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.26	PASS
Band2	20MHz	16QAM	18700	50RB#25	20.24	PASS
Band2	20MHz	16QAM	18700	50RB#50	19.99	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.05	PASS
Band2	20MHz	16QAM	18900	1RB#0	19.92	PASS
Band2	20MHz	16QAM	18900	1RB#49	19.29	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	20MHz	16QAM	18900	1RB#99	19.26	PASS
Band2	20MHz	16QAM	18900	50RB#0	18.86	PASS
Band2	20MHz	16QAM	18900	50RB#25	18.92	PASS
Band2	20MHz	16QAM	18900	50RB#50	18.39	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.63	PASS
Band2	20MHz	16QAM	19100	1RB#0	19.15	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.08	PASS
Band2	20MHz	16QAM	19100	1RB#99	20.73	PASS
Band2	20MHz	16QAM	19100	50RB#0	19.26	PASS
Band2	20MHz	16QAM	19100	50RB#25	19.29	PASS
Band2	20MHz	16QAM	19100	50RB#50	19.83	PASS
Band2	20MHz	16QAM	19100	100RB#0	19.61	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	4.28	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	4.86	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3.72	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	4.34	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3.61	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	4.27	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	4.72	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	5.54	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	4.39	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	5.18	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	4.42	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	5.06	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	3.93	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.16	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	3.72	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.31	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	3.55	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.19	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	5.58	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.94	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	5.74	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.11	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	5.47	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.96	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	4.40	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.87	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	3.92	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.47	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	3.65	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.30	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.24	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	5.56	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	4.85	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	5.21	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	5MHz	16QAM	19175	1RB#0	4.61	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	5.06	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	4.32	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	4.94	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	3.99	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	4.53	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	3.76	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	4.37	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	5.23	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	5.74	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	4.92	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	5.23	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	4.51	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	5.14	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	3.41	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	4.78	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	4.56	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.89	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	2.60	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	4.77	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	4.48	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	5.56	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	5.52	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.52	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	3.78	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	5.56	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	3.72	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	4.98	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	4.57	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.61	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	3.52	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	4.91	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	4.61	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	5.78	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	5.34	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.41	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	4.60	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	5.68	13	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.



Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs


Band2-1.4MHz-QPSK-18607-1RB#0**Band2-1.4MHz-QPSK-18607-6RB#0****Band2-1.4MHz-QPSK-18900-1RB#0**

Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-1.4MHz-QPSK-18900-6RB#0



Band2-1.4MHz-QPSK-19193-1RB#0



Band2-1.4MHz-QPSK-19193-6RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-1.4MHz-16QAM-18607-1RB#0



Band2-1.4MHz-16QAM-18607-6RB#0



Band2-1.4MHz-16QAM-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-1.4MHz-16QAM-18900-6RB#0



Band2-1.4MHz-16QAM-19193-1RB#0



Band2-1.4MHz-16QAM-19193-6RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-3MHz-QPSK-18615-1RB#0



Band2-3MHz-QPSK-18615-15RB#0



Band2-3MHz-QPSK-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-3MHz-QPSK-18900-15RB#0



Band2-3MHz-QPSK-19185-1RB#0



Band2-3MHz-QPSK-19185-15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-3MHz-16QAM-18615-1RB#0



Band2-3MHz-16QAM-18615-15RB#0



Band2-3MHz-16QAM-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-3MHz-16QAM-18900-15RB#0



Band2-3MHz-16QAM-19185-1RB#0



Band2-3MHz-16QAM-19185-15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-5MHz-QPSK-18625-1RB#0



Band2-5MHz-QPSK-18625-25RB#0



Band2-5MHz-QPSK-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-5MHz-QPSK-18900-25RB#0



Band2-5MHz-QPSK-19175-1RB#0



Band2-5MHz-QPSK-19175-25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-5MHz-16QAM-18625-1RB#0



Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-5MHz-16QAM-18900-25RB#0



Band2-5MHz-16QAM-19175-1RB#0



Band2-5MHz-16QAM-19175-25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-10MHz-QPSK-18650-1RB#0



Band2-10MHz-QPSK-18650-50RB#0



Band2-10MHz-QPSK-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-1RB#0



Band2-10MHz-QPSK-19150-50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-10MHz-16QAM-18650-1RB#0



Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-10MHz-16QAM-18900-50RB#0



Band2-10MHz-16QAM-19150-1RB#0



Band2-10MHz-16QAM-19150-50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-15MHz-QPSK-18675-1RB#0



Band2-15MHz-QPSK-18675-75RB#0



Band2-15MHz-QPSK-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-15MHz-QPSK-18900-75RB#0



Band2-15MHz-QPSK-19125-1RB#0



Band2-15MHz-QPSK-19125-75RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-15MHz-16QAM-18675-1RB#0



Band2-15MHz-16QAM-18675-75RB#0



Band2-15MHz-16QAM-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-15MHz-16QAM-18900-75RB#0



Band2-15MHz-16QAM-19125-1RB#0



Band2-15MHz-16QAM-19125-75RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-20MHz-QPSK-18700-1RB#0



Band2-20MHz-QPSK-18700-100RB#0



Band2-20MHz-QPSK-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-20MHz-QPSK-18900-100RB#0



Band2-20MHz-QPSK-19100-1RB#0



Band2-20MHz-QPSK-19100-100RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-20MHz-16QAM-18700-1RB#0



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-1RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-1RB#0



Band2-20MHz-16QAM-19100-100RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.3 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.0932	1.283	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.0915	1.278	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.1027	1.312	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.1081	1.363	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.0999	1.360	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.1027	1.352	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.7128	3.137	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.7104	3.082	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.7059	3.149	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.6999	3.091	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.6970	3.132	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.7045	3.235	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.5155	5.330	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.5230	5.322	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.5161	5.425	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5168	5.227	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.5209	5.288	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.5285	5.271	PASS
Band2	10MHz	QPSK	18650	50RB#0	9.0163	10.09	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.0113	10.06	PASS
Band2	10MHz	QPSK	19150	50RB#0	9.0317	10.06	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.9869	10.10	PASS
Band2	10MHz	16QAM	18900	50RB#0	9.0069	10.31	PASS
Band2	10MHz	16QAM	19150	50RB#0	9.0274	10.42	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.513	15.46	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.558	17.53	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.466	15.02	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.518	15.04	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.505	15.10	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.468	15.00	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.980	19.90	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.032	19.62	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.958	19.75	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Band2	20MHz	16QAM	18700	100RB#0	18.020	19.52	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.004	19.70	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.922	19.60	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.



Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs


Band2-1.4MHz-QPSK-18607-6RB#0**Band2-1.4MHz-QPSK-18900-6RB#0****Band2-1.4MHz-QPSK-19193-6RB#0**

Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-1.4MHz-16QAM-18607-6RB#0



Band2-1.4MHz-16QAM-18900-6RB#0



Band2-1.4MHz-16QAM-19193-6RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-3MHz-QPSK-18615-15RB#0



Band2-3MHz-QPSK-18900-15RB#0



Band2-3MHz-QPSK-19185-15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-3MHz-16QAM-18615-15RB#0



Band2-3MHz-16QAM-18900-15RB#0



Band2-3MHz-16QAM-19185-15RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-5MHz-QPSK-18625-25RB#0



Band2-5MHz-QPSK-18900-25RB#0



Band2-5MHz-QPSK-19175-25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-5MHz-16QAM-18625-25RB#0



Band2-5MHz-16QAM-18900-25RB#0



Band2-5MHz-16QAM-19175-25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-10MHz-QPSK-18650-50RB#0



Band2-10MHz-QPSK-18900-50RB#0



Band2-10MHz-QPSK-19150-50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-10MHz-16QAM-18650-50RB#0



Band2-10MHz-16QAM-18900-50RB#0



Band2-10MHz-16QAM-19150-50RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-15MHz-QPSK-18675-75RB#0



Band2-15MHz-QPSK-18900-75RB#0



Band2-15MHz-QPSK-19125-75RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-15MHz-16QAM-18675-75RB#0



Band2-15MHz-16QAM-18900-75RB#0



Band2-15MHz-16QAM-19125-75RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-20MHz-QPSK-18700-100RB#0



Band2-20MHz-QPSK-18900-100RB#0



Band2-20MHz-QPSK-19100-100RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band2-20MHz-16QAM-18700-100RB#0



Band2-20MHz-16QAM-18900-100RB#0



Band2-20MHz-16QAM-19100-100RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.4 Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	-27.86	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-25.80	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-29.74	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-27.14	PASS
Band2	3MHz	QPSK	18615	15RB#0	-23.03	PASS
Band2	3MHz	QPSK	19185	15RB#0	-22.09	PASS
Band2	3MHz	16QAM	18615	15RB#0	-20.37	PASS
Band2	3MHz	16QAM	19185	15RB#0	-22.10	PASS
Band2	5MHz	QPSK	18625	25RB#0	-26.38	PASS
Band2	5MHz	QPSK	19175	25RB#0	-24.13	PASS
Band2	5MHz	16QAM	18625	25RB#0	-27.94	PASS
Band2	5MHz	16QAM	19175	25RB#0	-25.07	PASS
Band2	10MHz	QPSK	18650	50RB#0	-29.45	PASS
Band2	10MHz	QPSK	19150	50RB#0	-25.45	PASS
Band2	10MHz	16QAM	18650	50RB#0	-30.31	PASS
Band2	10MHz	16QAM	19150	50RB#0	-26.97	PASS
Band2	15MHz	QPSK	18675	75RB#0	-26.62	PASS
Band2	15MHz	QPSK	19125	75RB#0	-27.70	PASS
Band2	15MHz	16QAM	18675	75RB#0	-27.59	PASS
Band2	15MHz	16QAM	19125	75RB#0	-30.95	PASS
Band2	20MHz	QPSK	18700	100RB#0	-29.27	PASS
Band2	20MHz	QPSK	19100	100RB#0	-29.61	PASS
Band2	20MHz	16QAM	18700	100RB#0	-29.38	PASS
Band2	20MHz	16QAM	19100	100RB#0	-31.98	PASS

Test Graphs

Band2-1.4MHz-QPSK-18607-6RB#0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

