

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.25	3.00	26.25	<=33.01	Pass
			2	23.35	3.00	26.35	<=33.01	Pass
			5	23.27	3.00	26.27	<=33.01	Pass
		3	0	23.40	3.00	26.40	<=33.01	Pass
			2	23.38	3.00	26.38	<=33.01	Pass
			3	23.34	3.00	26.34	<=33.01	Pass
		6	0	22.41	3.00	25.41	<=33.01	Pass
	1882.5	1	0	23.49	3.00	26.49	<=33.01	Pass
			2	23.39	3.00	26.39	<=33.01	Pass
			5	23.34	3.00	26.34	<=33.01	Pass
		3	0	23.37	3.00	26.37	<=33.01	Pass
			2	23.44	3.00	26.44	<=33.01	Pass
			3	23.44	3.00	26.44	<=33.01	Pass
		6	0	22.35	3.00	25.35	<=33.01	Pass
	1914.3	1	0	23.12	3.00	26.12	<=33.01	Pass
			2	23.15	3.00	26.15	<=33.01	Pass
			5	23.12	3.00	26.12	<=33.01	Pass
		3	0	23.28	3.00	26.28	<=33.01	Pass
			2	23.21	3.00	26.21	<=33.01	Pass
			3	23.21	3.00	26.21	<=33.01	Pass
		6	0	22.31	3.00	25.31	<=33.01	Pass
16QAM	1850.7	1	0	22.41	3.00	25.41	<=33.01	Pass
			2	22.72	3.00	25.72	<=33.01	Pass
			5	22.34	3.00	25.34	<=33.01	Pass
		3	0	22.19	3.00	25.19	<=33.01	Pass
			2	22.40	3.00	25.40	<=33.01	Pass
			3	22.08	3.00	25.08	<=33.01	Pass
		6	0	21.34	3.00	24.34	<=33.01	Pass
	1882.5	1	0	22.67	3.00	25.67	<=33.01	Pass
			2	21.88	3.00	24.88	<=33.01	Pass
			5	22.10	3.00	25.10	<=33.01	Pass
		3	0	22.40	3.00	25.40	<=33.01	Pass
			2	22.55	3.00	25.55	<=33.01	Pass
			3	22.29	3.00	25.29	<=33.01	Pass
		6	0	21.34	3.00	24.34	<=33.01	Pass
	1914.3	1	0	22.34	3.00	25.34	<=33.01	Pass
			2	22.50	3.00	25.50	<=33.01	Pass
			5	22.52	3.00	25.52	<=33.01	Pass
		3	0	22.15	3.00	25.15	<=33.01	Pass
			2	22.26	3.00	25.26	<=33.01	Pass
			3	21.97	3.00	24.97	<=33.01	Pass
		6	0	21.15	3.00	24.15	<=33.01	Pass
64QAM	1850.7	1	0	21.31	3.00	24.31	<=33.01	Pass
			2	21.37	3.00	24.37	<=33.01	Pass
			5	21.48	3.00	24.48	<=33.01	Pass
		3	0	21.12	3.00	24.12	<=33.01	Pass

			2	21.29	3.00	24.29	<=33.01	Pass
			3	21.18	3.00	24.18	<=33.01	Pass
	1882.5	6	0	20.19	3.00	23.19	<=33.01	Pass
			0	21.28	3.00	24.28	<=33.01	Pass
		1	2	21.11	3.00	24.11	<=33.01	Pass
			5	21.35	3.00	24.35	<=33.01	Pass
			0	21.26	3.00	24.26	<=33.01	Pass
		3	2	21.37	3.00	24.37	<=33.01	Pass
			3	21.36	3.00	24.36	<=33.01	Pass
			0	20.32	3.00	23.32	<=33.01	Pass
		1914.3	0	21.28	3.00	24.28	<=33.01	Pass
			2	21.36	3.00	24.36	<=33.01	Pass
			5	20.56	3.00	23.56	<=33.01	Pass
			0	21.25	3.00	24.25	<=33.01	Pass
			2	21.34	3.00	24.34	<=33.01	Pass
			3	20.99	3.00	23.99	<=33.01	Pass
		6	0	20.23	3.00	23.23	<=33.01	Pass
256QAM	1850.7	1	0	18.07	3.00	21.07	<=33.01	Pass
			2	18.10	3.00	21.10	<=33.01	Pass
			5	18.01	3.00	21.01	<=33.01	Pass
		3	0	18.27	3.00	21.27	<=33.01	Pass
			2	18.27	3.00	21.27	<=33.01	Pass
			3	18.36	3.00	21.36	<=33.01	Pass
		6	0	18.28	3.00	21.28	<=33.01	Pass
	1882.5	1	0	18.25	3.00	21.25	<=33.01	Pass
			2	18.14	3.00	21.14	<=33.01	Pass
			5	18.23	3.00	21.23	<=33.01	Pass
		3	0	18.46	3.00	21.46	<=33.01	Pass
			2	18.63	3.00	21.63	<=33.01	Pass
			3	17.68	3.00	20.68	<=33.01	Pass
		6	0	18.37	3.00	21.37	<=33.01	Pass
	1914.3	1	0	17.56	3.00	20.56	<=33.01	Pass
			2	18.07	3.00	21.07	<=33.01	Pass
			5	18.29	3.00	21.29	<=33.01	Pass
		3	0	18.29	3.00	21.29	<=33.01	Pass
			2	18.05	3.00	21.05	<=33.01	Pass
			3	18.30	3.00	21.30	<=33.01	Pass
		6	0	18.36	3.00	21.36	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.15	3.00	26.15	<=33.01	Pass
			7	23.29	3.00	26.29	<=33.01	Pass
			14	23.15	3.00	26.15	<=33.01	Pass
		8	0	22.28	3.00	25.28	<=33.01	Pass
			4	22.30	3.00	25.30	<=33.01	Pass
			7	22.29	3.00	25.29	<=33.01	Pass
		15	0	22.35	3.00	25.35	<=33.01	Pass
	1882.5	1	0	23.17	3.00	26.17	<=33.01	Pass
			7	23.31	3.00	26.31	<=33.01	Pass

		8	14	23.27	3.00	26.27	<=33.01	Pass
			0	22.36	3.00	25.36	<=33.01	Pass
			4	22.41	3.00	25.41	<=33.01	Pass
			7	22.39	3.00	25.39	<=33.01	Pass
		15	0	22.35	3.00	25.35	<=33.01	Pass
	1913.5	1	0	23.18	3.00	26.18	<=33.01	Pass
			7	23.27	3.00	26.27	<=33.01	Pass
			14	23.22	3.00	26.22	<=33.01	Pass
		8	0	22.31	3.00	25.31	<=33.01	Pass
			4	22.30	3.00	25.30	<=33.01	Pass
			7	22.29	3.00	25.29	<=33.01	Pass
		15	0	22.33	3.00	25.33	<=33.01	Pass
16QAM	1851.5	1	0	21.79	3.00	24.79	<=33.01	Pass
			7	22.63	3.00	25.63	<=33.01	Pass
			14	22.38	3.00	25.38	<=33.01	Pass
		8	0	21.38	3.00	24.38	<=33.01	Pass
			4	21.32	3.00	24.32	<=33.01	Pass
			7	21.32	3.00	24.32	<=33.01	Pass
		15	0	21.30	3.00	24.30	<=33.01	Pass
	1882.5	1	0	22.36	3.00	25.36	<=33.01	Pass
			7	22.65	3.00	25.65	<=33.01	Pass
			14	22.35	3.00	25.35	<=33.01	Pass
		8	0	21.38	3.00	24.38	<=33.01	Pass
			4	21.44	3.00	24.44	<=33.01	Pass
			7	21.33	3.00	24.33	<=33.01	Pass
		15	0	21.34	3.00	24.34	<=33.01	Pass
	1913.5	1	0	22.52	3.00	25.52	<=33.01	Pass
			7	22.35	3.00	25.35	<=33.01	Pass
			14	21.29	3.00	24.29	<=33.01	Pass
		8	0	21.18	3.00	24.18	<=33.01	Pass
			4	21.38	3.00	24.38	<=33.01	Pass
			7	20.98	3.00	23.98	<=33.01	Pass
		15	0	21.31	3.00	24.31	<=33.01	Pass
64QAM	1851.5	1	0	21.21	3.00	24.21	<=33.01	Pass
			7	21.32	3.00	24.32	<=33.01	Pass
			14	20.85	3.00	23.85	<=33.01	Pass
		8	0	20.32	3.00	23.32	<=33.01	Pass
			4	20.28	3.00	23.28	<=33.01	Pass
			7	20.14	3.00	23.14	<=33.01	Pass
		15	0	20.29	3.00	23.29	<=33.01	Pass
	1882.5	1	0	21.27	3.00	24.27	<=33.01	Pass
			7	21.38	3.00	24.38	<=33.01	Pass
			14	21.28	3.00	24.28	<=33.01	Pass
		8	0	20.26	3.00	23.26	<=33.01	Pass
			4	20.17	3.00	23.17	<=33.01	Pass
			7	20.32	3.00	23.32	<=33.01	Pass
		15	0	20.27	3.00	23.27	<=33.01	Pass
	1913.5	1	0	21.15	3.00	24.15	<=33.01	Pass
			7	21.16	3.00	24.16	<=33.01	Pass
			14	21.26	3.00	24.26	<=33.01	Pass
		8	0	20.31	3.00	23.31	<=33.01	Pass
			4	20.29	3.00	23.29	<=33.01	Pass
			7	20.20	3.00	23.20	<=33.01	Pass
		15	0	20.32	3.00	23.32	<=33.01	Pass
256QAM	1851.5	1	0	18.02	3.00	21.02	<=33.01	Pass
			7	18.40	3.00	21.40	<=33.01	Pass

			14	18.31	3.00	21.31	<=33.01	Pass
		8	0	18.24	3.00	21.24	<=33.01	Pass
			4	18.28	3.00	21.28	<=33.01	Pass
			7	18.32	3.00	21.32	<=33.01	Pass
		15	0	18.27	3.00	21.27	<=33.01	Pass
	1882.5	1	0	17.92	3.00	20.92	<=33.01	Pass
			7	17.95	3.00	20.95	<=33.01	Pass
			14	17.97	3.00	20.97	<=33.01	Pass
		8	0	18.33	3.00	21.33	<=33.01	Pass
			4	18.50	3.00	21.50	<=33.01	Pass
			7	18.40	3.00	21.40	<=33.01	Pass
		15	0	18.31	3.00	21.31	<=33.01	Pass
	1913.5	1	0	18.51	3.00	21.51	<=33.01	Pass
			7	18.43	3.00	21.43	<=33.01	Pass
			14	18.29	3.00	21.29	<=33.01	Pass
		8	0	18.30	3.00	21.30	<=33.01	Pass
			4	18.39	3.00	21.39	<=33.01	Pass
			7	18.40	3.00	21.40	<=33.01	Pass
		15	0	18.42	3.00	21.42	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.15	3.00	26.15	<=33.01	Pass
			13	23.26	3.00	26.26	<=33.01	Pass
			24	23.18	3.00	26.18	<=33.01	Pass
		12	0	22.40	3.00	25.40	<=33.01	Pass
			6	22.35	3.00	25.35	<=33.01	Pass
			13	22.29	3.00	25.29	<=33.01	Pass
		25	0	22.40	3.00	25.40	<=33.01	Pass
	1882.5	1	0	23.30	3.00	26.30	<=33.01	Pass
			13	23.34	3.00	26.34	<=33.01	Pass
			24	23.37	3.00	26.37	<=33.01	Pass
		12	0	22.42	3.00	25.42	<=33.01	Pass
			6	22.29	3.00	25.29	<=33.01	Pass
			13	22.40	3.00	25.40	<=33.01	Pass
		25	0	22.33	3.00	25.33	<=33.01	Pass
	1912.5	1	0	23.27	3.00	26.27	<=33.01	Pass
			13	23.70	3.00	26.70	<=33.01	Pass
			24	23.25	3.00	26.25	<=33.01	Pass
		12	0	22.38	3.00	25.38	<=33.01	Pass
			6	22.32	3.00	25.32	<=33.01	Pass
			13	22.29	3.00	25.29	<=33.01	Pass
		25	0	22.37	3.00	25.37	<=33.01	Pass
16QAM	1852.5	1	0	22.50	3.00	25.50	<=33.01	Pass
			13	22.58	3.00	25.58	<=33.01	Pass
			24	22.47	3.00	25.47	<=33.01	Pass
		12	0	21.35	3.00	24.35	<=33.01	Pass
			6	21.40	3.00	24.40	<=33.01	Pass
			13	21.41	3.00	24.41	<=33.01	Pass
		25	0	21.30	3.00	24.30	<=33.01	Pass
	1882.5	1	0	22.63	3.00	25.63	<=33.01	Pass
			13	22.66	3.00	25.66	<=33.01	Pass
			24	22.58	3.00	25.58	<=33.01	Pass
		12	0	21.30	3.00	24.30	<=33.01	Pass
			6	21.33	3.00	24.33	<=33.01	Pass
			13	21.45	3.00	24.45	<=33.01	Pass
		25	0	21.39	3.00	24.39	<=33.01	Pass
	1912.5	1	0	21.85	3.00	24.85	<=33.01	Pass
			13	22.92	3.00	25.92	<=33.01	Pass
			24	22.24	3.00	25.24	<=33.01	Pass
		12	0	21.32	3.00	24.32	<=33.01	Pass
			6	21.38	3.00	24.38	<=33.01	Pass
			13	21.27	3.00	24.27	<=33.01	Pass
		25	0	21.31	3.00	24.31	<=33.01	Pass
64QAM	1852.5	1	0	20.88	3.00	23.88	<=33.01	Pass
			13	21.04	3.00	24.04	<=33.01	Pass
			24	20.93	3.00	23.93	<=33.01	Pass
		12	0	20.25	3.00	23.25	<=33.01	Pass
			6	20.28	3.00	23.28	<=33.01	Pass
			13	20.18	3.00	23.18	<=33.01	Pass
		25	0	20.19	3.00	23.19	<=33.01	Pass
	1882.5	1	0	21.15	3.00	24.15	<=33.01	Pass
			13	21.27	3.00	24.27	<=33.01	Pass

256QAM	1912.5	12	24	21.40	3.00	24.40	<=33.01	Pass
			0	20.23	3.00	23.23	<=33.01	Pass
			6	20.27	3.00	23.27	<=33.01	Pass
			13	20.36	3.00	23.36	<=33.01	Pass
		25	0	20.27	3.00	23.27	<=33.01	Pass
			0	21.11	3.00	24.11	<=33.01	Pass
			13	21.49	3.00	24.49	<=33.01	Pass
			24	20.97	3.00	23.97	<=33.01	Pass
	1882.5	12	0	20.23	3.00	23.23	<=33.01	Pass
			6	20.31	3.00	23.31	<=33.01	Pass
			13	20.25	3.00	23.25	<=33.01	Pass
			0	20.27	3.00	23.27	<=33.01	Pass
		25	0	18.20	3.00	21.20	<=33.01	Pass
			13	18.02	3.00	21.02	<=33.01	Pass
			24	18.20	3.00	21.20	<=33.01	Pass
			0	18.37	3.00	21.37	<=33.01	Pass
256QAM	1852.5	12	6	18.42	3.00	21.42	<=33.01	Pass
			13	18.45	3.00	21.45	<=33.01	Pass
			0	18.36	3.00	21.36	<=33.01	Pass
			0	18.47	3.00	21.47	<=33.01	Pass
		25	13	18.52	3.00	21.52	<=33.01	Pass
			24	18.55	3.00	21.55	<=33.01	Pass
			0	18.44	3.00	21.44	<=33.01	Pass
			6	18.41	3.00	21.41	<=33.01	Pass
256QAM	1882.5	12	13	18.45	3.00	21.45	<=33.01	Pass
			0	18.40	3.00	21.40	<=33.01	Pass
		25	0	18.32	3.00	21.32	<=33.01	Pass
			13	18.17	3.00	21.17	<=33.01	Pass
			24	18.40	3.00	21.40	<=33.01	Pass
			0	18.35	3.00	21.35	<=33.01	Pass
		25	6	18.34	3.00	21.34	<=33.01	Pass
			13	18.47	3.00	21.47	<=33.01	Pass
256QAM	1912.5	12	13	18.47	3.00	21.47	<=33.01	Pass
			0	18.43	3.00	21.43	<=33.01	Pass
		25	0	18.43	3.00	21.43	<=33.01	Pass
			0	18.43	3.00	21.43	<=33.01	Pass
		25	0	18.43	3.00	21.43	<=33.01	Pass
			0	18.43	3.00	21.43	<=33.01	Pass
		25	0	18.43	3.00	21.43	<=33.01	Pass
			0	18.43	3.00	21.43	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.28	3.00	26.28	<=33.01	Pass
			25	23.30	3.00	26.30	<=33.01	Pass
			49	23.31	3.00	26.31	<=33.01	Pass
		25	0	22.28	3.00	25.28	<=33.01	Pass
			13	22.30	3.00	25.30	<=33.01	Pass
			25	22.39	3.00	25.39	<=33.01	Pass
		50	0	22.30	3.00	25.30	<=33.01	Pass
			0	23.38	3.00	26.38	<=33.01	Pass
	1882.5	1	25	23.49	3.00	26.49	<=33.01	Pass
			49	23.35	3.00	26.35	<=33.01	Pass
			0	22.34	3.00	25.34	<=33.01	Pass
		25	13	22.41	3.00	25.41	<=33.01	Pass
			25	22.47	3.00	25.47	<=33.01	Pass
			0	22.33	3.00	25.33	<=33.01	Pass
		50	0	22.33	3.00	25.33	<=33.01	Pass
			0	22.33	3.00	25.33	<=33.01	Pass

	1910	1	0	23.19	3.00	26.19	<=33.01	Pass
			25	23.23	3.00	26.23	<=33.01	Pass
			49	23.21	3.00	26.21	<=33.01	Pass
		25	0	22.32	3.00	25.32	<=33.01	Pass
			13	22.23	3.00	25.23	<=33.01	Pass
			25	22.27	3.00	25.27	<=33.01	Pass
16QAM	1855	1	0	22.25	3.00	25.25	<=33.01	Pass
			25	22.48	3.00	25.48	<=33.01	Pass
			49	22.35	3.00	25.35	<=33.01	Pass
		25	0	21.20	3.00	24.20	<=33.01	Pass
			13	21.38	3.00	24.38	<=33.01	Pass
			25	21.30	3.00	24.30	<=33.01	Pass
	1882.5	1	0	21.38	3.00	24.38	<=33.01	Pass
			0	22.29	3.00	25.29	<=33.01	Pass
			25	22.34	3.00	25.34	<=33.01	Pass
		25	49	22.23	3.00	25.23	<=33.01	Pass
			0	21.37	3.00	24.37	<=33.01	Pass
			13	21.43	3.00	24.43	<=33.01	Pass
		50	25	21.20	3.00	24.20	<=33.01	Pass
			0	21.24	3.00	24.24	<=33.01	Pass
	1910	1	0	22.44	3.00	25.44	<=33.01	Pass
			25	22.38	3.00	25.38	<=33.01	Pass
			49	22.35	3.00	25.35	<=33.01	Pass
		25	0	21.26	3.00	24.26	<=33.01	Pass
			13	21.17	3.00	24.17	<=33.01	Pass
			25	21.26	3.00	24.26	<=33.01	Pass
		50	0	21.25	3.00	24.25	<=33.01	Pass
64QAM	1855	1	0	21.32	3.00	24.32	<=33.01	Pass
			25	21.34	3.00	24.34	<=33.01	Pass
			49	21.12	3.00	24.12	<=33.01	Pass
		25	0	20.16	3.00	23.16	<=33.01	Pass
			13	20.27	3.00	23.27	<=33.01	Pass
			25	20.22	3.00	23.22	<=33.01	Pass
	1882.5	1	0	20.29	3.00	23.29	<=33.01	Pass
			0	21.33	3.00	24.33	<=33.01	Pass
			25	21.48	3.00	24.48	<=33.01	Pass
		25	49	21.35	3.00	24.35	<=33.01	Pass
			0	20.19	3.00	23.19	<=33.01	Pass
			13	20.38	3.00	23.38	<=33.01	Pass
		50	25	20.33	3.00	23.33	<=33.01	Pass
			0	20.26	3.00	23.26	<=33.01	Pass
	1910	1	0	21.22	3.00	24.22	<=33.01	Pass
			25	20.95	3.00	23.95	<=33.01	Pass
			49	20.95	3.00	23.95	<=33.01	Pass
		25	0	20.20	3.00	23.20	<=33.01	Pass
			13	20.27	3.00	23.27	<=33.01	Pass
			25	20.23	3.00	23.23	<=33.01	Pass
		50	0	20.21	3.00	23.21	<=33.01	Pass
256QAM	1855	1	0	18.25	3.00	21.25	<=33.01	Pass
			25	18.46	3.00	21.46	<=33.01	Pass
			49	18.46	3.00	21.46	<=33.01	Pass
		25	0	18.20	3.00	21.20	<=33.01	Pass
			13	18.36	3.00	21.36	<=33.01	Pass
			25	18.37	3.00	21.37	<=33.01	Pass
		50	0	18.31	3.00	21.31	<=33.01	Pass

	1882.5	1	0	18.34	3.00	21.34	<=33.01	Pass
			25	18.58	3.00	21.58	<=33.01	Pass
			49	18.58	3.00	21.58	<=33.01	Pass
		25	0	18.27	3.00	21.27	<=33.01	Pass
			13	18.31	3.00	21.31	<=33.01	Pass
			25	18.45	3.00	21.45	<=33.01	Pass
		50	0	18.43	3.00	21.43	<=33.01	Pass
	1910	1	0	18.17	3.00	21.17	<=33.01	Pass
			25	18.34	3.00	21.34	<=33.01	Pass
			49	18.29	3.00	21.29	<=33.01	Pass
		25	0	17.98	3.00	20.98	<=33.01	Pass
			13	18.34	3.00	21.34	<=33.01	Pass
			25	18.29	3.00	21.29	<=33.01	Pass
		50	0	18.40	3.00	21.40	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.05	3.00	26.05	<=33.01	Pass
			38	22.67	3.00	25.67	<=33.01	Pass
			74	23.14	3.00	26.14	<=33.01	Pass
		36	0	22.18	3.00	25.18	<=33.01	Pass
			18	22.19	3.00	25.19	<=33.01	Pass
			39	22.22	3.00	25.22	<=33.01	Pass
		75	0	22.18	3.00	25.18	<=33.01	Pass
	1882.5	1	0	22.97	3.00	25.97	<=33.01	Pass
			38	22.96	3.00	25.96	<=33.01	Pass
			74	22.64	3.00	25.64	<=33.01	Pass
		36	0	22.32	3.00	25.32	<=33.01	Pass
			18	22.11	3.00	25.11	<=33.01	Pass
			39	22.17	3.00	25.17	<=33.01	Pass
		75	0	22.11	3.00	25.11	<=33.01	Pass
	1907.5	1	0	22.94	3.00	25.94	<=33.01	Pass
			38	22.84	3.00	25.84	<=33.01	Pass
			74	22.91	3.00	25.91	<=33.01	Pass
		36	0	22.10	3.00	25.10	<=33.01	Pass
			18	22.09	3.00	25.09	<=33.01	Pass
			39	22.12	3.00	25.12	<=33.01	Pass
		75	0	22.11	3.00	25.11	<=33.01	Pass
16QAM	1857.5	1	0	22.65	3.00	25.65	<=33.01	Pass
			38	22.15	3.00	25.15	<=33.01	Pass
			74	21.74	3.00	24.74	<=33.01	Pass
		36	0	21.20	3.00	24.20	<=33.01	Pass
			18	21.25	3.00	24.25	<=33.01	Pass
			39	21.27	3.00	24.27	<=33.01	Pass
		75	0	21.23	3.00	24.23	<=33.01	Pass
	1882.5	1	0	22.39	3.00	25.39	<=33.01	Pass
			38	21.71	3.00	24.71	<=33.01	Pass
			74	21.90	3.00	24.90	<=33.01	Pass
		36	0	21.24	3.00	24.24	<=33.01	Pass
			18	21.15	3.00	24.15	<=33.01	Pass

			39	21.16	3.00	24.16	<=33.01	Pass		
		75	0	21.22	3.00	24.22	<=33.01	Pass		
	1907.5	1		0	22.41	3.00	25.41	<=33.01	Pass	
				38	22.21	3.00	25.21	<=33.01	Pass	
				74	21.81	3.00	24.81	<=33.01	Pass	
				0	21.14	3.00	24.14	<=33.01	Pass	
		36		18	21.15	3.00	24.15	<=33.01	Pass	
				39	21.07	3.00	24.07	<=33.01	Pass	
75	0		21.07	3.00	24.07	<=33.01	Pass			
64QAM	1857.5	1		0	20.75	3.00	23.75	<=33.01	Pass	
				38	20.70	3.00	23.70	<=33.01	Pass	
				74	20.94	3.00	23.94	<=33.01	Pass	
				0	20.10	3.00	23.10	<=33.01	Pass	
		36		18	20.11	3.00	23.11	<=33.01	Pass	
				39	20.19	3.00	23.19	<=33.01	Pass	
			75	0	20.11	3.00	23.11	<=33.01	Pass	
			1882.5	1		0	21.09	3.00	24.09	<=33.01
		38			21.26	3.00	24.26	<=33.01	Pass	
		74			21.18	3.00	24.18	<=33.01	Pass	
		0			20.19	3.00	23.19	<=33.01	Pass	
	36			18	20.14	3.00	23.14	<=33.01	Pass	
				39	20.14	3.00	23.14	<=33.01	Pass	
		75		0	20.07	3.00	23.07	<=33.01	Pass	
		1907.5		1		0	20.58	3.00	23.58	<=33.01
			38		21.03	3.00	24.03	<=33.01	Pass	
			74		20.83	3.00	23.83	<=33.01	Pass	
			0		20.07	3.00	23.07	<=33.01	Pass	
	36			18	20.08	3.00	23.08	<=33.01	Pass	
				39	20.05	3.00	23.05	<=33.01	Pass	
			75	0	20.00	3.00	23.00	<=33.01	Pass	
			256QAM	1857.5	1		0	17.92	3.00	20.92
		38				18.30	3.00	21.30	<=33.01	Pass
		74				18.26	3.00	21.26	<=33.01	Pass
	0	18.23				3.00	21.23	<=33.01	Pass	
36		18			18.29	3.00	21.29	<=33.01	Pass	
		39			18.35	3.00	21.35	<=33.01	Pass	
	75	0			18.28	3.00	21.28	<=33.01	Pass	
	1882.5	1				0	17.11	3.00	20.11	<=33.01
				38	18.28	3.00	21.28	<=33.01	Pass	
				74	18.28	3.00	21.28	<=33.01	Pass	
				0	18.19	3.00	21.19	<=33.01	Pass	
36				18	18.28	3.00	21.28	<=33.01	Pass	
				39	18.31	3.00	21.31	<=33.01	Pass	
		75		0	18.27	3.00	21.27	<=33.01	Pass	
		1907.5		1		0	18.05	3.00	21.05	<=33.01
	38				18.15	3.00	21.15	<=33.01	Pass	
	74				17.99	3.00	20.99	<=33.01	Pass	
	0				18.28	3.00	21.28	<=33.01	Pass	
36				18	18.27	3.00	21.27	<=33.01	Pass	
				39	18.26	3.00	21.26	<=33.01	Pass	
	75			0	18.21	3.00	21.21	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.93	3.00	25.93	<=33.01	Pass
			50	23.16	3.00	26.16	<=33.01	Pass
			99	23.06	3.00	26.06	<=33.01	Pass
		50	0	22.19	3.00	25.19	<=33.01	Pass
			25	22.19	3.00	25.19	<=33.01	Pass
			50	22.13	3.00	25.13	<=33.01	Pass
		100	0	22.25	3.00	25.25	<=33.01	Pass
	1882.5	1	0	23.36	3.00	26.36	<=33.01	Pass
			50	23.14	3.00	26.14	<=33.01	Pass
			99	22.98	3.00	25.98	<=33.01	Pass
		50	0	22.20	3.00	25.20	<=33.01	Pass
			25	22.27	3.00	25.27	<=33.01	Pass
			50	22.24	3.00	25.24	<=33.01	Pass
		100	0	22.22	3.00	25.22	<=33.01	Pass
	1905	1	0	23.03	3.00	26.03	<=33.01	Pass
			50	22.95	3.00	25.95	<=33.01	Pass
			99	23.13	3.00	26.13	<=33.01	Pass
		50	0	22.21	3.00	25.21	<=33.01	Pass
			25	22.23	3.00	25.23	<=33.01	Pass
			50	22.23	3.00	25.23	<=33.01	Pass
		100	0	22.23	3.00	25.23	<=33.01	Pass
16QAM	1860	1	0	22.39	3.00	25.39	<=33.01	Pass
			50	22.38	3.00	25.38	<=33.01	Pass
			99	21.87	3.00	24.87	<=33.01	Pass
		50	0	21.11	3.00	24.11	<=33.01	Pass
			25	21.22	3.00	24.22	<=33.01	Pass
			50	21.18	3.00	24.18	<=33.01	Pass
		100	0	21.21	3.00	24.21	<=33.01	Pass
	1882.5	1	0	22.49	3.00	25.49	<=33.01	Pass
			50	22.00	3.00	25.00	<=33.01	Pass
			99	22.42	3.00	25.42	<=33.01	Pass
		50	0	21.33	3.00	24.33	<=33.01	Pass
			25	21.25	3.00	24.25	<=33.01	Pass
			50	21.31	3.00	24.31	<=33.01	Pass
		100	0	21.21	3.00	24.21	<=33.01	Pass
	1905	1	0	21.91	3.00	24.91	<=33.01	Pass
			50	21.05	3.00	24.05	<=33.01	Pass
			99	22.07	3.00	25.07	<=33.01	Pass
		50	0	21.17	3.00	24.17	<=33.01	Pass
			25	21.16	3.00	24.16	<=33.01	Pass
			50	21.07	3.00	24.07	<=33.01	Pass
		100	0	21.06	3.00	24.06	<=33.01	Pass
64QAM	1860	1	0	20.97	3.00	23.97	<=33.01	Pass
			50	20.83	3.00	23.83	<=33.01	Pass
			99	20.47	3.00	23.47	<=33.01	Pass
		50	0	20.09	3.00	23.09	<=33.01	Pass
			25	20.44	3.00	23.44	<=33.01	Pass
			50	20.12	3.00	23.12	<=33.01	Pass
		100	0	20.17	3.00	23.17	<=33.01	Pass
	1882.5	1	0	21.29	3.00	24.29	<=33.01	Pass
			50	21.12	3.00	24.12	<=33.01	Pass
			99	20.97	3.00	23.97	<=33.01	Pass
		50	0	20.13	3.00	23.13	<=33.01	Pass

256QAM	1905	100	25	20.15	3.00	23.15	<=33.01	Pass
			50	20.05	3.00	23.05	<=33.01	Pass
			0	20.17	3.00	23.17	<=33.01	Pass
		1	0	21.30	3.00	24.30	<=33.01	Pass
			50	21.13	3.00	24.13	<=33.01	Pass
			99	21.17	3.00	24.17	<=33.01	Pass
		50	0	20.08	3.00	23.08	<=33.01	Pass
			25	20.12	3.00	23.12	<=33.01	Pass
			50	20.07	3.00	23.07	<=33.01	Pass
		100	0	20.15	3.00	23.15	<=33.01	Pass
	1860	1	0	18.15	3.00	21.15	<=33.01	Pass
			50	18.34	3.00	21.34	<=33.01	Pass
			99	18.22	3.00	21.22	<=33.01	Pass
		50	0	18.22	3.00	21.22	<=33.01	Pass
			25	18.32	3.00	21.32	<=33.01	Pass
			50	18.33	3.00	21.33	<=33.01	Pass
		100	0	18.29	3.00	21.29	<=33.01	Pass
	1882.5	1	0	17.46	3.00	20.46	<=33.01	Pass
			50	18.07	3.00	21.07	<=33.01	Pass
			99	18.02	3.00	21.02	<=33.01	Pass
		50	0	18.29	3.00	21.29	<=33.01	Pass
			25	18.29	3.00	21.29	<=33.01	Pass
			50	18.34	3.00	21.34	<=33.01	Pass
		100	0	18.31	3.00	21.31	<=33.01	Pass
	1905	1	0	18.32	3.00	21.32	<=33.01	Pass
			50	18.04	3.00	21.04	<=33.01	Pass
			99	18.33	3.00	21.33	<=33.01	Pass
		50	0	18.23	3.00	21.23	<=33.01	Pass
			25	18.27	3.00	21.27	<=33.01	Pass
			50	18.19	3.00	21.19	<=33.01	Pass
		100	0	18.27	3.00	21.27	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1882.5	50	0	20	LV	-1.600	-0.0008	-2.5 to 2.5	Pass
					NV	0.400	0.0002	-2.5 to 2.5	Pass
					HV	-0.200	-0.0001	-2.5 to 2.5	Pass
				0	NV	0.200	0.0001	-2.5 to 2.5	Pass
				10	NV	0.000	0.0000	-2.5 to 2.5	Pass
				30	NV	-0.600	-0.0003	-2.5 to 2.5	Pass
				40	NV	1.800	0.0010	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.126	/	Pass
	16QAM	1882.5	6	0	1.125	/	Pass
	64QAM	1882.5	6	0	1.127	/	Pass
	256QAM	1882.5	6	0	1.122	/	Pass
3	QPSK	1882.5	15	0	2.755	/	Pass
	16QAM	1882.5	15	0	2.751	/	Pass
	64QAM	1882.5	15	0	2.747	/	Pass
	256QAM	1882.5	15	0	2.743	/	Pass
5	QPSK	1882.5	25	0	4.553	/	Pass
	16QAM	1882.5	25	0	4.583	/	Pass
	64QAM	1882.5	25	0	4.536	/	Pass
	256QAM	1882.5	25	0	4.546	/	Pass
10	QPSK	1882.5	50	0	9.100	/	Pass
	16QAM	1882.5	50	0	9.102	/	Pass
	64QAM	1882.5	50	0	9.119	/	Pass
	256QAM	1882.5	50	0	9.100	/	Pass
15	QPSK	1882.5	75	0	13.620	/	Pass
	16QAM	1882.5	75	0	13.672	/	Pass
	64QAM	1882.5	75	0	13.622	/	Pass
	256QAM	1882.5	75	0	13.618	/	Pass
20	QPSK	1882.5	100	0	18.170	/	Pass
	16QAM	1882.5	100	0	18.133	/	Pass
	64QAM	1882.5	100	0	18.105	/	Pass
	256QAM	1882.5	100	0	18.070	/	Pass

3.1.2 Band25_XDB


Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1882.5	6	0	1.365	/	Pass
	16QAM	1882.5	6	0	1.415	/	Pass
	64QAM	1882.5	6	0	1.392	/	Pass
	256QAM	1882.5	6	0	1.400	/	Pass
3	QPSK	1882.5	15	0	3.131	/	Pass
	16QAM	1882.5	15	0	3.100	/	Pass
	64QAM	1882.5	15	0	3.104	/	Pass
	256QAM	1882.5	15	0	3.119	/	Pass
5	QPSK	1882.5	25	0	5.186	/	Pass
	16QAM	1882.5	25	0	5.281	/	Pass
	64QAM	1882.5	25	0	5.297	/	Pass
	256QAM	1882.5	25	0	5.185	/	Pass
10	QPSK	1882.5	50	0	10.274	/	Pass
	16QAM	1882.5	50	0	10.176	/	Pass
	64QAM	1882.5	50	0	10.143	/	Pass
	256QAM	1882.5	50	0	10.063	/	Pass
15	QPSK	1882.5	75	0	15.218	/	Pass
	16QAM	1882.5	75	0	15.253	/	Pass
	64QAM	1882.5	75	0	15.121	/	Pass
	256QAM	1882.5	75	0	15.142	/	Pass
20	QPSK	1882.5	100	0	20.105	/	Pass
	16QAM	1882.5	100	0	20.209	/	Pass
	64QAM	1882.5	100	0	20.057	/	Pass
	256QAM	1882.5	100	0	20.069	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_256QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_256QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_256QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_256QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_256QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV




3.2.2 Band25_XDB




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_256QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_256QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_256QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_256QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_256QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	5.13	<=13	Pass
16QAM	1882.5	100	0	5.94	<=13	Pass
64QAM	1882.5	100	0	9.96	<=13	Pass
256QAM	1882.5	100	0	6.82	<=13	Pass

4.2 Test Graph


4.2.1 B25_20MHz



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_256QAM_MCH_1882.5MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1912.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1910	1	0	Refer To Test Graph	
	49			Refer To Test Graph		Pass
	50		0	Refer To Test Graph		Pass

5.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1907.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass

5.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
		1905	1	0	Refer To Test Graph	
	99			Refer To Test Graph		Pass
	100		0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B25_1.4MHz



Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.72	-13	Pass
1849	1850	0.014	CHP	2	1849.995	-26.73	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV



Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_0_NTNV




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.023	-25.57	-13	Pass
1916	1918	1	CHP	2	1916.582	-38.10	-13	Pass


Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.014	CHP	/	/	/	/	/
1915	1916	0.014	CHP	1	1915.005	-27.46	-13	Pass
1916	1918	1	CHP	2	1916.500	-29.34	-13	Pass


5.2.2 B25_3MHz

Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-36.99	-13	Pass
1849	1850	0.003	/	2	1849.991	-28.91	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band25 3MHz QPSK LCH 1851.5MHz RB 1 0 NTV



Band25_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-20.58	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-23.61	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV



Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	/	/	/	/	/
1915	1916	0.003	/	1	1915.030	-32.38	-13	Pass
1916	1918	1	CHP	2	1916.500	-40.69	-13	Pass

Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.031	CHP	/	/	/	/	/
1915	1916	0.031	CHP	1	1915.006	-26.16	-13	Pass
1916	1918	1	CHP	2	1916.500	-23.43	-13	Pass


5.2.3 B25_5MHz



Band25_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.480	-20.65	-13	Pass
1849	1850	0.052	CHP	2	1849.990	-26.97	-13	Pass
1850	1855	0.052	CHP	/	/	/	/	/


Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_0_NTNV



Band25_5MHz_QPSK_HCH_1912.5MHz_RB_1_24_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




5.2.4 B25_10MHz

Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.495	-39.44	-13	Pass
1849	1850	0.003	/	2	1849.999	-45.94	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.040	-22.95	-13	Pass
1849	1850	0.103	CHP	2	1849.960	-28.23	-13	Pass
1850	1860	0.103	CHP	/	/	/	/	/


Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_1_0_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_1_49_NTNV



Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV



5.2.5 B25_15MHz

